

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Yamhill County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	431	6	14	41	364	6
Gestation (weeks)						
< 9	300	4	8	23	260	5
9-12	71	—	1	10	59	1
13-16	33	1	4	5	23	—
17-20	17	—	1	3	13	—
21-22	5	—	—	—	5	—
23+	3	—	—	—	3	—
Unknown	2	1	—	—	1	—
Contraceptive use¹						
None	288	3	10	24	245	6
Birth control pills	49	—	1	5	43	—
Condoms	53	3	2	9	39	—
Other contraceptive	38	—	1	3	34	—
Unknown	3	—	—	—	3	—
Procedure type						
Suction curette	149	1	5	14	128	1
Medical (non-surgical)	187	4	5	18	156	4
Dilation & evacuation	95	1	4	9	80	1
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	—	—	—	—	—	—
Unknown	—	—	—	—	—	—
Complications²						
None	407	5	14	40	342	6
Hemorrhage	—	—	—	—	—	—
Infection	1	—	—	—	1	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	1	—	—	—	1	—
Failure of first method	4	1	—	—	3	—
Other	14	—	—	1	13	—
Multiple complications ³	4	—	—	—	4	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.