## Oregon Healthy Teens 2002, Data Summary, 8th Grade A25.c. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?

|       |              | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------|-------|--------|-------|-------------------|
| Total |              | 100.0 | 100.0  | 100.0 | 100.0             |
|       | Never have   | 49.1  | 49.1   | 49.0  | 54.7              |
|       | 8 or younger | 11.8  | 10.2   | 13.8  | 7.6               |
|       | 9            | 4.5   | 4.4    | 4.8   | 1.9               |
|       | 10           | 5.3   | 4.8    | 5.8   | 3.1               |
|       | 11           | 6.0   | 6.4    | 5.7   | 5.7               |
|       | 12           | 9.3   | 9.9    | 8.5   | 16.5              |
|       | 13           | 11.0  | 12.6   | 9.4   | 10.1              |
|       | 14           | 2.7   | 2.6    | 3.0   | .5                |
|       | 15           | .1    | .1     | .1    |                   |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2002, Data Summary, 8th Grade A25.c. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,520 | 3,299  | 3,114 | 107               |
|       | Missing: Skipped Q | 683   | 299    | 365   | 19                |
|       | Never have         | 2,872 | 1,461  | 1,369 | 42                |
|       | 8 or younger       | 660   | 296    | 354   | 10                |
|       | 9                  | 246   | 126    | 117   | 3                 |
|       | 10                 | 323   | 156    | 163   | 4                 |
|       | 11                 | 358   | 186    | 165   | 7                 |
|       | 12                 | 569   | 326    | 234   | 9                 |
|       | 13                 | 645   | 366    | 267   | 12                |
|       | 14                 | 158   | 80     | 77    | 1                 |
|       | 15                 | 6     | 3      | 3     |                   |

Unweighted counts.

|       |              | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------|-------|--------|-------|-------------------|
| Total |              | 100.0 | 100.0  | 100.0 | 100.0             |
|       | Never have   | 76.7  | 75.4   | 78.2  | 74.8              |
|       | 8 or younger | 1.4   | .9     | 2.0   | 2.7               |
|       | 9            | .8    | .6     | 1.0   |                   |
|       | 10           | 1.4   | 1.2    | 1.6   | 1.4               |
|       | 11           | 2.9   | 3.0    | 2.9   | .9                |
|       | 12           | 5.5   | 6.3    | 4.6   | 5.4               |
|       | 13           | 8.5   | 9.9    | 6.8   | 11.2              |
|       | 14           | 2.7   | 2.6    | 2.8   | 3.6               |
|       | 15           | .1    | .1     | .0    |                   |

# Oregon Healthy Teens 2002, Data Summary, 8th Grade A25.d. How old were you when you first got drunk?

Weighted percentages exclude missing and/or refused answers.

# Oregon Healthy Teens 2002, Data Summary, 8th Grade A25.d. How old were you when you first got drunk?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,523 | 3,300  | 3,116 | 107               |
|       | Missing: Skipped Q | 656   | 287    | 351   | 18                |
|       | Never have         | 4,492 | 2,268  | 2,158 | 66                |
|       | 8 or younger       | 76    | 23     | 50    | 3                 |
|       | 9                  | 50    | 21     | 29    |                   |
|       | 10                 | 73    | 30     | 42    | 1                 |
|       | 11                 | 160   | 84     | 74    | 2                 |
|       | 12                 | 316   | 184    | 128   | 4                 |
|       | 13                 | 543   | 322    | 212   | 9                 |
|       | 14                 | 152   | 79     | 69    | 4                 |
|       | 15                 | 5     | 2      | 3     |                   |

Unweighted counts.

## Oregon Healthy Teens 2002, Data Summary, 8th Grade A9.a. How many drinks of alcohol have you had (Drink = 1 glass of beer or wine, or 1 shot of hard liquor) in the last 24 hours?

|            | Total | Female | Male  | Gender<br>Unknown |
|------------|-------|--------|-------|-------------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0             |
| None       | 94.4  | 94.9   | 93.9  | 95.0              |
| 1-2        | 3.5   | 3.4    | 3.8   | 1.7               |
| 3-5        | .8    | .8     | .9    | .4                |
| 6-9        | .3    | .1     | .6    |                   |
| 10 or more | .9    | .8     | .8    | 2.9               |

Weighted percentages exclude missing and/or refused answers.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A9.a. How many drinks of alcohol have you had (Drink = 1 glass of beer or wine, or 1 shot of hard liquor) in the last 24 hours?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,470 | 3,279  | 3,088 | 103               |
|       | Missing: Skipped Q | 546   | 235    | 299   | 12                |
|       | None               | 5,612 | 2,902  | 2,626 | 84                |
|       | 1-2                | 191   | 95     | 94    | 2                 |
|       | 3-5                | 57    | 26     | 30    | 1                 |
|       | 6-9                | 19    | 3      | 16    |                   |
|       | 10 or more         | 45    | 18     | 23    | 4                 |

Unweighted counts.

## Oregon Healthy Teens 2002, Data Summary, 8th Grade A9.b. How many drinks of alcohol have you had (Drink = 1 glass of beer or wine, or 1 shot of hard liquor) in the last 7 days?

|            | Total | Female | Male  | Gender<br>Unknown |
|------------|-------|--------|-------|-------------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0             |
| None       | 86.7  | 86.4   | 87.0  | 83.5              |
| 1-2        | 6.9   | 7.6    | 5.9   | 11.9              |
| 3-5        | 3.1   | 3.3    | 3.1   |                   |
| 6-9        | 1.3   | 1.5    | 1.2   |                   |
| 10 or more | 2.0   | 1.1    | 2.8   | 4.5               |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2002, Data Summary, 8th Grade A9.b. How many drinks of alcohol have you had (Drink = 1 glass of beer or wine, or 1 shot of hard liquor) in the last 7 days?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,426 | 3,258  | 3,064 | 104               |
|       | Missing: Skipped Q | 586   | 259    | 312   | 15                |
|       | None               | 5,053 | 2,578  | 2,401 | 74                |
|       | 1-2                | 422   | 246    | 167   | 9                 |
|       | 3-5                | 188   | 101    | 87    |                   |
|       | 6-9                | 81    | 45     | 36    |                   |
|       | 10 or more         | 96    | 29     | 61    | 6                 |

Unweighted counts.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A10. On how many occasions (if any) have you had beer or wine (non-religious) or hard liquor to drink during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 75.6  | 73.7   | 77.5  | 76.4              |
|       | 1-2 occasions        | 14.6  | 15.5   | 13.7  | 14.7              |
|       | 3-5 occasions        | 5.5   | 6.9    | 3.9   | 6.4               |
|       | 6-9 occasions        | 2.1   | 2.3    | 2.0   |                   |
|       | 10 or more occasions | 2.2   | 1.6    | 2.8   | 2.5               |

Weighted percentages exclude missing and/or refused answers.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A10. On how many occasions (if any) have you had beer or wine (non-religious) or hard liquor to drink during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 6,456 | 3,266  | 3,083 | 107               |
|       | Missing: Skipped Q   | 526   | 227    | 288   | 11                |
|       | 0 occasions          | 4,493 | 2,243  | 2,180 | 70                |
|       | 1-2 occasions        | 855   | 478    | 361   | 16                |
|       | 3-5 occasions        | 326   | 191    | 129   | 6                 |
|       | 6-9 occasions        | 125   | 72     | 53    |                   |
|       | 10 or more occasions | 131   | 55     | 72    | 4                 |

Unweighted counts.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A12. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

|                 | Total | Female | Male  | Gender<br>Unknown |
|-----------------|-------|--------|-------|-------------------|
| Total           | 100.0 | 100.0  | 100.0 | 100.0             |
| 0 days          | 90.3  | 89.2   | 91.4  | 90.8              |
| 1 day           | 4.6   | 5.3    | 3.9   | 3.8               |
| 2 days          | 1.9   | 2.4    | 1.5   | .8                |
| 3-5 days        | 1.6   | 1.6    | 1.5   | 3.1               |
| 6-9 days        | .8    | .7     | .8    | 1.4               |
| 10-19 days      | .6    | .7     | .4    |                   |
| 20 or more days | .3    | .2     | .5    |                   |

Weighted percentages exclude missing and/or refused answers.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A12. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,496 | 3,286  | 3,104 | 106               |
|       | Missing: Skipped Q | 528   | 228    | 290   | 10                |
|       | 0 days             | 5,401 | 2,746  | 2,571 | 84                |
|       | 1 day              | 261   | 149    | 107   | 5                 |
|       | 2 days             | 115   | 67     | 46    | 2                 |
|       | 3-5 days           | 99    | 54     | 42    | 3                 |
|       | 6-9 days           | 49    | 21     | 26    | 2                 |
|       | 10-19 days         | 28    | 18     | 10    |                   |
|       | 20 or more days    | 15    | 3      | 12    |                   |

Unweighted counts.

#### Oregon Healthy Teens 2002, Data Summary, 8th Grade A13. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

|       |             | Total | Female | Male  | Gender<br>Unknown |
|-------|-------------|-------|--------|-------|-------------------|
| Total |             | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 days      | 96.9  | 96.8   | 97.0  | 97.6              |
|       | 1-2 days    | 1.7   | 2.0    | 1.4   | 2.0               |
|       | 3-5 days    | .5    | .6     | .4    |                   |
|       | 6-9 days    | .4    | .4     | .5    |                   |
|       | 10-19 days  | .3    | .1     | .5    | .4                |
|       | 20-29 days  | .1    | .1     | .2    |                   |
|       | All 30 days | .0    | .0     | .1    |                   |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2002, Data Summary, 8th Grade A13. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

|       |                    | Total | Female | Male  | Gender<br>Unknown |
|-------|--------------------|-------|--------|-------|-------------------|
| Total |                    | 6,517 | 3,297  | 3,113 | 107               |
|       | Missing: Skipped Q | 533   | 230    | 292   | 11                |
|       | 0 days             | 5,821 | 2,986  | 2,743 | 92                |
|       | 1-2 days           | 97    | 52     | 42    | 3                 |
|       | 3-5 days           | 25    | 14     | 11    |                   |
|       | 6-9 days           | 16    | 8      | 8     |                   |
|       | 10-19 days         | 13    | 3      | 9     | 1                 |
|       | 20-29 days         | 8     | 3      | 5     |                   |
|       | All 30 days        | 4     | 1      | 3     |                   |

Unweighted counts.