Oregon Healthy Teens 2002, Data Summary, 8th Grade A25.f. How old were you when you first tried to sniff or inhale gases, sprays, or glue in order to get high?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Never have	90.8	89.9	91.8	92.4
	8 or younger	1.0	.9	1.2	
	9	.8	.7	.9	.5
	10	1.2	1.2	1.1	1.0
	11	1.2	1.2	1.2	1.8
	12	2.1	2.6	1.6	2.2
	13	2.2	2.7	1.7	2.1
	14	.6	.7	.4	
	15	.0		.1	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A25.f. How old were you when you first tried to sniff or inhale gases, sprays, or
glue in order to get high?

		Total	Female	Male	Gender Unknown
Total		6,433	3,255	3,072	106
	Missing: Skipped Q	661	295	348	18
	Never have	5,247	2,667	2,502	78
	8 or younger	64	26	38	
	9	44	22	21	1
	10	63	35	26	2
	11	65	34	30	1
	12	120	69	48	3
	13	128	80	45	3
	14	39	27	12	
	15	2		2	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.a. On how many occasions (if any) have you sniffed glue, breathed
the contents of aerosol spray cans, or inhaled any paints or sprays to get
high during the past 30 days?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 occasions	93.4	92.8	94.1	95.4
1-2 occasions	4.7	5.3	4.1	1.4
3-5 occasions	.8	.8	.9	.6
6-9 occasions	.3	.3	.3	1.8
10 or more occasions	.7	.7	.7	.9

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17.a. On how many occasions (if any) have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,525	3,300	3,118	107
	Missing: Skipped Q	601	267	320	14
	0 occasions	5,531	2,813	2,632	86
	1-2 occasions	272	159	110	3
	3-5 occasions	59	30	28	1
	6-9 occasions	21	11	9	1
	10 or more occasions	41	20	19	2

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.b. On how many occasions (if any) have you used prescription drugs
(without a doctor's order) to get high during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 occasions	96.2	95.6	96.9	97.8
	1-2 occasions	2.7	3.4	2.1	1.1
	3-5 occasions	.5	.4	.7	.5
	6-9 occasions	.3	.4	.2	.6
	10 or more occasions	.2	.2	.1	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.b. On how many occasions (if any) have you used prescription drugs
(without a doctor's order) to get high during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,525	3,300	3,118	107
	Missing: Skipped Q	619	275	329	15
	0 occasions	5,676	2,886	2,702	88
	1-2 occasions	165	104	59	2
	3-5 occasions	30	15	14	1
	6-9 occasions	20	10	9	1
	10 or more occasions	15	10	5	

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17.c. On how many occasions (if any) have you used stimulants (amphetamines, meth, crystal, speed, crank) during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 occasions	97.2	96.7	97.7	97.9
	1-2 occasions	1.8	2.4	1.2	.9
	3-5 occasions	.6	.6	.5	1.2
	6-9 occasions	.3	.2	.4	
	10 or more occasions	.2	.2	.2	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.c. On how many occasions (if any) have you used stimulants (amphetamines, meth, crystal, speed, crank) during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,525	3,300	3,118	107
	Missing: Skipped Q	622	275	333	14
	0 occasions	5,746	2,935	2,721	90
	1-2 occasions	102	60	40	2
	3-5 occasions	28	19	8	1
	6-9 occasions	14	6	8	
	10 or more occasions	13	5	8	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.d. On how many occasions (if any) have you used cocaine or 'crack' cocaine
during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 occasions	98.4	98.4	98.4	99.5
	1-2 occasions	.9	1.0	.8	
	3-5 occasions	.4	.5	.3	.5
	6-9 occasions	.1	.1	.2	
	10 or more occasions	.1	.0	.2	

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.d. On how many occasions (if any) have you used cocaine or 'crack' cocaine
during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,516	3,296	3,114	106
	Missing: Skipped Q	641	291	335	15
	0 occasions	5,795	2,967	2,738	90
	1-2 occasions	48	26	22	
	3-5 occasions	19	9	9	1
	6-9 occasions	8	2	6	
	10 or more occasions	5	1	4	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.e. On how many occasions (if any) have you used heroin or other opiates or
narcotics during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 occasions	98.9	99.0	98.8	99.6
	1-2 occasions	.6	.6	.7	
	3-5 occasions	.2	.2	.2	.4
	6-9 occasions	.1	.1	.1	
	10 or more occasions	.1	.0	.2	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A17.e. On how many occasions (if any) have you used heroin or other opiates or
narcotics during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,498	3,285	3,106	107
	Missing: Skipped Q	642	287	340	15
	0 occasions	5,799	2,972	2,736	91
	1-2 occasions	37	18	19	
	3-5 occasions	9	4	4	1
	6-9 occasions	6	3	3	
	10 or more occasions	5	1	4	

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17.f. On how many occasions (if any) have you used Ecstasy or MDMA during the past 30 days?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 occasions	98.0	97.9	98.2	97.9
1-2 occasions	1.1	1.3	.9	.9
3-5 occasions	.3	.3	.2	1.2
6-9 occasions	.3	.3	.3	
10 or more occasions	.3	.1	.4	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17.f. On how many occasions (if any) have you used Ecstasy or MDMA during the past 30 days?

		Total	Female	Male	Gender Unknown
Total		6,525	3,300	3,118	107
	Missing: Skipped Q	652	292	345	15
	0 occasions	5,754	2,948	2,717	89
	1-2 occasions	73	43	28	2
	3-5 occasions	20	8	11	1
	6-9 occasions	10	5	5	
	10 or more occasions	16	4	12	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17c-g. On how many occasions (if any) have you used illicit drugs during the past 30 days? (Does not include inhalants or prescription drugs.)

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 Occasions	95.4	95.1	95.6	94.4
	1 or more Occasions	4.6	4.9	4.4	5.6

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A17c-g. On how many occasions (if any) have you used illicit drugs during the past 30 days? (Does not include inhalants or prescription drugs.)

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped question	697	318	364	15
	0 Occasions	5,575	2,851	2,638	86
	1 or more Occasions	255	131	118	6

Oregon Healthy Teens 2002, Data Summary, 8th Grade A18. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	95.7	95.2	96.2	95.7
1-2 times	2.1	2.8	1.4	3.8
3-9 times	.9	.7	1.1	
10-19 times	.7	.8	.5	.5
20-39 times	.3	.3	.4	
40 or more times	.3	.2	.4	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A18. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped Q	610	274	320	16
	0 times	5,671	2,886	2,699	86
	1-2 times	130	82	44	4
	3-9 times	49	23	26	
	10-19 times	28	18	9	1
	20-39 times	16	8	8	
	40 or more times	23	9	14	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A19. During your life, how many times have you used any form of heroin (also called smack, junk, or China White)?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	0 times	98.1	98.1	98.1	98.0
	1-2 times	.8	1.0	.6	1.6
	3-9 times	.4	.6	.2	.4
	10-19 times	.3	.1	.5	
	20-39 times	.2	.1	.4	
	40 or more times	.2	.1	.2	

Oregon Healthy Teens 2002, Data Summary, 8th Grade A19. During your life, how many times have you used any form of heroin (also called smack, junk, or China White)?

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped Q	625	284	325	16
	0 times	5,791	2,962	2,741	88
	1-2 times	47	28	17	2
	3-9 times	24	14	9	1
	10-19 times	13	4	9	
	20-39 times	14	4	10	
	40 or more times	13	4	9	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A20. During your life, how many times have you used methamphetamines
(also called speed, crystal, crank, or ice)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	96.5	96.0	96.9	98.3
1-2 times	1.6	2.0	1.2	
3-9 times	.7	.9	.5	
10-19 times	.7	.8	.6	
20-39 times	.3	.1	.5	1.7
40 or more times	.2	.1	.3	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A20. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped Q	622	282	324	16
	0 times	5,713	2,911	2,713	89
	1-2 times	84	51	33	
	3-9 times	42	27	15	
	10-19 times	34	19	15	
	20-39 times	17	5	10	2
	40 or more times	15	5	10	

Oregon Healthy Teens 2002, Data Summary, 8th Grade A21. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	96.8	96.5	97.0	98.3
1-2 times	1.8	2.2	1.4	1.3
3-9 times	.6	.7	.5	
10-19 times	.5	.4	.5	
20-39 times	.2	.1	.2	.4
40 or more times	.2	.0	.4	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A21. During your life, how many times have you taken steroid pills or shots
without a doctor's prescription?

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped Q	618	278	324	16
	0 times	5,730	2,925	2,717	88
	1-2 times	92	57	33	2
	3-9 times	39	20	19	
	10-19 times	27	16	11	
	20-39 times	12	3	8	1
	40 or more times	9	1	8	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade A22. During your life, how many times have you used a needle to inject any illegal drug into your body?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	97.6	97.9	97.4	94.9
1 time	1.3	1.5	1.2	.9
2 or more times	1.0	.6	1.4	4.2

Oregon Healthy Teens 2002, Data Summary, 8th Grade A22. During your life, how many times have you used a needle to inject any illegal drug into your body?

		Total	Female	Male	Gender Unknown
Total		6,527	3,300	3,120	107
	Missing: Skipped Q	624	280	328	16
	0 times	5,775	2,962	2,727	86
	1 time	66	36	29	1
	2 or more times	62	22	36	4