Infections, diseases and conditions reportable by clinicians: 2013

Report immediately

- Anthrax (Bacillus anthracis)
- Botulism (Clostridium botulinum)
- Cholera (Vibrio cholerae O1, O139, or toxigenic)
- Diphtheria (Corynebacterium diphtheriae)
- Hemorrhagic fever caused by viruses of the filovirus (e.g., Ebola, Marburg) or arenavirus (e.g., Lassa, Machupo) families
- Influenza (novel)¹
- Marine intoxication (intoxication caused by marine microorganisms or their byproducts (e.g., paralytic shellfish poisoning, domoic acid intoxication, ciguatera, scombroid)
- Measles (rubeola)
- Plague (Yersinia pestis)
- Poliomyelitis
- Rabies (human)
- Rubella
- SARS (Severe Acute Respiratory Syndrome or SARS-coronavirus)
- Smallpox (variola)
- Tularemia (Francisella tularensis)
- Yellow fever
- Outbreaks and uncommon illnesses (any known or suspected common-source outbreak; any uncommon illness of potential public health significance)

Report within 24 hours (including weekends and holidays)

- *Haemophilus influenzae* (any isolation or identification from a normally sterile site)
- Neisseria meningitidis
- Pesticide poisoning

Report within one working day

- Animal bites (of humans)
- Arthropod vector-borne disease (babesiosis, California encephalitis, Colorado tick fever, dengue, Eastern equine encephalitis, ehrlichiosis, Kyasanur Forest disease, St. Louis encephalitis, West Nile fever, Western equine encephalitis, etc.)
- Brucellosis (Brucella)
- Campylobacteriosis (Campylobacter)
- Chancroid (Haemophilus ducreyi)
- Chlamydiosis (Chlamydia trachomatis; lymphogranuloma venereum)
- Creutzfeldt-Jakob disease (CJD) and other transmissible spongiform encephalopathies
- Cryptococcosis (Cryptococcus)
- Cryptosporidiosis (Cryptosporidium)
- Cyclosporosis (Cyclospora cayetanensis)
- *Enterobacteriaceae* family isolates found to be non-susceptible to any carbapenem antibiotic
- Escherichia coli (Shiga-toxigenic, including E. coli O157 and other serogroups)
- Giardiasis (Giardia)
- Gonococcal infections (Neisseria gonorrhoeae)
- Hantavirus
- Hemolytic uremic syndrome
- Hepatitis A
- Hepatitis B (acute or chronic infection)
- Hepatitis C (acute or chronic infection)
- Hepatitis D (delta)
- Hepatitis E
- HIV infection (does not apply to anonymous testing) and AIDS
- Influenza (laboratory-confirmed) death of a person <18 years of age
- Lead poisoning²
- Legionellosis (Legionella)

Report within one working day (continued)

- Leptospirosis (Leptospira)
- Listeriosis (Listeria monocytogenes)
- Lyme disease (Borrelia burgdorferi)
- Malaria (Plasmodium)
- Mumps
- Pelvic inflammatory disease (PID, acute, non-gonococcal)
- Pertussis (Bordetella pertussis)
- Psittacosis (Chlamydophila psittaci)
- Q fever (Coxiella burnetii)
- Relapsing fever (Borrelia)
- Rickettsia (all species: Rocky Mountain spotted fever, typhus, others)
- Salmonellosis (Salmonella, including typhoid)
- Shigellosis (Shigella)
- Syphilis (Treponema pallidum)
- *Taenia* infection (including cysticercosis and tapeworm infections)
- Tetanus (Clostridium tetani)
- Trichinosis (Trichinella)
- Tuberculosis (Mycobacterium tuberculosis and M. bovis)
- Vibriosis (other than cholera)
- Yersiniosis (other than plague)

Footnotes

ORS 409.050, 433.004; OAR 333-018-0000 to OAR 333-018-0015 (http://arcweb.sos. state.or.us/pages/rules/oars_300/oar_333/333_018.html)

¹ Influenza A virus that cannot be subtyped by commercially distributed assays

² "Lead poisoning" means a blood lead level of $\geq 10 \ \mu g/dl$.