Pregnancy Risk Assessment Monitoring System (PRAMS) Results for 2017 births by topic

Survey questions and results may be presented under more than one topic where applicable.

Table of Contents (click on individual topics to jump to that topic)

Alcohol Consumption	3
Birth Certificate Variables	5
Breastfeeding	7
Demographics	. 13
Depression	. 16
Disability	. 19
Discrimination-Health Care	. 20
Discrimination Non-Health Care	. 22
Employment and Leave	. 24
Family Planning	. 28
Flu Shots and Immunization	. 32
Folic Acid	. 33
Food Security	. 34
HIV Testing	. 35
Home Visiting	. 36
Infant Hospitalization	. 37
Infant Sleep Position, Co-sleeping and Sleep Conditions	. 38
Insurance Coverage	. 42
Intimate Partner Violence (IPV)	. 45
Medical Home	. 48
Marijuana	. 49
Oral Health	. 50
Physical Activity	. 51

Post-partum Check-up	52
Preconception Health	55
Pregnancy Intendedness	60
Pregnancy Weight	62
Prenatal Care	64
Prenatal Stress	69
Social Services	72
Social Support	74
Smoking and Tobacco	77

Alcohol Consumption

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18d)

If I was drinking alcohol

	Valid Percent
No	2.6
Yes	97.4
(

(n = 1,424)

Have you had any alcoholic drinks in the *past 2 years*? A drink is 1 glass of wine, wine cooler, can or bottle of beer, shot of liquor, or mixed drink. (Q30)

	Valid Percent
No	28.5
Yes	71.5

(n = 1,443)

During the 3 months <u>before</u> you got pregnant, how many alcoholic drinks did you have in an average week? (Q31)

-	Valid Percent
14 drinks or more a week	1.2
8 to 13 drinks a week	2.4
4 to 7 drinks a week	9.4
1 to 3 drinks a week	25.7
Less than 1 drink a week	24.4
I didn't drink then	36.9

(n = 1,445)

Alcohol Consumption

In the past 12 months, have you needed or received any of the following? (Q71c)

c. Help with an alcohol or drug problem

	Valid Percent
Didn't need it	97.7
Needed it, but did not get it	0.8
Needed it, and did get it	1.5

(n = 1,427)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Birth Certificate Variables

Combined mother's race and ethnicity

		Valid Percent
Non-Hi	spanic White	67.0
Hispan	ic	18.9
Non-Hi	spanic African American	2.4
Non-Hi	spanic American Indian/Alaskan Native	0.9
Non-Hi	spanic Asian	5.6
Non-Hi	spanic Hawaiian/Pacific Islander	0.6
Non-Hi	spanic Multiple race	3.8
Non-Hi	spanic Unknown Other/Blank	0.7

(n = 1,473)

Marital status

		Valid Percent
	Not married	37.7
	Married	62.3
1	4 470)	

(n = 1,473)

Type of county of mother's residence: urban or rural

		Valid Percent
	Rural	21.1
	Urban	78.9
,	4 470)	

(n = 1,473)

Mother age groups (age in years)

	Valid Percent
< 18	0.9
_18 to 19	3.4
20 to 24	17.7
25 to 29	31.0
30 to 34	28.6
>= 35	18.4

(n = 1,473)

Birth Certificate Variables

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18i)

i. If I planned to breastfeed my new baby

	Valid Percent
No	6.1
Yes	93.9

(n = 1,423)

Before or after your new baby was born, did you receive information aboutbreastfeeding from any of the following sources? For each one, check No if you didnot receive information from this source or Yes if you did.(Q40)

a. My doctor

	Valid Percent
No	20.5
Yes	79.5

$$(n = 1,396)$$

b. A nurse, midwife, or doula

Valid Percent
17.1
82.9

(n = 1,389)

c. A breastfeeding or lactation specialist

	Valid Percent
No	18.6
Yes	81.4
(, , , , , ,)	

(n = 1,391)

d. My baby's doctor or health care provider

	Valid Percent
No	25.1
Yes	74.9

(n = 1,364)

e. A breastfeeding support group

	Valid Percent
No	74.4
Yes	25.6
(n = 1,349)	

f. A breastfeeding hotline or toll-free number

	Valid Percent
No	89.9
Yes	10.1
(- 4.040)	

(n = 1,319)

g. Family or friends

	Valid Percent
No	35.3
Yes	64.7
(n = 1,365)	

h. Other

	Valid Percent
No	83.8
Yes	16.2

(n = 1,011)

Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? (Q41)

	Valid Percent
No	4.0
Yes	96.0
(n - 1, 426)	

(n = 1,426)

Are you currently breastfeeding or feeding pumped milk to your new baby? (Q42)

		Valid Percent
	No	28.7
	Yes	71.3
10	1 2 4 0)	

(n = 1,349)

How many weeks or months did you breastfeed or feed pumped milk to your baby? (weeks) (Q43)

Valid Percent

I did not breastfeed my baby	4.1
Less than 4 weeks	8.1
4 to 7.9 weeks	7.0
At least 8.0 weeks	80.8

(n = 1,407)

This question asks about things that may have happened at the hospital where your new baby was born. For each item, check No if it did not happen or Yes if it did.

(Q44)

a. Hospital staff gave me information about breastfeeding

No 4.0 Yes 96.0		Valid Percent
Yes 96.0	No	4.0
	Yes	96.0

(n = 1,310)

b. My baby stayed in the same room with me at the hospital

	Valid Percent
No	4.0
Yes	96.0

(n = 1,307)

c. I breastfed my baby in the hospital

	Valid Percent
No	3.1
Yes	96.9

(n = 1,305)

d. Hospital staff helped me learn how to breastfeed

	Valid Percent
No	13.1
Yes	86.9

(n = 1,306)

e. I breastfed in the first hour after my baby was born

Valid Percent
12.8
87.2

(n = 1,300)

f. My baby was placed in skin-to-skin contact within the first hour of life

	Valid Percent
No	6.9
Yes	93.1

(n = 1,307)

g. My baby was fed only breast milk at the hospital

		Valid Percent
	No	18.4
	Yes	81.6
10	4 200)	

(n = 1,308)

h. Hospital staff told me to breastfeed whenever my baby wanted

	Valid Percent
No	6.5
Yes	93.5

(n = 1,303)

i. The hospital gave me a breast pump to use

	Valid Percent
No	56.2
Yes	43.8

(n = 1,304)

j. The hospital gave me a gift pack with formula

	Valid Percent
No	79.8
Yes	20.2

(n = 1,298)

k. The hospital gave me a telephone number to call for help with breastfeeding

	Valid Percent
No	18.9
Yes	81.1

(n = 1,297)

I. Hospital staff gave my baby a pacifier

	Valid Percent
No	69.2
Yes	30.8
(, , , , , , , , , , , , , , , , , , ,	

(n = 1,300)

How old was your new baby the first time he or she had liquids other than breast milk (such as formula, water, juice, or cow's milk)? (Q45)

	Valid Percent
My baby was less than 1 week old	20.5
1.0 to 2.9 weeks	6.5
3.0 to 4.9 weeks	8.0
5.0 to 6.9 weeks	2.9
7.0 to 8.9 weeks	6.6
9.0 to 10.9 weeks	0.5
11.0 or more weeks	9.2
My baby has not had any liquids other than breast milk	45.8

(n = 1,328)

PRAMS respondent mothers can respond to the survey starting when their baby is 2 months old and ending when their baby is 9 months old. Therefore, the overall percent response for "My baby has not had any liquids other than breast milk" does not necessarily reflect how old babies are when they begin receiving liquids other than breast milk. Therefore, we also present data from these mothers by the age of their baby at the time they answered the PRAMS survey.

Percent of "Yes" responses to **My baby has not had any liquids other than breast** milk, by age of baby at time of survey response

Baby's age at time of survey	Weighted percent "Yes" responses	
Up to 12 weeks old	69.7%	
More than 12 weeks up to 16 weeks	53.3%	
More than 16 weeks up to 20 weeks	39.9%	
More than 20 weeks up to 24 weeks	26.0%	
More than 24 weeks up to 28 weeks	14.6%	
More than 28 weeks	9.0%	

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Demographics

Is your baby alive now?	(Q38)
	Valid Percent
No	0.7
Yes	99.3
(n = 1,437)	

Is your baby living with you now?	(Q39)
	Valid Percent
No	0.4
Yes	99.6
(n = 1,426)	

In what country were you born?	(Q78)
	Valid Percent
United States	78.5
Other country	21.5
(n = 1,427)	

How old were you when you moved to the United States? (Age in	years)	(Q79)
	Valid F	Percent
< 18	42	2.7
18 to 19	19).1
20 to 24	25	5.2
25 to 29	15	5.7
30 to 34	5	.2
>= 35	2	.1

(n = 533)

Demographics

During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. All information will be kept private and will not affect any services you are now getting. (Q80)

	Valid Percent
\$0 to \$16,000	19.5
\$16,001 to \$20,000	9.7
\$20,001 to \$24,000	4.6
\$24,001 to \$28,000	4.0
\$28,001 to \$32,000	5.5
\$32,001 to \$40,000	8.1
\$40,001 to \$48,000	5.0
\$48,001 to \$57,000	6.9
\$57,001 to \$60,000	3.3
\$60,001 to \$73,000	5.3
\$73,001 to \$85,000	5.5
\$85,001 or more	22.6

(n = 1,370)

During the *12 months before* your new baby was born, how many people, *including yourself*, depended on this income?

(Q81)

	(/
	Valid Percent
1	7.6
2	33.5
3	30.2
4	16.1
5	7.7
6	3.2
7	1.3
8	0.3
9	0.2
10	0.0
11	0.0

(n = 1,399)

Demographics

Post-survey calculated variable: Federal Poverty Level

	Valid Percent
At or below 100% FPL	28.8
More than 100% FPL	71.2

(n = 1,347)

Post-survey calculated variable: Federal Poverty Level Groups (4)

, , , , , , , , , , , , , , , , , , ,	• • •	
		Valid Percent
At or below 100% FPL		28.8
100.1% to 200.0% FPL		21.5
200.1% to 400.0% FPL		24.5
> 400% FPL		25.2

(n = 1,347)

Post-survey calculated variable: Federal Poverty Level Groups (3)

	Valid Percent
At or below 100% FPL	28.8
100.1% to 200.0% FPL	21.5
> 200% FPL	49.7

(n = 1,347)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Depression

What type of health care visit did you have in the 12 months before you got pregnant with your new baby? (Q7f) Percent of Cases Visit for depression or anxiety 12.3% (n = 898) (Q7f)

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8j)

j. Ask me if I was feeling down or depressed

	Valid Percent
No	42.4
Yes	57.6
(070)	

(n = 879)

During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions? (Q4c)

C.	Depression	
υ.	Depression	

	Valid Percent
No	85.5
Yes	14.5
(n = 1,454)	

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18f)

f. If I was feeling down or depressed

	Valid Percent
No	11.8
Yes	88.2
(n = 1,421)	

16

Depression

During *your most recent* pregnancy, did you have any of the following health (Q22c)

c. Depression

	Valid Percent
No	85.9
Yes	14.1

(n = 1,444)

During *your most recent* pregnancy, how often did you feel down, depressed, or hopeless? (Q60)

	Valid Percent
Always	1.2
Often	6.3
Sometimes	18.5
Rarely	32.9
Never	41.2

(n = 1,419)

During *your most recent* pregnancy, how often did you have little interest or little pleasure in doing things you usually enjoyed? (Q61)

	Valid Percent
Always	2.2
Often	5.9
Sometimes	19.3
Rarely	28.2
Never	44.5

(n = 1,428)

Depression

Since your new baby was born, how often have you felt down, depressed, or hopeless? (Q56)

Valid Percent
1.2
5.0
23.7
34.3
35.8

(n = 1,417)

Since your new baby was born, how often have you had little interest or little pleasure in doing things you usually enjoyed? (Q57)

(201)
Valid Percent
2.8
6.1
19.2
28.5
43.5

(n = 1,427)

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q55i)

i. Ask me if I was feeling down or depressed

	Valid Percent
No	6.5
Yes	93.5

(n = 1,284)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Disability

Are you limited in any way in any activities because of physical, mental, or emotional problems? (Q75)

	Valid Percent
No	91.7
Yes	8.3

(n = 1,427)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Discrimination – Health Care

Have you *ever* experienced discrimination (felt like you were treated worse than other people) <u>while getting any type of health or medical care</u>?

For each item, check **No** if you have never experienced discrimination because of it or **Yes** if you have. (Q76)

a. My race or skin color

	Valid Percent
No	96.2
Yes	3.8
(n = 1,423)	

b. My immigration status

	Valid Percent
No	98.3
Yes	1.7
(1 100)	

(n = 1,428)

c. My age

Valid Percent
91.4
8.6

(n = 1,425)

d. My income

		Valid Percent
	No	92.4
	Yes	7.6
1.0	4 400)	

(n = 1,422)

e. My sex/gender

	Valid Percent
No	94.0
Yes	6.0
(n = 1,423)	

Discrimination – Health Care

f. My sexual orientation

	Valid Percent
No	99.6
Yes	0.4
(n = 1,427)	

g. My religion

	Valid Percent
No	99.1
Yes	0.9

(n = 1,425)

h. Because I was pregnant

	Valid Percent
No	91.2
Yes	8.8

(n = 1,422)

i. The language I speak

	Valid Percent
No	97.6
Yes	2.4

(n = 1,424)

j. My type of health insurance or my lack of health insurance

	Valid Percent
No	91.2
Yes	8.8

(n = 1,422)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Discrimination – Non-Health Care

Have you ever experienced discrimination (felt like you were treated worse than other people) in a situation other than getting any type of health or medical care? For each item, check No if you have never experienced discrimination because of it or Yes if you have. (Q77)

a. My race or skin color

	Valid Percent
No	91.2
Yes	8.8
(n = 1,417)	

b. My immigration status

	Valid Percent
No	97.7
Yes	2.3
· · · · · · · · · · · · · · · · · · ·	

(n = 1,417)

c. My age

	Valid Percent
No	83.6
Yes	16.4

(n = 1,414)

d. My income

	Valid Percent
No	88.3
Yes	11.7
(n = 1,415)	

e. My sex/gender

	Valid Percent
No	81.1
Yes	18.9
(n - 1.414)	

(n = 1,414)

Discrimination - Non-Health Care

f. My sexual orientation

-	Valid Percent
No	99.3
Yes	0.7

(n = 1,415)

g. My religion

	Valid Percent
No	94.6
Yes	5.4
(n = 1,416)	

h. Because I was pregnant

	Valid Percent
No	85.5
Yes	14.5

(n = 1,412)

i. The language I speak

	Valid Percent
No	97.1
Yes	2.9

(n = 1,413)

j. My type of health insurance or my lack of health insurance

		Valid Percent
	No	95.5
	Yes	4.5
-		

(n = 1,414)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8k)

k. Ask me about the kind of work I do

	/alid Percent
No	33.0
Yes	67.0

(n = 875)

At any time during *your most recent* pregnancy, did you work at a job for pay?

		(200)
		Valid Percent
	No	31.7
	Yes	68.3
1.0	4 404)	

(n = 1,421)

Have you returned to the job you had during your most recent pregnancy?

	(Q66)
	Valid Percent
No, and I do not plan to return	24.5
No, but I will be returning	22.7
Yes	52.8

(n = 903)

Did you take leave from work <i>after</i> your new baby was born?	(Q67)
	Percent of Cases
I took <i>paid</i> leave from my job	35.1%
I took unpaid leave from my job	72.9%
I did not take any leave	7.3%

(n = 675)

(Respondents could check both paid and unpaid leave)

How many weeks or months of leave, in total, did you take or will you take? (reported in weeks) (Q68)	
(reported in weeks)	(Q68)
	Valid Percent
0.0 to 6 weeks	13.8
6.1 to 12.0 weeks	39.3
12.1 to 24.0 weeks	36.3
24.1 to 52.0 weeks	9.2
52.1 weeks or more	1.4

(n = 616)

Did any of the things listed below affect your decision about taking leave from work *after* your new baby was born? (Q69)

a. I could not financially afford to take leave

	Valid Percent
No	62.2
Yes	37.8
(

(n = 658)

b. I was afraid I'd lose my job if I took leave or stayed out longer

	Valid Percent
No	84.3
Yes	15.7

(n = 664)

c. I had too much work to do to take leave or stay out longer

	Valid Percent
No	85.3
Yes	14.7

(n = 656)

d. My job does not have paid leave

	Valid Percent
No	46.4
Yes	53.6

(n = 658)

e. My job does not offer a flexible work schedule

	Valid Percent
No	78.3
Yes	21.7

(n = 657)

f. I had not built up enough leave time to take any or more time off

	Valid Percent
No	71.9
Yes	28.1

(n = 657)

This question is about things that may have happened during the 12 monthsbefore your new baby was born.(Q32e-g)

e. My husband or partner lost their job

	Valid Percent
No	90.0
Yes	10.0
(, , , , , , , , , , , , , , , , , , ,	

(n = 1,436)

f. I lost my job even though I wanted to go on working

	Valid Percent
No	90.8
Yes	9.2

(n = 1,440)

g. My husband, partner, or I had a cut in work hours or pay

	Valid Percent
No	82.0
Yes	18.0

(n = 1,436)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q8e)

e. Talk to me about using birth control to prevent pregnancy

	Valid Percent
No	53.2
Yes	46.8

(n = 879)

What type of health care visit did you have in the 12 months before you got		
pregnant with your new baby?	(Q7e)	
	Percent of Cases	
Visit for family planning or birth control	23.3%	
(n = 898)		

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q8d)

d. Talk to me about my desire to have or not have children

	Valid Percent
No	43.4
Yes	46.6
·	

(n = 877)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18j)

j. If I planned to use birth control after my baby was born

		Valid Percent
	No	10.5
	Yes	89.5
10	1 (1)	

(n = 1,422)

/hat method of birth control were you using when you got preg	nant? (Q16)
	Percent of Cases
Birth control pills	29.0%
Condoms	38.4%
Shots or injections (Depo-Provera®)	5.3%
Contraceptive implant in the arm (Nexplanon® or Implanon®)	1.4%
Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®)	5.7%
IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®)	1.6%
Natural family planning (including rhythm method)	17.5%
Withdrawal (pulling out)	38.0%
Other	7.0%

(n = 279)

These responses were for women who were not trying to get pregnant and who indicated that they were using some method of birth control to prevent pregnancy. Women could check more than one response for this question.

Are you or your husband or partner doing anything *now* to keep from getting pregnant? (Q51)

Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning.

No	Valid Percent
	13.7
Yes	86.3

(n = 1,430)

What are your reasons or your husband's or partner's reasons for not doing	
anything to keep from getting pregnant now?	(Q52)
	Percent of
	Cases
I want to get pregnant	30.6%
I am pregnant now	2.7%
I had my tubes tied or blocked	
I don't want to use birth control	41.0%
I am worried about side effects from birth control	
I am not having sex 27.	
My husband or partner doesn't want to use anything	
I have problems paying for birth control	
Other	15.8%

(n = 253)

What kind of birth control are you or your husband or partner using *now* to keep from getting pregnant? (Q53)

	Percent of Cases
Tubes tied or blocked (female sterilization or Essure®)	9.2%
Vasectomy (male sterilization)	6.3%
Birth control pills	20.3%
Condoms	26.6%
Shots or injections (Depo-Provera®)	5.1%
Contraceptive implant in the arm (Nexplanon® or Implanon®)	9.8%
Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®)	1.0%
IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®)	21.1%
Natural family planning (including rhythm method)	6.4%
Withdrawal (pulling out)	13.7%
Not having sex (abstinence)	10.3%
Other	3.1%

(n = 1,179)

During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things? (Q55c-f)

c. Talk to me about how long to wait before getting pregnant again

50.0
53.2
46.8

(n = 1,278)

d. Talk to me about birth control methods I can use after giving birth

Percent	
.9	No
2.1	Yes
	res

(n = 1,283)

e. Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing® or condoms

	Valid Percent
No	56.6
Yes	43.4

(n = 1,277)

f. Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)

Valid Percent
71.6
28.4

(n = 1,271)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Flu Shots and Immunizations

During the 12 months <i>before the <u>delivery</u></i> of your new baby, did a doctor, nurse, or	
other health care worker offer you a flu shot or tell you to get or	ne? (Q19)
	Valid Percent
No	12.0
Yes	88.0

(n = 1,432)

During the 12 months before the <u>delivery</u> of your new baby, did you get a flu shot? (Q20)

	Valid Percent
No	32.2
Yes, before my pregnancy	7.5
Yes, during my pregnancy	60.2

(n = 1,434)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Folic Acid

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8a)

a. Tell me to take a vitamin with folic acid

Valid Percent
65.6
34.4

(n = 879)

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q55a)

a. Tell me to take a vitamin with folic acid

	Valid Percent
No	41.9
Yes	58.1

(n = 1,271)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Food Security

During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food? (Q33)

	Valid Percent
No	90.4
Yes	9.6
(n = 1,426)	

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

HIV Testing

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8I)

I. Test me for HIV (the virus that causes AIDS)

	Valid Percent
No	78.1
Yes	21.9

(n = 861)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18h)

h. If I wanted to be tested for HIV (the virus that causes AIDS)

	Valid Percent
No	37.7
Yes	62.3

(n = 1,379)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Home Visiting

During your most recent pregnancy, were you offered home visiting services?

Home visiting is when a nurse, health care worker, social worker or other person who works for a program that helps pregnant women comes to your home. (Q62)

	Valid Percent
No	81.1
Yes	18.9
(1.100)	

(n = 1,426)

Did you accept the offer of home visiting services?	(Q63)
	Valid Percent
No	45.6
Yes	54.4
(n = 297)	

Why did you not accept the offer of home visiting services?	(Q64)
	Percent of Cases
I didn't think I needed it	88.9%
I didn't understand how it would help me	12.3%
I did not want anyone in my home	25.3%
Household member(s) didn't want anyone in my home	11.2%
Other	15.8%

(n = 112)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Infant Hospitalization

After your baby was delivered, how long did he or she stay in the hospital? (Q37)

Valid Percent
3.6
59.7
26.4
3.4
2.5
4.2
0.0

(n = 1,437)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

In which *one* position do you *most often* lay your baby down to sleep now? (Q46)

	Valid Percent
On his or her side	7.5
On his or her back	85.8
On his or her stomach	3.5
On his or her side or back	2.7
On his or her side or stomach	0.3
On his or her back or stomach	0.0
All 3 positions	0.2

(n = 1,417)

We accepted multiple answers for this question.

In the <u>past 2 weeks</u>, how often has your new baby slept alone in his or her own crib or bed? (Q47)

	Valid Percent
Always	45.2
Often	22.3
Sometimes	11.4
Rarely	7.1
Never	14.0

(n = 1,414)

When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? (Q48)

	Valid Percent
No	18.3
Yes	81.7

(n = 1, 176)

Listed below are some more things about how babies sleep. How did your new baby usually sleep in the <u>past 2 weeks</u>? For each item, check **No** if your baby did not usually sleep like this or **Yes** if he or she did. (Q49)

a. In a crib, bassinet, or pack and play

	Valid Percent
No	18.0
Yes	82.0

(n = 1,402)

b. On a twin or larger mattress or bed

		Valid Percent
	No	59.0
	Yes	41.0
1	4.000	

(n = 1,389)

c. On a couch, sofa, or armchair

	Valid Percent
No	87.4
Yes	12.6

(n = 1,371)

d. In an infant car seat or swing

	Valid Percent
No	41.2
Yes	58.8

(n = 1,376)

e. In a sleeping sack or wearable blanket

	Valid Percent
No	59.0
Yes	41.0

(n = 1,371)

f. With a blanket

Valid Percent
46.5
53.5

(n = 1,376)

g. With toys, cushions, or pillows, including nursing pillows

	Valid Percent
No	88.3
Yes	11.7

(n = 1,369)

h. With crib bumper pads (mesh or non-mesh)

Valid Percent
83.9
16.1

(n = 1,361)

Did a doctor, nurse, or other health care worker tell you any of the following things? For each thing, check **No** if they did not tell you or **Yes** if they did. (Q50)

a. Place my baby on his or her back to sleep

	Valid Percent
No	7.1
Yes	92.9

(n = 1,412)

b. Place my baby to sleep in a crib, bassinet, or pack and play

		Valid Percent
	No	18.6
	Yes	81.4
10	4 200)	

(n = 1,399)

c. Place my baby's crib or bed in my room

	Valid Percent
No	47.1
Yes	52.9

(n = 1,400)

d. What things should and should not go in bed with my baby

	Valid Percent
No	17.0
Yes	83.0

(n = 1,408)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Insurance Coverage

During the <u>month before</u> you got pregnant with your new baby, what kind of health insurance did you have? (Q9)

		Percent of Cases
	Private health insurance from my job or the job of my husband or partner	43.1%
	Private health insurance from my parents	7.4%
	Private health insurance from the Oregon Health Insurance Marketplace, Care Oregon, or HealthCare.gov	6.6%
	Oregon Health Plan or Medicaid	34.1%
	TRICARE or other military health care	0.7%
	Indian Health Service	0.8%
	Other health insurance	6.3%
	I did not have any health insurance during the month before I got pregnant	10.2%
(n 1	452)	

(n = 1,453)

During your <u>most recent pregnancy</u>, what kind of health insurance did you have for your prenatal care? (Q10)

		Percent of Cases
	I did not go for prenatal care	1.8%
	Private health insurance from my job or the job of my husband or partner	40.9%
	Private health insurance from my parents	6.2%
	Private health insurance from the Oregon Health Insurance Marketplace, Care Oregon, or HealthCare.gov	7.3%
	Oregon Health Plan or Medicaid	49.9%
	TRICARE or other military health care	1.0%
	Indian Health Service	1.0%
	Other health insurance	5.2%
	I did not have any health insurance for my prenatal care	2.0%
1		

(n = 1,450)

Insurance Coverage

What kind of health insurance do you have <u>now</u> ?	(Q11) Percent of Cases
Private health insurance from my job or the job of my husband or partner	42.2%
Private health insurance from my parents	5.5%
Private health insurance from the Oregon Health Insurance Marketplace, Care Oregon, or HealthCare.gov	5.9%
Oregon Health Plan or Medicaid	42.8%
TRICARE or other military health care	1.0%
Indian Health Service	0.7%
Other health insurance	6.0%
I do not have health insurance now	6.4%

(n = 1,451)

Have you *ever* experienced discrimination (felt like you were treated worse than other people) *while getting any type of health or medical care*?

For each item, check **No** if you have never experienced discrimination because of it or **Yes** if you have. (Q76j)

j. My type of health insurance or my lack of health insurance

	Valid Percent
No	91.2
Yes	8.8

(n = 1,422)

Insurance Coverage

Have you ever experienced discrimination (felt like you were treated worse than other people) <u>in a situation other than</u> getting any type of health or medical care? For each item, check **No** if you have never experienced discrimination because of it or **Yes** if you have. (Q77j)

j. My type of health insurance or my lack of health insurance

	Valid Percent
No	95.5
Yes	4.5

(n = 1,414)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Intimate Partner Violence (IPV)

In the 12 months <u>before</u> you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? For each person, check **No** if they did not hurt you during this time or **Yes** if they did. (Q34)

a. My husband or partner

	Valid Percent
No	98.6
Yes	1.4
(

(n = 1,381)

b. My ex-husband or ex-partner

	Valid Percent
No	97.3
Yes	2.7

(n = 1,353)

During your most <u>recent pregnancy</u>, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? For each person, check No if they did not hurt you during this time or Yes if they did. (Q35)

a. My husband or partner

alid Percent		
98.6	No	No
1.4	Yes	Yes
-		100

(n = 1,380)

b. My ex-husband or ex-partner

	Valid Percent
No	98.7
Yes	1.3

(n = 1,348)

Intimate Partner Violence (IPV)

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8i)

i. Ask me if someone was hurting me emotionally or physically

	Valid Percent
No	39.7
Yes	60.3

(n = 878)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18e)

e. If someone was hurting me emotionally or physically

	Valid Percent
No	15.4
Yes	84.6

(n = 1,422)

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q55h)

h. Ask me if someone was hurting me emotionally or physically

	Valid Percent
No	32.8
Yes	67.2

(n = 1,278)

Intimate Partner Violence (IPV)

In the past 12 months, have you needed or received any of the following? (Q71g)

g. Help with a family violence problem

	Valid Percent
Didn't need it	97.1
Needed, but did not get it	2.0
Needed, and did get it	0.9

(n = 1,426)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Medical Home

Do you have one or more persons you think of as your personal doctor or nurse?

A personal doctor or nurse is a health professional who is familiar with your health history. This can be a general doctor, a specialist doctor, a nurse practitioner, or a physician assistant. (Q74)

	Valid Percent
No	36.6
Yes	63.4

(n = 1,425)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Marijuana

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18g)

g. If I was using drugs such as marijuana, cocaine, crack, or meth

	Valid Percent
No	11.4
Yes	88.6

(n = 1,424)

During any of the following time periods, did you use marijuana or hash in any form? For each time period, check **No** if you did not use then or **Yes** if you did. (Q58)

a. During the 12 months before I got pregnant

	Valid Percent
No	77.3
Yes	22.7

(n = 1,426)

b. During my most recent pregnancy

	Valid Percent
No	91.0
Yes	9.0

(n = 1,426)

c. Since my new baby was born

	Valid Percent
No	90.4
Yes	9.6

(n = 1,419)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Oral Health

What type of health care visit did you have in the *12 months before* you got pregnant with your new baby? (Q7g)

	Percent of Cases
Visit to have my teeth cleaned by a dentist or dental hygienist	65.1%
(n = 898)	

During *your most recent* pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? (Q21)

	Valid Percent
No	49.9
Yes	50.1

(n = 1,455)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Physical Activity

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q55b)

b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy

	Valid Percent
No	46.2
Yes	53.8

(n = 1,281)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Post-partum Check-up

Since your new baby was born, have you had a postpartum checkup for yourself?

A postpartum checkup is the regular checkup a woman has about 4-6 weeks after she gives birth. (Q54)

	Valid Percent
No	10.5
Yes	89.5

(n = 1,430)

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? For each item, check **No** if they did not do it or **Yes** if they did. (Q55)

a. Tell me to take a vitamin with folic acid

	Valid Percent
No	41.9
Yes	58.1
(n = 1,271)	

b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy

	Valid Percent
No	46.2
Yes	53.8

(n = 1,281)

c. Talk to me about how long to wait before getting pregnant again

	Valid Percent
No	53.2
Yes	46.8

(n = 1,278)

Post-partum Check-up

d. Talk to me about birth control methods I can use after giving birth

	Valid Percent
No	7.9
Yes	92.1
(, , , , , , , , , , , , , , , , , , ,	

(n = 1,283)

e. Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing® or condoms

	Valid Percent
No	56.6
Yes	43.4
(n = 1,277)	

f. Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)

	Valid Percent
No	71.6
Yes	28.4

$$(n = 1,271)$$

g. Ask me if I was smoking cigarettes

	Valid Percent
No	36.2
Yes	63.8

$$(n = 1,272)$$

h. Ask me if someone was hurting me emotionally or physically

	Valid Percent
No	32.8
Yes	67.2

(n = 1,278)

Post-partum Check-up

i. Ask me if I was feeling down or depressed

	Valid Percent
No	6.5
Yes	93.5
(, , , , , , , , , , , , , , , , , , ,	

(n = 1,284)

j. Test me for diabetes

	Valid Percent
No	80.4
Yes	19.6

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? (Q6)

	Valid Percent
No	29.9
Yes	70.1
· · · · · · · · · · · · · · · · · · ·	

(n = 1,445)

What type of health care visit did you have in the *12 months before* you got pregnant with your new baby?

(Q7)

	Percent of Cases
Regular checkup at my family doctor's office	47.9%
Regular checkup at my OB/GYN's office	46.8%
Visit for an illness or chronic condition	20.7%
Visit for an injury	5.4%
Visit for family planning or birth control	23.3%
Visit for depression or anxiety	12.3%
Visit to have my teeth cleaned by a dentist or dental hygienist	64.9%
Other	16.3%

(n = 898)

During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? For each item, check **No** if they did not or **Yes** if they did. (Q8)

a. Tell me to take a vitamin with folic acid

	Valid Percent
No	65.6
Yes	34.4
(n = 879)	

b. Talk to me about maintaining a healthy weight

	Valid Percent
No	66.2
Yes	33.8

(n = 882)

c. Talk to me about controlling any medical conditions such as diabetes or high blood pressure

	Valid Percent
No	90.5
Yes	9.5
(070)	

(n = 879)

d. Talk to me about my desire to have or not have children

	Valid Percent
No	53.4
Yes	46.6
(n = 877)	

e. Talk to me about using birth control to prevent pregnancy

	Valid Percent
No	53.2
Yes	46.8

⁽n = 879)

f. Talk to me about how I could improve my health before a pregnancy

	Valid Percent
No	66.9
Yes	33.1

(n = 877)

g. Talk to me about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis

	Valid Percent
No	75.9
Yes	24.1
(n = 873)	

h. Ask me if I was smoking cigarettes

	Valid Percent
No	21.8
Yes	78.2

(n = 883)

i. Ask me if someone was hurting me emotionally or physically

	Valid Percent
No	39.7
Yes	60.3
(n = 878)	

j. Ask me if I was feeling down or depressed

	Valid Percent
No	42.4
Yes	57.6

(n = 879)

k. Ask me about the kind of work I do

	Valid Percent
No	33.0
Yes	67.0

(n = 875)

I. Test me for HIV (the virus that causes AIDS)

	Valid Percent
No	78.1
Yes	21.9

(n = 861)

During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions? For each one, check No if you did not have the condition or Yes if you did. (Q4)

a. Type 1 or Type 2 diabetes (<u>not</u> gestational diabetes or diabetes that starts during pregnancy)

	Valid Percent
No	96.6
Yes	3.4
(n = 1,456)	

b. High blood pressure or hypertension

	Valid Percent
No	95.6
Yes	4.4
(n = 1,457)	

c. Depression

	Valid Percent
No	85.5
Yes	14.5

(n = 1,454)

During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin? (Q5)

	Valid Percent
I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin in the <i>month before</i> I got pregnant	48.8
1 to 3 times a week	8.2
4 to 6 times a week	7.1
Every day of the week	35.9

(n = 1,467)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Pregnancy Intendedness

Thinking back to <i>just before</i> you got pregnant with your new baby, how did you feel about becoming pregnant? (Q12)	
	Valid Percent
I wanted to be pregnant later	18.2
I wanted to be pregnant sooner	15.8
I wanted to be pregnant then	45.4
I didn't want to be pregnant then or at any time in the future	4.5
I wasn't sure what I wanted	16.0
(n - 1.454)	

(013)

(n = 1,454)

When you got pregnant with your new baby, were you trying to get pregnant?

	(Q10)
	Valid Percent
No	41.4
Yes	58.6
(n - 1.442)	

(n = 1,442)

When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning. (Q14)

	Valid Percent
No	52.5
Yes	47.5

(n = 634)

Pregnancy Intendedness

What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant? (Q15)

	Percent of Cases
I didn't mind if I got pregnant	52.0%
I thought I could not get pregnant at that time	32.5%
I had side effects from the birth control method I was using	14.3%
I had problems getting birth control when I needed it	5.2%
I thought my husband or partner or I was sterile (could not get pregnant at all)	6.2%
My husband or partner didn't want to use anything	17.0%
I forgot to use a birth control method	10.3%
Other	14.5%

(n = 346)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Pregnancy Weight

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8b)

b. Talk to me about maintaining a healthy weight

	Valid Percent
No	66.2
Yes	33.8

(n = 882)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18a)

a. If I knew how much weight I should gain during pregnancy

Valid Percent
36.2
63.8

(n = 1,406)

During your postpartum checkup, did a doctor, nurse, or other health care worker <u>do</u> any of the following things? (Q55b)

b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy

	Valid Percent
No	46.2
Yes	53.8

(n = 1,281)

Pregnancy Weight

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8b)

b. Talk to me about maintaining a healthy weight

	Valid Percent
No	66.2
Yes	33.8

(n = 882)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

How many weeks *or* months pregnant were you when you had your first visit for prenatal care? (Q17) (reported in months)

	Valid Percent
I did not go for prenatal care	0.7
Less than 3 months	88.9
3 or more months	10.4

(n = 1,424)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? For each item, check No if they did not ask you about it or Yes if they did. (Q18)

a. If I knew how much weight I should gain during pregnancy

	Valid Percent
No	36.2
Yes	63.8

$$(n = 1,406)$$

b. If I was taking any prescription medication

	Valid Percent
No	3.2
Yes	96.8

(n = 1,426)

c. If I was smoking cigarettes

Valid Percent
1.9
98.1

(n = 1,427)

d. If I was drinking alcohol

	Valid Percent
No	2.6
Yes	97.4

(n = 1,424)

e. If someone was hurting me emotionally or physically

	Valid Percent
No	15.4
Yes	84.6

(n = 1,422)

f. If I was feeling down or depressed

	Valid Percent
No	11.8
Yes	88.2

(n = 1,421)

g. If I was using drugs such as marijuana, cocaine, crack, or meth

Valid Percent
11.4
88.6

(n = 1,424)

h. If I wanted to be tested for HIV (the virus that causes AIDS)

	Valid Percent
No	37.7
Yes	62.3

(n = 1,379)

i. If I planned to breastfeed my new baby

		Valid Percent
	No	6.1
	Yes	93.9
1.0	4 400)	

(n = 1,423)

	Valid Percent
No	10.5
Yes	89.5
(, , , , , , , , , , , , , , , , , , ,	

(n = 1,422)

During your most recent pregnancy, did you have your teeth cleaned by a dentist	
or dental hygienist?	(Q21)
	Valid Percent
No	49.9
Yes	50.1

(n = 1,455)

During your most recent pregnancy, did you have any of the following health

conditions? For each one, check No if you did not have the condition or Yes if you did.

(Q22)

a. Gestational diabetes (diabetes that started during this pregnancy)

	Valid Percent
No	91.5
Yes	8.5

(n = 1,453)

b. High blood pressure (that **<u>started</u>** during *this* pregnancy), pre-eclampsia or eclampsia

	Valid Percent
No	88.2
Yes	11.8
(, , , , , ,)	

(n = 1,443)

c. Depression

	Valid Percent
No	85.9
Yes	14.1

(n = 1,444)

During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking? (Q59)

		Valid Percent
No		24,4
Yes, during my	prenatal care visits	3.5
Yes, after my d	elivery	0.3
Yes, both times	3	10.3
I did not smoke	at that time	61.5

(n = 1,341)

During your <u>most recent pregnancy</u>, what kind of health insurance did you have for your *prenatal care*? (Q10)

	Percent of Cases
I did not go for prenatal care	1.8%
Private health insurance from my job or the job of my husband or partner	40.9%
Private health insurance from my parents	6.2%
Private health insurance from the Oregon Health Insurance Marketplace, Care Oregon, or HealthCare.gov	7.3%
Oregon Health Plan or Medicaid	49.9%
TRICARE or other military health care	1.0%
Indian Health Service	1.0%
Other health insurance	5.2%
I did not have any health insurance for my prenatal care	2.0%

(n = 1,450)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Prenatal Stress

This question is about things that may have happened during the 12 months before your new baby was born. For each item, check **No** if it did not happen to you or **Yes** if it did. (It may help to look at the calendar when you answer these questions.)

(Q32)

a. A close family member was very sick and had to go into the hospital

	Valid Percent
No	75.8
Yes	24.2

(n = 1,444)

b. I got separated or divorced from my husband or partner

	Valid Percent
No	94.9
Yes	5.1

(n = 1,440)

c. I moved to a new address

	Valid Percent
No	61.6
Yes	38.4

(n = 1,447)

d. I was homeless or had to sleep outside, in a car, or in a shelter

	Valid Percent
No	96.4
Yes	3.6

(n = 1,443)

e. My husband or partner lost their job

	Valid Percent
No	90.0
Yes	10.0

(n = 1,436)

Prenatal Stress

f. I lost my job even though I wanted to go on working

	Valid Percent
No	90.8
Yes	9.2

(n = 1,440)

g. My husband, partner, or I had a cut in work hours or pay

	Valid Percent
No	82.0
Yes	18.0

(n = 1,436)

h. I was apart from my husband or partner due to military deployment or extended work-related travel

		Valid Percent
	No	96.3
	Yes	3.7
10	4 400)	

(n = 1,438)

i. I argued with my husband or partner more than usual

	Valid Percent
No	82.5
Yes	17.5

(n = 1,438)

j. My husband or partner said they didn't want me to be pregnant

Valid Percent
93.6
6.4

(n = 1,437)

k. I had problems paying the rent, mortgage, or other bills

	Valid Percent
No	83.2
Yes	16.8
(n - 1.440)	

(n = 1,440)

Prenatal Stress

I. My husband, partner, or I went to jail

	Valid Percent
No	96.3
Yes	3.7

(n = 1,435)

m. Someone very close to me had a problem with drinking or drugs

	Valid Percent
No	84.7
Yes	15.3

(n = 1,441)

n. Someone very close to me died

	Valid Percent
No	84.9
Yes	15.1

(n = 1,442)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Social Services

In the past 12 months, have you needed or received any of the following? (Q71) For each item, check: DN if you didn't need it N if you needed it, but did not get it NG if you needed it and did get it

a. Food Stamps or money to buy food

	Valid Percent
Didn't need it	55.8
Needed it, but did not get it	11.4
Needed it, and did get it	32.8

(n = 1,429)

b. Other financial assistance (for example, AFDC, TANF, subsidized rent, etc.)

	Valid Percent
Didn't need it	75.6
Needed it, but did not get it	13.0
Needed it, and did get it	11.4

(n = 1,428)

c. Help with an alcohol or drug problem

	Valid Percent
Didn't need it	97.7
Needed it, but did not get it	0.8
Needed it, and did get it	1.5

(n = 1,481)

d. Help to stop smoking

		Valid Percent
	Didn't need it	96.0
	Needed it, but did not get it	2.7
	Needed it, and did get it	1.3
1	100)	

(n = 1,428)

Social Services

e. Help with transportation

	Valid Percent
Didn't need it	91.6
Needed it, but did not get it	3.8
Needed it, and did get it	4.6

(n = 1,428)

f. Help paying for education or job training

	Valid Percent
Didn't need it	91.9
Needed it, but did not get it	6.0
Needed it, and did get it	2.1

(n = 1,429)

g. Help with a family violence problem

	Valid Percent
Didn't need it	97.1
Needed it, but did not get it	2.0
Needed it, and did get it	0.9

(n = 1,426)

h. Help or counseling for other family or personal problems

	Valid Percent
Didn't need it	88.3
Needed it, but did not get it	4.9
Needed it, and did get it	6.8

(n = 1,426)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

Social Support

Would you have the kinds of help listed below if you needed them? For each item, check **No** if you would not have it or check **Yes** if you would. (Q72)

a. Someone to loan me money for food or bills if I needed it

	Valid Percent
No	26.8
Yes	73.2

(n = 1,421)

b. Someone who would help me if I were sick and needed to be in bed

	Valid Percent
No	13.0
Yes	86.1

(n = 1,420)

c. Someone who would take me to the clinic or doctor's office if I needed a ride

	Valid Percent
No	12.0
Yes	88.0

(n = 1,421)

d. Someone I can count on to listen to me when I need to talk

		Valid Percent
	No	12.4
	Yes	87.6
1	4 400)	

(n = 1,423)

e. Someone who shows me love and affection other than a child

	Valid Percent
No	10.9
Yes	89.1

(n = 1,421)

Social Support

Below is a list of items neighbors sometimes do for each other.	(Q73)
For each item, check:	
N if they <i>never</i> do	
AN if they almost never do	
S if they sometimes do	
F if they <i>fairly often</i> do	
VO if they very often do	

How often do your neighbors-

a. Do favors for each other?

		Valid Percent
	Never	38.6
	Almost never	9.7
	Sometimes	30.2
	Fairly often	9.1
	Very often	12.3

(n = 1,407)

b. Ask each other advice about personal things such as child rearing or job openings?

		Valid Percent
Never		55.9
Almost ne	ver	10.7
Sometime	}S	19.5
Fairly ofte	n	7.2
Very often	1	6.6

(n = 1,409)

Social Support

c. Have parties or other get-togethers where other people in the neighborhood are invited?

	Valid Percent
Never	54.1
Almost never	12.5
Sometimes	22.0
Fairly often	5.2
Very often	6.2

(n = 1,412)

d. Visit in each other's homes or on the street?

	Valid Percent
Never	43.7
Almost never	9.3
Sometimes	26.0
Fairly often	10.9
Very often	10.1

(n = 1,409)

e. Watch over each other's property?

	Valid Percent
Never	34.6
Almost never	6.8
Sometimes	24.8
Fairly often	13.3
Very often	20.4

(n = 1,408)

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.

During any of your health care visits in the *12 months before* you got pregnant, did a doctor, nurse, or other health care worker <u>do</u> any of the following things?

(Q8)

h. Ask me if I was smoking cigarettes

	Valid Percent
No	21.8
Yes	78.2
/	

(n = 883)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the things listed below? (Q18c)

c. If I was smoking cigarettes

	Valid Percent
No	1.9
Yes	98.1
(n = 1,427)	

Have you smoked any cigarettes in the <i>past 2 years</i> ?	(Q23)	
	Valid Percent	
No	78.6	
Yes	21.4	
(n = 1,448)		

77

In the 3 months <u>before</u> you got pregnant, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes. (Q24)

	Valid Percent
41 cigarettes or more	0.3
21 to 40 cigarettes	0.2
11 to 20 cigarettes	5.8
6 to 10 cigarettes	5.0
1 to 5 cigarettes	4.0
Less than 1 cigarette	2.4
I didn't smoke then	82.3

(n = 1,443)

In the <u>last 3</u> months of your pregnancy, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes. (Q25)

	Valid Percent
41 cigarettes or more	NR
21 to 40 cigarettes	NR
11 to 20 cigarettes	0.7
6 to 10 cigarettes	1.4
1 to 5 cigarettes	4.7
Less than 1 cigarette	0.7
I didn't smoke then	92.5

(n = 1,447) NR = No responses in this category

How many cigarettes do you smoke on an average day *now*? A pack has 20 cigarettes. (Q26)

	Valid Percent
41 cigarettes or more	NR
21 to 40 cigarettes	0.0
11 to 20 cigarettes	2.4
6 to 10 cigarettes	3.1
1 to 5 cigarettes	3.1
Less than 1 cigarette	0.8
I don't smoke now	90.6

(n = 1,448) NR = No responses in this category

During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things? **(**Q55g)

g. Ask me if I was smoking cigarettes

	Valid Percent
No	36.2
Yes	63.8

(n = 1,272)

During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking? (Q59) Val

lid	Percent
-----	---------

No	24.4
Yes, during my prenatal care visits	3.5
Yes, after my delivery	0.3
Yes, both times	10.3
I did not smoke at that time	61.5

(n = 1,341)

Not including yourself, is there anyone in your household who smokes		
cigarettes, cigars, or pipes?	(Q70)	
	Valid Percent	
No	83.1	
Yes	16.9	

(n = 1,428)

In the past 12 months, have you needed or received any of the following? (Q71d)

d. Help to stop smoking

	Valid Percent
Didn't need it	96.0
Needed it, but did not get it	2.7
Needed it, and did get it	1.3

(n = 1,428)

Have you used an	v of the following	products in the	past 2 vears?	(Q27)
11410 you 4004 41	<i>y</i> or and ronowing		public yourd.	

a. E-cigarettes or other electronic nicotine products

	Valid Percent
No	91.1
Yes	8.9

- (n = 1,447)
- b. Hookah

	Valid Percent
No	96.5
Yes	3.5

(n = 1,425)

During the *3 months <u>before</u>* you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products? (Q28)

	Valid Percent
More than once a day	21.5
Once a day	3.2
2-6 days a week	9.9
1 day a week or less	24.5
I did not use e-cigarettes or other electronic nicotine products then	40.8

(n = 97)

During the <u>last 3</u> months of your pregnancy, on average, how often did you use ecigarettes or other electronic nicotine products? (Q29)

	(420)
	Valid Percent
More than once a day	12.2
Once a day	0.0
2-6 days a week	0.2
1 day a week or less	8.6
I did not use e-cigarettes or other electronic nicotine products then	78.9

(n = 98) NR = No responses in this category

- 2017 Data collected under Centers for Disease Control and Prevention (CDC) protocol.
- Results are for surveys mailed to mothers of babies born January 1 through December 31, 2017.
- 1,473 women responded to the 2017 Oregon PRAMS survey.
- "n" = unweighted number of respondents for a question.
- "Valid Percent" is a weighted percentage. It represents the use of denominators that exclude blanks and unknowns. Valid Percent may not add up to 100.0 due to rounding.
- Significantly lower number of respondents to certain questions usually indicate a skip pattern in the questionnaire.