






Region 3

Equipment and Supplies:

Respiratory/Airway Management Equipment Items

| Question | QI Status | Number EDs Have | % of Region EDs Have | % of State EDs Have | Question Point Value |
|---|-----------|-----------------|----------------------|---------------------|----------------------|
| Endotracheal tubes: cuffed or uncuffed 2.5 mm | ✓ | 8 | 100.0% | 92.7% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 3.0 mm | ✓ | 8 | 100.0% | 98.2% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 3.5 mm | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 4.0 mm | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 4.5 mm | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 5.0 mm | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 5.5 mm | ● | 7 | 87.5% | 96.4% | 0.557 |
| Endotracheal tubes: cuffed or uncuffed 6.0 mm | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Laryngoscope blades: straight, size 00 | ▲ | 5 | 62.5% | 74.5% | 0.557 |
| Laryngoscope blades: straight, size 0 | ● | 7 | 87.5% | 92.7% | 0.557 |
| Laryngoscope blades: straight, size 1 | ✓ | 8 | 100.0% | 98.2% | 0.557 |
| Laryngoscope blades: straight, size 2 | ✓ | 8 | 100.0% | 96.4% | 0.557 |
| Laryngoscope blades: curved, size 2 | ✓ | 8 | 100.0% | 98.2% | 0.557 |
| Pediatric-sized Magill forcep | ▲ | 6 | 75.0% | 85.5% | 0.557 |

QI Status:

 All EDs Have
  80 to 90% Have
  60 to 79% Have
  30 to 59% Have
  Less Than 29% Have

Region 3

Equipment and Supplies:

Respiratory/Airway Management Equipment Items (Cont. 2)

| Question | QI Status | Number EDs Have | % of Region EDs Have | % of State EDs Have | Question Point Value |
|--|-----------|-----------------|----------------------|---------------------|----------------------|
| Nasopharyngeal airways: infant-size | | 5 | 62.5% | 78.2% | 0.557 |
| Nasopharyngeal airways: child-size | | 6 | 75.0% | 83.6% | 0.557 |
| Oropharyngeal airways: size 0 (50mm) | | 8 | 100.0% | 96.4% | 0.557 |
| Oropharyngeal airways: size 1 (60mm) | | 8 | 100.0% | 94.5% | 0.557 |
| Oropharyngeal airways: size 2 (70mm) | | 8 | 100.0% | 96.4% | 0.557 |
| Oropharyngeal airways: size 3 (80mm) | | 8 | 100.0% | 94.5% | 0.557 |
| Stylets for pediatric/infant-sized endotracheal tube | | 8 | 100.0% | 96.4% | 0.557 |
| Tracheostomy tubes: size 3.0 mm | | 5 | 62.5% | 54.5% | 0.557 |
| Tracheostomy tubes: size 3.5 mm | | 5 | 62.5% | 56.4% | 0.557 |
| Tracheostomy tubes: size 4.0 mm | | 5 | 62.5% | 58.2% | 0.557 |
| Bag-mask device, self inflating: infant, 450 ml | | 7 | 87.5% | 96.4% | 0.557 |
| Masks to fit bag-mask device adaptor: neonate | | 6 | 75.0% | 90.9% | 0.557 |

QI Status:

All EDs Have
 80 to 90% Have
 60 to 79% Have
 30 to 59% Have
 Less Than 29% Have






Region 3

Equipment and Supplies:

Respiratory/Airway Management Equipment Items (Cont. 3)

| Question | QI Status | Number EDs Have | % of Region EDs Have | % of State EDs Have | Question Point Value |
|--|-----------|-----------------|----------------------|---------------------|----------------------|
| Masks to fit bag-mask device adaptor: infant | ✓ | 8 | 100.0% | 92.7% | 0.557 |
| Masks to fit bag-mask device adaptor: child | ✓ | 8 | 100.0% | 92.7% | 0.557 |
| Clear oxygen masks: standard infant | ▲ | 5 | 62.5% | 90.9% | 0.557 |
| Clear oxygen masks: standard child | ✓ | 8 | 100.0% | 100.0% | 0.557 |
| Non-rebreather masks: infant-sized | ▲ | 5 | 62.5% | 85.5% | 0.557 |
| Non-rebreather masks: child-size | ● | 7 | 87.5% | 94.5% | 0.557 |
| Nasal cannulas: infant | ▲ | 6 | 75.0% | 89.1% | 0.557 |
| Nasal cannulas: child | ▲ | 5 | 62.5% | 94.5% | 0.557 |
| Laryngeal mask airways: size 1 | ✱ | | | 70.9% | 0.557 |
| Laryngeal mask airways: size: 1.5 | ✱ | | | 65.5% | 0.557 |
| Laryngeal mask airways: size: 2 | ✱ | | | 74.5% | 0.557 |
| Laryngeal mask airways: size: 2.5 | ✱ | | | 70.9% | 0.557 |
| Laryngeal mask airways: size: 3 | ▲ | 5 | 62.5% | 81.8% | 0.557 |




QI Status:

 All EDs Have
  80 to 90% Have
  60 to 79% Have
  30 to 59% Have
  Less Than 29% Have


Region 3

Equipment and Supplies:

Respiratory/Airway Management Equipment Items (Cont. 4)

| Question | QI Status | Number EDs Have | % of Region EDs Have | % of State EDs Have | Question Point Value |
|---|---|-----------------|----------------------|---------------------|----------------------|
| Suction catheters: at least one in range 6-8F |  | 8 | 100.0% | 98.2% | 0.557 |
| Suction catheters: at least one in range 10-12F |  | 8 | 100.0% | 100.0% | 0.557 |
| Supplies/kit for pediatric patients with difficult airways (supraglottic airways of all sizes, needle cricothyrotomy supplies, surgical cricothyrotomy kit) |  | 8 | 100.0% | 83.6% | 0.557 |

QI Status:

-  All EDs Have
-  80 to 90% Have
-  60 to 79% Have
-  30 to 59% Have
-  Less Than 29% Have