

Adolescent annual questionnaire

We ask all our adolescent patients to complete this form at least once a year, because substance use and mood can affect your health. Please ask your doctor if you have any questions. Your answers on this form will remain confidential.

Patient name: _____

Date of birth: _____

S2BI questions

In the PAST YEAR , how many times have you used:	Never	Once or twice	Monthly	Weekly
Tobacco:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alcohol:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Marijuana:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


If you answered “Never” to all three questions above, please skip to **CRAFFT question #1** and then turn the page. Otherwise, please continue answering all questions below.

Prescription drugs that were not prescribed for you: (such as pain medication or Adderall)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Illegal Drugs: (such as cocaine or Ecstasy)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inhalants: (such as nitrous oxide)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Herbs or synthetic drugs: (such as salvia, “K2”, or Bath salts)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you answered “Never” or “Once or twice” to all questions above, please answer only **CRAFFT question #1** below and then turn the page. Otherwise, please continue answering all questions below.

CRAFFT questions

	No	Yes
1. Have you ever ridden in a car driven by someone (including yourself) who was “high” or had been using alcohol or drugs?	<input type="checkbox"/>	<input type="checkbox"/>
2. Do you ever use alcohol or drugs to relax, feel better about yourself, or fit in?	<input type="checkbox"/>	<input type="checkbox"/>
3. Do you ever use alcohol or drugs while you are by yourself, or alone?	<input type="checkbox"/>	<input type="checkbox"/>
4. Do you ever forget things you did while using alcohol or drugs?	<input type="checkbox"/>	<input type="checkbox"/>
5. Do your family or friends ever tell you that you should cut down on your drinking or drug use?	<input type="checkbox"/>	<input type="checkbox"/>
6. Have you ever gotten into trouble while you were using alcohol or drugs?	<input type="checkbox"/>	<input type="checkbox"/>

Please turn page 

Mood (PHQ-9 Modified for Teens):

How often have you been bothered by each of the following symptoms during the past TWO WEEKS ?	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Feeling down, depressed, irritable, or hopeless?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If you answered “Not at all” to both questions above, you are finished answering questions. Otherwise, please continue answering all the questions below.

3. Trouble falling asleep, staying asleep, or sleeping too much?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Feeling tired, or having little energy?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Poor appetite, weight loss, or overeating?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Feeling bad about yourself – or feeling that you are a failure, or that you have let yourself or your family down?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Trouble concentrating on things like school work, reading, or watching TV?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Thoughts that you would be better off dead, or of hurting yourself in some way?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	0	1	2	3

In the PAST YEAR , have you felt depressed or sad most days, even if you felt okay sometimes?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If you are experiencing any of the problems on this form, how difficult have these problems made it for you to do your work, take care of things at home or get along with other people?		
<input type="checkbox"/> Not difficult at all <input type="checkbox"/> Somewhat difficult <input type="checkbox"/> Very difficult <input type="checkbox"/> Extremely difficult		
Has there been a time in the past month when you have had serious thoughts about ending your life?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Have you EVER , in your WHOLE LIFE , tried to kill yourself or made a suicide attempt?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

(For the medical or behavioral health professional)

Interpreting the S2BI screening tool*

Answer for each substance	Risk category	Recommended action
“Never”	Abstinence	Positive reinforcement
“Once or twice”	No substance use disorder (SUD)	Brief advice
“Monthly”	Mild or moderate SUD	Brief intervention, employing principles of motivational interviewing
“Weekly”	Moderate or severe SUD	Referral for further assessment and possible specialized treatment, conveyed through a brief intervention

Interpreting the CRAFFT questions*

The CRAFFT questions can be used to inform a brief intervention when “Yes” responses are explored to reveal the extent of the patient’s substance use–related problems.

Interpreting the PHQ-9 Modified for Teens (Depression)**

Questions #1-9 each receive 0-3 points, based on the corresponding column. Points are added for a total score:

Score	Depression severity	Proposed action
0 - 4	None - minimal	None.
5 - 9	Mild	Watchful waiting, repeat PHQ-9 at follow-up.
10 - 14	Moderate	Create treatment plan, consider counseling and/or pharmacotherapy or another follow-up visit.
15 - 19	Moderately severe	Active treatment with pharmacotherapy and/or psychotherapy.
20 - 27	Severe	Immediate initiation of pharmacotherapy and if severe impairment or poor response to therapy, expedited referral to mental health specialist.
“Yes” answer on any suicide question		Immediate follow up

* Levy SJ, Williams JF, AAP COMMITTEE ON SUBSTANCE USE AND PREVENTION. Substance Use Screening, Brief Intervention, and Referral to Treatment. Pediatrics. 2016;138(1).

**Richardson L, McCauley E, Grossman DC, McCarty CA, Richards J, Russo JE, Rockhill C, Katon W. Evaluation of the Patient Health Questionnaire-9 Item for Detecting Major Depression Among Adolescents. Pediatrics. 2010;126(6).