

Durable Medical Equipment, Prosthetics, Orthotics and Supplies (DMEPOS)

Rulebook

Includes:

- 1) Current Update Information (changes since last update)**
- 2) Table of Contents**
- 3) Complete set of DMEPOS Services Administrative Rules**

DMEPOS Services Rulebook
Update Information
for
October 1, 2005

OMAP updated the DMEPOS Services Program Rulebook by revising administrative rules as follows:

- 410-122-0020, 410-122-0186, 410-122-0202, 410-122-0205, 410-122-0320, 410-122-0325, 410-122-0340, 410-122-0590, 410-122-0630 and 410-122-0720 to reflect technical changes, code updates, word clarification and to clarify intent;
- 410-122-0184 (Repairs, Maintenance, Replacement and Delivery), 410-122-0190 (Miscellaneous DME and Supplies), and 410-122-0560 (Urological Supplies) to rename the rules and to clarify language and intent; and
- 410-122-0080, 410-122-0500 to clarify language and intent.

Table of Contents is updated.

If you have questions, contact a Provider Services Representative toll-free at 1-800-336-6016 or direct at 503-378-3697.

**DEPARTMENT OF HUMAN SERVICES, DEPARTMENTAL
ADMINISTRATION AND MEDICAL ASSISTANCE PROGRAMS**

DIVISION 122

DURABLE MEDICAL EQUIPMENT AND MEDICAL SUPPLIES

410-122-0000 Purpose

410-122-0010 Definitions

410-122-0020 Orders

410-122-0040 Prior Authorization of Payment

410-122-0055 Standard Benefit Package Limitations

410-122-0080 Coverage and Exclusions

Table 122-0080 – Exclusions

410-122-0085 Dispensing

410-122-0180 Procedure Codes

410-122-0182 Definitions

410-122-0184 Repairs, Maintenance, Replacement and Delivery

410-122-0186 Reimbursement and Prior Authorization Requirements for Codes
E1399 and K0108

410-122-0190 Miscellaneous Durable Medical Equipment and Supplies

Table 0190 Procedure Code

410-122-0200 Pulse Oximeter

410-122-0202 Continuous Positive Airway Pressure (CPAP) System

Table 0202 Procedure Code

410-122-0203 Oxygen and Oxygen Equipment

Table 0203 Procedure Code

410-122-0204 Nebulizer

Table 0204 Procedure Code

410-122-0205 Respiratory Assist Devices

Table 0205-1 Coverage Criteria

Table 0205-2 Procedure Codes

410-122-0206 Intermittent Positive Pressure Breathing (IPPB)

410-122-0207 Respiratory Supplies

Table 0207 Procedure Codes

410-122-0208 Suction Pumps

Table 0208 Procedure Codes

410-122-0209 Tracheostomy Care Supplies

Table 0209 Procedure Codes

410-122-0210 Ventilators

Table 0210 Procedure Codes

410-122-0220 Pacemaker Monitor

410-122-0240 APNEA Monitor

Table 0240 Apnea Monitor Codes

410-122-0250 Breast Pumps

410-122-0255 External Breast Protheses

Table 0255 Procedure Codes

410-122-0260 Home Uterine Monitoring

410-122-0280 Heating/Cooling Accessories

Table 280 Procedure Codes for Heating/Cooling Accessories

410-122-0300 Light Therapy

Table 0300 Procedure Codes

410-122-0320 Manual Wheelchair Base

Table 0320 Procedure Codes

410-122-0325 Motorized/Power Wheelchair Base

Table 0325 Procedure Codes

410-122-0330 Power-Operated Vehicle

410-122-0340 Wheelchair Options/Accessories

Table 0340 Procedure Codes

410-122-0360 Canes and Crutches

Table 0360 Procedure Codes

410-122-0365 Standing and Positioning Aids

Table 0365 Procedure Codes

410-122-0375 Walkers

Table 0375 Procedure Codes

410-122-0380 Hospital Beds

Table 0380 Procedure Codes

410-122-0400 Pressure Reducing Support Surfaces

Table 0400-1 Procedure Codes

Table 0400-2 Procedure Codes

410-122-0420 Hospital Bed Accessories

Table 0420 Procedure Codes

410-122-0470 Supports and Stockings

Table 0470 Procedure Codes

410-122-0475 Therapeutic Shoes for Diabetics

Table 0475 Procedure Codes

410-122-0480 Pneumatic Compression Devices (Used for Lymphedema)

Table 0480 Procedure Codes

410-122-0500 Transcutaneous Electrical Nerve Stimulator (TENS)

Table 0500 Procedure Codes

410-122-0510 Electronic Stimulators

Table 0510 Procedure Codes

410-122-0520 Diabetic Supplies

Table 0520 Procedure Codes

410-122-0525 External Insulin Infusion Pump

Table 0525 Procedure Codes

410-122-0530 Proof of Delivery

410-122-0540 Ostomy Supplies: Colostomy, Ileostomy, Ureterostomy

Table 0540 Procedure Codes

410-122-0560 Urological Supplies

Table 0560 Procedure Codes

410-122-0580 Bath Supplies

Table 0580 Procedure Codes

410-122-0590 Patient Lifts

410-122-0600 Toilet Supplies

Table 0600 Procedure Codes

410-122-0620 Miscellaneous Supplies

Table 0620 Procedure Codes

410-122-0625 Surgical Dressing Procedure Codes

Table 0625 Procedure Codes

410-122-0630 Incontinent Supplies

Table 0630-1 Procedure Codes

Table 0630-2 How to Count Units

410-122-0640 Eye Prostheses

Table 0640 Procedure Codes

410-122-0660 Orthotics and Prosthetics

Table 122-0660 Codes Not Covered

410-122-0678 Dynamic Adjustable Extension/Flexion Device

Table 0678 Procedure Codes

410-122-0680 Facial Prostheses

Table 0680 Procedure Codes

410-122-0700 Negative Pressure Wound Therapy

Table 0700 Procedure Codes

410-122-0720 Pediatric Wheelchairs

Table 0720 Procedure Codes

410-122-0000 Purpose

The Office of Medical Assistance Programs' (OMAP) Administrative Rules for the Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) program are to be used in conjunction with the Oregon Health Plan Administrative Rules and the General Rules for OMAP. DMEPOS coverage for eligible clients is based on these rules which govern the provision and reimbursement for DMEPOS.

Stat.Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0010 Definitions

(1) Buy up – “Buy-up” refers to a situation in which a client wants to upgrade to a higher level of service than he or she is eligible for; e.g., a heavy duty walker instead of a regular walker.

(2) Consecutive Months – Any period of continuous use where no more than a 60-day break occurs.

(3) Home – For purposes of purchase, rental and repair of durable medical equipment that is used primarily as a supportive measure in meeting a client’s basic daily living activities, home is a place of permanent residence, such as an assisted living facility (includes the common dining area), a 24-hour residential care facility, an adult foster home, a child foster home or a private home. This does not include hospitals or nursing facilities or any other setting that exists primarily for the purpose of providing medical/nursing care.

(4) Lifetime need – 99 months or more.

(5) Manufacturer Part Number (MPN):

(a) Each manufacturer provides an MPN to identify that manufacturer’s part. It is a specification used by the manufacturer to store a part in an illustrated part catalog (graphics and text);

(b) An MPN uniquely identifies a part when used together with manufacturer code (external manufacturer), which is the own name used by the manufacturer and not the manufacturer name provided by other.

(6) OMAP’s Maximum Allowable Rate – The maximum amount paid by OMAP for a service.

(7) Practitioner – A person licensed pursuant to Federal and State law to engage in the provision of health care services within the scope of the practitioner’s license and certification.

(8) Purchase price – Includes:

(a) Delivery;

(b) Assembly;

(c) Adjustments, if needed, and;

(d) Training in the use of the equipment or supply.

(9) Rental fees – Include:

(a) Delivery;

(b) Training in the use of the equipment;

(c) Pick-up;

(d) Routine service, maintenance and repair, and;

(e) Moving equipment to new residence, if coverage is to continue.

(10) Technician – A DMEPOS provider staff professionally trained through product or vendor-based training, technical school training (e.g., electronics) or through apprenticeship programs with on-the-job training.

Stat. Auth.: ORS 409

Stats.Implemented: ORS 414.065

4-1-05

410-122-0020 Orders

(1) The purchase, rental or modifications of durable medical equipment, and the purchase of supplies must have an order prior to dispensing items to a client.

(2) For any durable medical equipment, prosthetics, orthotics and supplies (DMEPOS), a provider must have a written order signed and dated by the treating practitioner prior to submitting a claim to the Office of Medical Assistance Programs (OMAP).

(3) A provider may dispense some items based on a verbal order from the treating practitioner, except those items requiring a written order prior to delivery (see below) or as specified in a particular rule: (a) A provider must maintain documentation of the verbal order and this documentation must be available to OMAP upon request;

(b) The verbal order must include all the following elements:

(A) Client's name; and,

(B) Name of the practitioner; and,

(C) Description of the item; and,

(D) Start date of the order; and,

(E) Primary ICD-9 diagnosis code for the equipment/supplies requested.

(c) For items that are dispensed based on a verbal order, the provider must obtain a written order that meets the requirements outlined below for written orders.

(4) For an item requiring a written order prior to delivery, Medicare criteria must be met.

(5) The DMEPOS provider must have on file a written order, information from the treating practitioner concerning the client's diagnosis and medical condition, and any additional information required in a specific rule.

(6) OMAP accepts any of the following forms of orders and Certificates of Medical Necessity (CMN): a photocopy, facsimile image, electronically maintained or original "pen and ink" document. (a) An electronically maintained document is one which has been created, modified, and stored via electronic means such as commercially available software packages and servers;

(b) It is the provider's responsibility to ensure the authenticity/validity of a facsimile image, electronically maintained or photocopied order; (c) A provider must also ensure the security and integrity of all electronically maintained orders and/or certificates of medical necessity;

(d) The written order may serve as the order to dispense the item if the written order is obtained before the item is dispensed.

(7) A written order must be legible and contain the following elements:

(a) Client's name; and,

(b) Detailed description of the item that can either be a narrative description (e.g., lightweight wheelchair base) or a brand name/model number including medically appropriate options or additional features; and,

(c) The detailed description of the item may be completed by someone other than the practitioner. However, the treating practitioner must review the detailed description and personally indicate agreement by his signature and the date that the order is signed;

(d) Primary ICD-9 diagnosis code for the equipment/supplies requested;

(8) A provider is responsible to obtain as much documentation from the client's medical record as necessary for assurance that OMAP coverage criteria for an item(s) is met.

(9) Certain items require one or more of the following additional elements in the written order:

(a) For accessories or supplies that will be provided on a periodic basis:

(A) Quantity used;

(B) Specific frequency of change or use – “as needed” or “prn” orders are not acceptable;

(C) Number of units;

(D) Length of need: Example: An order for surgical dressings might specify one 4” x 4” hydrocolloid dressing which is changed one to two times per week for one month or until the ulcer heals.

(b) For orthoses: If a custom-fabricated orthosis is ordered by the physician, this must be clearly indicated on the written order;

(c) Length of need:

(A) If the coverage criteria in a rule specifies length of need; or,

(B) If the order is for a rental item.

(d) Any other medical documentation required by rule.

(10) For repairs: Labor for repairs, parts for DME repairs and replacement parts for DME (e.g., batteries) do not require a written order.

(11) A new order is required:

(a) When required by Medicare (for a Medicare covered service) (www.cignamedicare.com); or,

(b) When there is a change in the original order for an item; or,

(c) When an item is permanently replaced; or,

(d) When indicated by the treating practitioner.

(A) A new order is required when an item is being replaced because the item is worn or the client’s condition has changed; and,

(B) The provider’s records should also include client-specific information regarding the need for the replacement item; and,

(C) This information should be maintained in the provider's files and be available to OMAP on request; and,

(D) A new order is required before replacing lost, stolen or irreparably damaged items to reaffirm the medical appropriateness of the item.

(e) When there is a change of DMEPOS provider: In cases where two or more providers merge, the resultant provider should make all reasonable attempts to secure copies of all active CMN's and written orders from the provider(s) purchased. This document should be kept on file by the resultant provider for future presentation to OMAP, if requested.

(f) On a regular or specific basis (even if there is no change in the order) only if it is so specified in a particular rule.

(12) A provider is required to maintain and provide (when required by a particular rule) legible copies of facsimile image and electronic transmissions of orders.

Stat.Auth.: ORS 409

Stats.Implemented: ORS 414.065

10-1-05

410-122-0040 Prior Authorization Requirements

(1) Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) providers must obtain prior authorization (PA) for DMEPOS that indicate PA is required, unless otherwise noted in a specific rule.

(2) PA must be requested as follows (see the DMEPOS Supplemental Information for contact information):

(a) For Medically Fragile Children's Unit (MFCU) clients, PA must be requested from the Department of Human Services (DHS) MFCU;

(b) For clients enrolled in the fee-for-service (FFS) Medical Case Management (MCM) program, PA must be requested from the MCM contractor;

(c) For clients enrolled in an OMAP Medical Plan, PA must be requested from the OMAP Medical Plan;

(d) For all other clients, PA must be requested from the Office of Medical Assistance Programs (OMAP).

(3) For clients with Medicare coverage, PA is only required for DMEPOS not covered by Medicare.

(4) PA requests must be submitted within five working days from the initiation of service for DMEPOS provided after normal working hours.

(5) See OAR 410-120-1320 for more information about PA.

Stat.Auth.: ORS 409

Stats.Implemented: ORS 414.065

4-1-05

410-122-0055 Standard Benefit Package Limitations

(1) Durable medical equipment, prosthetics, orthotics, and supplies (DMEPOS) coverage for the Oregon Health Plan (OHP) Standard benefit package is limited to the codes listed in Table 122-0055. Coverage requirements and limitations as specified in chapter 410, division 122 apply. For more information about the OHP Standard benefit package, see the Office of Medical Assistance Programs (OMAP) General Rules (Chapter 410, Division 120).

(2) OHP Standard benefit package coverage includes limited home enteral/parenteral nutrition and intravenous services. For more information, see Home Enteral/Parenteral Nutrition and Intravenous Services (chapter 410, division 148).

(3) Table 122-0055

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0055

Category	Codes
<u>Diabetic Supplies</u>	A4210, A4211, A4244, A4245, A4250, A4253, A4254, A4255, A4256, A4258, A4259, A4772, E0607, E2100, E2101, S8490
<u>Respiratory:</u>	A7030, A7031, A7032, A7033, A7034, A7035, A7036, A7037, A7038, A7039, A7044, A7045, A7046, E0470, E0471, E0561, E0562, E0601, S8186
<u>Oxygen</u>	E1390, E1391, E1405, E1406, E0424, E0425, E0430, E0431, E0441, E0443, E0434, E0435, E0439, E0440, E0442, E0444, E0455, E0550, E0555, E0560
<u>Ventilator</u>	A4611, A4612, A4613, A4618, E0450, E0454, E0461, , E0463, E0464, E0459, E0460, E0472
Suction Pump	A4605, A4624, A4628, A7000, A7001, A7002, E0600, E2000
<u>Tracheostomy Supplies:</u>	A4481, A4483, A4623, A4625, A4626, A4629, A7501, A7502, A7503, A7504, A7505, A7506, A7507, A7508, A7509, A7520, A7521, A7522, A7524, A7525, A7526, A7527, S8189
<u>Urology Supplies:</u>	A4310, A4311, A4312, A4313, A4314, A4315, A4316, A4320, A4322, , A4326, A4327, A4328, A4331, A4332, A4333, A4334, A4338, A4340, A4344, A4346, A4348, A4349, A4351, A4352, A4353, A4354, A4355, A4356, A4357, A4358, A4359, A4927, A5102, A5105, A5112, A5113, A5114, A5131, A5200
<u>Ostomy Supplies:</u>	A4331, A4361, A4362, A4364, A4365, A4366, A4367, A4369, A4371, A4372, A4373, A4375, A4376, A4377, A4378, A4379, A4380, A4381, A4382, A4383, A4384, A4385, A4387, A4388, A4389, A4390, A4391, A4392, A4393, A4394, A4395, A4396, A4397, A4398, A4399, A4402, A4404, A4405, A4406, A4407, A4408, A4409, A4410, A4413, A4414, A4415, A4416, A4417, A4418, A4419, A4420, A4422, A4423, A4424, A4425, A4426, A4427, A4428, A4429, A4430, A4431, A4432, A4433, A4434, A4455, A5051, A5052, A5053, A5054, A5055, A5062, A5063, A5071, A5072, A5073, A5081, A5082, A5093, A5119, A5121, A5122, A5126, A5131

410-122-0080 Coverage and Exclusions

(1) Durable medical equipment, prosthetics, orthotics and medical supplies (DMEPOS) may be covered for payment by the Office of Medical Assistance Programs (OMAP) when the item:

(a) Has been approved for marketing by the Food and Drug Administration (FDA) and is otherwise generally considered to be safe and effective for the purpose intended; and,

(b) Is reasonable and medically appropriate for the individual client; and,

(c) Is primarily and customarily used to serve a medical purpose; and,

(d) Is generally not useful to a person in the absence of illness or injury; and,

(e) Is appropriate for use in a client's home; and,

(f) Specifically, for durable medical equipment, can withstand repeated use; i.e., could normally be rented, and used by successive clients; and,

(g) Meets the coverage criteria as specified in this rulebook.

(2) When Medicare is the primary payer for a covered service and when OMAP coverage criteria differs from Medicare coverage criteria, OMAP coverage criteria are waived.

(3) DMEPOS are not covered when the item is:

(a) Not primarily medical in nature; or,

(b) For personal comfort or convenience of client or caregiver; or,

(c) Inappropriate or unsuitable for home use; or,

(d) A self-help device; or,

(e) Not therapeutic or diagnostic in nature.

(4) Reimbursement:

(a) OMAP reimburses for the lowest level of service, which meets medical appropriateness. See OAR 410-120-1280 (Billing) and 410-120-1340 (Payment) for clients with Medicare, third party resource (TPR) or alternate resource, coverage;

(b) Reimbursement is based on OMAP's maximum allowable rate, manufacturer's suggested retail price or usual charge, whichever is the lowest.

(5) Equipment and supplies are not covered under some benefit packages (see OAR 410-120-1210).

(6) Buy-ups are prohibited. Advanced Beneficiary Notices (ABN) constitute a buy-up and are prohibited. Refer to the OMAP General Rules for specific language on buy-ups.

(7) Equipment purchased by OMAP is the property of the client.

(8) Rental charges, starting with the initial date of service, regardless of payer, apply to the purchase price.

(9) Before renting, purchase should be considered for long-term requirements.

(10) Medical supplies are not separately payable to a DMEPOS provider while a client with Medicare Part A coverage is under a home health plan of care and covered home health care services.

(11) Medical supplies are not separately payable while a client is under a hospice plan of care and the supplies are included as part of the written plan of care and for which payment may otherwise be made by Medicare, OMAP or other carrier.

(12) Table 122-0080: Items not covered by OMAP, include, but are not limited to, those listed in this table.

Stat.Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0080 Exclusions

Air conditioners, air cleaners, air purifiers
Ankle-foot orthoses, graphite, spiral
Appliances, household, small electrics
Assistive devices for activities of daily living
Balls, therapy
Bandages, adhesive (i.e., Band-aids)
Bed cradle, any type
Bedding, any kind
Beds, age-specific, enclosed bed systems, metal-caged, total electric, water, youth
Bedwetting prevention devices
Bladder stimulators (pacemakers)
Bracelets, medical alert
Car seats, any type, standard, customized or custom-made
Chairs, geriatric, positioning
Cleanser, incontinent, perineal, wound
Clothing, except some orthopedic shoes & support hose
Cough stimulating device, alternating positive & negative airway pressure
Cribs, any type, including hospital cribs, rail padding
Deodorizers, room
Dilators, esophageal
Elevators
Exercise equipment
Feminine hygiene products
Furnishings, household, any kind
Generators
Hand controls for vehicles
High frequency chest wall oscillation air-pulse generator system
Humidifiers, room
Hot tubs/spas
Identification tags
Incubators/Isolates
Jacuzzis
Lifts, barrier-free ceiling track, chair, mechanism, stairs, van
Light box for SAD
Linens, any type
Mattresses, egg crate
Medicine cups, paper or plastic
Mobility monitor
Mucus trap (included in laboratory fee)

Nipple shields
Oscillatory positive expiratory pressure device
Overbed tables
Passive motion exercise device (CPM device)
Positioning seats, any type, standard, customized or custom-made
Ramps, van, wheelchair
Reachers
Restraints
Safety enclosures frame/canopy for use with hospital bed, any type
Scales, bath, diet
Sharps containers
Sheets, cloth draw, rubber
Showerheads, hand held
Sports equipment
Strollers
Supplemental Breast Feeding Nutrition System
Swamp coolers
Telephone alert systems
Telephones
Therapeutic Electrical Stimulator
Thermometers
Tie-downs for wheelchairs in vans
Tissue, facial, toilet
Tocolytic Pumps
Towelettes, any type
Utensils, eating
Typewriters
Vans
Washcloths, any type
Waterpiks® (and similar oral irrigation appliances)
Whirlpool
Wipes, any type

410-122-0085 Dispensing

- (1) Providers must not dispense a quantity of supplies exceeding a client's expected utilization.
- (2) Supplies dispensed are based on the practitioner's order. Regardless of utilization, a provider must not dispense more than a three-month quantity of supplies at a time. This three-month dispensing restriction for supplies may be further limited by rule limitations of coverage.
- (3) Provider may contact the client to check the quantity on hand and continued need for product. An order cannot be dispensed if the client has more than a 15-day supply.
- (4) The provider must not automatically dispense a quantity of supplies on a predetermined regular basis, even if the client or caregiver has "authorized" this in advance.

Stat. Auth.: ORS Chapter 409

Stats. Implemented: 414.065

8-1-04

410-122-0180 Procedure Codes

(1) The Office of Medical Assistance Programs' (OMAP) rules for, Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) are to be used in conjunction with HCPCS. When billing for durable medical equipment and supplies, use the procedure codes listed in the DMEPOS rules. When billing for orthotics and prosthetic equipment and supplies, use the American Orthotics and Prosthetic Association (AOPA) publication, prepared by the AOPA.

(2) Questions concerning the coding of items should be referred to:

(a) Medicare Statistical Analysis DMERC (SADMERC) Palmetto Government Benefits Administrators, or;

(b) AOPA.

(3) Written verification of coding from SADMERC or AOPA will be accepted as true and correct, at OMAP's discretion.

Stat.Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0182 Legend

This is an explanation of the codes used throughout the DMEPOS program rules.

(1) PA – Prior authorization (PA): “PA” indicates that PA is required, even if the client has private insurance. See OAR 410-122-0040 for more information about PA requirements.

(2) PC – Purchase: “PC” indicates that purchase of this item is covered for payment by OMAP.

(3) RT – Rent: “RT” indicates that the rental of this item is covered for payment by OMAP.

(4) MR – Months Rented:

(a) “13” – Indicates that the equipment is considered paid for and owned by the client, after 13 consecutive months of rent by the same provider or when purchase price is reached (whichever is the lesser);

(b) “16” – Indicates that the equipment is considered paid for and owned by the client, after 16 consecutive months of rent by the same provider or when purchase price is reached (whichever is the lesser).

(5) RP – Repair: “RP” indicates that repair of this item is covered for payment by OMAP.

(6) NF – Nursing Facility: “NF” indicates that this procedure code is covered for payment by OMAP when the client is a resident of a nursing facility.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0184 Repairs, Maintenance, Replacement and Delivery

(1) Indications and Limitations of Coverage and/or Medical Appropriateness: Under the circumstances specified below, payment may be made for repair, maintenance, and replacement of medically appropriate, covered durable medical equipment, prosthetics and orthotics, including those items purchased or in use before the client enrolled with the Office of Medical Assistance Programs (OMAP).

(2) Repairs:

(a) To repair means to fix or mend and to put the equipment back in good condition after damage or wear;

(b) If the expense for repairs exceeds the estimated expense of purchasing or renting another item of equipment for the remaining period of medical need, no payment will be made for the amount of the excess;

(c) Payment for repairs is not covered when:

(A) The skill of a technician is not required; or

(B) The equipment has been previously denied; or

(C) Equipment is being rented, including separately itemized charges for repair; or

(D) Parts and labor are covered under a manufacturer's or supplier's warranty.

(d) Code E1340 must not be used on an initial claim for equipment. Payment for any labor involved in assembling, preparing, or modifying the equipment on an initial claim is included in the allowable rate.

(3) Maintenance:

(a) Additional payment for routine periodic servicing, such as testing, cleaning, regulating, and checking of the client's equipment is not covered. However, more extensive maintenance which, based on the manufacturers' recommendations, is to be performed by authorized technicians, may be covered as repairs for medically appropriate client-owned equipment. For example, this might include, breaking down sealed components and performing tests which require specialized testing equipment not available to the client;

(b) Payment for maintenance/service is not covered for rented equipment, unless it is a capped rental item. OMAP may authorize payment for maintenance and

servicing capped rental items after six months have passed from the end of the final paid rental month or from the end of the period the item is no longer covered under the supplier's or manufacturer's warranty, whichever is later. Use the corresponding Healthcare Common Procedure Coding System (HCPCS) code for the equipment in need of maintenance and servicing at no more than the rental fee schedule allowable amount;

(c) Up to one month's rental will be reimbursed at the level of either the equipment provided; or, the equipment being repaired, whichever is less costly;

(d) Maintenance that includes parts and labor covered under a manufacturer's or supplier's warranty is not covered.

(4) Replacement - Replacement refers to the provision of an identical or nearly identical item:

(a) Temporary Replacement: K0462 may be appropriate for temporary replacement of covered client-owned equipment such as a wheelchair being repaired. The equipment in need of repair must be unavailable for use for more than one day. For example, the repair takes more than one day or a part has to be ordered and the wheelchair is non-functional;

(b) Permanent Replacement: Situations involving the provision of a different item because of a change in medical condition must meet the specific coverage criteria identified in this rulebook;

(c) Equipment which the client owns or is a capped rental item may be replaced in cases of loss or irreparable damage. Irreparable damage refers to a specific accident or to a natural disaster (e.g., fire, flood, etc.). Irreparable wear refers to deterioration sustained from day-to-day usage over time and a specific event cannot be identified. Replacement of equipment due to irreparable wear takes into consideration the reasonable useful lifetime of the equipment.

(d) Cases suggesting malicious damage, culpable neglect, or wrongful disposition of equipment may not be covered.

(5) Delivery:

(a) Payment for pick-up and delivery charges of durable medical equipment, prosthetics, orthotics and supplies (DMEPOS) whether rented or purchased, including travel time, is included in the allowable rate for the item;

(b) Providers may deliver directly to the client or the designee (person authorized to sign and accept delivery of DMEPOS on behalf of the client);

(c) Providers, their employees, or anyone else having a financial interest in the delivery of an item are prohibited from signing and accepting an item on behalf of a client;

(d) A provider may deliver DMEPOS to a client in a hospital or nursing facility for the purpose of fitting or training the client in its proper use. This may be done up to two days prior to the client's anticipated discharge to home. Bill the date of service on the claim as the date of discharge and use the client's home as the Place of Service (POS). The item must be for subsequent use in the client's home;

(e) A provider may deliver DMEPOS to a client's home in anticipation of a discharge from a hospital or nursing facility. The provider may arrange for actual delivery approximately two days prior to the client's anticipated discharge to home. Bill the date of service on the claim as the date of discharge and use the client's home as the POS;

(f) Payment is not covered for training, fitting, or use of DMEPOS with a date of service prior to the client's discharge from a:

(A) Hospital;

(B) Nursing facility; or

(C) Medicare Part A nursing facility.

(g) Shipping and handling charges are not covered.

(6) Documentation Requirements:

(a) A new Certificate of Medical Necessity (CMN) and/or physician's order is not required;

(b) Submit the following documentation with the prior authorization request:

(A) For Repairs/Maintenance:

(i) Narrative description, manufacturer and brand name/model name and number, serial number and original date of purchase for the covered equipment in need of repair; and,

(ii) Itemized statement of parts needed for repair including product name, part number, manufacturer's suggested retail price or manufacturer's invoice price and labor time; and,

(iii) Justification of the client's medical need for the item and statement that client owns the equipment in need of repair.

(B) For Temporary Replacement:

(i) Narrative description, manufacturer and brand name/model name and number, serial number and original date of purchase for the covered equipment in need of repair; and,

(ii) Narrative description, manufacturer and brand name/model name and number of the replacement equipment; and,

(iii) Itemized statement of parts needed for repair including product name, part number, manufacturer's suggested retail price or manufacturer's invoice price and labor time; and,

(iv) Justification of the client's medical need for the item and statement that client owns the equipment in need of repair; and,

(v) Description of why repair takes more than one day to complete. (C) For Permanent Replacement: See specific coverage criteria in this rulebook for more information.

(7) Procedure Codes:

(a) Replacement parts for wheelchair repair are billed using the specific Healthcare Common Procedure Coding System (HCPCS) code, if one exists, or code K0108 (other accessories);

(b) E1340:

(A) Repair or non-routine service requiring the skill of a technician, labor component, per 15 minutes;

(B) This code is used for services not covered by other codes or combination of codes in reference to the repairs of DMEPOS.

(c) K0462 – Temporary replacement for client-owned equipment being repaired, any type – Prior authorization (PA) required – PA;

(d) K0108 – Other wheelchair accessories (see OAR 410-122-0186) - PA.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

410-122-0186 Reimbursement and Prior Authorization Requirements for Codes E1399 and K0108

(1) Reimbursement for codes E1399 and K0108 is capped as follows:

(a) E1399 – \$6000.00;

(b) K0108 – \$12,000.00.

(2) Reimbursement for codes E1399 and K0108 is determined as either:

(a) 80% of the Manufacturer's Suggested Retail Price (MSRP); or,

(b) If the MSRP is not available, the lowest amount of the following, plus 20percent:

(A) Manufacturer's invoice; or

(B) Manufacturer's wholesale price; or

(C) Acquisition cost; or

(D) Manufacturer's bill to provider.

(c) If (2) (a) or (b) are not available, reimbursement will be the "estimated price" plus 20percent. An "estimated price" is the price the provider expects the manufacturer to charge.

(3) When requesting prior authorization (PA) for items billed at or above \$100, the durable medical equipment, prosthetics, orthotics, and supplies (DMEPOS) provider:

(a) Must submit a copy of:

(A) The items from (2) (a-c) that will be used to bill; and,

(B) Name of the manufacturer, description of the item, including product name/model name and number and technical specifications. .

(b) May be required to submit a picture of the item.

(4) The DMEPOS provider must submit verification for items billed under code E1399 when no specific Healthcare Common Procedure Coding System (HCPCS) code is available and an item category is not specified in chapter 410 division 122 rules. Verification can come from an organization such as:

(a) Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC), or;

(b) American Orthotic and Prosthetic Association (AOPA).

(5) The Office of Medical Assistance Programs (OMAP) may review items that exceed the maximum allowable/cap on a case-by-case basis. For these situations, the provider must submit the following documentation:

(a) Documentation that supports the client meets all of the coverage criteria for the less costly alternative; and,

(b) A comprehensive evaluation by a licensed clinician (who is not an employee of or otherwise paid by a provider) which clearly explains why the less costly alternative is not sufficient to meet the client's medical needs, and;

(c) The expected hours of usage per day, and;

(d) The expected outcome or change in client's condition.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

410-122-0190 Miscellaneous Durable Medical Equipment and Supplies

(1) When necessary, durable medical equipment, prosthetics, orthotics and supplies (DMEPOS) providers must contact the Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) Healthcare Common Procedure Coding System (HCPCS) Unit to obtain proper billing codes for DMEPOS items.

(2) A HCPCS code identifies the durable medical equipment, prosthetics, orthotics, and/or supplies (DMEPOS) being billed.

(3) Documentation must support that HCPCS codes are correct.

(4) Proper HCPCS codes must be used regardless of fee schedule allowables.

(5) Coverage criteria for code E1399:

(a) Code E1399 includes but is not limited to use for the following:

(A) Walker gliders – Not covered for clients in a nursing facility (NF);

(B) Oxymiser cannula – Not covered for clients in a NF;

(C) Hydraulic bathtub lift – Not covered for clients in a NF;

(D) Heavy-duty or extra-wide rehab shower/commode chair – Not covered for clients in a NF.

(b) Code E1399 may be used for gait belts when the:

(A) Client is 60 pounds or greater, and;

(B) Care provider is trained in the proper use, and;

(C) Client meets one of the following criteria:

(i) The client may be able to walk independently, but needs a minor correction of ambulation, or;

(ii) The client needs minimal or standby assistance to walk alone, or;

(iii) The client requires assistance with transfer.

(c) Documentation of medical appropriateness from the prescribing practitioner must:

(A) Be kept on file by the DMEPOS provider, and;

(B) Include documentation that the care provider is trained in proper use.

(6) Table 122-0190

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0190 Equipment and Services Not Otherwise Classified

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4335	Incontinence supply – miscellaneous	PA	PC				
A4421	Ostomy supply – miscellaneous	PA	PC				
A4649	Surgical supply – miscellaneous <ul style="list-style-type: none"> ■ Includes, but is not limited to antiseptic towelettes ■ Antiseptic towelettes are covered only for intermittent urinary catheterizations when other methods of cleansing are not available ■ No PA required if \$50.00 or less 	*	PC				
A6261	Wound filler, not elsewhere classified, gel/paste <ul style="list-style-type: none"> ■ 1 unit of service = 1 fluid ounce 	PA	PC				
A6262	Wound filler, not elsewhere classified, dry form <ul style="list-style-type: none"> ■ 1 unit of service = 1 gram 	PA	PC				
A9900	Miscellaneous DME supply, accessory, and/or service component of another HCPCS code	PA	PC				
E1399	DME – miscellaneous <ul style="list-style-type: none"> ■ See section (3) of this rule for specific criteria for this code. 	**	PC	RT	16	RP	*
*	See exceptions in section (3) <ul style="list-style-type: none"> ■ No PA required if TOS A and \$50.00 or less 						

Code	Description	PA	PC	RT	MR	RP	NF
L0999	Addition to spinal orthosis, not otherwise specified	PA	PC				NF
L8239	Elastic support, not otherwise specified	PA	PC				NF

410-122-0200 Pulse Oximeter

(1) Indications and Coverage:

(a) A pulse oximeter may be covered if:

(A) The client has evidence of more than three desaturations below 88% per month, and;

(B) At least one of the following conditions exist:

(i) The client exhibits signs or symptoms of acute respiratory dysfunction;

(ii) The client has chronic lung disease, chest trauma, severe cardiopulmonary disease, or neuromuscular disease involving the muscles of respiration;

(iii) The client is on a ventilator and there is a need to adjust the ventilator settings, wean from the ventilator or to monitor for an acute change in condition;

(iv) The client has a chronic condition resulting in hypoxemia and there is a need to assess supplemental oxygen requirements and/or a therapeutic regimen.

(b) An aggregate of the pulse oximeter results must be reviewed and evaluated by the treating practitioner on a regular basis;

(c) Routine use of pulse oximetry monitoring is not covered (example: a patient with chronic, stable cardiopulmonary problems).

(2) Documentation:

(a) Submit the following documentation for review:

(A) A practitioner order that clearly specifies the medical appropriateness for pulse oximetry testing;

(B) Documentation of signs/symptoms/medical condition exhibited by the client, that require continuous pulse oximetry monitoring as identified by the need for oxygen titration, frequent suctioning or ventilator adjustments;

(C) Plan of treatment that identifies a trained individual available to perform the testing, document the frequency and the results and implement the appropriate therapeutic intervention, if necessary.

(b) An appropriate history and physical exam and progress notes must be available for review, upon request;

(c) For an initial request, approval may be given for no longer than the first three months of rental;

(d) Continued approval beyond the initial authorization, is based on ongoing review of above documentation including appropriate and regular medical oversight and direction to support the need, including an identified intervention plan by the treating practitioner.

(3) Procedure Codes:

(a) A4606 – Oxygen probe for use with client-owned oximeter device, replacement:

(A) PA required;

(B) The Office of Medical Assistance Programs (OMAP) will purchase.

(b) E0445 – Oximeter device for measuring blood oxygen levels non-invasively, per month:

(A) PA required;

(B) OMAP will rent;

(C) OMAP will repair;

(D) Item considered purchased after 16 months of rent;

(E) Quantity (units) is one on a given date of service;

(F) The allowable rental fee includes all equipment, supplies, services routine maintenance and necessary training for the effective use of the pulse oximeter.

Stat. Auth.: ORS 409

Stats, Implemented: ORS 414.065

10-1-04

410-122-0202 Continuous Positive Airway Pressure (CPAP) System

(1) Indications and Limitations of Coverage and/or Medical Appropriateness

(a) Initial Coverage:

(A) A single-level continuous positive airway pressure (CPAP) device (E0601) may be covered when the client has a diagnosis of obstructive sleep apnea (OSA) documented by an attended, facility-based polysomnogram and meets either of the following criteria (i or ii):

(i) The apnea-hypopnea index (AHI) is greater than or equal to 15 events per hour; or,

(ii) The AHI is from 5 to 14 events per hour with documented symptoms of:

(I) Excessive daytime sleepiness, impaired cognition, mood disorders, or insomnia; or,

(II) Hypertension, ischemic heart disease, or history of stroke.

(B) A three-month rental period is required for CPAP prior to purchase.

(b) Continued coverage of an E0601 beyond the first three months of therapy: Ongoing rental beyond the first three months is an option in lieu of purchase if medically appropriate and cost effective;

(c) For a client using a CPAP prior to Medicaid enrollment, and, with recent, supportive documentation from the treating practitioner indicative of effective treatment with a CPAP device, coverage criteria in this rule may be waived;

(d) Payment Authorization: A CPAP device and related accessories may be dispensed without prior authorization. The provider is still responsible to ensure all rule requirements are met. Payment authorization is required prior to submitting claims and will be given once all required documentation has been received and any other applicable rule requirements have been met. Payment authorization is obtained from the same authorizing authority as specified in 410-122-0040.

(2) Guidelines:

(a) A continuous positive airway pressure (CPAP) device delivers a constant level of positive air pressure (within a single respiratory cycle) by way of tubing and a noninvasive interface (such as a nasal, oral, or facial mask) to assist spontaneous respiratory efforts and supplement the volume of inspired air into the lungs;

(b) A respiratory cycle is defined as an inspiration, followed by an expiration;

(c) Polysomnography is the continuous and simultaneous monitoring and recording of various physiological and pathophysiological parameters of sleep with physician review, interpretation, and report. It must include sleep staging, which is defined to include a 1-4 lead electroencephalogram (EEG), and electro-oculogram (EOG), and a submental electromyogram (EMG). It must also include at least the following additional parameters of sleep: airflow, respiratory effort, and oxygen saturation by oximetry. It may be performed as either a whole night study for diagnosis only or as a split night study to diagnose and initially evaluate treatment;

(d) For the purpose of this rule, polysomnographic studies must be performed in an attended, facility-based sleep study laboratory, and not in the home or in a mobile facility. These labs must be qualified providers of Medicare services and comply with all applicable state regulatory requirements; and,

(e) The diagnostic portion of the polysomnogram recording must be a minimum of two hours;

(f) Polysomnographic studies must not be performed by a durable medical equipment (DME) provider;

(g) The apnea-hypopnea index (AHI) is defined as the average number of episodes of apneas and hypopneas per hour and must be based on a minimum of two hours of recording time without the use of a positive airway pressure device, reported by polysomnogram. The AHI may not be extrapolated or projected;

(h) Apnea is defined as the cessation of airflow for at least 10 seconds documented on a polysomnogram;

(i) Hypopnea is defined as an abnormal respiratory event lasting at least 10 seconds with at least a 30% reduction in thoracoabdominal movement or airflow as compared to baseline, and with at least a 4% decrease in oxygen saturation;

(j) The AHI calculation must be based on the sleep time (in hours) within the two hours (or more) of recorded time.

(3) Documentation Requirements:

(a) Initial Coverage: Prior to the third date of service, submit the following documentation:

(A) A facility-based polysomnogram report that supports a diagnosis of obstructive sleep apnea (OSA); and, if applicable,

(B) Any other medical documentation that supports indications of coverage.

(b) Continued coverage beyond the first three months of therapy: No sooner than the 61st day after initiating therapy and prior to the fourth date of service, submit documentation from the treating physician that indicates the client is continuing to effectively comply (time spent at the effective pressure) with CPAP treatment. This means that the client is continuing to use the CPAP at the effective pressure for at least four hours in a 24-hour continuous period at least 80 percent of the time.

(4) Accessories:

(a) Accessories used with an E0601 device are covered when the coverage criteria for the device are met;

(b) Accessories are separately reimbursable at the time of initial issue and when replaced;

(c) Either a non-heated (E0561) or heated (E0562) humidifier is covered when ordered by the treating physician for use with a covered E0601 device;

(d) The following represents the usual maximum amount of accessories expected to be medically appropriate:

(A) A7030 - 1 per 6 months

(B) A7031 - 1 per 6 months

(C) A7032 - 2 per 1 month

(D) A7033 - 2 per 1 month

(E) A7034 - 1 per 3 months

(F) A7035 - 1 per 6 months

(G) A7036 - 1 per 6 months

(H) A7037 - 1 per 1 month

(I) A7038 - 2 per 1 month

(J) A7039 - 1 per 6 months

(5) Miscellaneous:

(a) It is the provider's responsibility to monitor appropriate and effective use of the device as ordered by the treating physician. When the equipment is not being used as prescribed, the provider must stop billing for the equipment and related accessories and supplies.

(b) For auto-titrating CPAP devices, use HCPCS code E0601.

(c) Products must be coded as published by SADMERC's Product Classification List for CPAP Systems and Respiratory Assist Devices.

(6) Table 122-0202.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0202 Continuous Positive Airway Pressure (CPAP) System

For the code legend see OAR 410-122-0182

* See section (1)(d) of this rule for authorization requirements.

Code	Description	PA	PC	RT	MR	RP	NF
*E0601	Continuous airway pressure device (CPAP)		PC	RT	13	RP	NF
Accessories for CPAP							
*A7030	Full face mask used with positive airway pressure device, each <ul style="list-style-type: none"> ■ One per six months 		PC				NF
*A7031	Face mask interface, replacement for full face mask, each <ul style="list-style-type: none"> ■ One per six months 		PC				NF
*A7032	Replacement cushion for nasal application device, each <ul style="list-style-type: none"> ■ Two per month 		PC				NF
*A7033	Replacement pillows for nasal application device, pair <ul style="list-style-type: none"> ■ Two per month 		PC				NF
*A7034	Nasal interface (mask or cannula type) used with positive airway pressure device, with or without head straps <ul style="list-style-type: none"> ■ One per three months 		PC				NF
*A7035	Headgear, used with positive airway pressure device		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ One per six months 						
*A7036	Chin strap, used with positive airway pressure device <ul style="list-style-type: none"> ■ One per six months 		PC				NF
*A7037	Tubing, used with positive airway pressure device <ul style="list-style-type: none"> ■ One per one month 		PC				NF
*A7038	Filter, disposable, used with positive airway pressure device <ul style="list-style-type: none"> ■ Two per one month 		PC				NF
*A7039	Filter, non-disposable, used with positive airway pressure device <ul style="list-style-type: none"> ■ One per six months 		PC				NF
*A7044	Oral interface used with positive airway pressure device, each		PC				NF
*A7045	Exhalation port with or without swivel used with accessories for positive airway devices, replacement only		PC				NF
*A7046	Water chamber for humidifier, used with positive airway pressure device, replacement, each		PC		16		NF
*E0561	Humidifier, non-heated, used with positive airway pressure device		PC	RT	16	RP	NF

Code	Description	PA	PC	RT	MR	RP	NF
*E0562	Humidifier, heated, used with positive airway pressure device		PC	RT	16	RP	NF
S8186	Swivel adapter		PC				NF

410-122-0203 Oxygen and Oxygen Equipment

(1) Children (under age 21):

(a) Coverage Criteria: Prescribing practitioner must determine medical appropriateness;

(b) Documentation: DME providers must retain documentation of medical appropriateness from prescribing practitioner.

(2) Adults – Coverage Criteria:

(a) Home oxygen therapy is covered only if all of the following conditions are met:

(A) The treating prescribing practitioner has determined that the client has a severe lung disease or hypoxia-related symptoms that might be expected to improve with oxygen therapy, and;

(B) The client's blood gas study meets the criteria stated below, and;

(C) The qualifying blood gas study was performed by a prescribing practitioner or by a qualified provider or supplier of laboratory services, and;

(D) The qualifying blood gas study was obtained under the following conditions:

(i) If the qualifying blood gas study is performed during an inpatient hospital stay, the reported test must be the one obtained closest to, but no earlier than two days prior to the hospital discharge date; or

(ii) If the qualifying blood gas study is not performed during an inpatient hospital stay, the reported test must be performed while the client is in a chronic stable state – i.e., not during a period of acute illness or an exacerbation of their underlying disease;

(E) Alternative treatment measures have been tried or considered and deemed clinically ineffective.

(b) Oxygen therapy is not covered for the following conditions:

(A) Angina pectoris in the absence of hypoxemia. This condition is generally not the result of a low oxygen level in the blood and there are other preferred treatments;

(B) Dyspnea without cor pulmonale or evidence of hypoxemia;

(C) Severe peripheral vascular disease resulting in clinically evident desaturation in one or more extremities but in the absence of systemic hypoxemia. There is no evidence that increased PO₂ will improve the oxygenation of tissues with impaired circulation;

(D) Terminal illnesses that do not affect the respiratory system;

(c) Back-up equipment for a concentrator is not separately reimbursable by OMAP.

(3) Group I – Initial coverage for clients meeting Group I criteria is limited to 12 months or the length of need specified by the prescribing practitioner, whichever is shorter. Coverage criteria includes any of the following:

(a) An arterial PO₂ at or below 55 mm Hg or an arterial oxygen saturation at or below 88% taken at rest (awake), or;

(b) An arterial PO₂ at or below 55 mm Hg, or an arterial oxygen saturation at or below 88%, taken during sleep for a client who demonstrates an arterial PO₂ at or above 56 mm Hg or an arterial oxygen saturation at or above 89% while awake, or;

(c) A decrease in arterial PO₂ more than 10 mm Hg, or a decrease in arterial oxygen saturation more than 5% taken during sleep associated with symptoms or signs reasonably attributable to hypoxemia (e.g., cor pulmonale, “P” pulmonale on EKG, documented pulmonary hypertension and erythrocytosis), or;

(d) An arterial PO₂ at or below 55 mm Hg or an arterial oxygen saturation at or below 88%, taken during exercise for a client who demonstrates an arterial PO₂ at or above 56 mm Hg or an arterial oxygen saturation at or above 89% during the day while at rest. In this case, oxygen is provided for

during exercise if it is documented that the use of oxygen improves the hypoxemia that was demonstrated during exercise when the client was breathing room air.

(4) Group II – Initial coverage for clients meeting Group II criteria is limited to three months or the length of need specified by the prescribing practitioner, whichever is shorter. Coverage criteria include the presence of:

(a) An arterial PO₂ of 56-59 mm Hg or an arterial blood oxygen saturation of 89% at rest (awake), during sleep, or during exercise (as described under Group 1 criteria), and;

(b) Any of the following:

(A) Dependent edema suggesting congestive heart failure, or;

(B) Pulmonary hypertension or cor pulmonale, determined by measurement of pulmonary artery pressure, gated blood pool scan, echocardiogram, or “P” pulmonale on EKG (P wave greater than 3 mm in standard leads II, III, or AVF) , or;

(C) Erythrocythemia with a hematocrit greater than 56%.

(5) Group III – Home use of oxygen is presumed not medically appropriate for clients with arterial PO₂ levels at or above 60 mm Hg, or arterial blood oxygen saturation at or above 90%.

(6) Blood Gas Study:

(a) The qualifying blood gas study:

(A) Must be performed by a CLIA (Clinical Laboratory Improvement Amendments) certified laboratory. A supplier is not considered a qualified provider or a qualified laboratory for purposes of this policy;

(B) May not be paid for by any supplier. This prohibition does not extend to blood gas studies performed by a hospital certified to do such tests;

(C) May be performed while the client is on oxygen as long as the reported blood gas values meet the Group I or Group II criteria;

(b) For Initial Certifications, the blood gas study reported on the Certificate of Medical Necessity (CMN) or reasonable facsimile, must be the most recent study obtained prior to the Initial Date indicated in Section A of the CMN and this study must be obtained within 30 days prior to that Initial Date;

(c) For clients initially meeting Group I criteria:

(A) The most recent blood gas study prior to the thirteenth month of therapy must be reported on the Recertification CMN;

(B) If the estimated length of need on the Initial CMN is less than lifetime and the prescribing practitioner wants to extend coverage, a repeat blood gas study must be performed within 30 days prior to the date of the Revised Certification.

(d) For clients initially meeting Group II criteria:

(A) The most recent blood gas study which was performed between the 61st and 90th day following Initial Certification must be reported on the Recertification CMN. When a qualifying test is not obtained between the 61st and 90th day of home oxygen therapy, but the client continues to use oxygen and a test is obtained at a later date, coverage would resume beginning with the date of that test if that test meets Group I or II criteria;

(B) If the estimated length of need on the Initial CMN is less than lifetime and the prescribing practitioner wants to extend coverage, a repeat blood gas study must be performed within 30 days prior to the date of the Revised Certification.

(e) For any Revised CMN, the blood gas study reported on the CMN must be the most recent test performed prior to the revised date;

(f) When both arterial blood gas (ABG) and oximetry tests have been performed on the same day under the same conditions (i.e., at rest/awake, during exercise, or during sleep), only report the ABG PO₂ on the CMN. If

the ABG PO₂ result is not a qualifying value, home oxygen therapy is not covered regardless of the oximetry test result;

(g) Oxygen Saturation (Oximetry) Tests – Must not be performed by the DME supplier or anyone financially associated with or related to the DME supplier.

(7) Portable Oxygen Systems:

(a) A portable oxygen system is covered if the client is mobile within the home and the qualifying blood gas study was performed while at rest (awake) or during exercise;

(b) If the only qualifying blood gas study was performed during sleep, portable oxygen is not covered;

(c) If coverage criteria are met, a portable oxygen system is usually separately payable in addition to the stationary system.

(8) Standby Oxygen: Oxygen PRN or oxygen as needed is not covered.

(9) Topical Oxygen: Oxygen for topical use is not covered.

(10) Documentation:

(a) Certificate of Medical Necessity (CMN) is a required documentation to support the medical indication;

(b) The Certificate of Medical Necessity (CMN) form for home oxygen is CMS form 484. This form is used for initial certification, recertification, and changes in the oxygen prescription. This form or other documentation of medical appropriateness must be reviewed and signed by the treating prescribing practitioner and kept on file by the DME provider;

(c) Initial CMN is required:

(A) Prior to billing; provider (supplier or vendor) shall keep documentation on file showing their communication with prescriber to obtain CMN prior to delivery;

(B) If more than 3 months pass between the “initial date” of the CMN or the time a CMN is completed and signed by the physician, and the item being ordered is delivered to client, a new completed and signed CMN is required;

(C) The blood gas study reported on the initial CMN must be the most recent study obtained prior to the Initial Date and this study must be obtained within 30 days prior to that Initial Date;

(D) When there has been a change in the client’s condition that has caused a break in medical appropriateness of at least 60 days plus whatever days remain in the rental month during which the need for oxygen ended. This indication does not apply if there was just a break in billing because the client was in a hospital, nursing facility, or hospice, but the client continued to need oxygen during that time;

(E) When the client initially qualified in Group II, repeat blood gas studies were not performed between the 61st and 90th day of coverage, but a qualifying study was subsequently performed. The initial date on this new CMN may not be any earlier than the date of the subsequent qualifying blood gas study;

(d) Recertification CMN is required:

(A) Three months after Initial Certification – if oxygen test results on the Initial Certification are in Group II. The blood gas study reported must be the most recent study, which was performed between the 61st and 90th day following the Initial Date;

(B) 12 months after Initial Certification – if oxygen test results on the Initial Certification are in Group I. The blood gas study reported must be the most recent blood gas study prior to the thirteenth month of therapy. This CMN also establishes lifetime.

(e) Revised CMN is required:

(A) When a portable oxygen system is added subsequent to Initial Certification of a stationary system. In this situation, there is no requirement for a repeat blood gas study unless the initial qualifying study was performed during sleep, in which case a repeat blood gas study must be

performed while the client is at rest (awake) or during exercise within 30 days prior to the Revised Date;

(B) When the length of need expires – if the prescribing practitioner specified less than lifetime length of need on the most recent CMN. In this situation, a revised blood gas study must be performed within 30 days prior to the Revised Date;

(C) When there is a new treating prescribing practitioner but the oxygen order is the same. In this situation, there is no requirement for a repeat blood gas study;

(D) If there is a new supplier, that supplier must obtain a new CMN. It would be considered a Revised CMN;

(E) Submission of a Revised CMN does not change the Recertification schedule specified above;

(F) If the indications for a Revised CMN are met at the same time that a Recertification CMN is due, file the CMN as a Recertification CMN.

(f) New Order Required: In the following situations, a new order must be obtained and kept on file by the supplier, but neither a new CMN nor a repeat blood gas study are required:

(A) Prescribed maximum flow rate changes but remains within one of the following categories:

(i) Less than 1 LPM (Liters Per Minute);

(ii) 1-4 LPM;

(iii) Greater than 4 LPM.

(B) Change from one type of system to another (i.e., concentrator, liquid, gaseous).

(11) Oxygen users before March 1, 1991, will continue to receive services and are not subject to the above criteria.

(12) For client entering OMAP FFS (Fee-For-Service) from either Fully Capitated Health Plan (FCHP), Managed Care Organization (MCO / HMO / Health Plan), ASO (Administrative Service Organization), PCO (Physician Care Organization) or from non-OMAP FFS:

(a) An initial CMN must be obtained by provider (supplier or vendor), however the blood gas study on the initial CMN does not have to be obtained within 30 days prior to the initial date, but must be the most recent study obtained while the patient was either in the Fully Capitated Health Plan (FCHP), Managed Care Organization (MCO / HMO/ Health Plan), ASO (Administrative Service Organization), PCO (Physician Care Organization) or from non-OMAP FFS under the testing guideline specified in sections (3) through section (7) of this rule;

(b) Provider (supplier or vendor) must follow the requirement for recertification and revised CMN if that applies per section (7) of this rule.

(13) Procedure Codes – Table 122-0203.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0203 Oxygen and Oxygen Equipment

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E1390	<p>Oxygen concentrator, single delivery port, capable of delivering 85% or greater oxygen concentration at the prescribed flow rate, per month</p> <ul style="list-style-type: none"> ■ All equipment and supplies needed for the operation of the concentrator are included in the rental fee <p>* <i>Covered if client uses more than 1,000 liters per day</i></p>			RT			*
E1391	<p>Oxygen concentrator, dual delivery port, capable of delivering 85% or greater oxygen concentration at the prescribed flow rate, per month</p> <ul style="list-style-type: none"> ■ All equipment and supplies needed for the operation of the concentrator are included in the rental fee <p>* <i>Covered if client uses more than 1,000 liters per day</i></p>			RT			*
Oxygen Enriching Systems							
E1405	<p>Oxygen and water vapor enriching system with heated delivery</p>			RT			NF

Code	Description	PA	PC	RT	MR	RP	NF
E1406	Oxygen and water vapor enriching system without heated delivery			RT			NF
Compressed Gas							
E0424	Stationary compressed gaseous oxygen system, rental, per month <ul style="list-style-type: none"> ■ Includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask and tubing 			RT			
E0425	Stationary compressed gaseous system purchase <ul style="list-style-type: none"> ■ Includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing 		PC			RP	
E0430	Portable gaseous oxygen system, purchase <ul style="list-style-type: none"> ■ Includes regulator, flowmeter, humidifier, cannula or mask, and tubing 		PC			RP	
E0431	Portable gaseous oxygen system, rental <ul style="list-style-type: none"> ■ Includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing, per month 			RT			

Code	Description	PA	PC	RT	MR	RP	NF
E0441	Oxygen contents, gaseous, (for use with owned gaseous stationary systems or when both a stationary and portable gaseous system are owned) <ul style="list-style-type: none"> One month supply = one unit 		PC				
E0443	Portable oxygen contents, gaseous, (for use only with portable gaseous systems when no stationary gas or liquid system is used) <ul style="list-style-type: none"> One month supply = one unit 		PC				
Liquid Oxygen							
E0434	Portable liquid oxygen system, rental <ul style="list-style-type: none"> Includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing 						
E0435	Portable liquid oxygen system, purchase <ul style="list-style-type: none"> Includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor 		PC			RP	
E0439	Stationary liquid oxygen system, rental, per month			RT			

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> Includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing 						
E0440	Stationary liquid system, purchase <ul style="list-style-type: none"> Includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing 		PC			RP	
E0442	Oxygen contents, liquid, (for use with owned liquid stationary system or when both a stationary and portable liquid system are owned) <ul style="list-style-type: none"> One month supply = one unit 		PC				
E0444	Portable oxygen contents, liquid <ul style="list-style-type: none"> For use only with portable liquid systems when no stationary gas or liquid system is used One month supply = one unit 		PC				
Oxygen Supplies							
E0455	Oxygen tent, excluding croup or pediatric tents, per month			RT			
E0550	Humidifier, durable for extensive supplemental humidification during IPPB treatments or oxygen delivery		PC	RT	13	RP	

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> Not to be billed in addition to E0424, E0431, E0434, E0439, E0450, E0455, E0460, E1400, E1401, E1402, E1403, E1404, E1405 or E1406 						
E0555	Humidifier, durable, glass or autoclavable plastic, bottle type <ul style="list-style-type: none"> For use with regulator or flowmeter Not to be billed in addition to E0424, E0431, E0434, E0439, E0450, E0455, E0460, E1400, E1401, E1402, E1403, E1404, E1405, or E1406 		PC				
E0560	Humidifier, durable for supplemental humidification during IPPB treatment or oxygen delivery <ul style="list-style-type: none"> Not to be billed in addition to E0424, E0431, E0434, E0439, E0450, E0455, E0460, E1400, E1401, E1402, E1403, E1404, E1405, or E1406 		PC	RT	16	RP	
E0605	Vaporizer, room type		PC				
E1353	Regulator (yoke or other)		PC			RP	
E1355	Stand/rack for oxygen tank		PC				

410-122-0204 Nebulizer

(1) Indications and Limitations of Coverage:

(a) For adults, Medicare criteria must be met;

(b) A large volume nebulizer (A7017), related compressor (E0565 or E0572), and water or saline (A4217 or A7018) are covered when it is medically appropriate to deliver humidity to a patient with thick, tenacious secretions, who has cystic fibrosis, bronchiectasis, a tracheostomy, or a tracheobronchial stent. Combination code E0585 will be covered for the same indications;

(c) A battery powered compressor (E0571) is rarely medically appropriate. If this compressor is provided without accompanying documentation which justifies its medical appropriateness, and the coverage criteria for code E0570 are met, payment will be based on the allowance for the least costly medically acceptable alternative, E0570;

(d) Other uses of compressors/generators will be considered individually on a case by case basis, to determine their medical appropriateness.

(2) Accessories:

(a) A large volume pneumatic nebulizer (E0580) and water or saline (A4217 or A7018) are not separately payable and should not be separately billed when used for clients with rented home oxygen equipment;

(b) A non-disposable unfilled nebulizer (A7017 or E0585) filled with water or saline (A4217 or A7018) by the client/caregiver is an acceptable alternative;

(c) Kits and concentrates for use in cleaning respiratory equipment are not covered;

(d) Accessories are separately payable if the related aerosol compressor and the individual accessories are medically appropriate. The following table lists the compressor/generator which is related to the accessories described. Other compressor/generator/accessory combinations are not covered.

Compressor/Generator (Related Accessories)

E0565 (A4619, A7006, A7010, A7011, A7012, A7013, A7014, A7015, A7017, A7525, E1372)

E0570 (A7003, A7004, A7005, A7006, A7013, A7015, A7525)

E0571 (A7003, A7004, A7005, A7006, A7013, A7015, A7525)

E0572 (A7006, A7014)

E0585 (A4619, A7006, A7010, A7011, A7012, A7013, A7014, A7015, A7525)

This array of accessories represents all possible combinations but it may not be appropriate to bill any or all of them for one device.

(e) The following table lists the usual maximum frequency of replacement for accessories. Claims for more than the usual maximum replacement amount will be denied as not medically appropriate unless the claim is accompanied by documentation, which justifies a larger quantity in the individual case.

Accessory (Usual maximum replacement)

A4619 (One/month)

A7003 (Two/month)

A7004 (Two/month (in addition to A7003))

A7005 (One/6 months)

A7006 (One/month)

A7010 (One unit (100 ft.)/2 months)

A7011 (One/year)

A7012 (Two/month)

A7013 (Two/month)

A7014 (One/3 months)

A7015 (One/month)

A7016 (Two/year)

A7017 (One/3 years)

A7525 (One/month)

E1372 (One/3 years)

(f) Code A7003, A7005, and A7006 include the lid, jar, baffles, tubing, T-piece and mouthpiece. In addition, code A7006 includes a filter;

(g) Code A7004 includes only the lid, jar and baffles;

(h) Code A7012 describes a device to collect water condensation, which is placed in line with the corrugated tubing, used with a large volume nebulizer;

(i) Code E0585 is used when a heavy-duty aerosol compressor (E0565), durable bottle type large volume nebulizer (A7017), and immersion heater (E1372) are provided at the same time. If all three items are not provided initially, the separate codes for the components would be used for billing. Code A7017 is billed for a durable, bottle type nebulizer when it is used with a E0572 compressor or a separately billed E0565 compressor. Code A7017 would not be separately billed when an E0585 system was also being billed. Code E0580 (Nebulizer, durable, glass or autoclavable plastic, bottle type, for use with regulator or flow meter) describes the same piece of equipment as A7017, but should only be billed when this type of nebulizer is used with a client-owned oxygen system.

(3) Equipment:

(a) In this policy, the actual equipment (i.e., electrical device) will generally be referred to as a compressor (when nebulization of liquid is achieved by means of air flow) . The term nebulizer is generally used for the actual chamber in which the nebulization of liquid occurs and is an accessory to the equipment. The nebulizer is attached to an aerosol compressor in order to achieve a functioning delivery system for aerosol therapy.

(b) Code E0565 describes an aerosol compressor, which can be set for pressures above 30 psi at a flow of 6-8 L/m and is capable of continuous operation;

(c) A nebulizer with compressor (E0570) is an aerosol compressor, which delivers a fixed, low pressure and is used with a small volume nebulizer. It is only AC powered;

(d) A portable compressor (E0571) is an aerosol compressor, which delivers a fixed, low pressure and is used with a small volume nebulizer. It must have battery or DC power capability and may have an AC power option;

(e) A light duty adjustable pressure compressor (E0572) is a pneumatic aerosol compressor which can be set for pressures above 30 psi at a flow of 6-8 L/m, but is capable only of intermittent operation.

(4) Table 122-0204

Stat.Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0204 Nebulizer

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4217	Sterile water/saline, 500 ml.		PC				
A4619	Face Tent		PC				
A7003	Administration set, with small volume non-filtered pneumatic nebulizer, disposable		PC				
A7004	Small volume non-filtered pneumatic nebulizer, disposable		PC				
A7005	Administration set, with small volume non-filtered pneumatic nebulizer, non-disposable		PC				
A7006	Administration set, with small volume filtered pneumatic nebulizer		PC				
A7010	Corrugated tubing, disposable, used with large volume nebulizer (1 unit of service = 100 feet)		PC				
A7011	Corrugated tubing, non-disposable, used with large volume nebulizer (1 unit of service = 10 feet)		PC				
A7012	Water collection device, used with large volume nebulizer		PC				
A7013	Filter, disposable, used with aerosol compressor		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A7014	Filter, non-disposable, used with aerosol compressor or ultrasonic generator		PC				
A7015	Aerosol mask, used with DME nebulizer		PC				
A7016	Dome and mouthpiece, used with small volume ultrasonic nebulizer		PC				
A7017	Nebulizer, durable, glass or autoclavable plastic, bottle type, not used with oxygen		PC				
A7018	Water, distilled, used with large volume nebulizer (1 unit of service = 1,000 ml)		PC				
E0565	Compressor, air power source for equipment which is not self-contained or cylinder driven		PC	RT	13	RP	
E0570	Nebulizer, with compressor		PC	RT	13	RP	
E0571	Aerosol compressor, battery powered, for use with small volume nebulizer		PC		13		
E0572	Aerosol compressor, adjustable pressure, light duty for intermittent use		PC		13		
E0580	Nebulizer, durable, glass or autoclavable plastic, bottle type, for use with regulator or flowmeter		PC				
E0585	Nebulizer, with compressor and heater		PC	RT	13	RP	
E1372	Immersion external heater for nebulizer		PC	RT	16	RP	

410-122-0205 Respiratory Assist Devices

(1) As referenced in this policy, non-invasive positive pressure respiratory assistance (NPPRA) is the administration of positive air pressure, using a nasal and/or oral mask interface which creates a seal, avoiding the use of more invasive airway access (e.g., tracheostomy).

(2) Indications and Coverage -- General:

(a) The "treating prescribing practitioner" must be one who is qualified by virtue of experience and training in non-invasive respiratory assistance, to order and monitor the use of respiratory assist devices (RAD);

(b) For the purpose of this policy, polysomnographic studies must be performed in a sleep study laboratory, and not in the home or in a mobile facility. The sleep study laboratory must comply with all applicable state regulatory requirements;

(c) For the purpose of this policy, arterial blood gas, sleep oximetry and polysomnographic studies may not be performed by a durable medical equipment, prosthetics, orthotics, and supplies (DMEPOS) provider. For purposes of this policy's coverage and payment guidelines, a DMEPOS provider is not considered a qualified provider or supplier of these tests. (d) If there is discontinuation of usage of E0470 or E0471 device at any time, the provider is expected to ascertain this, and stop billing for the equipment and related accessories and supplies.

(3) Coverage criteria for E0470 and E0471 devices – Table 122-0205-1.

(4) Documentation:

(a) The following documentation must be submitted with the request for prior authorization (PA) and the original kept on file by the provider:

(A) An order for all equipment and accessories including the client's diagnosis, an ICD-9-CM code signed and dated by the treating prescribing practitioner;

(B) Summary of events from the polysomnogram, if required in this rule under the indications and coverage section or Table 122-0205-1;

(C) Arterial blood gas results, if required under the indications and coverage section or Table 122-0205-1;

(D) Sleep oximetry results, if required under the indications and coverage section or Table 122-0205-1;

(E) Treating prescribing practitioner statement regarding medical symptoms characteristic of sleep-associated hypoventilation, including, but not limited to daytime hypersomnolence, excessive fatigue, morning headache, cognitive dysfunction, and dyspnea;

(F) Other treatments that have been tried and failed. To be submitted in addition to the above at the fourth month review.

(b) A copy of the Evaluation of Respiratory Assist Device (OMAP 2461) completed and signed by the client, family member or caregiver;

(c) Clients currently using BiPapS and BiPap ST are not subject to the new criteria;

(5) Procedure Codes -- Table 122-0205-2.Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0205-1 Respiratory Assist Devices

Coverage criteria for E0470 and E0471 devices – First three months

For a RAD to be covered, the treating prescribing practitioner must fully document in the client's medical record symptoms characteristic of sleep-associated hypoventilation, such as:

- Daytime hypersomnolence
- Excessive fatigue
- Morning headache
- Cognitive dysfunction
- Dyspnea, etc.

A RAD used to administer NPPRA therapy is covered for those clients with clinical disorder groups characterized as one of the following:

Restrictive Thoracic Disorders – i.e., progressive neuromuscular diseases or severe thoracic cage abnormalities

- There is documentation in the client's medical record of a progressive neuromuscular disease (for example, amyotrophic lateral sclerosis) or a severe thoracic cage abnormality (for example, post-thoracoplasty for TB), and
- An arterial blood gas PaCO₂, done while awake and breathing the client's usual FIO₂, is ≥ 45 mm Hg, or
- Sleep oximetry demonstrates oxygen saturation less than or equal to 88% for at least five continuous minutes, done while breathing the client's usual FIO₂
- For progressive neuromuscular disease (only), maximal inspiratory pressures less than 60 cm/H₂O or forced vital capacity is less than 50% predicted, and
- Chronic obstructive pulmonary disease does not contribute significantly to the client's pulmonary limitation
- If all above criteria are met, either a E0470 or E0471 device (based upon the judgment of the treating prescribing practitioner) will be covered for clients within this group of conditions for the first three months of NPPRA therapy (see below for continued coverage after the initial three months). If all of the above criteria are not met, then E0470 or E0471 and related accessories will be denied as not medically appropriate.

Severe Chronic Obstructive Pulmonary Disease (COPD)

- An arterial blood gas PaCO₂, done while awake and breathing the client's usual FIO₂, is \geq 52 mm Hg, and
- Sleep oximetry demonstrates oxygen saturation less than or equal to 88% for at least five continuous minutes, done while breathing oxygen at 2 LPM or the client's usual FIO₂ (whichever is higher), and
- Prior to initiating therapy, OSA (and treatment with CPAP) has been considered and ruled out
- If all of the above criteria for clients with COPD are met, a E0470 device will be covered for the first three months of NPPRA therapy (see below for continued coverage after the initial three months). A E0471 device will not be covered for a client with COPD during the first two months, because therapy with a E0470 device with proper adjustments of the device's settings and client accommodation to its use will usually result in sufficient improvement without the need of a back-up rate. See below for coverage of a E0471 device for COPD after two month's use of a E0470 device
- If the above criteria are not met, then E0470 and E0471 are not covered

Central Sleep Apnea (CSA) – i.e., apnea not due to airway obstruction:

- Prior to initiating therapy, a complete facility-based, attended polysomnogram must be performed documenting the following:
 - ◆ The diagnosis of central sleep apnea (CSA), and
 - ◆ The exclusion of obstructive sleep apnea (OSA) as the predominant cause of sleep-associated hypoventilation, and
 - ◆ The ruling out of CPAP as effective therapy if OSA is a component of the sleep-associated hypoventilation, and
 - ◆ Oxygen saturation less than or equal to 88% for at least five continuous minutes, done while breathing the client's usual FIO₂, and
 - ◆ Significant improvement of the sleep-associated hypoventilation with the use of a E0470 or E0471 device on the settings that will be prescribed for initial use at home, while breathing the client's usual FIO₂
- If all above criteria are met, either a E0470 or E0471 device (based upon the judgment of the treating prescribing practitioner) will be covered for clients with documented CSA conditions for the first three months of NPPRA therapy (see below for continued coverage after the initial three months)

Table 122-0205-1 Respiratory Assist Devices – cont'd

- If all of the above criteria are not met, then E0470 or E0471 and related accessories are not covered

Obstructive Sleep Apnea (OSA) – E0470 only

- A complete facility-based, attended polysomnogram, has established the diagnosis of obstructive sleep apnea, and
- A single level device (E0601, Continuous Positive Airway Pressure Device (CPAP)) has been tried and proven ineffective
- If the above criteria are met, a E0470 device will be covered for the first three months of NPPRA therapy. See below for continued coverage after the initial three months
- A E0471 device is not medically appropriate if the primary diagnosis is OSA

Continued coverage beyond the first three months of therapy

Clients covered for the first 3 months of a E0470 or E0471 device must be re-evaluated to establish the medical appropriateness of continued coverage by the Office of Medical Assistance Programs (OMAP) beyond the first three months. While the client may need to be evaluated at earlier intervals after this therapy is initiated, the re-evaluation upon which OMAP will base a decision to continue coverage beyond this time must occur within 61 to 90 days of initiating therapy by the treating prescribing practitioner. There must be documentation in the client's medical record about the progress of relevant symptoms and client usage of the device up to that time. Failure of the client to be consistently using the E0470 or E0471 device for an average of four hours per 24-hour period by the time of this 61-90 day re-evaluation would represent non-compliant utilization for the intended purposes and expectations of benefit of this therapy. This would constitute reason for OMAP to deny continued coverage as not medically appropriate.

Aside from the above documentation in the client's medical records, the following items of documentation must be obtained by the supplier of the device for continuation of coverage beyond three months:

- A signed and dated statement completed by the treating prescribing practitioner no sooner than 61 days after initiating use of the device, declaring that the client is compliantly using the device (an average of 4 hours per 24 hour period) and that the client is benefiting from its use, and
- An Evaluation of Respiratory Assist Device (OMAP 2461) completed by the client no sooner than 61 days after initiating use of the device (see below). A

Table 122-0205-1 Respiratory Assist Devices – cont'd

copy of this form is in the Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS) provider guide for you to copy and use. A copy is also available at OMAP's website but OMAP does not furnish paper copies.

- If the above criteria are not met, continued coverage of a E0470 or E0471 device and related accessories will be denied as not medically appropriate.
- For Group II clients (COPD) who qualified for a E0470 device, if at a time no sooner than 61 days after initial issue and compliant use of a E0470 device, the treating prescribing practitioner believes the client requires a E0471 device, the E0471 device will be covered if the following criteria are met:
 - ◆ An arterial blood gas PaCO₂, repeated no sooner than 61 days after initiation of compliant use of the E0470, done while awake and breathing the client's usual FIO₂, still remains ≥ 52 mm Hg, and
 - ◆ A sleep oximetry, repeated no sooner than 61 days after initiation of compliant use of a E0470 device, and while breathing with the E0470 device, demonstrates oxygen saturation less than or equal to 88% for at least five continuous minutes, done while breathing oxygen at 2 LPM or the client's usual FIO₂ (whichever is higher), and
 - ◆ A signed and dated statement from the treating prescribing practitioner, completed no sooner than 61 days after initiation of the E0470 device, declaring that the client has been compliantly using the E0470 device (an average of four hours per 24 hour period) but that the client is NOT benefiting from its use, and
 - ◆ An Evaluation of Respiratory Assist Device (OMAP 2461) completed by the client, no sooner than 61 days after initiation of the E0470 device.

Coding Guidelines

For devices previously coded as K0532, after the effective date of this policy, code K0532 as E0470, and if the K0533 is being used with a noninvasive interface to administer NPPRA therapy, code as E0471.

For devices previously billed as K0194 (intermittent assist device with CPAP device, with humidifier), use codes E0470 and E0561 to continue billing after the effective date of this policy.

Table 122-0205-2 Respiratory Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A7030	Full face mask used with positive airway pressure device, each <ul style="list-style-type: none">■ One per six months	PA	PC				NF
A7031	Face mask interface, replacement for full face mask, each <ul style="list-style-type: none">■ One per six months	PA	PC				NF
A7032	Replacement cushion for nasal application device, each <ul style="list-style-type: none">■ Two per month	PA	PC				NF
A7033	Replacement cushion for nasal application device, pair <ul style="list-style-type: none">■ Not separately covered with E0471	PA	PC				NF
A7034	Nasal application device, used with positive airway pressure device <ul style="list-style-type: none">■ One per 3 months	PA	PC				NF
A7035	Headgear, used with positive airway pressure device <ul style="list-style-type: none">■ One per 6 months	PA	PC				NF
A7036	Chin strap, used with positive airway pressure device <ul style="list-style-type: none">■ One per 6 months	PA	PC				NF
A7037	Tubing, used with positive airway pressure device <ul style="list-style-type: none">■ One per 1 month	PA	PC				NF
A7038	Filter, disposable, used with positive airway pressure device	PA	PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> 2 per 1 month 						
A7039	Filter, non-disposable, used with positive airway pressure device <ul style="list-style-type: none"> 1 per 6 months 	PA	PC				NF
A7044	Oral, interface used with positive airway pressure device, each <ul style="list-style-type: none"> 1 per 6 months 	PA	PC				NF
A7046	Water chamber for humidifier, used with positive airway pressure device, replacement, each <ul style="list-style-type: none"> 1 per 6 months 	PA	PC				NF
E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with non-invasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) <ul style="list-style-type: none"> All respiratory therapy services needed are included in the fee 	PA	PC	RT	13	RP	NF
E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with non-invasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) <ul style="list-style-type: none"> The rental fee includes all equipment, supplies, services (including respiratory therapy services) and training necessary for the effective use of the RAD 	PA		RT			NF
E0561	Humidifier, non-heated, used with positive airway pressure device	PA	PC	RT	16	RP	NF

Code	Description	PA	PC	RT	MR	RP	NF
E0562	Humidifier, heated, used with positive airway pressure device	PA	PC	RT	16	RP	NF
S8186	Swivel adapter		PC				NF

410-122-0206 Intermittent Positive Pressure Breathing (IPPB)

E0500, IPPB machine, all types, with built-in nebulization; manual or automatic valves; internal or external power source the Office of Medical Assistance Programs (OMAP) will rent. Covered if medically appropriate for the following indications:

- (1) Clients at risk of respiratory failure because of decreased respiratory function secondary to kyphoscoliosis or neuromuscular disorders.
- (2) Clients with severe bronchospasm or exacerbated chronic obstructive pulmonary disease (COPD) who fail to respond to standard therapy.
- (3) The management of atelectasis that has not improved with simple therapy.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0207 Respiratory Supplies

Table 122-0207

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065
1-1-05

Table 122-0207 Respiratory Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4608	Transtracheal oxygen catheter, each		PC				
A4614	Peak expiratory flow meter, hand-held		PC				
A4615	Cannula, nasal		PC				
A4616	Tubing (oxygen), per foot		PC				
A4617	Mouthpiece		PC				
A4620	Variable concentration mask		PC				
A4627	Spacer, bag or reservoir, with/without mask, for use with metered dose inhaler		PC				
E0480	Percussor, electric or pneumatic, home model <ul style="list-style-type: none"> ■ Covered for mobilizing respiratory tract secretions when the client or the operator of the powered percussor has received appropriate training by a prescribing practitioner or therapist and no one competent to administer manual therapy is available 		PC	RT	13	RP	
E0606	Postural drainage board		PC	RT	13	RP	
J7051	Sterile saline or water, up to 5 ml each		PC				
S8185	Flutter device		PC				

410-122-0208 Suction Pumps

(1) Indications and Limitations of Coverage:

(a) Use of a home model respiratory suction pump may be covered for a client who has difficulty raising and clearing secretions secondary to:

(A) Cancer or surgery of the throat or mouth; or

(B) Dysfunction of the swallowing muscles; or

(C) Unconsciousness or obtunded state; or

(D) Tracheostomy; or

(E) Neuromuscular conditions.

(b) When a respiratory suction pump (E0600) is covered, tracheal suction catheters are separately payable supplies. In most cases, in the home setting, sterile catheters are medically appropriate only for tracheostomy suctioning. Three suction catheters per day are covered for medically appropriate tracheostomy suctioning, unless additional documentation is provided. When a tracheal suction catheter is used in the oropharynx, which is not sterile, the catheter can be reused if properly cleansed and/or disinfected. In this situation, the medical appropriateness for more than three catheters per week requires additional documentation;

(c) Sterile saline solution (A4216, A4217) may be covered and separately payable when used to clear a suction catheter after tracheostomy suctioning. It is not usually medically appropriate for oropharyngeal suctioning. Saline used for tracheal lavage is not covered;

(d) Supplies (A4628) are covered and are separately payable when they are medically appropriate and used with a medically appropriate suction pump (E0600) in a covered setting;

(e) When a suction pump (E0600) is used for tracheal suctioning, other supplies (e.g., cups, basins, gloves, solutions, etc.) are included in the tracheal care kit code, A4625—(see OAR 410-122-0209 for details). When a suction pump is used for oropharyngeal suctioning, these other supplies are not medically appropriate;

(f) The suction device must be appropriate for home use without technical or professional supervision. Those using the suction apparatus must be sufficiently trained to adequately, appropriately and safely use the device.

(2) A client's medical record must reflect the need for the supplies dispensed and billed. The medical record must be kept on file by the DME provider and made available to OMAP upon request.

(3) A portable or stationary home model respiratory suction pump (E0600) is an electric aspirator designed for oropharyngeal and tracheal suction.

(4) A portable or stationary home model gastric suction pump (E2000) is an electric aspirator designed to remove gastrointestinal secretions.

(5) A tracheal suction catheter is a long, flexible catheter.

(6) An oropharyngeal catheter is a short, rigid (usually) plastic catheter of durable construction.

(7) Code E0600 must not be used for a suction pump used with gastrointestinal tubes.

(8) Code E2000 must be used for a suction pump used with gastrointestinal tubes.

(9) Providers should contact the Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) for guidance on the correct coding of these items.

(10) When billing for quantities of supplies greater than those described in the policy as the usual maximum amounts, there must be clear documentation in the client's medical records corroborating the medical appropriateness for the higher utilization.. OMAP may request copies of the client's medical records that corroborate the order and any additional documentation that pertains to the medical appropriateness of items and quantities billed.

(3) Table 122-0208.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0208 Suction Pumps

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4216	Sterile water/saline, 10 ml.		PC				
A4217	Sterile water/saline, 500 ml.		PC				
A4605	Tracheal suction catheter, each		PC				
A4628	Oropharyngeal suction catheter, each		PC				
A7000	Canister, disposable, used with suction pump, each		PC				
A7001	Canister, non-disposable, used with suction pump, each		PC				
A7002	Tubing, used with suction pump, each		PC				
E0600	Respiratory suction pump, home model, portable or stationary, electric		PC		RT	13	RP *
E2000	Gastric suction pump, home model, portable or stationary, electric		PC	RT		16	

410-122-0209 Tracheostomy Care Supplies

(1) Indications and Coverage: For a client following an open surgical tracheostomy which has been open or is expected to remain open for at least three months.

(2) Documentation: A prescription for tracheal equipment which is signed by the prescribing practitioner must be kept on file by the DME supplier. The prescribing practitioner's records must contain information which supports the medical appropriateness of the item ordered.

(3) Procedure Codes – Table 122-0209.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0209 Tracheostomy Care Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4481	Tracheostomy filter, any type, any size, each		PC				NF
A4483	Moisture exchanger, disposable		PC				NF
A4623	Tracheostomy, inner cannula		PC				NF
A4625	Tracheostomy care kit for new tracheostomy <ul style="list-style-type: none"> ■ Contains one plastic tray, one basin, one pair of sterile gloves, tube brush, three pipe cleaners, one pre-cut tracheostomy dressing, one roll of gauze, four 4x4 sponges, two cotton tip applicators, 30" twill tape ■ One tracheostomy care kit per day is covered for two weeks following an open surgical tracheostomy 		PC				NF
A4626	Tracheostomy cleaning brush, each		PC				NF
A4629	Tracheostomy care kit for established tracheostomy <ul style="list-style-type: none"> ■ Contains one tube brush, two pipe cleaners, two cotton tip applicators, 30" twill tape, two 4x4 sponges 		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ One tracheostomy care kit per day is considered necessary for routine care of a tracheostomy, starting with post-operative day 15 						
A7501	Tracheostoma valve, including diaphragm, each		PC				NF
A7502	Replacement diaphragm/faceplate for tracheostoma valve, each		PC				NF
A7503	Filter holder or filter cap, reusable, for use in a tracheostoma heat and moisture exchange system, each		PC				NF
A7504	Filter for use in a tracheostoma heat and moisture exchange system, each		PC				NF
A7505	Housing, reusable without adhesive, for use in a heat and moisture exchange system and/or with a tracheostoma valve, each		PC				NF
A7506	Adhesive disc for use in a heat and moisture exchange system and/or with tracheostoma valve, any type, each		PC				NF
A7507	Filter holder and integrated filter without adhesive, for use in a tracheostoma heat and moisture exchange system, each		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
A7508	Housing and integrated adhesive, for use in a tracheostoma heat and moisture exchange system and/or with a tracheostoma valve, each		PC				NF
A7509	Filter holder and integrated filter housing, and adhesive, for use as a tracheostoma heat and moisture exchange system, each		PC				NF
A7520	Tracheostomy/laryngectomy tube, non-cuffed, polyvinylchloride (PVC), silicone or equal, each		PC				NF
A7521	Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (PVC), silicone or equal, each		PC				NF
A7522	Tracheostomy/laryngectomy tube, stainless steel or equal (sterilizable and reusable), each		PC				NF
A7524	Tracheostoma stent/stud/button, each		PC				NF
A7525	Tracheostomy mask, each		PC				NF
A7526	Tracheostomy tube/collar, each		PC				NF
A7527	Tracheostomy/laryngectomy tube plug/stop, each		PC				NF
S8189	Tracheostomy supply, not otherwise classified	PA	PC				NF

410-122-0210 Ventilators

(1) Indications and limitations of coverage:

(a) Mechanical ventilatory support may be provided to a client for the purpose of life support during therapeutic support of suboptimal cardiopulmonary function, or therapeutic support of chronic ventilatory failure;

(b) A ventilator may be covered for treatment of neuromuscular diseases, thoracic restrictive diseases, and chronic respiratory failure consequent to chronic obstructive pulmonary disease. This includes both positive and negative pressure types.

(2) A primary ventilator may be covered if supporting documentation indicates:

(a) A client is unable to be weaned from the ventilator or is unable to be weaned from use at night; or,

(b) Alternate means of ventilation were used without success; or,

(c) A client is ready for discharge and has been on a ventilator more than 10 days;

(d) E0450, E0460, E0461 or E0472 may be covered if:

(A) A client has no respiratory drive either due to paralysis of the diaphragm or a central brain dysfunction; or,

(B) A client has a stable, chronic condition with no orders to wean from the ventilator; or,

(C) A client has had a trial with blood gases and has no signs or symptoms of shortness of breath or increased work of breathing; or,

(D) A client has uncompromised lung disease.

(e) E0463 or E0464 may be covered if supporting documentation indicates:

(A) A client has chronic lung disease where volume ventilation may further damage lung tissue; or,

(B) A client has a compromised airway or musculature and has respiratory drive and a desire to breathe; or,

(C) A client will eventually be weaned from the ventilator; or,

(D) A client has compromised respiratory muscles from muscular dystrophies or increased resistance from airway anomalies or scoliosis conditions.

(3) A backup ventilator may be covered if supporting documentation indicates:

(a)The client is more than 60 minutes from the nearest hospital or a backup ventilator and has no documented spontaneous respirations; or,

(b) Documentation supports medical appropriateness; or,

(c) The client is transported frequently with a portable ventilator, and the ventilator is not a portable model; or,

(d)The primary ventilator is used at maximum performance with high pressure and rate.

(4) Rental fee:

(a)The rental fee for the ventilator is all-inclusive of any equipment, supplies, services, including respiratory therapy (respiratory care) services, routine maintenance and training necessary for the effective use of the ventilator; and,

(b)The ventilator provider must provide 24-hr. emergency coverage, including an emergency telephone number; and,

(c)The client must have a telephone or reasonable access to one.

(5) Payment authorization: Prior authorization is not required when E0450, E0460, E0461 or E0472 is dispensed as the primary ventilator. The

provider is responsible to ensure all rule requirements are met. Payment authorization is required prior to the second date of service and before submitting claims. Payment authorization will be given once all required documentation has been received and any other applicable rules and criteria have been met. Payment authorization is obtained from the same authorizing authority as specified in 410-122-0040.

(6) Prior authorization:

(A) Prior authorization is required for a backup ventilator; and,

(B) Reimbursement for a backup ventilator is paid at 50% of the usual charge, the Office of Medical Assistance program's maximum allowable rate, or the manufacturer's suggested retail price, whichever is the lowest.

(7) Documentation: For services requiring payment or prior authorization, submit documentation that supports requirements found in this rule.

Table 122-0210

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0210 Ventilators

For the code legend see OAR 410-122-0182

* See sections (5) and (6) of this rule for authorization requirements.

Code	Description	PA	PC	RT	MR	RP	NF
A4611	Battery, heavy duty; replacement for client-owned ventilator		PC				NF
A4612	Battery, cables; replacement for client-owned ventilator		PC				NF
A4613	Battery charger; replacement for client-owned ventilator		PC			RP	NF
A4618	Breathing circuits, for client-owned ventilator		PC				NF
E0450	Volume ventilator; stationary or portable, with backup rate feature, used with invasive interface (e.g., tracheostomy tube)	*		RT			NF
E0457	Chest shell (cuirass)	PA	PC	RT	16	RP	NF
E0459	Chest wrap	PA	PC	RT	13	RP	NF
E0460	Negative pressure ventilator; portable or stationary	*		RT			NF
E0461	Volume ventilator, stationary or portable, with back-up rate feature used with non-invasive interface	*		RT			NF
E0463	Pressure support ventilator with volume control mode, may include pressure control mode,						

Code	Description	PA	PC	RT	MR	RP	NF
	used with invasive interface (e.g. tracheostomy tube)	PA		RT			NF
E0464	Pressure support ventilator with volume control mode, may include pressure control mode, used with non-invasive interface (e.g. mask)	PA		RT			NF
E0472	Respiratory assist device, bi- level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous position airway pressure device)	*		RT			NF
S8999	Resuscitation bag		PC				NF

410-122-0220 Pacemaker Monitor

(1) E0610 – Pacemaker monitor, self-contained, checks battery depletion, includes audible and visible check systems:

(a) The Office of Medical Assistance Programs (OMAP) will purchase;

(b) Also covered for payment by OMAP when client is a resident of a nursing facility.

(2) E0615 – Pacemaker monitor, self-contained, checks battery depletion and other pacemaker components, includes digital/visible check systems:

(a) OMAP will purchase;

(b) Also covered for payment by OMAP when client is a resident of a nursing facility.

Stat. Auth.: ORS 184.750, ORS 184.770, ORS 409.010 & ORS 409.110

Stats. Implemented: ORS 414.065

7-1-04

410-122-0240 Apnea Monitor

(1) All necessary training to utilize services, including CPR training, is included in the rental fee.

(2) Indications and coverage:

(a) The following conditions will be considered for initial approval for a maximum of six months:

(A) A sibling has died from SIDS;

(B) Symptomatic apnea due to neurological impairment;

(C) Craniofacial malformation likely to cause symptomatic apnea.

(b) The following conditions will be considered for initial approval for a maximum of three months:

(A) Symptomatic apnea of prematurity;

(B) Observation of apparent life-threatening event (ALTE);

(C) Receiving home oxygen (not a universal requirement, full-term infant usually does not require).

(c) The authorization may be extended if documentation is submitted to support one of the following conditions:

(A) Continues to have real alarms documented by memory monitor;

(B) Upper respiratory infection when monitoring was scheduled to be discontinued (will be extended for two weeks, no memory monitor required).

(3) Documentation: The following documentation must be submitted for initial authorization of an apnea monitor:

(a) Diagnosis and statement of medical appropriateness from the prescribing practitioner; and

(b) Copies of hospital records documenting medical appropriateness; and/or

(c) Copies of sleep studies or apnea monitor with recording feature reports; and/or

(d) Documentation of ALTE from log, nursing notes or doctor's progress records.

(4) Multi-Channel Sleep Study:

(a) Indications and coverage:

(A) Sleep study must be medically appropriate;

(B) A sleep study is not required to discontinue use of an apnea monitor.

(b) Documentation: The following documentation must be submitted for initial authorization of a sleep study:

(A) Diagnosis and statement of medical appropriateness from the prescribing practitioner; and/or

(B) Copies of hospital records documenting medical appropriateness and diagnosis.

(5) Apnea Monitor, with recording feature:

(a) Indications and coverage:

(A) May be substituted for up to three months of prolonged apnea monitoring;

(B) Needed to support continuation of apnea monitoring beyond initial limits;

(C) May be substituted for apnea monitoring to determine frequency of real alarms.

(b) Documentation: The following documentation must be submitted for initial authorization of an apnea monitor with recording feature:

(A) Diagnosis and statement of medical appropriateness from the prescribing practitioner; and

(B) Copies of hospital records documenting medical appropriateness; and/or

(C) Documentation of ALTE from log, nursing notes or prescribing practitioner's progress records.

(6) Apnea Monitor Codes: Table 122-0240.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0240 APNEA Monitor

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4556	Electrodes (e.g., apnea monitor) per pair	PA	PC				
A4557	Lead wires (e.g., apnea monitor) per pair	PA	PC				
A4558	Conductive paste or gel	PA	PC				
E0619	Apnea Monitor with recording feature	PA		RT			
E0618	Apnea monitor without recording feature	PA		RT			
	■ Includes client cable						

410-122-0250 Breast Pumps

(1) Electric breast pumps will only be rented if documentation supports:

(a) Local resources were explored, e.g., Health Department, Hospital, etc.;

(b) Medical appropriateness for infant:

(A) Pre-term; or

(B) Term and hospitalized beyond five days; or

(C) Cleft palate or cleft lip; or

(D) Cranial-facial abnormalities; or

(E) Unable to suck adequately; or

(F) Re-hospitalized for longer than five days; or

(G) Failure to thrive.

(c) Medical appropriateness for mother:

(A) Has breast abscess; or

(B) Mastitis; or

(C) Hospitalized due to illness or surgery (for short-term use to maintain lactation); or

(D) Taking contraindicated medications (for short-term use to maintain lactation); and

(E) A hand pump or manual expression has been tried for one week without success in mothers with established milk supply.

(2) Other information:

(a) Electric pump is not for the comfort and convenience of the mother;

(b) Documentation that transition to breast feeding started as soon as the infant was stable enough to begin breast feeding;

(c) Use E1399 for an electric breast pump starter kit for single or double pumping;

(d) A starter kit will be reimbursed separately from the pump rental;

(e) Rental will not exceed 60 days;

(f) Supplemental Nutrition System (SNS), is not covered.

(3) Procedure Codes:

(a) E0602 – Breast pump, manual, any type – the Office of Medical Assistance Programs (OMAP) will purchase;

(b) E0603 – Breast pump, electric (AC and/or DC), any type, per day:

(A) OMAP will rent;

(B) Prior authorization required by OMAP.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0255 External Breast Prostheses

(1) Indications and Coverage:

(a) A breast prosthesis is covered for a client who has had a mastectomy;

(b) Useful lifetime expectancy:

(A) For silicon breast prosthesis two years;

(B) For fabric, foam, or fiber filled breast prostheses is six months.

(2) Procedure Codes: Table 122-0255.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0255 External Breast Prostheses

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4280	Adhesive skin support attachment for use with external breast prosthesis, each <ul style="list-style-type: none"> ■ Used when billing for an adhesive skin support that attaches an external breast prosthesis directly to the chest wall 		PC				NF
L8000	Breast prosthesis, mastectomy bra <ul style="list-style-type: none"> ■ Four per year 		PC				NF
L8001	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral		PC				NF
L8002	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral		PC				NF
L8015	External breast prosthesis garment, with mastectomy form, post mastectomy <ul style="list-style-type: none"> ■ A camisole type undergarment with polyester fill used, post mastectomy. ■ An external breast prosthesis garment, with mastectomy form is covered for use in the post-operative period prior to a permanent breast prosthesis or as an alternative to a mastectomy bra and breast prosthesis. 		PC				NF
L8020	Breast prosthesis, mastectomy form <ul style="list-style-type: none"> ■ One per year, per side 		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
L8030	Breast prosthesis, silicone or equal <ul style="list-style-type: none"> ■ One per year, per side 		PC				NF
L8035	Custom breast prosthesis, post mastectomy, molded-to-client model <ul style="list-style-type: none"> ■ One per year, per side ■ A custom fabricated prosthesis is one which is individually made for a specific client starting with basic materials. ■ Describes a molded-to-client-model custom breast prosthesis. ■ Is a particular type of custom fabricated prosthesis in which an impression is made of the chest wall and this impression is then used to make a positive model of the chest wall. The prosthesis is then molded on this positive model. 		PC				NF
L8039	Breast prosthesis, not otherwise classified	PA	PC				NF

410-122-0260 Home Uterine Monitoring

(1) The following criteria will be used to determine payment. Monitors will be approved for:

(a) Pre-term labor – this pregnancy:

(A) Incompetent cervix;

(B) Cervical cerclage;

(C) Polyhydramnios;

(D) Anomalies of the uterus;

(E) Cone biopsy;

(F) Cervical dilation or effacement;

(G) Unknown etiology.

(b) History of pre-term labor and/or delivery;

(c) Multiple gestation.

(2) Uterine monitoring will only be approved for the above conditions between the 24th and through the completion of the 36th week of pregnancy.

(3) The allowable rental fee for the uterine monitor includes all equipment, supplies, services and nursing visits necessary for the effective use of the monitor. This does not include medications or prescribing practitioner's professional services.

(4) The client must have a telephone or reasonable access to one. The Office of Medical Assistance Programs (OMAP) will not be responsible for providing the telephone.

(5) S9001 – Uterine home monitoring, with or without associated nursing services:

(a) Prior Authorization (PA) required;

(b) OMAP will rent.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0280 Heating/Cooling Accessories

Procedure Codes for Heating/Cooling Accessories: Table 122-0280.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0280 Heating/Cooling Accessories

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4265	Paraffin, per pound		PC				
E0200	Heat lamp without stand (table model) includes bulb or infrared element		PC	RT	16		
E0205	with stand		PC	RT	16		
E0210	Electric heat pad – standard		PC				
E0215	moist		PC				
E0217	Water circulating heat pad with pump		PC	RT	16	RP	
E0220	Hot water bottle		PC				
E0230	Ice cap or collar		PC				
E0235	Paraffin bath unit portable (without paraffin)		PC	RT	16	RP	
E0236	Pump for water circulating pad		PC	RT	16	RP	
E0238	non-electric		PC				
E0249	Pad for water circulating heat unit		PC				

410-122-0300 Light Therapy

Table 122-0300

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0300 Light Therapy

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4633	Replacement bulb/lamp for ultraviolet light therapy system, each		PC				
E0691	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection; treatment area two square feet or less	PA	PC	RT	16	RP	
E0692	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, four foot panel	PA	PC	RT	16	RP	
E0693	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, six foot panel	PA	PC	RT	16	RP	
E0694	Ultraviolet multi-directional light therapy system in six foot cabinet, includes bulbs/lamps, timer and eye protection	PA	PC	RT	16	RP	
S9098	Home visit, phototherapy services (e.g., bili-lite), including equipment rental, nursing services blood draw, supplies, and other services, per diem, per day			RT			

410-122-0320 Manual Wheelchair Base

(1) Indications and Limitations of Coverage and/or Medical Appropriateness:

(a) The purchase, rental, repair, maintenance or modification of a client's primary wheelchair may be covered by the Office of Medical Assistance Programs (OMAP) when all of the following criteria are met:

(A) The client's condition is such that without the use of a wheelchair, the client would be bed or chair confined; and,

(B) The client is not functionally ambulatory and the wheelchair is necessary to function within the home.

(b) When a client's current wheelchair is no longer medically appropriate or repair to the wheelchair exceeds replacement cost, a new wheelchair may be authorized;

(c) If a client has a medically appropriate wheelchair regardless of payer, OMAP does not reimburse for another wheelchair;

(d) One month's rental of a wheelchair may be payable if a covered client-owned wheelchair is in need of repair (see OAR 410-122-0184 Repairs, Maintenance, Replacement and Delivery).

(e) The client's living quarters must be able to accommodate and allow for the effective use of the requested wheelchair. OMAP does not reimburse for adapting living quarters;

(f) Backup wheelchairs, backpacks, accessory bags, clothing guards, awnings, additional positioning equipment if wheelchair meets the same need, custom colors, wheelchair gloves, and any other upgrades to primarily allow performance of leisure or recreational activities are not covered.

(g) Reimbursement for wheelchair codes includes all labor charges involved in the assembly of the wheelchair as well as support services such as emergency services, delivery, set-up, education, and ongoing assistance with the use of the wheelchair; .

(h) An adult tilt-in-space wheelchair (E1161) may be covered when a client:

(A) Is dependent for transfers; and,

(B) Spends a minimum of four hours a day continuously in a wheelchair; and,

(C) The plan of care addresses the need to change position at frequent intervals and the client is not left in the tilt position most of the time; and,

(D) Has one of the following:

(i) High risk of skin breakdown;

(ii) Poor postural control, especially of the head and trunk;

(iii) Hyper/hypotonia;

(iv) Need for frequent changes in position and has poor upright sitting.

(i) A standard hemi (low seat) wheelchair (K0002) may be covered when a client requires a lower seat height (17" to 18") because of short stature or needs assistance to place his/her feet on the ground for propulsion;

(j) A lightweight wheelchair (K0003) may be covered when a client:

(A) Cannot self-propel in a standard wheelchair using arms and/or legs; and,

(B) Can and does self-propel in a lightweight wheelchair.

(k) A high strength lightweight wheelchair (K0004) may be covered when a client:

(A) Self-propels the wheelchair while engaging in frequent activities that cannot be performed in a standard or lightweight wheelchair, and/or;

(B) Requires a seat width, depth, or height that cannot be accommodated in a standard, lightweight or hemi-wheelchair, and spends at least two hours per day in the wheelchair;

(C) A high strength lightweight wheelchair is rarely medically appropriate if the expected duration of need is less than three months (e.g., post-operative recovery).

(l) An ultralightweight wheelchair (K0005) may be covered when a client has medical needs that require determination on an individual consideration basis;

(m) A heavy-duty wheelchair (K0006) may be covered when a client weighs more than 250 pounds or has severe spasticity;

(n) An extra heavy-duty wheelchair (K0007) may be covered when a client weighs more than 300 pounds;

(o) A manual wheelchair may be covered for a client residing in a nursing facility only when:

(A) Coverage criteria for a customized seat cushion and a customized back cushion are met (see 410-122-0340 Wheelchair Options/Accessories);

(B) When a manual wheelchair base is requested other than K0001, coverage criteria for the requested base must be met.

(p) For more information on coverage criteria regarding repairs and maintenance, see 410-122-0184, Repairs, Maintenance, Replacement and Delivery.

(2) Coding Guidelines:

(a) Adult manual wheelchairs (K0001-K0007, K0009, E1161) are those which have a seat width and a seat depth of 15" or greater.

(b) For codes K0001-K0007 and K0009, the wheels must be large enough and positioned such that the wheelchair could be propelled by the user.

(c) In addition, specific codes are defined by the following characteristics:

(A) Adult tilt-in-space wheelchair (E1161):

(i) Ability to tilt the frame of the wheelchair greater than or equal to 45 degrees from horizontal while maintaining the same back to seat angle; and,

(ii) Lifetime warranty: On side frames and crossbraces.

(B) Standard wheelchair (K0001):

(i) Weight: greater than 36 lbs; and,

(ii) Seat height: 19" or greater; and,

(iii) Weight capacity: 250 pounds or less.

(C) Standard hemi (low seat) wheelchair (K0002):

(i) Weight: greater than 36 lbs; and,

(ii) Seat height: Less than 19"; and,

(iii) Weight capacity: 250 pounds or less.

(D) Lightweight wheelchair (K0003):

(i) Weight: 34-36 lbs; and,

(ii) Weight capacity: 250 pounds or less.

(E) High strength, lightweight wheelchair (K0004):

(i) Weight: Less than 34 lbs; and,

(ii) Lifetime warranty on side frames and crossbraces.

(F) Ultralightweight wheelchair (K0005):

(i) Weight: less than 30 lbs; and,

(ii) Adjustable rear axle position; and,

(iii) Lifetime warranty on side frames and crossbraces.

(G) Heavy duty wheelchair (K0006) has a weight capacity greater than 250 pounds.

(H) Extra heavy duty wheelchair (K0007) has a weight capacity greater than 300 pounds.

(d) The following features are included in the allowance for all adult manual wheelchairs:

(A) Seat width: 15" - 19"; and,

(B) Seat depth: 15" – 19"; and,

(C) Arm style: fixed, swingaway, or detachable; fixed height; and,

(D) Footrests: fixed, swingaway, or detachable.

(e) Codes K0003-K0007 and E1161 include any seat height;

(f) Wheelchairs with individualized features which meet the needs of a particular client are billed by selecting the correct code for the wheelchair base and then using appropriate codes for wheelchair options and accessories (see 410-122-0340 Wheelchair Options/Accessories);

(g) If the frame of the wheelchair is modified in a unique way to accommodate the client, submit the code for the wheelchair base and submit the modification with code K0108 (wheelchair component or accessory, not otherwise specified);

(h) Wheelchair "poundage" (lbs.) represents the weight of the usual configuration of the wheelchair with a seat and back but without front riggings;

(i) A manual wheelchair with a seat width and/or depth of 14" or less is considered a pediatric size wheelchair and is billed with codes E1231-E1238 or E1229 (see 410-122-0720 Pediatric Wheelchairs);

(j) Refer to 410-122-0340 on Wheelchair Options/Accessories for information on other features included in the allowance for the wheelchair base.

(k) Contact the Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) for guidance on correct coding.

(3) Documentation Requirements: Submit the following documentation with the prior authorization (PA) request:

(a) For purchase and modifications, either the Wheelchair and Seating Prescription and Justification form (OMAP 3125) (found in the DME and Medical Supplies Supplemental Information on OMAP's website) or reasonable facsimile which includes, but is not limited to, the following information (not required for K0001, K0002 or K0003 unless modifications are being requested):

(A) Completion of the form or reasonable facsimile by a physical therapist, occupational therapist or treating physician, including signature and date; and,

(B) Completion of the form or reasonable facsimile by an individual who has no direct or indirect financial relationship, agreement or contract with the durable medical equipment, prosthetics, orthotics and supplies (DMEPOS) provider; and,

(C) Signature and date by the treating physician; and,

(D) Information that specifically indicates the client's functional ambulation status in his or her customary environment; and,

(E) Most cost effective equipment recommended to meet the client's medical needs and that person completing the form is in agreement with the DMEPOS provider's recommendations (include manufacturer, product name, model number, standard features, specifications, dimensions and options); and,

(F) Detailed information about client-owned equipment (including serial numbers) as well as any other equipment being used or available to meet the client's medical needs, including the age of the equipment and why it can't be grown or modified, if applicable.

(b) Documentation that a physical environment assessment, that includes the client's living quarters as well as the most common places of service for use of the equipment, has been performed by the DMEPOS provider or a health care clinician. This assessment must support that these environments can accommodate and allow for the effective use of the equipment, including, but not limited to, evaluation of door widths, counter/table height, accessibility (e.g., ramps, etc.), electrical service, etc.; and,

(c) All Healthcare Common Procedure Coding System (HCPCS) codes to be billed on this claim (both codes that require authorization and those that do not require authorization)

(d) For purchase of K0001, K0002 or K0003 (without modifications):

(A) Information that specifically indicates the client's functional ambulation status in his or her customary environment; and,

(B) Most cost effective equipment recommended to meet the client's medical needs and that person completing the form is in agreement with the durable medical equipment, prosthetics, orthotics and medical supplies (DMEPOS) provider's recommendations (include manufacturer, product name, model number, standard features, specifications, dimensions and options); and,

(C) Detailed information about client-owned equipment (including serial numbers) as well as any other equipment being used or available to meet the client's medical needs, including the age of the equipment and why it can't be grown or modified, if applicable.

(e) For a K0005 wheelchair, the documentation must include a description of the client's routine activities. This may include what types of activities the client frequently encounters and whether the client is fully independent in the use of the wheelchair. Describe the features of the K0005 base which are needed compared to the K0004 base.

(f) When code K0009 requested, all information that justifies the medical appropriateness for the item.

(g) Documentation for individual consideration might include information on the client's diagnosis, the client's abilities and limitations as they relate to the equipment (e.g., degree of independence/dependence, frequency, and nature of the activities the client performs, etc.), the duration of the condition, the expected prognosis, and past experience using similar equipment.

(h) For a nursing facility client, submit medical justification that corroborates the need for customized seat and back cushions (see 410-122-0340 Wheelchair Options/Accessories), including dated and clear photographs and body contour measurements.

(i) Any additional documentation that supports indications of coverage are met as specified in this policy.

(j) The above documentation must be kept on file by the DMEPOS provider and made available to OMAP upon request.

(4) Table 122-0320.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0320 Manual Wheelchair Base

For the code legend see OAR 410-122-0182

* *May be covered when coverage criteria in this policy are met*

Code	Description	PA	PC	RT	MR	RP	NF
E1161	Manual adult size wheelchair, includes tilt-in-space	PA	PC	RT	13	RP	*
K0001	Standard wheelchair	PA	PC	RT	13	RP	*
K0002	Standard hemi (low seat) wheelchair	PA	PC	RT	13	RP	*
K0003	Light-weight wheelchair	PA	PC	RT	13	RP	*
K0004	High strength, light-weight wheelchair	PA	PC	RT	13	RP	*
K0005	Ultra-light-weight wheelchair	PA	PC	RT	13	RP	*
K0006	Heavy-duty wheelchair	PA	PC	RT	13	RP	*
K0007	Extra heavy-duty wheelchair	PA	PC	RT	13	RP	*
K0009	Other manual wheelchair/base	PA	PC	RT	13	RP	*

410-122-0325 Motorized/Power Wheelchair Base

(1) Indications and Limitations of Coverage and/or Medical Appropriateness:

(a) The purchase, rental, repair, maintenance or modification of a client's primary wheelchair may be covered when all of the following criteria are met:

(A) The client's condition is such that without the use of a wheelchair the client would be bed or chair confined; and,

(B) The client's condition is such that a wheelchair is medically appropriate and the client is unable to operate a wheelchair manually; and,

(C) The client is capable of safely operating the controls for the power wheelchair.

(b) A client who requires a power wheelchair usually is totally nonambulatory and has severe weakness of the upper extremities due to a neurological, muscular, or cardiopulmonary disease/condition;

(c) The client's condition is such that the requirement for a power wheelchair is long-term (at least six months);

(d) When a client's current wheelchair is no longer medically appropriate or repair to the wheelchair exceeds replacement costs, a new wheelchair may be authorized;

(e) If a client has a medically appropriate wheelchair regardless of payer, OMAP does not reimburse for another wheelchair;

(f) One month's rental of a wheelchair may be payable if a covered client-owned wheelchair is in need of repair (see OAR 410-122-0184 Repairs, Maintenance, Replacement and Delivery);

(g) The client's living quarters must be able to accommodate and allow for the effective use of the requested wheelchair. OMAP does not reimburse for adapting the living quarters;

(h) Backup wheelchairs, backpacks, accessory bags, clothing guards, awnings, additional positioning equipment if wheelchair meets the same need, custom colors, wheelchair gloves, head lights, tail lights, and any other upgrades to primarily allow performance of leisure or recreational activities are not covered;

(i) Reimbursement for the wheelchair codes includes all labor charges involved in the assembly of the wheelchair and all covered additions or modifications. Reimbursement also includes support services such as emergency services, delivery, set-up, education and on-going assistance with use of the wheelchair;

(j) Motorized/power wheelchair bases K0010, K0011, K0012, and K0014 are characterized by a seat width and a seat depth of 15" or greater;

(k) In addition, a lightweight power wheelchair (K0012) is characterized by:

(A) Weight less than 80 lbs. with back and seat but without frontriggings or battery; and,

(B) Folding back or collapsible frame.

(l) Code K0014 is used for a power wheelchair base if it has a client weight capacity of greater than or equal to 350 pounds and has programmable controls;

(m) A power wheelchair with a seat width or depth of 14" or less is considered a pediatric power wheelchair base and is coded E1239;

(n) The following features are included in the allowance for K0010-K0012 and K0014 power wheelchair bases:

(A) Seat Width: 15"-19";

(B) Seat Depth: 15"-19";

(C) Arm Style: Fixed, swingaway, or detachable; fixed height;

(D) Footrests: Fixed, swingaway, or detachable.

(o) Wheelchairs with individualized features which meet the needs of a particular patient are billed by selecting the correct code for the wheelchair base and then using appropriate codes for wheelchair options and accessories. (Refer to the Wheelchair Options and Accessories policy.) If the frame of the wheelchair is modified in a unique way to accommodate the patient, bill the code for the wheelchair base and bill the modification with code K0108 (wheelchair component or accessory, not otherwise specified);

(p) Codes K0010 - K0014 are not used for manual wheelchairs with add-on power packs. Use the appropriate code for the manual wheelchair base provided (K0001 - K0009) and code E0983.

(2) Documentation Requirements: Submit the following documentation with the prior authorization (PA) request:

(a) For purchase and modifications, the Wheelchair and Seating Prescription and Justification form (OMAP 3125-see DME and Medical Supplies Supplemental Information) or reasonable facsimile which includes, but is not limited to, the following information:

(A) Completion of the form or reasonable facsimile by a physical therapist, occupational therapist or treating physician, including signature and date; and,

(B) Completion of the form or reasonable facsimile by an individual who has no direct or indirect financial relationship, agreement or contract with the durable medical equipment, prosthetics, orthotics and medical supplies (DMEPOS) provider; and,

(C) Signature and date by the treating physician; and,

(D) Information that specifically indicates the client's functional ambulation status in his or her customary environment; and,

(E) Most cost effective equipment recommended to meet the client's medical needs and that person completing the form is in agreement with the DMEPOS provider's recommendations (include manufacturer, product name, model number, standard features, specifications, dimensions and options); and,

(F) Detailed information about client-owned equipment (including serial numbers) as well as any other equipment being used or available to meet the client's medical needs, including the age of the equipment and why it can't be grown or modified, if applicable.

(b) Documentation that a physical environment assessment that includes the client's living quarters as well as the most common places of service for use of the equipment, has been performed by the DMEPOS provider or a health care clinician. This assessment must support that these environments can accommodate and allow for the effective use of the equipment, including, but not limited to, evaluation of door widths, counter/table height, accessibility (e.g., ramps, etc.), electrical service, etc.; and,

(c) All Healthcare Common Procedure Coding System codes (HCPCS) to be billed on this claim (both codes that require authorization and those that do not require authorization);

(d) Any additional documentation that supports indications of coverage are met as specified in this policy;

(e) The above documentation must be kept on file by the DMEPOS provider and made available to OMAP on request.

(3) Table 122-0325.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0325 Motorized/Power Wheelchair Base

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0983	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control	PA	PC	RT	13	RP	
K0010	Standard-weight frame motorized/power wheelchair <ul style="list-style-type: none"> ■ Seat width 14"-18"; Seat depth 16"; Seat height \geq 19" and $\frac{3}{4}$ 21"; Back height – sectional 16" or 18"; Arm style – fixed height, detachable; Footplate extension 16"-21"; Footrests – fixed or swing-away detachable 	PA	PC	RT	13	RP	
K0011	Standard-weight frame motorized/power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control, and braking <ul style="list-style-type: none"> ■ Seat width 14"-18"; Seat depth 16"; Seat height \geq 19" and $\frac{3}{4}$ 21"; Back height – sectional 16" or 18"; Arm style – fixed height, detachable; Footplate extension 16"-21"; Footrests – fixed or swing-away detachable 	PA	PC	RT	13	RP	

Code	Description	PA	PC	RT	MR	RP	NF
K0012	Light-weight portable motorized/power wheelchair <ul style="list-style-type: none"> ■ Seat width 14"-18"; Seat depth 16"; Seat height $\frac{3}{4}$ 19" and \geq 21"; Back height – sectional 16" or 18"; Arm style – fixed height, detachable; Footplate extension 16"-21"; Footrests – fixed or swing-away detachable ■ Weight < 80 lbs without battery ■ Folding back or collapsible frame 	PA	PC	RT	13	RP	
K0014	Other motorized/power wheelchair base <ul style="list-style-type: none"> ■ Use in addition to K0108 for power recline or tilt-in space ■ Use for pediatric motorized/power wheelchair base ■ 	PA	PC	RT	16	RP	

410-122-0330 Power-Operated Vehicle

(1) Indications and Coverage:

(a) The purchase, rental, or modification of a power-operated vehicle (POV) is covered when all of the following criteria are met:

(A) A physician specializing in the practice of physiatry, orthopedics neurology or rheumatology must provide a clinical evaluation of the client's medical and physical condition and a prescription for the vehicle. If a specialist is not reasonably accessible, e.g., more than 1 day's round trip from the client's home, or the client's condition precludes such travel;

(B) The client:

(i) Would be bed confined or confined to a non-mobile chair without the use of a POV;

(ii) Is unable to operate a manual wheelchair;

(iii) Is capable of safely operating the controls for the POV;

(iv) can transfer safely in and out of the POV and has adequate trunk stability to be able to safely ride in the POV;

(v) Must be able to accommodate the requested POV inside their living quarters. The Office of Medical Assistance Programs (OMAP) will not be responsible for adapting living quarters.

(C) The cost of the POV includes all options and accessories that are provided at the time of initial purchase, including but not limited to batteries, battery chargers, seating systems, etc.

(b) One month's rental of a POV is covered if a client-owned POV is being repaired;

(c) Replacement parts for a client owned POV, should be billed using the specific wheelchair accessory HCPCS. Use K0108 if a specific code does not exist;

(d) Only one wheelchair or POV will be rented or purchased to meet the medical need. OMAP will not pay for backup chairs.

(2) Documentation:

(a) Documentation of medical appropriateness which has been reviewed and signed by the evaluating prescribing practitioner (for example, CMN) must be kept on file by the durable medical equipment, prosthetics, orthotics, and supplies (DMEPOS) provider;

(b) Submit list of all DMEPOS available or being used to meet the client's needs when requesting prior authorization (PA);

(c) The elements of a clinical evaluation should detail (not all inclusive):

(A) Current limitations of ambulation;

(B) Lower and upper extremity body strength;

(C) Other medical conditions that potentially impact operation of a manual wheelchair or POV, such as sensory defects, cardiopulmonary limitations, or rheumatologic disease;

(D) Intended use and expected benefit of the POV;

(E) Physical limitations should be objective and quantitative;

(F) Client's functional ambulation status in their customary environment.

(3) E1230 – Power operated vehicle (3 or 4 wheel non-highway):

(a) PA required;

(b) OMAP will purchase, rent and repair;

(c) Item considered purchased after 16 months of rent;

(d) Initial batteries and battery charger are included in the cost.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

410-122-0340 Wheelchair Options/Accessories

(1) Indications and Limitations of Coverage and/or Medical Appropriateness:

(a) Options and accessories for covered wheelchairs may be payable when the following criteria are met:

(A) For an adult, the client has a wheelchair that meets Medicare coverage criteria (www.cignamedicare.com); and,

(B) The client's condition is such that without the use of a wheelchair, would otherwise be bed or chair confined (an individual may qualify for a wheelchair and still be considered bed confined); and,

(C) The options/accessories are necessary for the client to perform one or more of the following activities:

(i) Function in the home;

(ii) Perform instrumental activities of daily living.

(b) An option/accessory that is beneficial primarily in allowing the client to perform leisure or recreational activities is noncovered;

(c) Arm of Chair: Adjustable arm height option (E0973, K0017, K0018, K0020) may be covered when the client:

(A) Requires an arm height that is different than what is available using nonadjustable arms; and,

(B) Spends at least two hours per day in the wheelchair;

(C) An arm trough (K0106) is covered if the client has quadriplegia, hemiplegia, or uncontrolled arm movements.

(d) Footrest/Legrest: Elevating legrests (E0990, K0046, K0047, K0053, K0195) may be covered when:

(A) The client has a musculoskeletal condition or the presence of a cast or brace which prevents 90 degree flexion at the knee; or

(B) The client has significant edema of the lower extremities that requires having an elevating leg rest; or

(C) The client meets the criteria for and has a reclining back on the wheelchair;

(D) Elevating leg rests that are used with a wheelchair that is purchased or owned by the patient are coded E0990. This code is per leg rest;

(E) Elevating leg rests that are used with a capped rental wheelchair base should be coded K0195. This code is per pair of leg rests.

(e) Nonstandard Seat Frame Dimensions:

(A) For all adult wheelchairs (E1161, K0001-K0007, K0009, K0010-K0012, K0014), payment for seat widths and/or seat depths of 15-19 inches are included in the payment for the base code;

(B) These seat dimensions should not be separately billed;

(C) Codes E2201-E2204 and E2340-E2343 describe seat widths and/or depths of 20 inches or more for manual or power wheelchairs;

(D) A nonstandard seat width and/or depth (E2201-E2204, E2340-E2343) is covered only if the patient's dimensions justify the need.

(f) Rear Wheels for Manual Wheelchairs:

(A) A push-rim activated power assist (E0986) is an option for a manual wheelchair in which sensors in specially designed wheels determine the force that is exerted by the patient on the wheel;

(B) Additional propulsive and/or braking force is then provided by motors in each wheel;

(C) Batteries are included;

(D) Code K0064 (flat free insert) is used to describe either:

(i) A removable ring of firm material that is placed inside of a pneumatic tire to allow the wheelchair to continue to move if the pneumatic tire is punctured; or,

(ii) Nonremovable foam material in a foam filled rubber tire;

(iii) K0064 is not used for a solid self-skinning polyurethane tire.

(g) Batteries/Chargers:

(A) Up to two batteries (E2360-E2365) at any one time are allowed if required for a power wheelchair;

(B) Batteries/chargers for motorized/power wheelchairs are separately payable from the purchased wheelchair base.

(h) Seating:

(A) A general use seat cushion and a general use wheelchair back cushion may be covered for a client who has a wheelchair which meets OMAP coverage criteria;

(B) A skin protection seat cushion may be covered for a client who meets both of the following criteria:

(i) The client has a wheelchair that meets OMAP coverage criteria; and,

(ii) The client has either of the following:

(I) Current pressure ulcer or past history of a pressure ulcer on the area of contact with the seating surface; or,

(II) Absent or impaired sensation in the area of contact with the seating surface or inability to carry out a functional weight shift due to one of the following diagnoses: spinal cord injury resulting in quadriplegia or paraplegia, other spinal cord disease, multiple sclerosis, other demyelinating disease, cerebral palsy, anterior horn cell diseases including amyotrophic lateral sclerosis), post polio paralysis, traumatic brain injury resulting in quadriplegia, spina bifida, childhood cerebral degeneration, Alzheimer's disease, Parkinson's disease.

(C) A positioning seat cushion, positioning back cushion, and positioning accessory (E0955-E0957, E0960) may be covered for a client who meets both of the following criteria:

(i) The client has a wheelchair that meets OMAP coverage criteria; and,

(ii) The client has any significant postural asymmetries due to one of the diagnoses listed in criterion (h)(A)(ii)(II) or to one of the following diagnoses: monoplegia of the lower limb or hemiplegia due to stroke, traumatic brain injury, or other etiology, muscular dystrophy, torsion dystonias, spinocerebellar disease.

(j) A combination skin protection and positioning seat cushion may be covered when a client meets the criteria for both a skin protection seat cushion and a positioning seat cushion;

(k) Separate payment is allowed for a seat cushion solid support base (E2618) with mounting hardware when it is used on an adult manual wheelchair (K0001-

K0009, E1161) or lightweight power wheelchair (K0012). There is no separate payment when this is used with other types of power wheelchairs (K0010, K0011, K0014) because those wheelchairs include a solid support base;

(l) There is no separate payment for a solid insert (E0992) that is used with a seat or back cushion because a solid base is included in the allowance for a wheelchair seat or back cushion;

(m) There is no separate payment for mounting hardware for a seat or back cushion;

(n) There is no separate payment for a headrest (E0955, E0966) on a captain's seat on a power wheelchair;

(o) A custom fabricated seat cushion (E2609) and a custom fabricated back cushion (E2617) are cushions that are individually made for a specific patient starting with basic materials including:

(A) Liquid foam or a block of foam; and,

(B) Sheets of fabric or liquid coating material;

(C) The cushion must be fabricated using molded-to-patient-model technique, direct molded-to-patient technique, CAD-CAM technology, or detailed measurements of the patient used to create a configured cushion;

(D) The cushion must have structural features that significantly exceed the minimum requirements for a seat or back positioning cushion;

(E) The cushion must have a removable vapor permeable or waterproof cover or it must have a waterproof surface;

(F) A custom fabricated cushion may include certain prefabricated components (e.g., gel or multi-cellular air inserts); these components must not be billed separately;

(G) If a custom fabricated seat and back are integrated into a one-piece cushion, code as E2609 plus E2617;

(H) If foam-in-place or other material is used to fit a substantially prefabricated cushion to an individual client, the cushion must be billed as a prefabricated cushion, not custom fabricated;

(I) A custom fabricated seat cushion may be covered if criteria (i) and (iii) are met. A custom fabricated back cushion may be covered if criteria (ii) and (iii) are met:

(i) Client meets all of the criteria for a prefabricated skin protection seat cushion or positioning seat cushion;

(ii) Client meets all of the criteria for a prefabricated positioning back cushion;

(iii) There is a comprehensive written evaluation by a licensed clinician (who is not an employee of or otherwise paid by a durable medical equipment, prosthetics, orthotics and supplies (DMEPOS) provider) which clearly explains why a prefabricated seating system is not sufficient to meet the client's seating and positioning needs.

(J) A prefabricated seat cushion, a prefabricated positioning back cushion, or a brand name custom fabricated seat or back cushion which has not received a written coding verification from the Statistical Analysis DME Regional Carrier SADMERC or which does not meet the criteria stated in this rule is not covered.

(p) A headrest extension (E0966) is a sling support for the head. Code E0955 describes any type of cushioned headrest;(q) The code for a seat or back cushion includes any rigid or semi-rigid base or posterior panel, respectively, that is an integral part of the cushion;

(r) A solid insert (E0992) is a separate rigid piece of wood or plastic which is inserted in the cover of a cushion to provide additional support and is included in the allowance for a seat cushion;

(s) A solid support base for a seat cushion is a rigid piece of plastic or other material which is attached with hardware to the seat frame of a wheelchair in place of a sling seat. A cushion is placed on top of the support base. Use code E2618 for this solid support base;

(t) The only products which may be billed using codes E2601-E2608, E2611-E2616, E2620, and E2621 and the only brand name products that may be billed using codes E2609 or E2617 and the only wheelchair cushions that may be billed with code K0108 are those products for which a written coding verification has been made by the SADMERC. Information concerning the documentation that must be submitted to the SADMERC for a Coding Verification Request can be found on the SADMERC web site or by contacting the SADMERC. A Product Classification List with products which have received a coding verification can be found on the SADMERC web site;

(u) Code E1028 (swingaway or removable mounting hardware upgrade) may be billed in addition to codes E0955-E0957. It must not be billed in addition to code E0960. It must not be used for mounting hardware related to a wheelchair seat cushion or back cushion code;

(v) Power seating systems:

(A) A power tilt seating system (E1002) includes all the following:

(i) A solid seat platform and a solid back; any frame width and depth;

(ii) Detachable or flip-up fixed height or adjustable height armrests;

(iii) Fixed or swingaway detachable leg rests;

(iv) Fixed or flip-up footplates;

(v) Motor and related electronics with or without variable speed programmability;

(vi) Switch control which is independent of the power wheelchair drive control interface;

(vii) Any hardware that is needed to attach the seating system to the wheelchair base;

(viii) It does not include a headrest;

(ix) It must have the following features:

(I) Ability to tilt to greater than or equal to 45 degrees from horizontal;

(II) Back height of at least 20 inches;

(III) Ability for the supplier to adjust the seat to back angle;

(IV) Ability to support patient weight of at least 250 pounds.

(B) A power recline seating system (E1003-E1005) includes all the following:

(i) A solid seat platform and a solid back;

(ii) Any frame width and depth;

(iii) Detachable or flip-up fixed height or adjustable height arm rests;

(iv) Fixed or swingaway detachable leg rests;

- (v) Fixed or flip-up footplates;
- (vi) A motor and related electronics with or without variable speed programmability;
- (vii) A switch control which is independent of the power wheelchair drive control interface;
- (viii) Any hardware that is needed to attach the seating system to the wheelchair base;
- (ix) It does not include a headrest;
- (y) It must have the following features:
 - (I) Ability to recline to greater than or equal to 150 degrees from horizontal;
 - (II) Back height of at least 20 inches;
 - (III) Ability to support patient weight of at least 250 pounds.
- (C) A power tilt and recline seating system (E1006-E1008) includes:
 - (i) A solid seat platform and a solid back;
 - (ii) Any frame width and depth; detachable or flip-up fixed height or adjustable height armrests;
 - (iii) Fixed or swingaway detachable leg rests; fixed or flip-up footplates;
 - (iv) Two motors and related electronics with or without variable speed programmability;
 - (v) Switch control which is independent of the power wheelchair drive control interface;
 - (vi) Any hardware that is needed to attach the seating system to the wheelchair base;
 - (vii) It does not include a headrest;
 - (viii) It must have the following features:
 - (ix) Ability to tilt to greater than or equal to 45 degrees from horizontal;
 - (x) Ability to recline to greater than or equal to 150 degrees from horizontal;

(xi) Back height of at least 20 inches; ability to support patient weight of at least 250 pounds.

(D) A mechanical shear reduction feature (E1004 and E1007) consists of two separate back panels. As the posterior back panel reclines or raises there is a mechanical linkage between the two panels which allows the client's back to stay in contact with the anterior panel without sliding along that panel;

(E) A power shear reduction feature (E1005 and E1008) consists of two separate back panels. As the posterior back panel reclines or raises there is a separate motor which controls the linkage between the two panels and allows the client's back to stay in contact with the anterior panel without sliding along that panel;

(F) A power leg elevation feature (E1010) involves a dedicated motor and related electronics with or without variable speed programmability which allows the leg rest to be raised and lowered independently of the recline and/or tilt of the seating system. It includes a switch control which may or may not be integrated with the power tilt and/or recline control(s);

(G) Codes E2310 and E2311:

(i) Describe the electronic components that allow the client to control two or more of the following motors from a single interface (e.g., proportional joystick, touchpad, or nonproportional interface): power wheelchair drive, power tilt, power recline, power shear reduction, power leg elevation, power seat elevation, power standing;

(ii) Include a function selection switch which allows the client to select the motor that is being controlled and an indicator feature to visually show which function has been selected;

(iii) When the wheelchair drive function has been selected, the indicator feature may also show the direction that has been selected (forward, reverse, left, right). This indicator feature may be in a separate display box or may be integrated into the wheelchair interface;

(iv) Payment for the code includes an allowance for fixed mounting hardware for the control box and for the display box (if present);

(v) When a switch is medically appropriate and a client has adequate hand motor skills, a switch would be considered the least costly alternative;

(vi) E2310 or E2311 may be considered for coverage when a client does not have hand motor skills or presents with cognitive deficits, contractures or limitation of movement patterns that prevents operation of a switch;

(vii) In addition, an alternate switching system must be medically appropriate and not hand controlled (not running through a joystick).

(viii) If a wheelchair has an electrical connection device described by code E2310 or E2311 and if the sole function of the connection is for a power seat elevation or power standing feature, it is not covered.

(w) Power Wheelchair Drive Control Systems:

(A) The term interface in the code narrative and definitions describes the mechanism for controlling the movement of a power wheelchair. Examples of interfaces include, but are not limited to, joystick, sip and puff, chin control, head control, etc;

(B) A proportional interface is one in which the direction and amount of movement by the client controls the direction and speed of the wheelchair. One example of a proportional interface is a standard joystick;

(C) A nonproportional interface is one which involves a number of switches. Selecting a particular switch determines the direction of the wheelchair, but the speed is pre-programmed. One example of a nonproportional interface is a sip-and-puff mechanism;

(D) The term controller describes the microprocessor and other related electronics that receive and interpret input from the joystick (or other drive control interface) and convert that input into power output to the motor and gears in the power wheelchair base;

(E) A switch is an electronic device which turns power to a particular function either "on" or "off". The external component of a switch may be either mechanical or nonmechanical. Mechanical switches involve physical contact in order to be activated. Examples of the external components of mechanical switches include, but are not limited to, toggle, button, ribbon, etc. Examples of the external components of nonmechanical switches include, but are not limited to, proximity, infrared, etc. Some of the codes include multiple switches. In those situations, each functional switch may have its own external component or multiple functional switches may be integrated into a single external switch component or multiple functional switches may be integrated into the wheelchair control interface without having a distinct external switch component;

(F) A stop switch allows for an emergency stop when a wheelchair with a nonproportional interface is operating in the latched mode. (Latched mode is when the wheelchair continues to move without the patient having to continually activate the interface.) This switch is sometimes referred to as a kill switch;

(G) A direction change switch allows the client to change the direction that is controlled by another separate switch or by a mechanical proportional head control interface. For example, it allows a switch to initiate forward movement one time and backward movement another time;

(H) A function selection switch allows the client to determine what operation is being controlled by the interface at any particular time. Operations may include, but are not limited to, drive forward, drive backward, tilt forward, recline backward, etc.;

(I) An integrated proportional joystick and controller is an electronics package in which a joystick and controller electronics are in a single box, which is mounted on the arm of the wheelchair;

(J) The interfaces described by codes E2320-E2322, E2325, and E2327-E2330 must have programmable control parameters for speed adjustment, tremor dampening, acceleration control, and braking;

(K) A remote joystick (E2320, E2321) is one in which the joystick is in one box that is mounted on the arm of the wheelchair and the controller electronics are located in a different box that is typically located under the seat of the wheelchair. These codes include remote joysticks that are used for hand control as well as joysticks that are used for chin control. Code E2320 includes any type of proportional remote joystick stick including, but not limited to standard, mini-proportional, compact, and short throw remote joysticks;

(L) When code E2320 or E2321 is used for a chin control interface, the chin cup is billed separately with code E2324;

(M) Code E2320 also describes a touchpad which is an interface similar to the pad-type mouse found on portable computers;

(N) Code E2322 describes a system of 3-5 mechanical switches which are activated by the client touching the switch. The switch that is selected determines the direction of the wheelchair. A mechanical stop switch and a mechanical direction change switch, if provided, are included in the allowance for the code;

(O) Code E2323 includes prefabricated joystick handles that have shapes other than a straight stick – e.g., U shape or T shape – or that have some other nonstandard feature – e.g., flexible shaft;

(P) A sip and puff interface (E2325) is a nonproportional interface in which the client holds a tube in their mouth and controls the wheelchair by either sucking in (sip) or blowing out (puff). A mechanical stop switch is included in the allowance for the code. E2325 does not include the breath tube kit which is described by code E2326;

(Q) A proportional, mechanical head control interface (E2327) is one in which a headrest is attached to a joystick-like device. The direction and amount of movement of the client's head pressing on the headrest control the direction and speed of the wheelchair. A mechanical direction control switch is included in the code;

(R) A proportional, electronic head control interface (E2328) is one in which a client's head movements are sensed by a box placed behind the client's head. The direction and amount of movement of the client's head (which does not come in contact with the box) control the direction and speed of the wheelchair. A proportional, electronic extremity control interface (E2328) is one in which the direction and amount of movement of the client's arm or leg control the direction and speed of the wheelchair;

(S) A nonproportional, contact switch head control interface (E2329) is one in which a client activates one of three mechanical switches placed around the back and sides of their head. These switches are activated by pressure of the head against the switch. The switch that is selected determines the direction of the wheelchair. A mechanical stop switch and a mechanical direction change switch are included in the allowance for the code;

(T) A nonproportional, proximity switch head control interface (E2330) is one in which a client activates one of three switches placed around the back and sides of their head. These switches are activated by movement of the head toward the switch, though the head does not touch the switch. The switch that is selected determines the direction of the wheelchair. A mechanical stop switch and a mechanical direction change switch are included in the allowance for the code;

(U) Code E2399 (not otherwise classified interface) is appropriately used in the following situations:

(i) An integrated proportional joystick and controller box are being replaced due to damage; or

(ii) The item being replaced is a remote joystick box only (without the controller);
or

(iii) The item being replaced is another type of interface, e.g. sip and puff, head control without the controller); or

(iv) The item being replaced is the controller box only (without the remote joystick or other type of interface); or

(v) There is no specific E code which describes the type of drive control interface system which is provided. In this situation, E2399 would be used at the time of initial issue or if the item was being provided as a replacement.

(V) The KC modifier (replacement of special power wheelchair interface) is used in the following situations:

(i) Due to a change in the client's condition an integrated joystick and controller is being replaced by another drive control interface – e.g., remote joystick, head control, sip and puff, etc.; or

(ii) The client has a drive control interface described by codes E2320-E2322, E2325, or E2327-E2330 and both the interface (e.g., joystick, head control, sip and puff) and the controller electronics are being replaced due to irreparable damage.

(iii) The KC modifier is never used at the time of initial issue of a wheelchair.

(iv) The KC modifier specifically states replacement, therefore, the RP modifier is not required. The KC modifier is not used when billing code E2399.

(x) Other Power Wheelchair Accessories: An electronic interface (E2351) to allow a speech generating device to be operated by the power wheelchair control interface may be covered if the client has a covered speech generating device. (See Division 129, Speech-Language Pathology, Audiology and Hearing Aid Services.);

(y) Miscellaneous Accessories:

(A) Anti-rollback device (E0974) is covered if the client propels himself/herself and needs the device because of ramps;

(B) A safety belt/pelvic strap (E0978) is covered if the client has weak upper body muscles, upper body instability or muscle spasticity which requires use of this item for proper positioning;

(C) One example (not all-inclusive) of a covered indication for swingaway, retractable, or removable hardware (E1028) would be to move the component out of the way so that a client could perform a slide transfer to a chair or bed;

(D) A fully reclining back option (E1226) is covered if the client spends at least 2 hours per day in the wheelchair and has one or more of the following conditions/needs:

(i) Quadriplegia;

(ii) Fixed hip angle;

(iii) Trunk or lower extremity casts/braces that require the reclining back feature for positioning;

(iv) Excess extensor tone of the trunk muscles; and/or

(v) The need to rest in a recumbent position two or more times during the day and transfer between wheelchair and bed is very difficult.

(2) Documentation Requirements: Submit applicable documentation as follows with the prior authorization (PA) request:

(a) A Certificate of Medical Necessity (CMN) or reasonable facsimile for E0973, E0990, K0017, K0018, K0020, E1226, K0046, K0047, K0053, and K0195. For these items, the CMN may act as a substitute for a written order if it contains all of the required elements of an order. Depending on the type of wheelchair, the CMN for these options/accessories is either CMS Form 843 (power wheelchairs) or CMS Form 844 (manual wheelchairs);

(b) When code K0108 is billed, a narrative description of the item, the manufacturer, the model name or number (if applicable), and information justifying the medical appropriateness for the item;

(c) Options/accessories for individual consideration might include documentation on the client's diagnosis, the client's abilities and limitations as they relate to the equipment (e.g., degree of independence/dependence, frequency and nature of the activities the client performs, etc.), the duration of the condition, the expected prognosis, past experience using similar equipment;

(d) For a custom fabricated seat cushion:

(A) A comprehensive written evaluation by a licensed clinician (who is not an employee of or otherwise paid by a DMEPOS provider) which clearly explains

why a prefabricated seating system is not sufficient to meet the client's seating and positioning needs; and,

(B) Diagnostic reports that support the medical condition;

(e) Any additional documentation that supports indications of coverage are met as specified in this rule;

(f) Above documentation must be kept on file by the DMEPOS provider, documented in the client's medical record and made available to OMAP on request.

(3) Table 122-0340.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0340 Wheelchair Options/Accessories

For the code legend see OAR 410-122-0182

* *May be covered when coverage criteria in this policy are met*

Code	Description	PA	PC	RT	MR	RP	NF
Arm of Chair							
E0973	Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each		PC	RT	16	RP	*
K0015	Detachable, non-adjustable height armrest, each		PC	RT	16	RP	*
K0017	Detachable, adjustable height armrest, base, each		PC	RT	16	RP	*
K0018	Detachable, adjustable height armrest, upper portion, each		PC	RT	16	RP	*
K0019	Arm pad, each		PC	RT	16	RP	*
K0020	Fixed, adjustable height armrest, pair		PC	RT	16	RP	*
K0106	Arm trough, each		PC	RT	16	RP	*
Footrest/Legrest							
E0951	Heel loop/holder, any type, with or without ankle strap, each		PC	RT	16	RP	*
E0952	Toe loop/holder, any type, each		PC	RT	16	RP	*
E0990	Wheelchair accessory, elevating legrest, complete assembly, each		PC	RT	16	RP	*
E0995	Wheelchair accessory, calf rest/pad, each		PC	RT	16	RP	*
E1020	Residual limb support system for wheelchair		PC	RT	16	RP	*
K0037	High mount flip-up footrest, each		PC	RT	16	RP	*
K0038	Leg strap, each		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
K0039	Leg strap, H style, each		PC	RT	16	RP	*
K0040	Adjustable angle foot-plate, each		PC	RT	16	RP	*
K0041	Large size foot-plate, each		PC	RT	16	RP	*
K0042	Standard size foot-plate, each		PC	RT	16	RP	*
K0043	Footrest, lower extension tube, each		PC	RT	16	RP	*
K0044	Footrest, upper hanger bracket, each		PC	RT	16	RP	*
K0045	Footrest, complete assembly		PC	RT	16	RP	*
K0046	Elevating leg rest, lower extension tube, each		PC	RT	16	RP	*
K0047	Elevating leg rest, upper hanger bracket, each		PC	RT	16	RP	*
K0050	Ratchet assembly		PC	RT	16	RP	*
K0051	Cam release assembly, footrest or leg rest, each		PC	RT	16	RP	*
K0052	Swing-away, detachable footrests, each, replacement		PC	RT	16	RP	*
K0053	Elevating footrests, articulating (telescoping), each		PC	RT	16	RP	*
K0195	Elevating leg rests, pair (for use with capped rental wheelchair base)			RT			*
Nonstandard Seat Frame Dimensions							
E2201	Manual wheelchair accessory, non-standard seat frame, width greater than or equal to 20 inches and less than 24 inches		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E2202	Manual wheelchair accessory, non-standard seat frame width, 24-27 inches		PC	RT	16	RP	*
E2203	Manual wheelchair accessory, non-standard seat frame depth, 20 to less than 22 inches		PC	RT	16	RP	*
E2204	Manual wheelchair accessory, non-standard seat frame depth, 22 to 25 inches		PC	RT	16	RP	*
E2340	Power wheelchair accessory, non-standard seat frame width, 20-23 inches		PC	RT	16	RP	*
E2341	Power wheelchair accessory, non-standard seat frame width, 24-27 inches		PC	RT	16	RP	*
E2342	Power wheelchair accessory, non-standard seat frame depth, 20 or 21 inches		PC	RT	16	RP	*
E2343	Power wheelchair accessory, non-standard seat frame depth, 22-25 inches		PC	RT	16	RP	*
K0056	Seat height < 17" or > 21" for a high strength, lightweight or ultra-lightweight wheelchair		PC	RT	16	RP	*
Rear Wheels for Manual Wheelchairs:							
E0961	Manual wheelchair accessory, wheel lock brake extension (handle), each		PC	RT	16	RP	*
E0967	Manual wheelchair accessory, hand rim with projections, any type, replacement only, each		PC	RT			

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E0986	Manual wheelchair accessory, push activated power assist, each	PA	PC	RT	13	RP	
K0064	Zero pressure tube (flat free inserts), any size, each		PC	RT	16	RP	*
K0065	Spoke protectors, each		PC	RT	16	RP	*
K0066	Solid tire, any size, each		PC	RT	16	RP	*
K0067	Pneumatic tire, any size, each		PC	RT	16	RP	*
K0068	Pneumatic tire tube, each		PC	RT	16	RP	*
K0069	Rear wheel assembly, complete, with solid tire, spokes or molded, each		PC	RT	16	RP	*
K0070	Rear wheel assembly, complete, with pneumatic tire, spokes or molded, each		PC	RT	16	RP	*
Hand Rims Without Projections							
E2205	Manual wheelchair accessory, handrim without projections, any type, replacement only, each		PC	RT			
Front Casters for Manual Wheelchairs							
K0071	Front caster assembly, complete, with pneumatic tire, each		PC	RT	16	RP	*
K0072	Front caster assembly, complete, with semi-pneumatic tire, each		PC	RT	16	RP	*
K0073	Caster pin lock, each		PC	RT	16	RP	*
K0074	Pneumatic caster tire, any size, each		PC	RT	16	RP	*
K0075	Semi-pneumatic caster tire, any size, each		PC	RT	16	RP	*
K0076	Solid caster tire, any size, each		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
K0077	Front caster assembly, complete, with solid tire, each		PC	RT	16	RP	*
K0078	Pneumatic caster tire tube, each		PC	RT	16	RP	*
E0974	Manual wheelchair accessory, anti-rollback device, each		PC	RT	16	RP	*
	<ul style="list-style-type: none"> ■ Covered if the client is able to propel self and needs the device because of ramps 						
E2206	Manual wheelchair accessory, wheel lock assembly, complete, each		PC	RT	16	RP	*
Batteries/Chargers							
E2360	Power wheelchair accessory, 22 NF non-sealed lead acid battery, each		PC				*
E2361	Power wheelchair accessory, 22 NF sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)		PC				*
E2362	Power wheelchair accessory, Group 24 non-sealed lead acid battery, each		PC				*
E2363	Power wheelchair accessory, Group 24 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)		PC				*
E2364	Power wheelchair accessory, U-1 non-sealed lead acid battery, each		PC				*
E2365	Power wheelchair accessory, U-1 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)		PC				*
E2366	Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or non-sealed, each		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
Power Seating Systems							
E1002	Wheelchair accessory, power seating system, tilt only	PA	PC	RT	16	RP	*
E1003	Wheelchair accessory, power seating system, recline only, without shear reduction	PA	PC	RT	16	RP	*
E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear reduction	PA	PC	RT	16	RP	*
E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction	PA	PC	RT	16	RP	*
E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction	PA	PC	RT	16	RP	*
E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction	PA	PC	RT	16	RP	*
E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction	PA	PC	RT	16	RP	*
E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair	PA	PC	RT	16	RP	*
E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	PA	PC	RT	MR	RP	NF

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	PA	PC	RT	MR	RP	NF
Power Wheelchair Drive Control Systems							
E2320	Power wheelchair accessory, hand or chin control interface, remote joystick or touchpad, proportional <ul style="list-style-type: none"> ■ Including all related electronics, and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2321	Power wheelchair accessory, hand control interface, remote joystick, non-proportional <ul style="list-style-type: none"> ■ Including all related electronics, mechanical stop switch, and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, non-proportional <ul style="list-style-type: none"> ■ Including all related electronics, mechanical stop switch, and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2323	Power wheelchair accessory, specialty joystick handle for hand control interface, pre-fabricated		PC	RT	16	RP	*
E2324	Power wheelchair accessory, chin cup for chin control interface		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E2325	Power wheelchair accessory, sip and puff interface, non-proportional <ul style="list-style-type: none"> ■ Including all related electronics, mechanical stop switch, and manual swing-away mounting hardware 	PA	PC	RT	16	RP	*
E2326	Power wheelchair accessory, breath tube kit for sip and puff interface	PA	PC	RT	16	RP	*
E2327	Power wheelchair accessory, head control interface, mechanical, proportional <ul style="list-style-type: none"> ■ Including all related electronics, mechanical direction change switch, and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2328	Power wheelchair accessory, head control or extremity control interface, electronic, proportional <ul style="list-style-type: none"> ■ Including all related electronics and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2329	Power wheelchair accessory, head control interface, contact switch mechanism, non-proportional <ul style="list-style-type: none"> ■ Including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware 	PA	PC	RT	16	RP	*
E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, non-proportional	PA	PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ Including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware 						
E2368	Power wheelchair component, motor, replacement only,	PA	PC	RT	16	RP	*
E2369	Power wheelchair component, gear box, replacement only	PA	PC	RT	16	RP	*
E2370	Power wheelchair component, motor and gearbox combination, replacement only	PA	PC	RT	16	RP	*
E2399	Power wheelchair accessory, not otherwise classified interface, including all related electronics and fixed mounting hardware	PA	PC	RT	16	RP	*
Other Power Wheelchair Accessories							
E1015	Shock absorber for manual wheelchair, each	PA	PC	RT	16	RP	*
E1016	Shock absorber for power wheelchair, each	PA	PC	RT	16	RP	*
E1017	Heavy-duty shock absorber for heavy-duty or extra heavy-duty manual wheelchair, each	PA	PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E1018	Heavy-duty shock absorber for heavy-duty or extra heavy-duty power wheelchair	PA	PC	RT	16	RP	*
E2351	<u>Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface</u>	PA	PC	RT	16	RP	*
K0090	Rear wheel tire for power wheelchair, any size, each		PC	RT	16	RP	*
K0091	Rear wheel tire tube other than zero pressure for power wheelchair, any size, each		PC	RT	16	RP	*
K0092	Rear wheel assembly for power wheelchair, complete, each		PC	RT	16	RP	*
K0093	Rear wheel zero pressure tire tube (flat free insert) for power wheelchair, any size, each		PC	RT	16	RP	*
K0094	Wheel tire for power base, any size, each		PC	RT	16	RP	*
K0095	Wheel tire tube other than zero pressure for each base, any size, each		PC	RT	16	RP	*
K0096	Wheel assembly for power base, complete, each		PC	RT	16	RP	*
K0097	Wheel zero pressure tire tube (flat free insert) for power base, any size, each		PC	RT	16	RP	*
K0098	Drive belt for power wheelchair		PC	RT	16	RP	*
K0099	Front caster for power wheelchair, each		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
Seat Cushions							
E2601	General use wheelchair seat cushion, width less than 22 inches, any depth	PA	PC	RT			
E2602	General use wheelchair seat cushion, width 22 inches or greater, any depth	PA	PC	RT			
E2603	Skin protection wheelchair seat cushion, width less than 22 inches, any depth	PA	PC	RT			
E2604	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth	PA	PC	RT			
E2605	Positioning wheelchair seat cushion, width less than 22 inches, any depth	PA	PC	RT			
E2606	Positioning wheelchair seat cushion, width 22 inches or greater, any depth	PA	PC	RT			
E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth	PA	PC	RT			
E2608	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth	PA	PC	RT			
E2609	Custom fabricated wheelchair seat cushion, any size	PA	PC				NF
Back Cushions							
E2611	General use wheelchair back	PA	PC	RT			

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
	cushion, width less than 22 inches, any height, including any type mounting hardware_						
E2612	General use wheelchair back	PA	PC	RT			
	cushion, width 22 inches or greater, any height, including any type mounting hardware						
E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware	PA	PC	RT			
E2614	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware	PA	PC	RT			
E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware	PA	PC	RT			
E2616	Positioning wheelchair back cushion, posterior-lateral width 22 inches or greater, any height, including any type mounting hardware	PA	PC	RT			
E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware	PA	PC				NF
E2618	Wheelchair accessory, solid seat	PA	PC	RT			

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
	support base (replaces sling seat), for use manual wheelchair or lightweight power wheelchair, includes any type mounting hardware						
E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware	PA	PC	RT			
E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware	PA	PC	RT			
Miscellaneous & Positioning Accessories							
E0950	Wheelchair accessory, tray, each		PC	RT		RP	*
E0955	Wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each		PC	RT		RP	*
E0956	Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each		PC	RT		RP	*
E0957	Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each		PC	RT		RP	*
E0958	Manual wheelchair accessory, one-arm drive attachment, each		PC	RT	16	RP	*
	<ul style="list-style-type: none"> ■ Covered if the client propels the chair himself/herself with only one hand and the need is expected to last at least six months 						

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E0959	Manual wheelchair accessory, each, adapter for amputee, each		PC	RT	16	RP	*
E0960	Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware		PC	RT	16	RP	*
E0966	Manual wheelchair accessory, headrest extension, each	PA	PC	RT	16	RP	*
E0971	Anti-tipping device, wheelchair		PC	RT	16	RP	*
E0972	Wheelchair accessory, transfer board or device, each		PC	RT	16	RP	*
E0974	Manual wheelchair accessory, anti-rollback device, each		PC	RT	16	RP	*
E0978	Wheelchair accessory, positioning belt/safety belt/pelvic strap, each		PC	RT	16	RP	*
E0981	Wheelchair accessory, seat upholstery, replacement only, each		PC	RT	16	RP	*
E0982	Wheelchair accessory, back upholstery, replacement only, each		PC	RT	16	RP	*
E0984	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, tiller control		PC	RT	13	RP	
E0985	Wheelchair accessory, seat lift mechanism	PA	PC	RT	13	RP	*
E0992	Manual wheelchair accessory, solid seat insert		PC	RT	16	RP	*

* Covered when supplied for covered, client-owned wheelchair

Code	Description	PA	PC	RT	MR	RP	NF
E1028	Wheelchair accessory, manual swing-away, retractable or removable mounting hardware for joystick, other control interface or positioning accessory		PC	RT	16	RP	*
E1029	Wheelchair accessory, ventilator tray, fixed		PC	RT	16	RP	*
E1030	Wheelchair accessory, ventilator tray, gimbaled	PA	PC	RT	16	RP	*
E1226	Wheelchair accessory, manual, fully reclining back (recline greater than 80 degrees), each	PA	PC	RT	16	RP	NF
E2619	Replacement cover for wheelchair seat cushion or back cushion, each	PA	PC	RT			
K0104	Cylinder tank carrier, each		PC	RT	16	RP	*
K0105	IV hanger, each		PC	RT	16	RP	*
K0108	Wheelchair component or accessory, not otherwise specified	PA	PC	RT	16	RP	*
K0452	Wheelchair bearings, any type		PC				*

410-122-0360 Canes and Crutches

(1) Indications and Coverage: When prescribed by a practitioner for a client with a condition causing impaired ambulation and there is a potential for ambulation.

(2) A white cane for a visually impaired client is considered to be a self-help item and is not covered by the Office of Medical Assistance Programs (OMAP).

(3) Table 122-0360.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0360 Canes and Crutches

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
Canes							
A4636	Replacement, handgrip, cane, crutch or walker, each		PC				
A4637	Replacement, tip, cane, crutch, walker, each		PC				
E0100	Cane, includes canes of all materials, adjustable or fixed, with tips		PC				
E0105	Quad or three prong, includes canes of all materials, adjustable or fixed, with tips		PC	RT	16		
Crutches							
A4635	Underarm pad, crutch, replacement, each		PC				
A4636	Replacement, handgrip, cane, crutch or walker, each		PC				
E0110	Crutches, forearm, includes crutches of various materials, adjustable or fixed, pair, complete with tips and handgrips		PC	RT	16	RP	
E0111	Crutch, forearm, includes crutches of various materials, adjustable or fixed, each, with tip and handgrips		PC	RT	16	RP	
E0112	Crutches, underarm, wood, adjustable or fixed, pair, with pads, tips and handgrips		PC	RT	16		
E0113	Crutch, underarm, wood, adjustable or fixed, each, with pad, tip and handgrip		PC	RT	16		

Code	Description	PA	PC	RT	MR	RP	NF
E0114	Crutches, underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips		PC	RT	16	RP	
E0116	Crutch, underarm, other than wood, adjustable or fixed, each, with pad, tip and handgrip		PC	RT	16	RP	
E0117	Crutch, underarm, articulating, spring assisted, each		PC	RT	16	RP	
E0153	Platform attachment, forearm, crutch, each		PC	RT	16	RP	

410-122-0365 Standing and Positioning Aids

(1) Indications and coverage: If a client has one aid that meets his/her medical needs, regardless of who obtained it, the Office of Medical Assistance Programs (OMAP) will not provide another aid of same or similar function.

(2) Documentation to be submitted for prior authorization (PA) and kept on file by the Durable Medical Equipment (DME) provider:

(a) Documentation of medical appropriateness, which has been reviewed and signed by the prescribing practitioner;

(b) The care plan outlining positioning and treatment regime, and all DME currently available for use by the client;

(c) The prescription;

(d) The documentation for customized positioner must include objective evidence that commercially available positioners are not appropriate;

(e) Each item requested must be itemized with description of product, make, model number, and manufacturers suggested retail price (MSRP);

(f) Submit Positioner Justification form (OMAP 3155) or reasonable facsimile, with recommendation for most appropriate equipment. This must be submitted by physical therapist, occupational therapist, or prescribing practitioner when requesting a PA;

(3) Gait Belts:

(a) Covered when:

(A) The client weighs 60 lbs. or more, and;

(B) The care provider is trained in the proper use, and;

(C) The client can walk independently, but needs:

(i) A minor correction of ambulation, or;

(ii) Needs minimal or standby assistance to walk alone, or;

(iii) Requires assistance with transfer.

(b) Use code E1399.

(4) Standing frame systems, prone standers, supine standers or boards and accessories for standing frames are covered when:

- (a) The client has been sequentially evaluated by a physical or occupational therapist to make certain the client can tolerate and obtain medical benefit; and,
- (b) The client is following a therapy program initially established by a physical or occupational therapist; and,
- (c) The home is able to accommodate the equipment; and,
- (d) The weight of the client does not exceed manufacturer's weight capacity; and,
- (e) The client has demonstrated an ability to utilize the standing aid independently or with caregiver; and,
- (f) The client has demonstrated compliance with other programs; and.
- (g) The client has demonstrated a successful trial period in a monitored setting; and,
- (h) The client does not have access to equipment from another source.

(5) Sidelyers and custom positioners must meet the following criteria in addition to the criteria in Table 122-0365:

- (a) The client must be sequentially evaluated by a physical or occupational therapist to make certain the client can tolerate and obtain medical benefit; and,
- (b) The client must be following a therapy program initially established by a physical or occupational therapist; and,
- (c) The home must be able to accommodate the equipment; and,
- (d) The caregiver and/or family are capable of using the equipment appropriately.

(6) Criteria for Specific Accessories:

- (a) A back support may be covered when a client:
 - (A) Needs for balance, stability, or positioning assistance; or,
 - (B) Has extensor tone of the trunk muscles; or,
 - (C) Needs for support while being raised or while completely standing.
- (b) A tall back may be covered when:

- (A) The client is over 5'11" tall; and,
 - (B) The client has no trunk control and needs additional support; or,
 - (C) The client has more involved need for assistance with balance, stability, or positioning.
- (c) Hip guides may be covered when a client:
- (A) Lacks motor control and/or strength to center hips; or,
 - (B) Has asymmetrical tone which causes hips to pull to one side; or,
 - (C) Has spasticity; or,
 - (D) Has low tone or high tone; or,
 - (E) Need for balance, stability, or positioning assistance.
- (d) A shoulder retractor or harness may be covered when:
- (A) Erect posture cannot be maintained without support due to lack of motor control or strength; or,
 - (B) Has kyphosis; or,
 - (C) Presents strong flexor tone.
- (e) Lateral supports may be covered when a client:
- (A) Lacks trunk control to maintain lateral stability; or,
 - (B) Has scoliosis which requires support; or,
 - (C) Needs a guide to find midline.
- (f) A headrest may be covered when a client:
- (A) Lacks head control and cannot hold head up without support; or,
 - (B) Has strong extensor thrust pattern that requires inhibition.
- (g) Independent adjustable knee pads may be covered when a client:
- (A) Has severe leg length discrepancy; or,
 - (B) Has contractures in one leg greater than the other.

(h) An actuator handle extension may be covered when a client:

(A) Has no caregiver; and

(B) Is able to transfer independently into standing frame; and

(C) Has limited range of motion in arm and/or shoulder and cannot reach actuator in some positions.

(i) Arm troughs may be covered when a client:

(A) Has increased tone which pulls arms backward so hands cannot come to midline; or,

(B) Has poor tone, strength, or control is so poor that causes arms to hang out to side and backward, causing pain and risking injury; or,

(C) Needs for posture.

(j) A tray may be covered when proper positioning cannot be met by other accessories;

(k) Abductors may be covered to reduce tone for proper alignment and weight bearing.;

(l) Sandals (shoe holders) may be covered when a client:

(A) Has dorsiflexion of the foot or feet; or,

(B) Has planar flexion of the foot or feet or,

(C) Has eversion of the foot or feet; or,

(D) Needs for safety.

(7) Table 122-0365.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

1-1-05

Table 122-0365 Standing and Positioning Aids

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0637	Combination sit to stand system, any size, with seat lift feature, with or without wheels	PA	PC	RT		RP	
E0638	Standing frame system, any size, with or without wheels <ul style="list-style-type: none"> ■ Must meet the criteria listed in section (4) of this rule ■ Not covered for electric mobility option 	PA	PC	RT		RP	
E1399	DME, miscellaneous – Prone stander, supine stander or board <ul style="list-style-type: none"> ■ Must meet the criteria listed in section (4) of this rule 	PA	PC	RT	16	RP	
E1399	DME, miscellaneous – Accessories for standing frame <ul style="list-style-type: none"> ■ Covered if the client: <ul style="list-style-type: none"> ◆ Must meet the criteria listed in section (4) of this rule, and ◆ Cannot be successfully positioned in equipment without specified accessories 	PA	PC			RP	
E1399	DME, miscellaneous – Sidelyer includes accessories <ul style="list-style-type: none"> ■ Covered if the criteria in section (5) of this rule is met and one of the following: <ul style="list-style-type: none"> ◆ The client has contractures that are capable of being reduced or fixed contractures, or 	PA	PC			RP	

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ◆ The client has positioning and support needs that cannot be met with other positioning devices, or ◆ Positioning is needed to prevent reflux during feeding. 						
E1399	<p>DME, miscellaneous – Custom positioner</p> <ul style="list-style-type: none"> ■ Labor is included in the purchase price ■ Not used for positioners that are ready-made and subsequently modified to fit an individual client ■ Positioners are considered customized when it is virtually impossible to meet another person’s positioning needs in the equipment ■ Covered if: <ul style="list-style-type: none"> ◆ The configuration of the client’s body cannot be supported by commercially available positioners due to size, orthopedic deformities, physical deformities or pressure ulcers, and ◆ The criteria in section (5) of this rule is met. 	PA	PC			RP	

410-122-0375 Walkers

(1) Indications and Limitations of Coverage:

(a) A standard walker (E0130, E0135,, E0141, E0143) and related accessories are covered if both of the following criteria are met:

(A) When prescribed by a treating practitioner for a client with a medical condition impairing ambulation and there is a potential for increasing ambulation; and

(B) When there is a need for greater stability and security than provided by a cane or crutches.

(b) For an adult gait trainer, use the appropriate walker code. If a gait trainer has a feature described by one of the walker attachment codes (E0154-E0157), that code may be separately billed;

(c) A heavy duty walker (E0148, E0149) is covered for clients who meet coverage criteria for a standard walker and who weigh more than 300 pounds;

(d) A heavy duty, multiple braking system, variable wheel resistance walker (E0147) is covered for clients who meet coverage criteria for a standard walker and who are unable to use a standard walker due to a severe neurologic disorder or other condition causing the restricted use of one hand;

(e) When a walker with an enclosed frame (E0144) is dispensed to a client, documentation must support why a standard folding wheeled walker, E0143, was not provided as the least costly medically appropriate alternative;

(f) Enhancement accessories of walkers are noncovered;

(g) Leg extensions (E0158) are covered only for patients six feet tall or more.

(2) Coding Guidelines:

(a) A wheeled walker (E0141, E0143, E0149) is one with either two, three or four wheels. It may be fixed height or adjustable height. It may or may not include glide-type brakes (or equivalent). The wheels may be fixed or swivel;

(b) A glide-type brake consists of a spring mechanism (or equivalent) which raises the leg post of the walker off the ground when the patient is not pushing down on the frame;

(c) Code E0144 describes a folding wheeled walker which has a frame that completely surrounds the patient and an attached seat in the back;

(d) A heavy duty walker (E0148, E0149) is one which is labeled as capable of supporting patients who weigh more than 300 pounds. It may be fixed height or adjustable height. It may be rigid or folding;

(e) Code E0147 describes a 4-wheeled, adjustable height, folding-walker that has all of the following characteristics:

(A) Capable of supporting patients who weigh greater than 350 pounds;

(B) Hand operated brakes that cause the wheels to lock when the hand levers are released;

(C) The hand brakes can be set so that either or both can lock both wheels;

(D) The pressure required to operate each hand brake is individually adjustable;

(E) There is an additional braking mechanism on the front crossbar;

(F) At least two wheels have brakes that can be independently set through tension adjustability to give varying resistance.

(f) The only walkers that may be billed using code E0147 are those products listed in the Product Classification List on the SADMERC web site;

(g) An enhancement accessory is one which does not contribute significantly to the therapeutic function of the walker. It may include, but is not limited to style, color, hand operated brakes (other than those

described in code E0147), or basket (or equivalent);

(h) A4636, A4637, and E0159 are only used to bill for replacement items for covered, patient-owned walkers. Codes E0154, E0156, E0157, and E0158 can be used for accessories provided with the initial issue of a walker or for replacement components. Code E0155 can be used for replacements on covered, patient-owned wheeled walkers or when wheels are subsequently added to a covered, patient-owned nonwheeled walker (E0130, E0135). Code E0155 cannot be used for wheels provided at the time of, or within one month of, the initial issue of a nonwheeled walker;

(i) Hemi-walkers must be billed using code E0130 or E0135, not E1399;

(j) A gait trainer is a term used to describe certain devices that are used to support a client during ambulation;

(k) Column II code is included in the allowance for the corresponding Column I code when provided at the same time and must not be billed separately at the time of billing the Column I code:

Column I (Column II)

E0130 (A4636, A4637)

E0135 (A4636, A4637)

E0140 (A4636, A4637, E0155, E0159)

E0141 (A4636, A4637, E0155, E0159)

E0143 (A4636, A4637, E0155, E0159)

E0144 (A4636, A4637, E0155, E0156, E0159)

E0147 (A4636, E0155, E0159)

E0148 (A4636, A4637)

E0149 (A4636, A4637, E0155, E0159)

(l) Providers should contact the Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) for guidance on the correct coding of these items.

(3) Documentation: An order for each item billed must be signed and dated by the treating practitioner, kept on file by the DME provider, and made available to OMAP upon request. The treating practitioner's records must contain information which supports the medical appropriateness of the item ordered, including height and weight.

(4) Table 122-0375.

Stat. Auth.: ORS 409

Stats. Implemented: 414.065

4-1-05

Table 122-0375 Walkers

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4636	Replacement, handgrip, cane, crutch or walker, each		PC				
A4637	Replacement, tip, cane, crutch, walker, each		PC				
E0130	Walker, rigid (pick-up), adjustable or fixed height		PC	RT	16	RP	
E0135	Walker, folding (pick-up), adjustable or fixed height		PC	RT	16	RP	
E0140	Walker, with trunk support, adjustable or fixed height, any type		PC	RT	16	RP	
E0141	Walker, rigid, wheeled, adjustable or fixed height		PC	RT	16	RP	
E0143	Walker, folding, wheeled, adjustable or fixed height		PC	RT	16	RP	
E0144	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior seat		PC	RT	16	RP	
E0147	Walker, heavy duty, multiple braking system, variable wheel resistance		PC	RT	16	RP	
E0148	Walker, heavy duty, without wheels, rigid or folding, any type, each		PC	RT	16	RP	
E0149	Walker, heavy duty, wheeled, rigid or folding, any type, each		PC	RT	16	RP	

Code	Description	PA	PC	RT	MR	RP	NF
E0154	Platform attachment, walker, each		PC	RT	16	RP	
E0155	Wheel attachment, rigid pick-up walker, per pair		PC			RP	
E0156	Seat attachment, walker		PC			RP	
E0157	Crutch attachment, walker, each		PC	RT	16	RP	
E0158	Leg extensions for a walker, per set of four – for clients 6' tall or more		PC	RT	16	RP	
E0159	Brake attachment for wheeled walker replacement, each		PC	RT	16	RP	
E1399	Walker, child sized <ul style="list-style-type: none"> ■ Any type, any material, customized/ non-customized, adjustable/non adjustable, wheeled/non-wheeled, with/without seat, with/without braking system, extra narrow to extra wide, regular strength to heavy duty & any other accessory ■ For client less than 56" tall. 	PA	PC	RT	16	RP	NF
E8000	Gait trainer, pediatric size, posterior support, includes all accessories and components	PA	PC	RT	16	RP	
E8001	Gait trainer, pediatric size, upright support, includes all accessories and Components	PA	PC	RT	16	RP	
E8002	Gait trainer, pediatric size, anterior support, includes all accessories and components	PA	PC	RT	16	RP	

410-122-0380 Hospital Beds

(1) Definitions:

(a) Fixed Height Hospital Bed – A fixed height hospital bed is one with manual head and leg elevation adjustments but no height adjustment;

(b) Variable Height Hospital Bed – A variable height hospital bed is one with manual height adjustment and with manual head and leg elevation adjustments;

(c) Semi-Electric Hospital Bed – A semi-electric bed is one with manual height adjustment and with electric head and leg elevation adjustments.

(2) Hospital Bed Criterion:

(a) 1 – Client requires positioning of the body in ways not feasible with an ordinary bed due to a medical condition which is expected to last at least one month;

(b) 2 – Client requires, for alleviation of pain, positioning of the body in ways not feasible with an ordinary bed;

(c) 3 – Client requires the head of the bed to be elevated more than 30 degrees most of the time due to congestive heart failure, chronic pulmonary disease, or problems with aspiration. Pillows or wedges must have been tried and failed;

(d) 4 – Client requires traction equipment which can only be attached to a hospital bed;

(e) 5 – Client's level of functioning can only be met with a hospital bed.

(f) 6 – Client is capable of operating the controls;

(g) 7 – Client requires frequent changes in body position and/or has an immediate need for a change in body position;

(h) 8 – Client requires a bed height different from that provided by a fixed height hospital bed in order to permit transfers to chair, wheelchair or standing position;

(i) 9 – Client weighs more than 350 pounds.

(3) Indications and coverage:

(a) Fixed Height Hospital Beds are covered when the client meets criterion:

(A) 1, 2, 3, or 4, and;

(B) 5.

(b) Variable Height Hospital Beds are covered when the client meets criterion:

(A) 1, 2, 3, or 4, and;

(B) 5 and 8.

(c) Semi-Electric Hospital Beds are covered when the client meets criterion:

(A) 1, 2, 3, or 4, and;

(B) 5, 6, and 7.

(d) Heavy-Duty and Extra Heavy-Duty Hospital Beds are covered when the client meets criterion:

(A) 1, 2, 3, or 4, and;

(B) 5, 6, 7, and 9.

(4) Documentation:

(a) Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner must be submitted with the request for prior authorization (PA) and kept on file by the DME provider;

(b) A CMN is acceptable documentation for clients with both Medicare and Medical Assistance Program coverage. It is not acceptable documentation for clients with Medical Assistance Program coverage only;

(c) Document the number of hours spent in bed, the type of bed currently used by the client and why it doesn't meet the needs of the client;

(d) In addition to the above documentation requirements, you must document:

(A) The reasons why a variable height bed does not meet the needs of the client when requesting PA for semi-electric hospital beds, and;

(B) The client's height and weight when requesting PA for Heavy-Duty and Extra Heavy-Duty hospital beds.

(5) Procedure Codes – Table 122-0380.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0380 Hospital Beds

For the code legend see OAR 410-122-0182

* PA required beginning the third month

Code	Description	PA	PC	RT	MR	RP	NF
Fixed Height							
E0250	Hospital Bed, fixed height, with any type side rails, with mattress	*	PC	RT	13	RP	
E0251	Hospital Bed, fixed height, with any type side rails, without mattress	*	PC	RT	13	RP	
E0290	Hospital Bed, fixed height, without side rails, with mattress	*	PC	RT	13	RP	
E0291	Hospital Bed, fixed height, without side rails, without mattress	*	PC	RT	13	RP	
Variable Height							
E0255	Hospital bed, variable height (Hi-Lo), with any type side rails, with mattress	*	PC	RT	13	RP	
E0256	Hospital bed, variable height (Hi-Lo), with any type side rails, without mattress	*	PC	RT	13	RP	
E0292	Hospital bed, variable height (Hi-Lo), without side rails, with mattress	*	PC	RT	13	RP	
E0293	Hospital bed, variable height (Hi-Lo), without side rails, without mattress	*	PC	RT	13	RP	
Semi-Electric							
E0260	Hospital Bed, semi-electric (head and foot adjustment), with any type side rails, with mattress	*	PC	RT	13	RP	
E0261	Hospital Bed, semi-electric (head and foot adjustment), with any type side rails, without mattress	*	PC	RT	13	RP	

* PA required beginning the third month

Code	Description	PA	PC	RT	MR	RP	NF
E0294	Hospital Bed, semi-electric (head and foot adjustment) without side rails, with mattress	*	PC	RT	13	RP	
E0295	Hospital Bed, semi-electric (head and foot adjustment) without side rails, without mattress	*	PC	RT	13	RP	
Heavy-Duty and Extra Heavy-Duty							
E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress	*	PC	RT	13	RP	
E0302	Hospital bed, extra heavy duty, extra-wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress	*	PC	RT	13	RP	
E0303	Hospital bed, heavy duty, extra-wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress	*	PC	RT	13	RP	
E0304	Hospital bed, extra heavy duty, extra-wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress	*	PC	RT	13	RP	

410-122-0400 Pressure Reducing Support Surfaces

(1) Definitions:

(a) Comprehensive Ulcer Treatment Program – generally includes:

(A) Education of the client and caregiver on the prevention and/or management of pressure ulcers;

(B) Regular assessment by a nurse, prescribing practitioner, or other licensed health care practitioner (usually at least weekly for a client with a stage III or IV ulcer);

(C) Appropriate turning and positioning, including instruction and frequency intervals;

(D) Appropriate wound care (for a stage II, III or IV ulcer);

(E) Appropriate management of moisture/incontinence;

(F) Nutritional assessment and intervention consistent with the overall plan of care.

(b) Mattress Overlay – Device designed to be placed on top of a standard hospital or home mattress;

(c) Mattress Replacement – Device that takes the place of the standard hospital or home mattress;

(d) Bottoming Out – The finding that an outstretched hand can readily palpate the bony prominence (coccyx or lateral trochanter) when it is placed palm up beneath the undersurface of the mattress or overlay and in an area under the bony prominence. This bottoming out criterion should be tested with the client in the supine position with the head flat, in the supine position with the head slightly elevated (no more than 30 degrees) and in the sidelying position;

(e) The staging of pressure ulcers used in this policy is as follows:

(A) Stage 1 – Non-blanchable erythema of intact skin;

(B) Stage 2 – Partial thickness skin loss involving epidermis and/or dermis;

(C) Stage 3 – Full thickness skin loss involving damage or necrosis of subcutaneous tissue that may extend down to, but not through, underlying fascia;

(D) Stage 4 – Full thickness skin loss with extensive destruction, tissue necrosis or damage to muscle, bone or supporting structures.

(f) Home – Adult foster care, assisted living facility, residential care facilities, or private residence.

(2) Group 1

(a) Indications and Coverage – Covered if the client:

(A) Does not bottom out, and;

(B) Has a care plan established by the prescribing practitioner or other licensed health care practitioner directly involved in the client's care, which must include a comprehensive ulcer treatment program (see section (1)), and;

(C) Meets Group 1:

(i) Criterion 1, or;

(ii) Criterion 2 or 3 and at least one of criteria 4)through 7)

(b) Criterion:

(A) 1 – Completely immobile (e.g., client cannot make changes in body position without assistance);

(B) 2 – Limited mobility (e.g., client cannot independently make changes in body position significant enough to alleviate pressure);

(C) 3 – Any stage pressure ulcer on the trunk or pelvis;

(D) 4 – Impaired nutritional status;

(E) 5 – Fecal or urinary incontinence;

(F) 6 – Altered sensory perception;

(G) 7 – Compromised circulatory status.

(c) Documentation: Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner must be kept on file by the DME provider and submitted with the prior authorization (PA) request;

(d) Table 122-0400-1.

(A) The following additional criteria applies to codes A4640, E0180, and E0181 – An air pump or blower which provides:

(i) Either sequential inflation and deflation of air cells or a low interface pressure throughout the overlay, and;

(ii) Inflated cell height of the air cells through which air is being circulated is 2.5” or greater, and;

(iii) Adequate client lift, reduced pressure, and prevents bottoming out, due to the height of the air chambers, proximity of the air chambers to one another, frequency of air cycling and air pressure. (B) The following additional criteria applies to codes E0186, E0187, and E0196:

(i) Total height of 5” or greater, durable waterproof cover and can be placed directly on a hospital bed frame, and;

(ii) Non-powered pressure reducing mattress.

(3) Group 2:

(a) Indication and Coverage – Covered when all of the following are met:

(A) The client is in a home setting or nursing facility; and,

(B) The client is confined to a bed or chair as a result of severely limited mobility; and,

(C) In the home setting, a willing and trained adult caregiver is available to assist the client with:

(i) Activities of daily living;

(ii) Fluid balance;

(iii) Skin care;

(iv) Repositioning;

(v) Recognition and management of altered mental status;

(vi) Dietary needs;

(vii) Prescribed treatments, and;

(viii) Management of the pressure reducing support surface, and;

(D) A prescribing practitioner coordinates the home treatment regimen, which includes the use of other treatment modalities, where applicable, including, but not limited to nursing care, appropriate nutrition, and the creation of a tissue-growth environment, and;

(E) The client meets:

(i) Criterion 1 and 2 and 3; or

(ii) Criterion 4; or

(iii) Criterion 5 or 6.

(b) Criterion definitions:

(A) 1 – Multiple stage II pressure ulcers located on the trunk or pelvis;

(B) 2 – Client has been on a comprehensive ulcer treatment program for at least 30 consecutive days which has included the use of an appropriate group I support surface;

(C) 3 – The ulcers have worsened or remained the same over the last 30 days;

(D) 4 – Large or multiple stage III or IV pressure ulcer(s) on the trunk or pelvis;

(E) 5 – Recent myocutaneous flap or skin graft for a pressure ulcer on the trunk or pelvis (surgery within the past 60 days). All other criteria is waived for this condition;

(F) 6 – The client has been on a Group 2 or 3 support surface immediately prior to a recent discharge from a hospital or nursing facility (discharge within the past 30 days).

(c) The allowable rental fee includes all equipment, supplies, and service appropriate for the effective use of the support surface;

(d) Not covered for the prevention of pressure ulcers or pain control;

(e) Documentation:

(A) For clients in the home setting or nursing facility, the following documentation must be submitted with the initial request:(i) A prescribing practitioner prescription;

(ii) An evaluation done by the resident care manager (for clients in a nursing facility) or licensed health professional, which includes:

(I) A description of the underlying condition – diagnosis, prognosis, rehabilitation potential and nutritional status;

(II) A comprehensive assessment and evaluation of the individual after conservative treatment with other pressure reducing products or methods has been tried without success; and,

(III) A statement of goals for stepping down the intensity of support therapy.

(iii) A summary of a nutritional assessment by a registered dietician (for clients in a nursing facility) or licensed health professional, within the last 90 days;

(iv) Client's height and weight, may approximate if unable to obtain;

(v) Pre-albumin and total lymphocyte count values within the last 60 days;

(vi) Written description of pressure ulcers, which includes:

(I) Numbers;

(II) Locations;

(III) Sizes; and,

(IV) Stages.

(vii) Dated photographs of pressure ulcers;

(viii) Pressure ulcers on extremities must have documentation of the reason why pressure cannot be relieved by other methods. This simply means that the medical appropriateness for special pressure reducing products must be proven and documented.

(B) For clients who are not in a nursing facility, the following documentation must be submitted in addition to the previous documentation for the initial request:

(i) Documentation that the client is receiving skilled wound care nursing services either through a home health agency or through the private duty nurse program;

(ii) A copy of the comprehensive ulcer treatment program (see section (1) of this rule for definition), which is client specific and includes but is not limited to the following:

(I) The number of hours per 24-hour period that the pressure reducing support surface will be utilized;

(II) Any contributing factors, such as mobility status, impaired sensory perception, circulatory status, etc.;

(III) Treatment that includes healing;

(IV) Documentation that a trained caregiver is willing and able to assist or supervise in carrying out the prescribed treatment regimen and to support the use and management of the pressure reducing support surface ; and,(V) | A copy of the operative report and care plan for clients who have had a recent myocutaneous flap or skin graft.

(C) For subsequent requests, submit the following documentation:

(i) Dated photographs of pressure ulcers;

(ii) Copies of skin flow sheets;

(iii) Copies of any pertinent notes in the progress records;

(iv) Copies of records supporting changes in laboratory values or nutritional status;

(v) Written description of pressure ulcers by nurse, prescribing practitioner, or other licensed health care practitioner, including:

(I) Numbers;

(II) Locations;

(III) Sizes; and,

(IV) Stages.

(vi) Copy of current care plan.

(D) The payment of pressure reducing support surfaces will not be renewed if:

(i) Client is assessed as being a low risk for further breakdown, or;

(ii) Care plan goals are not being met.

(E) The following additional criteria applies to codes for powered pressure reducing mattresses/overlays (E0193, E0277, and E0372):

(i) An air pump or blower which provides either sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress/overlay;

(ii) Inflated cell height of the air cells through which air is being circulated is:

(I) 5" or greater for mattresses;

(II) 3" or greater for overlays.

(iii) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for alternating pressure mattresses/overlays), and air pressure provide adequate client lift, reduce pressure and prevent bottoming out;

(iv) A surface designed to reduce friction and shear.

(F) The following additional criteria applies to codes for non-powered pressure reducing mattresses/overlays (E0371 and E0373):

(i) Height and design of individual cells provide significantly more pressure reduction than a Group 1 mattress/overlay and prevent bottoming out;

(ii) Total height of:

(I) 5" or greater for mattresses;

(II) 3" or greater for overlays.

(iii) A surface designed to reduce friction and shear; and,

(iv) Documented evidence to substantiate that the product is effective for the treatment of conditions described by the coverage criteria for Group 2 support surfaces.

(4) Group 3 – Air-fluidized beds are not covered.

(5) Table 122-0400-1

(6) Table 122-0400-2

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

1-1-05

Table 122-0400-1 Pressure Reducing Support Surfaces

For the code legend see OAR 410-122-0182

* See additional criteria shown in sections (2)(d)(A) and (B) for codes A4640, E0180, E0181, E0186, E0187, and E0196.

Code	Description	PA	PC	RT	MR	RP	NF
*A4640	Replacement pad for use with medically appropriate alternating pressure pad owned by client		PC			RP	NF
*E0180	Pressure pad, alternating with pump		PC	RT	16	RP	
*E0181	Pressure pad, alternating with pump, heavy-duty		PC	RT	16	RP	
E0182	Pump for alternating pressure pad <ul style="list-style-type: none"> ■ Must generate enough pressure to maintain at least 2.5” depth in chambers and has appropriate frequency of air cycling. 		PC	RT	16	RP	
E0184	Dry pressure mattress <ul style="list-style-type: none"> ■ Non-powered pressure reducing mattress ■ Foam height of 5” or greater, and foam with a density and other qualities that provide adequate pressure reduction, durable waterproof cover, can be placed directly on a hospital bed frame. 	PA	PC	RT	16		
E0185	Gel or gel-like pressure pad for mattress, standard mattress length and width <ul style="list-style-type: none"> ■ Gel or gel-like layer with a height of 2” or greater ■ Non-powered pressure reducing mattress overlay 	PA	PC	RT	16	RP	

* See additional criteria shown in sections (2)(d)(A) and (B) for codes A4640, E0180, E0181, E0186, E0187, and E0196.

Code	Description	PA	PC	RT	MR	RP	NF
*E0186	Air pressure mattress	PA	PC	RT	16	RP	
*E0187	Water pressure mattress	PA	PC	RT	16	RP	
E0188	Synthetic sheepskin pad		PC				
E0189	Lambs wool sheepskin pad		PC				
*E0196	Gel pressure mattress	PA	PC	RT	16		
E0197	Air pressure pad for mattress, standard mattress length and width <ul style="list-style-type: none"> ■ Composed of interconnected air cell that is inflated with an air pump with cell height of 3” or greater 	PA	PC	RT	16		NF
E0198	Water pressure pad for mattress, standard mattress length and width <ul style="list-style-type: none"> ■ Filled height of 3” or greater ■ Non-powered pressure reducing mattress overlay 	PA	PC	RT	16	RP	
E0199	Dry pressure pad for mattress, standard mattress length and width <ul style="list-style-type: none"> ■ Base thickness of 2” or greater and peak height of 3” or greater if it is a convoluted overlay or an overall height of at least 3” if it is a non-convoluted overlay and foam with a density and other qualities that provide adequate pressure reduction and durable waterproof cover ■ Non-powered pressure reducing mattress overlay 		PC	RT			

Table 122-0400-2 Pressure Reducing Support Surfaces

For the code legend see OAR 410-122-0182

* See additional criteria shown in sections (3)(f)(A) and (B) for codes E0193, E0277, E0371, E0372, and E0373.

Code	Description	PA	PC	RT	MR	RP	NF
E0193	<p>Powered air flotation bed (low air loss therapy), per month</p> <ul style="list-style-type: none"> ■ A semi-electric or total electric hospital bed with a fully integrated powered pressure reducing mattress which is characterized by the previously listed additional criteria for powered pressure reducing mattresses/overlays. ■ Can be placed directly on a hospital bed frame ■ Use also for powered pressure reducing mattress overlay* – low air loss powered flotation without low air loss or alternating pressure 	PA		RT	16	RP	NF
E0277	<p>Powered pressure reducing mattress, air, per month</p> <ul style="list-style-type: none"> ■ A powered pressure reducing mattress* – alternating pressure, low air loss, or powered flotation without low air loss ■ Can be placed directly on a hospital bed frame ■ Use also for powered pressure reducing mattress overlay* – low air loss powered flotation without low air loss, or alternating pressure 	PA		RT	16	RP	NF

* See additional criteria shown in sections (3)(f)(A) and (B) for codes E0193, E0277, E0371, E0372, and E0373.

Code	Description	PA	PC	RT	MR	RP	NF
E0371	<p>Non-powered advanced pressure reducing overlay for mattress, standard mattress length and width, per month</p> <ul style="list-style-type: none"> ■ An advanced non-powered pressure reducing mattress overlay* 	PA		RT	16	RP	NF
E0372	<p>Powered air overlay for mattress, standard mattress length and width, per month</p> <ul style="list-style-type: none"> ■ A powered pressure reducing mattress overlay* – low air loss, powered flotation without low air loss, or alternating pressure 	PA		RT	16		NF
E0373	<p>Non-powered, advanced pressure reducing mattress</p> <ul style="list-style-type: none"> ■ An advanced non-powered pressure-reducing mattress* ■ Can be placed directly on a hospital bed frame 	PA	PC	RT	16	RP	NF

410-122-0420 Hospital Bed Accessories

(1) Table 122-0420.

(2) Trapeze Bars:

(a) Indications and Coverage: Trapeze bars are indicated when a client needs this device to sit up because of respiratory condition, to change body position for other medical reasons, or to get in or out of bed;

(b) Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner must be kept on file by the DME provider;

(c) See Table 122-0420 for procedure codes.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0420 Hospital Bed Accessories

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
Frames, Traction Devices, etc.							
E0840	Traction frame, attached to headboard, cervical traction		PC	RT	16	RP	
E0849	Traction equipment, cervical free- standing stand/frame, pneumatic, applying traction force to other than mandible		PC	RT	16	RP	
E0850	Traction stand, free-standing, cervical traction		PC	RT	16	RP	
E0855	Cervical traction equipment not requiring additional stand or frame		PC	RT	16	RP	
E0860	Traction equipment, overdoor, cervical		PC				
E0870	Traction frame, attached to footboard, extremity traction (e.g., Buck's)		PC	RT	16	RP	
E0880	Traction stand, free-standing, extremity traction, (e.g., Buck's)		PC	RT	16	RP	
E0890	Traction frame, attached to footboard, pelvic traction		PC	RT	16	RP	
E0900	Traction stand, free-standing, pelvic traction (e.g., Buck's)		PC	RT	16	RP	

Code	Description	PA	PC	RT	MR	RP	NF
E0920	Fracture frame, attached to bed, includes weights		PC	RT	16	RP	
E0930	Fracture frame, free-standing, includes weights		PC	RT	16	RP	
E0941	Gravity assisted traction device, any type		PC	RT	16	RP	
E0942	Cervical head harness/halter		PC				
E0943	Cervical pillow		PC				
E0944	Pelvic belt/harness/boot		PC				
E0945	Extremity belt/harness		PC				
E0946	Fracture frame, dual with cross bars, attached to bed (e.g., Balken, 4-poster)		PC	RT	16	RP	
E0947	Fracture frame, attachments for complex pelvic traction		PC	RT	16	RP	
E0948	Fracture frame, attachments for complex cervical traction		PC	RT	16	RP	
Mattresses							
E0271	Mattress, inner-spring (replacement for client owned hospital bed)		PC				
E0272	Mattress, foam rubber (replacement for client owned hospital bed)		PC				
Rails							
E0305	Bedside rails, half-length, for use with hospital or non-hospital bed		PC	RT	16		

Code	Description	PA	PC	RT	MR	RP	NF
E0310	Bedside rails, full-length, for use with hospital or non-hospital bed		PC	RT	16		
Trapeze Bars							
E0910	Trapeze bars, a.k.a. client helper, attached to bed, complete with grab bar <ul style="list-style-type: none"> ■ Not covered when used on a non-hospital bed ■ Covered when it is either an integral part of or used on a hospital bed and both the hospital bed and the trapeze bar are medically appropriate 		PC	RT	16	RP	
E0940	Trapeze bar, free-standing, complete with grab bar <p>When prescribed, it must meet the same criteria as the attached equipment and the client must not be renting or own a hospital bed</p>		PC	RT	16	RP	

410-122-0470 Supports and Stockings

(1) Cosmetic support panty hose (i.e., Leggs®, No Nonsense®, etc.) are not covered.

(2) Procedure Codes - Table 122-0470.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0470 Supports and Stockings

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4565	Slings		PC				
L0120	Cervical, flexible non-adjustable (foam collar)		PC				
L0210	Thoracic rib belt		PC				NF
L8300	Truss, single with standard pad		PC				NF
L8310	Truss, double		PC				NF
Elastic Supports							
L8100	Gradient compression stocking, below knee, 18-30 mm Hg, each		PC				NF
L8110	below knee, 30-40 mm Hg, each		PC				NF
L8120	below knee, 40-50 mm Hg, each		PC				NF
L8130	thigh length, 18-30 mm Hg, each		PC				NF
L8140	thigh length, 30-40 mm Hg, each		PC				NF
L8150	thigh length, 40-50 mm Hg, each		PC				NF
L8160	full length/chap style, 18-30 mm Hg, each		PC				NF
L8170	full length/chap style, 30-40 mm Hg, each		PC				NF
L8180	full length/chap style, 40-50 mm Hg, each		PC				NF
L8190	waist length, 18-30 mm Hg, each		PC				NF
L8195	waist length, 30-40 mm Hg, each		PC				NF
L8200	waist length, 40-50 mm Hg, each		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
L8210	custom made		PC				NF
L8220	lymphedema		PC				NF
L8230	garter belt		PC				NF
L8239	not otherwise specified	PA	PC				NF
S8420	Gradient pressure aid (sleeve and glove combination), custom made		PC				NF
S8421	Gradient pressure aid (sleeve and glove combination), ready made		PC				NF
S8422	Gradient pressure aid (sleeve), custom made, medium weight		PC				NF
S8423	Gradient pressure aid (sleeve), custom made, heavy weight		PC				NF
Compression Burn Garments							
A6501	Compression burn garment, body suit (head-to-foot), custom fabricated		PC				
A6502	Compression burn garment, chin strap, custom fabricated		PC				
A6503	Compression burn garment, facial hood, custom fabricated		PC				
A6504	Compression burn garment, glove-to-wrist, custom fabricated		PC				
A6505	Compression burn garment, glove-to-elbow, custom fabricated		PC				
A6506	Compression burn garment, glove-to-axilla, custom fabricated		PC				
A6507	Compression burn garment, foot-to-knee length, custom fabricated		PC				
A6508	Compression burn garment, foot-to-thigh length, custom fabricated		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6509	Compression burn garment, upper trunk-to-waist including arm openings (vest)		PC				
A6510	Compression burn garment, trunk, including arms down-to-leg opening (leotard), custom fabricated		PC				
A6511	Compression burn garment, lower trunk, including leg opening (panty), custom fabricated		PC				
A6512	Compression burn garment, not otherwise classified, custom fabricated	PA	PC				

410-122-0475 Therapeutic Shoes for Diabetics

(1) Indications and Coverage:

(a) For each client, coverage of the footwear and inserts is limited to one of the following within one calendar year:

(A) One pair of custom -molded shoes (including inserts provided with such shoes) and two additional pair of inserts; or

(B) One pair of extra-depth shoes (not including inserts provided with such shoes) and three pairs of inserts.

(b) An individual may substitute modification(s) of custom molded or extra-depth shoes instead of obtaining one pair of inserts, other than the initial pair of inserts. The most common shoe modifications are:

(A) Rigid rocker bottoms;

(B) Roller bottoms;

(C) Metatarsal bars;

(D) Wedges;

(E) Offset heels.

(c) Payment for any expenses for the fitting of such footwear is included in the fee;

(d) Payment for the certification of the need for therapeutic shoes and for the prescription of the shoes (by a different practitioner from the one who certifies the need for the shoes) is considered to be included in the visit or consultation in which these services are provided;

(e) Following certification by the physician managing the client's systemic diabetic condition, a podiatrist or other qualified practitioner, knowledgeable in the fitting of the therapeutic shoes and inserts, may prescribe the particular type of footwear necessary.

(2) Documentation:

(a) The practitioner who is managing the individual's systemic diabetic condition documents that the client has diabetes and one or more of the following conditions:

- (A) Previous amputation of the other foot, or part of either foot;
 - (B) History of previous foot ulceration of either foot;
 - (C) History of pre-ulcerative calluses of either foot;
 - (D) Peripheral neuropathy with evidence of callus formation of either foot;
 - (E) Foot deformity of either foot; or
 - (F) Poor circulation in either foot; and
 - (G) Certifies that the client is being treated under a comprehensive plan of care for his or her diabetes and that he or she needs therapeutic shoes.
- (b) Documentation of the above criteria, may be completed by the prescribing practitioner or supplier but must be reviewed for accuracy of the information and signed and dated by the certifying physician to indicate agreement and must be kept on file by the DME supplier.

(3) Table 122-0475

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

1-1-05

Table 122-0475 Therapeutic Shoes for Diabetics

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A5500	For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe		PC				NF
A5501	For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of client's foot (custom molded shoe), per shoe		PC				NF
A5503	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe		PC				NF
A5504	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe		PC				NF
A5505	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe		PC				NF
A5506	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe		PC				NF
A5507	For diabetics only, not otherwise specified modification (include fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe		PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
A5510	For diabetics only, direct formed, compression molded to client's foot without external heat source, multiple-density insert(s), prefabricated, per shoe		PC				NF
K0628	For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of ¼ inch material of shore a 35 durometer of 3/16 inch material of shore a 40 (or higher), prefabricated, each		PC				NF
K0629	For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer or higher, includes arch filler and other shaping material, custom fabricated, each		PC				NF

410-122-0480 Pneumatic Compression Devices (Used for Lymphedema)

(1) A pneumatic compression device (lymphedema pump) is medically appropriate only for the treatment of refractory lymphedema involving one or more limbs.

(2) Causes of lymphedema include but are not limited to the following conditions with a diagnosis on the currently funded lines of the Prioritized List of Health Services:

(a) Spread of malignant tumors to regional lymph nodes with lymphatic obstruction;

(b) Radical surgical procedures with removal of regional groups of lymph nodes;

(c) Post-radiation fibrosis;

(d) Scarring of lymphatic channels (e.g., those with generalized refractory edema from venous insufficiency which is complicated by recurrent cellulitis); when all of the following criteria have been met:

(A) There is significant ulceration of the lower extremity(ies);

(B) The client has received repeated, standard treatment from a practitioner using such methods as a compression bandage system or its equivalent;

(C) The ulcer(s) have failed to heal after six months of continuous treatment.

(e) Congenital anomalies.

(3) Pneumatic compression devices may be covered only when prescribed by a practitioner and when they are used with appropriate practitioner oversight, i.e., practitioner evaluation for the client's condition to determine medical appropriateness of the device, suitable instruction in the operation of the machine, a treatment plan defining the pressure to be used and the frequency and duration of use, and ongoing monitoring of use and response to treatment. Used as treatment of last resort.

(4) All pressure devices require a one-month trial period prior to purchase. The rental period is applied toward purchase.

(5) All necessary training to utilize a pressure device is included in rental or purchase fee.

(6) Documentation:

(a) The practitioner must document the client's condition, medical appropriateness and instruction as to the pressure to be used, the frequency and duration of use and that the device is achieving the purpose of reduction and control of lymphedema;

(b) The determination by the practitioner of the medical appropriateness of pneumatic compression device must include:

(A) The client's diagnosis and prognosis;

(B) Symptoms and objective findings, including measurements which establish the severity of the condition;

(C) The reason the device is required, including the treatments which have been tried and failed; and

(D) The clinical response to an initial treatment with the device. The clinical response includes the change in pre-treatment measurements, ability to tolerate the treatment session and parameters, and ability of the client (or caregiver) to apply the device for continued use in the home.

(c) Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner (for example, CMN) must be kept on file by the DME provider;

(d) If the client has venous stasis ulcers, documentation supporting the medical appropriateness for the device should include a signed and dated statement from the prescribing practitioner indicating:

(A) The location and size of venous stasis ulcer(s);

(B) How long each ulcer has been continuously present;

(C) Whether the client has been treated with regular compression bandaging for the past six months;

(D) Whether the client has been treated with custom fabricated gradient pressure stockings/sleeves, approximately when, and the results of the treatment;

(E) Other treatment for the venous stasis ulcer(s) during the past six months;

(F) Whether the client has been seen regularly by a practitioner for treatment of venous stasis ulcer(s) during the past six months.

(7) Procedure Codes -- Table 122-0480.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0480 Pneumatic Compression Devices (Used for Lymphedema)

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0650	Pneumatic compressor, non-segmental home model		PC	RT		RP	NF
E0651	Pneumatic compressor, segmental home model (lymphedema pump) without calibrated gradient pressure		PC	RT		RP	NF
E0652	Pneumatic compressor, segmental home model (lymphedema pump) with calibrated gradient pressure <ul style="list-style-type: none"> ■ Documentation on file must show that E0650 or E0651, or other less costly alternatives, failed to manage the client's condition ■ Must include measurements of pump pressure, dates and times applied, and serial multiple level measurements of the involved extremity ■ If used for a painful focal lesion, documentation must support what prevented the use of E0650 or E0651 ■ Chamber pressure must be listed for all pumps used 		PC	RT		RP	NF

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> Must show the individual has unique characteristics that prevent them from receiving satisfactory pneumatic compression treatment using a non-segmented device in conjunction with a segmented appliance or a segmented compression device without manual control of pressure in each chamber 						
E0655	Non-segmental pneumatic appliance for use with pneumatic compressor half arm, includes hand segment		PC	RT		RP	NF
E0660	Non-segmental pneumatic appliance for use with pneumatic compressor full leg, includes foot segment		PC	RT		RP	NF
E0665	Non-segmental pneumatic appliance for use with pneumatic compressor full arm, includes hand segment		PC	RT		RP	NF
E0666	Non-segmental pneumatic appliance for use with pneumatic compressor half leg, includes foot segment		PC	RT		RP	NF
E0667	Segmental pneumatic appliance for use with pneumatic compressor, full leg, includes foot segment		PC	RT		RP	NF
E0668	Segmental pneumatic appliance for use with pneumatic compressor, full arm, includes hand segment		PC	RT		RP	NF
E0669	Segmental pneumatic appliance for use with pneumatic compressor, half leg, includes foot segment		PC	RT		RP	NF
E0671	Segmental gradient pressure pneumatic appliance, full leg, includes foot segment		PC	RT		RP	NF

Code	Description	PA	PC	RT	MR	RP	NF
E0672	Segmental gradient pressure pneumatic appliance, full arm, includes hand segment		PC	RT		RP	NF
E0673	Segmental gradient pressure pneumatic appliance, half leg, includes foot segment		PC	RT		RP	NF

410-122-0500 Transcutaneous Electrical Nerve Stimulator (TENS)

(1) Indications and Limitations of Coverage and/or Medical Appropriateness: transcutaneous electrical nerve stimulator (TENS) (E0720, E0730) is a device which utilizes electrical current delivered through electrodes placed on the surface of the skin. A TENS unit decreases the client's perception of pain by inhibiting the transmission of afferent pain nerve impulses and/or stimulating the release of endorphins. A TENS unit must be distinguished from other electrical stimulators (e.g., neuromuscular stimulators) which are used to directly stimulate muscles and/or motor nerves.

(2) A TENS unit may be covered for the treatment of:

(a) Acute post-operative pain:

(A) Coverage is usually limited to 30 days from the day of surgery; and,

(B) Payment for more than one month is determined by individual consideration based upon supportive documentation provided by the attending physician; and,

(C) Payment is made only as a rental; and,

(D) Acute pain (less than three months duration) other than post-operative pain is not covered; or,

(b) Chronic, intractable pain:

(A) The pain has been present for at least three months; and,

(B) Other appropriate treatment modalities have been tried and failed; and,

(C) The presumed etiology of the pain is a type that is accepted as responding to TENS therapy. Examples of conditions for which a TENS unit are not considered to be medically appropriate are (not all-inclusive): headache, visceral abdominal pain, pelvic pain, and temporomandibular joint (TMJ) pain; and,

(D) The TENS unit must be used by the client on a trial basis for a minimum of one month (30 days), but not to exceed two months. The trial period is paid as a rental. The trial period must be monitored by the physician to determine the effectiveness of the TENS unit in modulating the pain;

(E) For coverage of a purchase, the physician must determine that the client is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. The physician's records must document a reevaluation of

the client at the end of the trial period, must indicate how often the client used the TENS unit, the typical duration of use each time, and the results.

(2) Documentation Requirements: Submit the following documentation from the attending or consulting physician with the prior authorization (PA) request:

(a) For both acute post-operative pain and chronic, intractable pain:

(A) A signed and dated order by the treating physician. The physician ordering the TENS unit must be the attending physician or a consulting physician for the disease or condition resulting in the need for the TENS unit; and,

(B) Documentation of multiple medications and/or therapies that have been tried and failed; and,

(C) A new order, when purchase is requested (after the required trial period). The initial date on

this order must not overlap the dates of the trial period.

(b) In addition, for a client with acute post-operative pain: date of surgery resulting in acute post-operative pain;

(c) In addition, for a client with chronic, intractable pain: location of the pain, the duration of time the client has had the pain, and the presumed etiology of the pain;

(d) For authorization of quantities of supplies greater than those described in this policy as the usual maximum amounts:

(A) Each request must include documentation supporting the medical appropriateness for the higher utilization; and,

(B) There must be clear documentation in the client's medical records corroborating the medical appropriateness of this amount.

(e) When ordering a 4 lead TENS unit, the client's medical record must document why 2 leads are insufficient to meet the client's needs;

(f) OMAP may request copies of the client's medical records that corroborate the order and any additional documentation that pertains to the medical appropriateness of items and quantities requested.

(3) Rental Guidelines: During the rental of a TENS unit, supplies for the unit are included in the rental allowance; there is no additional allowance for electrodes, lead wires, batteries, etc.

(4) Purchase Guidelines: If a TENS unit (E0720 or E0730) is purchased, the allowance includes lead wires and one month's supply of electrodes, conductive paste or gel (if needed), and batteries.

(5) Coding Guidelines:

(a) Separate allowance may be made for replacement supplies when they are medically appropriate and are used with a TENS unit that has been purchased and/or approved by OMAP;

(b) If 2 TENS leads are medically appropriate, then a maximum of one unit of Code A4595 would be allowed per month; if 4 TENS leads are necessary, a maximum of two units per month would be allowed;

(c) If the use of the TENS unit is less than daily, the frequency of billing for the TENS supply code should be reduced proportionally;

(d) There is no separate allowance for replacement electrodes (A4556), conductive paste or gel (A4558), replacement batteries (A4630), or a battery charger used with a TENS unit;

(e) Codes A4556 (Electrodes, [e.g., apnea monitor], per pair), A4558 (Conductive paste or gel), and A4630 (Replacement batteries, medically appropriate TENS owned by the client) are not valid for prior authorization. A4595 should be used instead;

(f) For code A4557, one unit of service is for lead wires going to two electrodes. If all the lead wires of a 4 lead TENS unit needed to be replaced, billing would be for two units of service;

(g) Replacement of lead wires (A4557) will be covered when they are inoperative due to damage and the TENS unit is still medically appropriate. Replacement more often than every 12 months is rarely medically appropriate;

(h) A TENS supply allowance (A4595) includes electrodes (any type), conductive paste or gel (if needed, depending on the type of electrode), tape or other adhesive (if needed, depending on the type of electrode), adhesive remover, skin preparation materials, batteries (9 volt or AA, single use or rechargeable), and a battery charger (if rechargeable batteries are used);

(i) Other supplies, including but not limited to the following, are not separately payable: adapters (snap, banana, alligator, tab, button, clip), belt clips, adhesive remover, additional connecting cable for lead wires, carrying pouches, or covers.

(j) Providers should contact the Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) for guidance on the correct coding of these items.

(k) Table 122-0500.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0500 Transcutaneous Electrical Nerve Stimulator (TENS)

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4557	Lead wires, (e.g., apnea monitor), per pair	PA	PC				NF
A4595	Electrical stimulator supplies (e.g., TENS, NMES), 2 lead, per month	PA	PC				NF
E0720	TENS, two lead, localized stimulation	PA	PC	RT	16	RP	NF
E0730	TENS, four or more leads for, multiple nerve stimulation	PA	PC	RT	16	RP	NF

410-122-0510 Electronic Stimulators

(1) Osteogenic Stimulators - Indications and Coverage:

(a) Non-spinal Electrical Osteogenesis Stimulator:

(A) A non-spinal electrical osteogenesis stimulator is covered only if any of the following criteria are met:

(i) Nonunion of a long bone fracture defined as radiographic evidence that fracture healing has ceased for three or more months prior to starting treatment with the osteogenesis stimulator; or

(ii) Failed fusion of a joint other than in the spine where a minimum of nine months has elapsed since the last surgery; or

(iii) Congenital pseudarthrosis.

(B) Non-union of a long bone fracture must be documented by a minimum of two sets of radiographs obtained prior to starting treatment with the osteogenesis stimulator, separated by a minimum of 90 days, each including multiple views of the fracture site, and with a written interpretation by a prescribing practitioner stating that there has been no clinically significant evidence of fracture healing between the two sets of radiographs.

(b) Ultrasonic Osteogenic Stimulators:

(A) Use of ultrasonic osteogenic stimulator is only covered when all of the following criteria are met:

(i) Non-union of a fracture documented by a minimum of two sets of radiographs obtained prior to starting treatment with the osteogenesis stimulator, separated by a minimum of 90 days. Each radiograph must include multiple views of the fracture site accompanied with a written interpretation by a prescribing practitioner stating that there has been no clinically significant evidence of fracture healing between the two sets of radiographs; and

(ii) Documentation that the client failed at least one surgical intervention for the treatment of the fracture.

(B) Not covered:

(i) Non-unions of the skull, vertebrae, and those that are tumor related;

(ii) When used concurrently with other noninvasive osteogenic devices;

(iii) Fresh fractures and delayed unions.

(c) Spinal Electrical Osteogenesis Stimulator - Use of the noninvasive spinal electrical osteogenesis stimulator is only covered for the following indications:

(A) Failed spinal fusion where a minimum of nine months has elapsed since the last surgery; or

(B) Following a multilevel spinal fusion surgery; or

(C) Following spinal fusion surgery where there is a history of a previously failed spinal fusion at the same site.

(d) Documentation:

(A) The following must be submitted for authorization for osteogenesis stimulators:

(i) Documentation of other alternative treatments tried but found ineffective;

(ii) Copies of prescribing practitioner's progress records;

(iii) Copies of X-ray reports;

(iv) Copies of surgical reports for authorization of ultrasonic osteogenic stimulators;

(v) Statement of medical appropriateness or copy of CMN from prescribing practitioner.

(B) Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner (for example, CMN) must be kept on file by the Durable Medical Equipment (DME) provider.

(e) Procedure Codes – Table 122-0510.

(2) Neuromuscular Stimulator:

(a) Indications and Coverage:

(A) Treatment of disuse atrophy where the nerve supply to the muscle is intact, including brain, spinal cord, and peripheral nerves, and other non-neurological reasons for disuse are causing atrophy. Examples include but are not limited to:

- (i) Casting or splinting of a limb;
- (ii) Contracture due to scarring of soft tissue as in burn lesions;
- (iii) Hip replacement surgery (until orthotic training begins).
- (B) Relation of muscle spasm;
- (C) Prevention or retardation of disuse atrophy;
- (D) Re-education of muscle;
- (E) Increasing local blood circulation;
- (F) Maintaining or increasing range of motion.
- (b) Documentation. The following must be submitted for authorization:
 - (A) Copies of prescribing practitioner's progress records;
 - (B) Statement of medical appropriateness from prescribing practitioner;
 - (C) Copy of practitioner's prescription;
 - (D) Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner must be kept on file by the DME provider.
- (c) Procedure Codes – Table 122-0510.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0510 Electronic Stimulators

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0747	Osteogenesis stimulator electrical (non-invasive) other than spinal application <ul style="list-style-type: none"> ■ One time payment per condition 	PA	PC				NF
E0748	Osteogenesis stimulator, electrical, non-invasive, spinal applications, one time payment per condition	PA	PC				NF
E0760	Osteogenesis stimulator, low intensity ultrasound, non-invasive	PA	PC				NF
A4595	Electrical stimulator supplies, two lead, per month (e.g., TENS, NMES) <ul style="list-style-type: none"> ■ Includes electrodes – any type ■ Conductive paste or gel – if needed, depending on the type of electrode ■ Tape or other adhesive – if needed, depending on the type of electrode ■ Adhesive remover ■ Skin preparation materials ■ Batteries – 9 volt or AA, single use or rechargeable, and ■ Battery charger – if rechargeable batteries are used 						
E0745	Neuromuscular stimulator, electronic shock unit	PA	PC	RT	16	RP	NF

410-122-0520 Diabetic Supplies

(1) Indications and Coverage:

(a) Home blood glucose monitors are indicated for clients who are diabetics and who can better control their blood glucose levels by frequently checking and appropriately contacting their treating practitioner for advice and treatment;

(b) Coverage of home blood glucose monitors is limited to clients meeting all of the following conditions:

(A) The client has diabetes which is being treated by a practitioner; and

(B) The glucose monitor and related accessories and supplies have been ordered by a practitioner who is treating the client's diabetes; and

(C) The client or caregiver has successfully completed training or is scheduled to begin training in the use of the monitor, test strips, and lancing devices; and

(D) The client or caregiver is capable of using the test results to assure the client's appropriate glycemic control; and

(E) The device is designed for home use.

(c) Purchase fee includes normal, low and high-calibrator solution/chips (A4256), battery (A4254), and spring-powered lancet device (A4258).

(2) Documentation:

(a) Documentation of medical appropriateness which has been reviewed and signed by the treating practitioner must be kept on file by the DME provider;

(b) When billing for quantities of supplies greater than those described in the policy (e.g., more than 100 blood glucose test strips per month for insulin dependent diabetes mellitus) documentation supporting the medical appropriateness for the higher utilization must be on file in the DME provider's records;

(c) The DME provider is required to have a new written order from the treating practitioner every 12 months.

(3) Procedure Codes – Table 122-0520.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0520 Diabetic Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4210	Needle-free injection device, each		PC				
A4211	Supplies for self-administered injections <ul style="list-style-type: none"> ■ Used for transparent syringe without a needle for insulin delivery, or ■ Used for adapter for transferring insulin from vial to transparent syringe without a needle, only 		PC				
A4244	Alcohol or peroxide, per pint		PC				
A4245	Alcohol wipes, per box		PC				
A4250	Urine test or reagent strips or tablets, per 100 tablets or strips		PC				
A4253	Blood glucose test or reagent strips for home blood glucose monitor, per 50 strips <ul style="list-style-type: none"> ■ Limits for non-insulin dependent diabetes mellitus (NIDDM) – 100 every three months ■ Limits for insulin dependent diabetes mellitus (IDDM) – 100 per month 		PC				
A4254	Replacement battery, any type, for use with medically appropriate home blood glucose monitor owned by client, each		PC				
A4255	Platforms for home blood glucose monitor, 50 per box		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4256	Normal, low and high calibrator solution/chips <ul style="list-style-type: none"> ■ Replacement only, not billable with new blood glucose monitor 		PC				
A4258	Spring-powered device for lancet, each		PC				
A4259	Lancets, per box of 100 <ul style="list-style-type: none"> ■ Limits for NIDDM – 100 every three months ■ Limits for IDDM – 100 per month 		PC				
A4772	Dextrostick or glucose test strips, per box		PC				
E0607	Home blood glucose monitor		PC			RP	
E2100	Blood glucose monitor with integrated voice synthesizers Covered when the following conditions are met: <ul style="list-style-type: none"> ■ The client and device meet one of the conditions listed for coverage of standard home blood glucose monitors (section (1) of this rule), and ■ The client’s treating practitioner certifies a severe visual impairment (>20/200 or worse corrected) 		PC			RP	
E2101	Blood glucose monitor with integrated lancing/blood sample collection Covered when all of the following conditions are met:		PC			RP	

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ The client and device meet one of the conditions listed for coverage of standard home blood glucose monitors (section (1) of this rule), and ■ The client's treating practitioner certifies a severe visual impairment (>20/200 or worse corrected), and ■ The client's treating practitioner certifies that the client has an impairment of manual dexterity severe enough to require the use of this special monitoring system 						
S8490	Insulin syringes, any size <ul style="list-style-type: none"> ■ 100 syringes 		PC				

410-122-0530 Proof of Delivery

(1) Suppliers are required to maintain proof of delivery documentation in their files. Proof of delivery must be available upon request.

(2) Proof of delivery requirements are based on the method of delivery.

(3) A delivery slip is required for items delivered directly by the supplier to the client or authorized representative. The delivery slip must include the following:

(a) The client or authorized representative's signature with the date the items were received (when billing, use this date as the date of service), and;

(b) The client's name, and;

(c) The quantity, brand name, serial number and a detailed description of the items being delivered.

(4) A tracking slip and a supplier's shipping invoice is required for items delivered by a delivery/shipping service to the client or authorized representative:

(a) The supplier's shipping invoice must include the:

(A) Client's name, and;

(B) Quantity, brand name, serial number and a detailed description of the items being delivered, and;

(C) Delivery service's package identification number associated with the client's packages, and;

(D) Shipping date (when billing, use this date as the date of service).

(b) The delivery service's tracking slip must reference:

(A) Each client's packages, and;

(B) The delivery address and corresponding package identification number given by the delivery service.

(5) For those clients who are residents of an assisted living facility, a twenty-four hour residential facility, an adult foster home, a child foster home, a private home or other similar living environment, suppliers must assure supplies are identified and labeled for use only by the specific client for whom the supplies/items are intended.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

8-1-04

410-122-0525 External Insulin Infusion Pump

(1) Coverage for an external insulin infusion pump for the administration of continuous subcutaneous insulin for the treatment of diabetes mellitus which has been documented by a fasting serum C-peptide level that is less than or equal to 110 percent of the lower limit of normal of the laboratory's measurement method, must meet criteria (a) or (b):

(a) The client has:

(A) Completed a comprehensive diabetes education program;

(B) Has been on a program of multiple daily injections of insulin (i.e., at least three injections per day), with frequent self-adjustments of insulin dose for at least six months prior to initiation of the insulin pump;

(C) Documented frequency of glucose self-testing an average of at least four times per day during the two months prior to initiation of the insulin pump, and;

(D) A Glycosylated hemoglobin level (HbA1C) greater than 7%, and Plus one or more of the following:

(i) History of recurring hypoglycemia;

(ii) Wide fluctuations in blood glucose before mealtime;

(iii) Dawn phenomenon with fasting blood sugars frequently exceeding 200 mg/dL;

(iv) History of severe glycemic excursions.

(b) The client has:

(A) Been on an external insulin infusion pump prior to enrollment in the Medical Assistance Program, and;

(B) Documented frequency of glucose self-testing an average of at least four times per day during the month prior to Medical Assistance Program enrollment.

(2) Continued coverage of an external insulin pump and supplies requires that the client be seen and evaluated by the treating practitioner at least every three months.

(3) The external insulin infusion pump must be ordered and follow-up care rendered by a practitioner who manages multiple clients on continuous subcutaneous insulin infusion therapy and who works closely with a team including nurses, diabetic educators, and dieticians who are knowledgeable in the use of continuous subcutaneous insulin infusion therapy.

(4) Documentation: Medical justification which supports the above criteria must be submitted with the request for prior authorization (PA) and kept on file by the DME provider.

(5) Procedure Codes – Table 122-0525.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0525 External Insulin Infusion Pump

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4221	Supplies for maintenance of drug infusion catheter, per week <ul style="list-style-type: none">Includes cannulas, needles, dressings and infusion supplies	PA	PC				NF
A4232	Syringe with needle for external insulin pump, sterile, 3 cc. <ul style="list-style-type: none">Does not include the insulinDescribes the insulin reservoir for use with E0784	PA	PC				NF
E0784	External ambulatory infusion pump, insulin <ul style="list-style-type: none">Includes instruction in use of pump	PA	PC	RT	16	RP	NF
K0601	Replacement battery for external infusion pump owned by patient, silver oxide, 1.5 volt, each		PC				NF
K0602	Replacement battery for external infusion pump owned by patient, silver oxide, 3 volt, each		PC				NF
K0603	Replacement battery for external infusion pump owned by patient, alkaline, 1.5 volt, each		PC				NF
K0604	Replacement battery for external infusion pump owned by patient, lithium, 3.6 volt, each		PC				NF
K0605	Replacement battery for external infusion pump owned by patient, lithium, 4.5 volt, each		PC				NF

410-122-0530 Proof of Delivery

(1) Suppliers are required to maintain proof of delivery documentation in their files. Proof of delivery must be available upon request.

(2) Proof of delivery requirements are based on the method of delivery.

(3) A delivery slip is required for items delivered directly by the supplier to the client or authorized representative. The delivery slip must include the following:

(a) The client or authorized representative's signature with the date the items were received (when billing, use this date as the date of service), and;

(b) The client's name, and;

(c) The quantity, brand name, serial number and a detailed description of the items being delivered.

(4) A tracking slip and a supplier's shipping invoice is required for items delivered by a delivery/shipping service to the client or authorized representative:

(a) The supplier's shipping invoice must include the:

(A) Client's name, and;

(B) Quantity, brand name, serial number and a detailed description of the items being delivered, and;

(C) Delivery service's package identification number associated with the client's packages, and;

(D) Shipping date (when billing, use this date as the date of service).

(b) The delivery service's tracking slip must reference:

(A) Each client's packages, and;

(B) The delivery address and corresponding package identification number given by the delivery service.

(5) For those clients who are residents of an assisted living facility, a twenty-four hour residential facility, an adult foster home, a child foster home, a private home or other similar living environment, suppliers must assure supplies are identified and labeled for use only by the specific client for whom the supplies/items are intended.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

8-1-04

410-122-0540 Ostomy Supplies: Colostomy, Ileostomy, Ureterostomy

(1) Indications and Coverage: The use of ostomy supplies are covered for clients with a surgically created opening (stoma) to divert urine, feces, or ilial contents to outside of the body.

(2) Documentation: The prescription, and documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner must be kept on file by the DME provider.

(3) Procedure Codes: Table 122-0540.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0540 Ostomy Supplies: Colostomy, Ileostomy, Ureterostomy

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4331	Extension drainage tubing, any type, any length, with connector/adaptor, for use with urinary leg bag or urostomy pouch, each		PC				
A4361	Ostomy face plate, each ■ May not bill for A4375, A4376, A4379, or A4380 at the same time		PC				
A4362	Skin barrier; solid, 4 x 4 or equivalent, standard wear, each		PC				
A4364	Adhesive, liquid or equal, any type, per oz.		PC				
A4365	Adhesive remover wipes, any type, 50 per box		PC				
A4366	Ostomy vent, any type, each		PC				
A4367	Ostomy Belt, each		PC				
A4369	Ostomy skin barrier, liquid (spray, brush, etc.), per oz		PC				
A4371	Ostomy skin barrier, powder, per oz.		PC				
A4372	Ostomy skin barrier, solid 4x4 or equivalent, with built-in convexity, each		PC				
A4373	Ostomy skin barrier, with flange (solid, flexible or accordion), with built-in convexity, any size, each		PC				
A4375	Ostomy pouch, drainable, with faceplate attached, plastic, each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4376	Ostomy pouch, drainable, with faceplate attached, rubber, each		PC				
A4377	Ostomy pouch, drainable, for use on faceplate, plastic, each		PC				
A4378	Ostomy pouch, drainable, for use on faceplate, rubber, each		PC				
A4379	Ostomy pouch, urinary, with faceplate attached, plastic, each		PC				
A4380	Ostomy pouch, urinary, with faceplate attached, rubber, each		PC				
A4381	Ostomy pouch, urinary, for use on faceplate, plastic, each		PC				
A4382	Ostomy pouch, urinary, for use on faceplate, heavy plastic, each		PC				
A4383	Ostomy pouch, urinary, for use on faceplate, rubber, each		PC				
A4384	Ostomy faceplate equivalent, silicone ring, each		PC				
A4385	Ostomy skin barrier, solid 4 x 4 or equivalent, extended wear, without built-in convexity, each		PC				
A4387	Ostomy pouch, closed, with barrier attached, with built-in convexity (one piece), each		PC				
A4388	Ostomy pouch, drainable, with extended wear barrier attached (one piece), each		PC				
A4389	Ostomy pouch, drainable, with barrier attached, with built-in convexity (one piece), each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4390	Ostomy pouch, drainable, with extended wear barrier attached, with built-in convexity (one piece), each		PC				
A4391	Ostomy pouch, urinary, with extended wear barrier attached, without built-in convexity (one-piece), each		PC				
A4392	Ostomy pouch, urinary, with standard wear barrier attached, with built-in convexity (one piece), each		PC				
A4393	Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity (one piece), each		PC				
A4394	Ostomy deodorant for use in ostomy pouch, liquid, per fluid ounce		PC				
A4395	Ostomy deodorant for use in ostomy pouch, solid, per tablet		PC				
A4396	Ostomy belt with peristomal hernia support		PC				
A4397	Irrigation supply, sleeve, each		PC				
A4398	Ostomy irrigation supply bag, each <ul style="list-style-type: none"> ■ May bill for A4399 at the same time 		PC				
A4399	Ostomy irrigation supplies, cone/catheter, including brush <ul style="list-style-type: none"> ■ May bill for A4398 at the same time 		PC				
A4402	Lubricant, per ounce <ul style="list-style-type: none"> ■ One unit of service = one oz 		PC				
A4404	Ostomy ring, each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4405	Ostomy skin barrier, non-pectin based, paste, per ounce		PC				
A4406	Ostomy skin barrier, pectin based, paste, per ounce		PC				
A4407	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, 4 x 4 inches or smaller, each		PC				
A4408	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, larger than 4 x 4 inches, each		PC				
A4409	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, without built-in convexity, 4 x 4 inches or smaller, each		PC				
A4410	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, without built-in convexity, larger than 4 x 4 inches, each		PC				
A4413	Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system) with filter, each		PC				
A4414	Ostomy skin barrier, with flange (solid, flexible, or accordion), without built-in convexity, 4 x 4 inches or smaller, each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4415	Ostomy skin barrier, with flange (solid, flexible, or accordion), without built-in convexity, larger than 4 x 4 inches, each		PC				
A4416	Ostomy pouch, closed, with barrier attached, with filter, each		PC				
A4417	Ostomy pouch, closed, with barrier attached, with filter, with built-in convexity, each		PC				
A4418	Ostomy pouch, closed; without barrier attached, with filter, each		PC				
A4419	Ostomy pouch, closed; for use on barrier with non-locking flange, with filter, (2-piece), each		PC				
A4420	Ostomy pouch, closed; for use on barrier with locking flange (2 piece), each		PC				
A4422	Ostomy absorbent material (sheet/pad/crystal packet) for use in ostomy pouch to thicken liquid stomal output, each		PC				
A4423	Ostomy pouch, closed; for use on barrier with locking flange (2 piece), with filter, each		PC				
A4424	Ostomy pouch, drainable, with barrier attached, with filter (1 piece), each		PC				
A4425	Ostomy pouch, drainable; for use on barrier with non-locking flange, with filter (2 piece system), each		PC				
A4426	Ostomy pouch, drainable; for use on barrier with locking flange (2 piece system), each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4427	Ostomy pouch, drainable; for use on barrier with locking flange, with filter (2 piece system), each		PC				
A4428	Ostomy pouch, urinary, with extended wear barrier attached, with faucet-type tap with valve (1 piece), each		PC				
A4429	Ostomy pouch, urinary, with barrier, attached, with built-in convexity, with faucet-type tap with valve (1 piece), each		PC				
A4430	Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity, with faucet-type tap with valve (1 piece), each		PC				
A4431	Ostomy pouch, urinary; with barrier attached, with faucet-type tap with valve (1 piece), each		PC				
A4432	Ostomy pouch, urinary; for use on barrier with non-locking flange, with faucet-type tap with valve (2 piece), each						
A4433	Ostomy pouch, urinary; for use on barrier with locking flange (2 piece), each		PC				
A4434	Ostomy pouch, urinary; for use on barrier with locking flange, with faucet-type		PC				
A4455	Adhesive remover or solvent (for tape, cement or other adhesive) <ul style="list-style-type: none"> ■ One unit of service = one oz. of liquid or spray) 		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A5051	Ostomy pouch, closed; with barrier attached (1 piece), standard wear, each		PC				
A5052	Ostomy pouch, closed; without barrier attached (1 piece), each		PC				
A5053	Ostomy pouch, closed; for use on faceplate, each		PC				
A5054	Ostomy pouch, closed for use on barrier with flange (2 piece), each		PC				
A5055	Stoma cap, each		PC				
A5062	Ostomy pouch, drainable, without barrier attached (1 piece), each		PC				
A5063	Ostomy pouch, drainable, for use on barrier with flange (2 piece system), each		PC				
A5071	Ostomy pouch, urinary, with barrier attached (1 piece), each		PC				
A5072	Ostomy pouch, urinary, without barrier attached (1 piece), each		PC				
A5073	Ostomy pouch, urinary, for use on barrier with flange (2 piece), each		PC				
A5081	Continent device; plug for continent stoma, each		PC				
A5082	Catheter for continent stoma, each		PC				
A5093	Ostomy accessory; convex insert, each		PC				
A5119	Skin barrier, wipes, box per 50		PC				
A5121	Skin barrier, solid, 6 x 6 or equivalent, each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A5122	Skin barrier, solid, 8 x 8 or equivalent, each		PC				
A5126	Adhesive or non-adhesive; disc or foam pad		PC				
A5131	Appliance cleaner, incontinence and ostomy appliances, per 16 oz.		PC				

410-122-0560 Urological Supplies

(1) Indications and Limitations of Coverage and/or Medical Appropriateness

(a) Urinary catheters and external urinary collection devices are covered when used to drain or collect urine for a client who has permanent urinary incontinence or permanent urinary retention;

(b) Permanent urinary retention is defined as retention that is not expected to be medically or surgically corrected within three months. A determination that there is no possibility that the client's condition may improve sometime in the future is not required. If the medical record, including the judgement of the attending treating physician, indicates the condition is of long and indefinite duration (ordinarily at least three months), the test of permanence is considered met;

(c) For adults, Medicare coverage criteria must be met (see Medicare's website for coverage criteria);

(d) Supplies for intermittent irrigation of indwelling catheters may be covered when they are used on an as needed (non-routine) basis in the presence of acute obstruction of the catheter;

(e) Supplies for continuous irrigation of indwelling catheters may be covered if there is a history of obstruction of the catheter and the patency of the catheter cannot be maintained by intermittent irrigation in conjunction with medically necessary catheter changes;

(f) Reimbursement for more than 200 pairs of non-sterile gloves (A4927) per month is not payable by the Office of Medical Assistance Programs (OMAP).

(2) Documentation Requirements: (a) Documentation of medical appropriateness which has been reviewed and signed by the treating physician must be kept on file by the durable medical equipment, prosthetics, orthotics and medical supplies (DMEPOS) provider;

(b) Medical appropriateness for use of a greater quantity of supplies than the amounts specified in this policy must be documented in the client's medical record and kept on file by the DMEPOS provider;

(c) Documentation required in this policy must be available to OMAP on request.

(3) Table 122-0560.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

10-1-05 Table 122-0560 Urological Services

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4217	Sterile water/saline, 500 ml.		PC				
A4310	Insertion tray without drainage bag and without catheter (accessories only) <ul style="list-style-type: none"> ■ Limited to one per month ■ Not covered for intermittent catheterization ■ Not covered at the same time as A4311, A4312, A4313, A4314, A4315, A4316, A4332, A4353, A4354 		PC				
A4311	Insertion tray without drainage bag, with indwelling catheter, Foley type, two-way latex with coating (teflon, silicone, silicone elastomer or hydrophilic, etc.) <ul style="list-style-type: none"> ■ Limited to one per month ■ Not covered for intermittent catheterization ■ Not covered at the same time as, A4310, A4312, A4313, A4314, A4315, A4316, A4332, A4338, A4340, A4344, A4346, A4351, A4352, A4353, A4354 		PC				
A4312	Insertion tray without drainage bag with indwelling catheter, Foley type, two-way, all silicone <ul style="list-style-type: none"> ■ Limited to one per month for routine catheter maintenance ■ Not covered for intermittent catheterization 		PC				

- Not covered at the same time as A4310, A4311, A4313, A4314, A4315, A4316, A4332, A4338, A4340, A4344, A4346, A4351, A4352, A4353, A4354, A5105

A4313 Insertion tray without drainage bag with indwelling catheter, † Foley type, three-way for continuous irrigation PC

- Limited to one per month for routine catheter maintenance
- Not covered for intermittent catheterization
- Not covered at the same time as A4310, A4311, A4312, A4314, A4315, A4316, A4332, A4338, A4340, A4344, A4346, A4351, A4352, A4353, A4354

A4314 Insertion tray with drainage bag with indwelling catheter, Foley type, two-way latex with coating (teflon, silicone, silicone elastomer or hydrophilic, etc.) PC

- Limited to one per month for routine catheter maintenance
- Not covered for intermittent catheterization
- Not covered at the same time as A4310, A4311, A4314, A4332, A4338, A4344, A4357

A4315 Insertion tray with drainage bag with indwelling catheter, Foley type, two-way, all silicone PC

- Not covered for intermittent catheterization

	<ul style="list-style-type: none"> ■ Not covered at the same time as A4310, A4312, A4332, A4344, A4354, A4357 	
A4316	<p>Insertion tray with drainage bag with indwelling catheter, Foley type, three-way, for continuous irrigation</p> <ul style="list-style-type: none"> ■ Limited to one per month for routine catheter maintenance ■ Not covered for intermittent catheterization ■ Not covered at the same time as A4310, A4313, A4332, A4344, A4346, A4354, A4357 	PC
A4320	Irrigation tray with bulb or piston syringe, any purpose	PC
A4322	Irrigation syringe, bulb or piston, each	PC
A4325	<p>Male external catheter, with adhesive strap, each</p> <p>Adhesive strips or tape are included in the allowable</p> <p>Not covered at the same time as K0572, K0573</p>	PC
A4326	Male external catheter specialty type with integral collection chamber, each	PC
A4327	<p>Female external urinary collection⁴ device, metal cup, each</p> <ul style="list-style-type: none"> ■ Limited to one per week 	PC
A4328	<p>Female external urinary collection device; pouch, each</p> <ul style="list-style-type: none"> ■ Limited to one per day 	PC

A4331	Extension drainage tubing, any type, any length, with connector/adaptor, for use with urinary leg bag or urostomy pouch, each	PC
A4332	Lubricant, individual sterile packet, for insertion of urinary catheter, each <ul style="list-style-type: none"> ■ Not covered for intermittent catheterization (A4351, A4352) ■ Not covered at the same time as A4310, A4311, A4312, A4313, A4314, A4315, A4316, A4353, A4354 	PC
A4333	Urinary catheter anchoring device, adhesive skin attachment, each – OMAP will purchase <ul style="list-style-type: none"> ■ Limited to three per week 	PC
A4334	Urinary catheter anchoring device, leg strap, each <ul style="list-style-type: none"> ■ Limited to one per month 	PC
A4338	Indwelling catheter; Foley type, two-way latex with coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each <ul style="list-style-type: none"> ■ Limited to one per month for routine catheter maintenance ■ Not covered at the same time as A4311 	PC
A4340	Indwelling catheter; specialty type, e.g., coude, mushroom, wing, etc., each <ul style="list-style-type: none"> ■ Limited to one per month for routine catheter maintenance 	PC
A4344	Indwelling catheter Foley type, two-way, all silicone, each	PC

- Limited to one per month for routine catheter maintenance
 - Not covered at the same time as A4312, A4315
- A4346 Indwelling catheter, Foley type, three-way for continuous irrigation, each PC
- Limited to one per month for routine catheter maintenance
 - Not covered at the same time as A4313, A4316
 - Limited to use for continuous irrigation of indwelling catheter
- A4348 Male external catheter with integral collection compartment, extended wear, each PC
- A4349 Male external catheter, with or without adhesive, disposable, coating each PC
- Limited to 35 per month
 - Adhesive strips or tape are included in the allowable
 - Not covered at the same time as K0572, K0573
- A4351 Intermittent urinary catheter; straight tip, each PC
- Limited to one per week
 - Not covered at the same time as A4332, A4352 or A4353
- A4352 Intermittent urinary catheter; coude (curved) tip, each PC
- Limited to one per week

- Not covered at the same time as A4332, A4351 or A4353
- A4353 Intermittent urinary catheter with insertion supplies PC
- Includes a catheter, lubricant, gloves, antiseptic solution, applicators, drape, and a tray or bag in a sterile package intended for single use
 - Limited to one per week
 - Not covered at the same time as A4310, A4332, A4344, A4351, A4352
- A4354 Catheter insertion tray with drainage bag but without catheter PC
- Not covered at the same time as A4310, A4314, A4315, A4316, A4332, A4357
- A4355 Irrigation tubing set for continuous bladder irrigation through a three-way indwelling Foley catheter, each PC
- A4356 External urethral clamp or compression device (not to be used for a catheter clamp), each PC
- Limited to one per three months
- A4357 Bedside drainage bag, day or night, with or without anti-reflux device, with or without tube, each PC
- Limited to two per month
 - Not covered at the same time as A4314, A4315, A4316, A4354, A5102

A4358	Urinary drainage bag, leg or abdomen, vinyl, with or without tube, with straps, each <ul style="list-style-type: none"> ■ For clients who are ambulatory, up in a chair or wheelchair bound ■ Limited to two per month ■ Not covered at the same time as A5105, A5112, A5113, A5114 	PC
A4359	Urinary suspensory without leg bag, each <ul style="list-style-type: none"> ■ Not covered at the same time as A5105 	PC
A4402	Lubricant, per ounce	PC
A4450	Tape, non-waterproof, per 18 square inches <ul style="list-style-type: none"> ■ Not covered at the same time as A4325 A4349 ■ 	PC
A4452	Tape, waterproof, per 18 square inches <ul style="list-style-type: none"> ■ Not covered at the same time as A4325 A4349 	PC
A4927	Gloves, non-sterile, per 100 <ul style="list-style-type: none"> ■ Limited to 200 pair per month 	PC
A4930	Gloves, sterile, per pair For sterile catheter technique only	PC
A5102	Bedside drainage bottle, with or without tubing, rigid or expandable, each <ul style="list-style-type: none"> ■ Limited to two per six months ■ Not covered at the same time as A4357 	PC

A5105	Urinary suspensory; with leg bag, with or without tube	PC
	<ul style="list-style-type: none"> ■ Not covered at the same time as A4358, A4359, A5112, A5113, A5114 	
A5112	Urinary leg bag; latex	PC
	<ul style="list-style-type: none"> ■ Limited to one per month ■ For clients who are ambulatory, up in a chair or wheelchair bound ■ Not covered at the same time as A4358, A5113, A5114 	
A5113	Leg strap; latex, replacement only, per set	PC
	<ul style="list-style-type: none"> ■ Not covered at the same time as A4112, A4358, A5105 	
A5114	Leg strap; foam or fabric, replacement only, per set	PC
	<ul style="list-style-type: none"> ■ Not covered at the same time as A4358, A5105, A5112 	
A5131	Appliance cleaner, incontinence and ostomy appliances, per 16 oz.	PC
A5200	Percutaneous catheter/tube anchoring device, adhesive skin attachment	PC

410-122-0580 Bath Supplies

(1) Indications and Coverage – A rehab shower/commode chair is covered when all of the following criteria are met:

(a) Client is unable to use a standard shower chair/bench due to a musculoskeletal condition;

(b) Client has positioning, trunk stability or neck support needs that a standard shower chair/bench cannot provide;

(c) The home (shower) can accommodate a rehab/shower chair; and,

(d) Less costly alternatives have been considered and ruled out.

(2) Documentation:

(a) The prescription and medical justification for the equipment must be kept on file by the DME supplier. The prescribing practitioner's records must contain information which supports the medical appropriateness of the item ordered.

(b) Documentation of MSRP must be kept on file by the DME supplier.

(c) For a rehab/shower chair, submit documentation to support the above criteria, including a list of equipment available for client's use.

(3) Table 122-0580

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

1-1-05

Table 122-0580 Bath Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0160	Sitz type bath or equipment, portable, used with or without commode		PC				
E0161	Sitz type bath or equipment, portable, used with or without commode with faucet attachments		PC				
E0162	Sitz bath chair	*	PC	RT			
E0240	Bath/shower chair, with or without wheels, any size						
	* - By report (submit invoice and shipping charges for payment review)						
E0241	Bathtub wall rail, each		PC				
E0242	Bathtub rail floor base		PC				
E0243	Toilet rail, each		PC				
E0245	Tub stool or bench		PC				
E0246	Transfer tub rail attachment		PC				
E0247	Transfer bench for tub or toilet with or without commode opening		PC				
E0248	Transfer bench, heavy duty, for tub or toilet with or without commode opening		PC				

Code	Description	PA	PC	RT	MR	RP	NF
E1399	<p>Durable medical equipment, miscellaneous, includes but is not limited to:</p> <ul style="list-style-type: none"> ■ Rehab shower/commode chair; and ■ Other medically appropriate ONLY accessories for a rehab shower/commode chair such as: <ul style="list-style-type: none"> ◆ Elevating and/or swing away footrest ◆ Swing away arm rests ◆ Non-corrosive construction ◆ Padded seat ◆ Wheeled Adjustable head immobilized ◆ Reclining back ◆ Braking system ◆ Leg and/or restraint belt 	PA	PC	RT		RP	

410-122-0590 Patient Lifts

(1) Indications and Coverage -- A lift is covered if transfer between bed and a chair, wheelchair, or commode requires the assistance of more than one person and, without the use of a lift, the client would be bed confined.

(2) A sling or seat for a client lift may be covered as an accessory when ordered as a replacement for the original equipment item.

(3) E0621 is included in the allowance for E0630 when provided at the same time.

(4) Procedure Codes:

(a) E0621 -- Sling or seat, client lift, canvas or nylon – the Office of Medical Assistance Programs (OMAP) will purchase – Prior authorization (PA) required;

(b) E0630 -- Client lift, hydraulic with seat or sling (considered purchased after 13 months of rental) – OMAP will purchase, rent or repair – PA required;

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

410-122-0600 Toilet Supplies

(1) Commodes:

(a) Covered when the client is physically incapable of utilizing regular toilet facilities. This would occur when the client is confined to:

(A) A single room; or

(B) One level of the home environment and there is no toilet on that level; or

(C) The home and there are no toilet facilities in the home.

(b) Documentation: The practitioner's records must contain information which supports the medical appropriateness of the item ordered;

(2) Extra-wide/heavy-duty commodes:

(a) Are covered when the client weighs 300 pounds or more and meets the criteria for commodes;

(b) Documentation: Documentation must include the prescription and the client's height and weight. Submit this information when requesting prior authorization;

(3) Procedure Codes – Table 122-0600.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0600 Toilet Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E0163	Commode chair – stationary with fixed arms		PC	RT	16	RP	
E0164	Commode chair, mobile with fixed arms		PC	RT	16	RP	
E0165	Commode chair, stationary, with detachable arms <ul style="list-style-type: none"> ■ Covered if necessary to facilitate transferring the client ■ Covered if the client has a body configuration that requires extra width 		PC	RT	16	RP	
E0166	Commode chair, mobile, with detachable arms <ul style="list-style-type: none"> ■ Covered if necessary to facilitate transferring the client ■ Covered if the client has a body configuration that requires extra width 		PC	RT	16	RP	
E0167	Pail or pan for use with commode chair <ul style="list-style-type: none"> ■ Replacement only ■ Not covered at same time as E0163, E0164, E0165, E0166 		PC				
E0168	Commode chair, extra-wide and/or heavy-duty, stationary or mobile, with or without arms, any type, each <ul style="list-style-type: none"> ■ Width of 23 inches or more and/or capable of supporting clients who weigh 300 pounds or more 	PA	PC	RT	16	RP	

Code	Description	PA	PC	RT	MR	RP	NF
E0244	Raised toilet seat		PC				
E0275	Bedpan, standard metal or plastic		PC				
E0276	Bedpan, fracture metal or plastic		PC				
E0325	Urinal, male, jug-type, any material		PC				
E0326	Urinal, female, jug-type, any material		PC				

410-122-0620 Miscellaneous Supplies

Procedure Codes – Table 122-0620.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0620 Miscellaneous Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4206	Syringe with needle, sterile 1cc, each ■ Also used for .3cc or .5cc sterile syringe with needle		PC				
A4207	Syringe with needle, sterile, 2cc, each		PC				
A4208	Syringe with needle, sterile, 3cc, each		PC				
A4209	Syringe with needle, sterile, 5cc or greater, each		PC				
A4213	Syringe, sterile, 20cc or greater, each		PC				
A4215	Needle only, sterile, any size, each		PC				
A4244	Alcohol or peroxide, per pint		PC				
A4245	Alcohol wipes, per box		PC				
A4246	Betadine or phiso hex solution, per 4 pint		PC				
A4247	Betadine or iodine swabs/wipes, per box		PC				
A4250	Urine test or reagent strips or tablets (100 tablets or strips)		PC				
A4320	Irrigation tray with bulb or piston syringe, any purpose		PC				
A4322	Irrigation syringe, bulb or piston, each		PC				
A4330	Perianal fecal collection pouch with adhesive, each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A4455	Adhesive remover or solvent (for tape, cement or other adhesive) <ul style="list-style-type: none"> ■ One unit of service equals one oz. of liquid or spray 		PC				
A4660	Sphygmomanometer/blood pressure apparatus with cuff and stethoscope		PC				
A4663	Blood pressure cuff only		PC				
A4670	Automatic blood pressure monitor <ul style="list-style-type: none"> ■ Covered only if no one in residence is available to safely and accurately use or assist with standard blood pressure equipment and client or caregiver must be able to demonstrate ability to use equipment and correctly interpret results 	PA	PC				
A4773	Hemostix, per bottle		PC				
E0191	Heel or elbow protector, each		PC				
E0370	Air pressure elevator for heel		PC				
E0701	Helmet with face guard and soft interface materials, prefabricated		PC				NF
E0776	IV pole		PC	RT	16	RP	
L8501	Tracheostomy speaking valve <ul style="list-style-type: none"> ■ See the OMAP Speech/Hearing Services rules for billing instructions 		PC				NF
S8265	Haberman feeder for cleft lip/palate		PC				
V5266	Battery for use in hearing device <ul style="list-style-type: none"> ■ Limited to 60 batteries per calendar year 		PC				NF

410-122-0625 Surgical Dressing

Procedure Codes -- Table 122-0625.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0625 Surgical Dressing

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4450	Tape, non-waterproof, per 18 square inches		PC				
A4452	Tape, waterproof, per 18 square inches		PC				
A4462	Abdominal dressing holder, each		PC				
A4927	Gloves, non-sterile, per 100 ■ Limited to 200 pair per month		PC				
A4930	Gloves, sterile, per pair, limited to sterile procedure only		PC				
A6010	Collagen based wound filler, dry form, per gram of collagen		PC				
A6011	Collagen based wound filler, gel/paste, per gram of collagen		PC				
A6021	Collagen dressing, pad size 16 sq. in. or less, each		PC				
A6022	Collagen dressing, pad size more than 16 sq. in., but less than or equal to 48 sq. in., each		PC				
A6023	Collagen dressing, pad size more than 48 sq. in., each		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6024	Collagen dressing, wound filler, per 6 in.		PC				
A6025	Gel sheet for dermal or epidermal application, (e.g., silicone, hydro-gel, other), each		PC				
A6154	Wound pouch, each		PC				
A6196	Alginate dressing, wound cover, pad size 16 sq. inches or less, each dressing		PC				
A6197	Alginate dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, each dressing		PC				
A6198	Alginate dressing, wound cover, pad size more than 48 sq. inches, each dressing		PC				
A6199	Alginate dressing, wound filler <ul style="list-style-type: none"> ■ One unit of service = six inches 		PC				
A6200	Composite dressing, pad size 16 sq. inches or greater, but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6201	Composite dressing, pad size more than 16 sq. inches, but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6202	Composite dressing, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6203	Composite dressing, pad size 16 sq. inches or less, with any size adhesive border, each dressing		PC				
A6204	Composite dressing, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6205	Composite dressing, pad size more than 48 sq. inches, with any size adhesive border, each dressing		PC				
A6206	Contact layer, 16 sq. inches, or less, each dressing		PC				
A6207	Contact layer, more than 16 sq. inches but less than or equal to 48 sq. inches, each dressing		PC				
A6208	Contact layer, more than 48 sq. inches, each dressing		PC				
A6209	Foam dressing, wound cover, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6210	Foam dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6211	Foam dressing, wound cover, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6212	Foam dressing, wound cover, pad size 16 sq. inches or less, with any size adhesive border, each dressing		PC				
A6213	Foam dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6214	Foam dressing, wound cover, pad size more than 48 sq. inches, with any size adhesive border, each dressing		PC				
A6215	Foam dressing, wound filler <ul style="list-style-type: none"> ■ One unit of service = one gram 		PC				
A6216	Gauze, non-impregnated, non-sterile, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6217	Gauze, non-impregnated, non-sterile,		PC				
A6218	Gauze, non-impregnated, non-sterile, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6219	Gauze, non-impregnated, non-sterile, pad size 16 sq. inches, or less, with any size adhesive border, each dressing		PC				
A6220	Gauze, non-impregnated, non-sterile, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6221	Gauze, non-impregnated, non-sterile, pad size more than 48 sq. inches, with any size adhesive border, each dressing		PC				
A6222	Gauze, impregnated with other than water, normal saline, or hydro-gel, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6223	Gauze, impregnated with other than water, normal saline, or hydro-gel, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6224	Gauze, impregnated with other than water, normal saline, or hydro-gel, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6231	Gauze, impregnated, hydro-gel, for direct wound contact, pad size 16 sq. inches or less, each dressing		PC				
A6232	Gauze, impregnated, hydro-gel, for direct wound contact, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, each dressing		PC				
A6233	Gauze, impregnated, hydro-gel, for direct wound contact, pad size more than 48 sq. inches, each dressing		PC				
A6234	Hydrocolloid dressing, wound cover, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6235	Hydrocolloid dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6236	Hydrocolloid dressing, wound cover, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6237	Hydrocolloid dressing, wound cover, pad size 16 sq. inches or less, with any size adhesive border, each dressing		PC				
A6238	Hydrocolloid dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6239	Hydrocolloid dressing, wound cover, pad size more than 48 sq. inches, with any size adhesive border, each dressing		PC				
A6240	Hydrocolloid dressing, wound filler, paste		PC				
	<ul style="list-style-type: none"> ■ One unit of service = one ounce 						
A6241	Hydrocolloid dressing, wound filler, dry form		PC				

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ One unit of service = one gram 						
A6242	Hydro-gel dressing, wound cover, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				
A6243	Hydro-gel dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6244	Hydro-gel dressing, wound cover, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6245	Hydro-gel dressing, wound cover, pad size 16 sq. inches or less, with any size adhesive border, each dressing		PC				
A6246	Hydro-gel dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6247	Hydro-gel dressing, wound cover, pad size more than 48 sq. inches, with any size adhesive border, each dressing		PC				
A6248	Hydro-gel dressing, wound filler, gel		PC				

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ One unit of service = one fluid ounce 						
A6251	Specialty absorptive dressing, wound cover, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				
A6252	Specialty absorptive dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				
A6253	Specialty absorptive dressing, wound cover, pad size more than 48 sq. inches without adhesive border, each dressing		PC				
A6254	Specialty absorptive dressing, wound cover, pad size 16 sq. inches or less, with any size adhesive border, each dressing		PC				
A6255	Specialty absorptive dressing, wound cover, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, with any size adhesive border, each dressing		PC				
A6256	Specialty absorptive dressing, wound cover, pad size more than 48 sq. inches with any size adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6257	Transparent film, 16 sq. inches or less, each dressing		PC				
A6258	Transparent film, more than 16 sq. inches but less than or equal to 48 sq. inches, each dressing		PC				
A6259	Transparent film, more than 48 sq. inches, each dressing		PC				
A6261	Wound filler, not elsewhere classified, gel/paste <ul style="list-style-type: none"> ■ One unit of service = one fluid ounce 	PA	PC				
A6262	Wound filler, not elsewhere classified, dry form <ul style="list-style-type: none"> ■ One unit of service = one gram 	PA	PC				
A6266	Gauze, impregnated, other than water or normal saline, or zinc paste, any width <ul style="list-style-type: none"> ■ One unit of service = one linear yard) 		PC				
A6402	Gauze, non-impregnated, sterile, pad size 16 sq. inches or less, without adhesive border, each dressing		PC				
A6403	Gauze, non-impregnated, sterile, pad size more than 16 sq. inches but less than or equal to 48 sq. inches, without adhesive border, each dressing		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6404	Gauze, non-impregnated, sterile, pad size more than 48 sq. inches, without adhesive border, each dressing		PC				
A6410	Eye pad, sterile, each		PC				
A6411	Eye pad, non-sterile, each		PC				
A6512	Eye patch, occlusive, each		PC				
A6441	Padding bandage, non-elastic, non-woven/non-knitted, width greater than or equal to three inches and less than five inches, per yard		PC				
A6442	Conforming bandage, non-elastic, knitted/woven, non-sterile, width less than three inches, per yard		PC				
A6443	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to three inches and less than five inches, per yard		PC				
A6444	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to five inches, per yard		PC				
A6445	Conforming bandage, non-elastic, knitted/woven, sterile, width less than three inches, per yard		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6446	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to three inches and less than five inches, per yard		PC				
A6447	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to five inches, per yard		PC				
A6448	Light compression bandage, elastic, knitted/woven, width less than three inches, per yard		PC				
A6449	Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard		PC				
A6452	High compression bandage, elastic, knitted/woven, load resistance greater than or equal to 1.35 foot pounds at 50 percent maximum stretch, width greater than or equal to three inches and less than five inches, per yard		PC				
A6453	Self-adherent bandage, elastic, non-knitted/non-woven, width less than three inches, per yard		PC				
A6454	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to three inches and less than five inches, per yard		PC				

Code	Description	PA	PC	RT	MR	RP	NF
A6455	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to five inches, per yard		PC				
A6456	Zinc paste impregnated bandage, non-elastic, knitted/woven width greater than or equal to three inches and less than five inches, per yard		PC				
A7040	One way chest drain valve		PC				
A7041	Water seal drainage container and tubing for use with implanted chest tube		PC				

410-122-0630 Incontinent Supplies

(1) Incontinent supplies may be covered for urinary or fecal incontinence as follows:

(a) Category I Incontinent Supplies:

(b) For up to 220 units (any code or product combination in this category) per month, unless documentation supports the medical appropriateness for a higher quantity.

(c) Category II Incontinent Supplies:

(A) For up to 100 units (any code or product combination in this category) per month when;

(i) A documented bowel and bladder retraining program is present; and,

(ii) A client has partial ability to be continent; and,

(iii) Treatment failure with other, less-expensive products is documented; or,

(B) For autism with tactile aversion; or,

(C) For other medically appropriate reasons;

(D) Category II Incontinent Supplies are not separately payable with any other incontinent supplies.

(d) Category III Underpads:

(A) Disposable underpads:(T4541 and T4542) For up to 100 units (any combination of T4541 and T4542) per month, unless documentation supports the medical appropriateness for a higher quantity, up to a maximum of 150 units per month; .

(B) Reusable/washable underpads: (T4537 and T4540) For up to eight units (any combination of T4537 and T4540) in a 12 month period;

(C) Category III Underpads are separately payable only with Category I Incontinent Supplies;

(D) T4541 and T4542 are not separately payable with T4537 and T4540 for the same dates of service or anticipated coverage period. For example, if a provider bills and is paid for eight reusable/washable underpads on a given date of

service, a client would not be eligible for disposable underpads for the subsequent 12 months.

(e) Category IV Washable Protective Underwear: For up to 12 units in a 12 month period.

Category IV Washable Protective Underwear is not separately payable with Category I Incontinent Supplies for the same dates of service or anticipated coverage period. For example, if a provider bills and is paid for 12 units of T4536 on a given date of service, a client would not be eligible for Category I Incontinent Supplies for the subsequent 12 months.

(2) Incontinent supplies are not covered:

(a) For nocturnal enuresis; or,

(b) For children under the age of three.

(3) A provider may only submit A4335 when there is no definitive Healthcare Common Procedure Coding System (HCPCS) code that meets the product description.

(4) Documentation requirements: Submit the following documentation for review:

(a) For all categories, the medical reason for incontinence; and,

(b) In addition, for Category II Incontinent Supplies only:

(A) Bowel and bladder retraining program (this can be in the form of a care plan); and,

(B) Medical proof that other products have been tried and failed; and,

(C) Documented progress of achieving or maintaining goals of bowel and bladder training program.

(5) Quantity specification:

(a) For prior authorization (PA) and reimbursement purposes, a unit count for Category I – IV codes is considered as single or individual piece of an item and not as multiple quantity;

(b) If an item quantity is listed as number of boxes, cases or cartons, the total number of individual pieces of that item contained within that respective

measurement (box, case or carton) must be specified in the unit column on the PA request. See table 122-0630-2;

(c) For gloves (Category V Miscellaneous), 100 gloves equal one unit.

(9)Table 122-0630-1

(10)Table 122-0630-2

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0630-1 Incontinent Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
CATEGORY I – Incontinent Supplies							
A4335	Incontinence supply; miscellaneous	PA	PC				
T4521	Adult-sized disposable incontinence product, brief/diaper, small, each	PA	PC				
T4522	Adult-sized disposable incontinence product, brief/diaper, medium, each	PA	PC				
T4523	Adult-sized disposable incontinence product brief/diaper, large, each	PA	PC				
T4524	Adult-sized disposable incontinence product, brief/diaper, extra large, each	PA	PC				
T4525	Adult-sized disposable incontinence product, protective underwear/pull-on, small size, each	PA	PC				
T4526	Adult-sized disposable incontinence product, protective underwear/pull-on, medium size, each	PA	PC				
T4527	Adult-sized disposable incontinence product, protective underwear/pull-on, large size, each	PA	PC				
T4528	Adult-sized disposable incontinence product, protective underwear/pull-on, extra large size, each	PA	PC				
T4529	Pediatric-sized disposable incontinence product, brief/diaper, small/medium, each	PA	PC				

T4530	Pediatric-sized disposable incontinence product, brief/diaper, large, each	PA	PC
T4531	Pediatric-sized disposable incontinence product, protective underwear/pull-on, small/medium size, each	PA	PC
T4532	Pediatric-sized disposable incontinence product, protective underwear/pull-on, large size, each	PA	PC
T4533	Youth-sized disposable incontinence product, brief/diaper, each	PA	PC
T4534	Youth-sized disposable incontinence product, protective underwear/pull-on, each	PA	PC
T4535	Disposable liner/ shield/ guard/ pad/ undergarment, for incontinence, each	PA	PC
	<ul style="list-style-type: none"> ■ Including but not limited to: pant liner, insert, insert pad, shield, pad, guard, booster pad, or belt-less undergarment 		

Table 122-0630-1 Incontinent Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
T4538	Diaper service, reusable diaper, each diaper	PA	PC				
CATEGORY II - Incontinent Supplies							
T4525	Adult-sized disposable incontinence product, protective underwear/pull-on, small size, each	PA	PC				
T4526	Adult-sized disposable incontinence product, protective underwear/pull-on, medium size, each	PA	PC				
T4527	Adult-sized disposable incontinence product, protective underwear/pull-on, large size, each	PA	PC				
T4528	Adult-sized disposable incontinence product, protective underwear/pull-on, extra large size, each	PA	PC				
T4531	Pediatric-sized disposable incontinence product, protective underwear/pull-on, small/medium size, each	PA	PC				
T4532	Pediatric-sized disposable incontinence product, protective underwear/pull-on, large size, each	PA	PC				
T4534	Youth-sized disposable incontinence product, protective underwear/pull-on, each	PA	PC				

Table 122-0630-1 Incontinent Supplies

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
CATEGORY III – Underpads							
T4537	Incontinence product, protective underpad, reusable, bed size, each	PA	PC				
T4540	Incontinence product, protective underpad, reusable, chair size, each	PA	PC				
T4541	Incontinence product, disposable, large, each (more than 394 square inches)	PA	PC				
T4542	Incontinence product, disposable, small, each (less than or equal to 394 square inches)	PA	PC				
CATEGORY IV – Washable Protective Underwear							
T4536	Incontinence product, protective underwear/pull-on, reusable, any size, each	PA	PC				
CATEGORY V - Miscellaneous							
A4927	Gloves, non-sterile, per 100 (50 pairs)		PC				
	<ul style="list-style-type: none"> ■ Limited to 4 units (200 pairs) per month ■ Covered only when directly related to usage of incontinent supplies 						

Table 122-0630-2 Incontinent Supplies

**How to count units/pieces when requesting prior authorization (PA) –
Sample**

Container description	Individual pieces (count)	Units considered for PA
1 box of diapers	10	10
1 box of gloves	100 pieces (50 pairs)	100 gloves = 1 unit

410-122-0640 Eye Prostheses

(1) Indications and Coverage:

(a) An eye prosthesis is indicated for a client (adult or child) with absence or shrinkage of an eye due to birth defect, trauma or surgical removal;

(b) Polishing and resurfacing will be allowed on a yearly basis;

(c) Replacement is covered every five years with extensions allowed when documentation supports medical appropriateness for more frequent replacement.

(2) Documentation: Documentation of medical appropriateness which has been reviewed and signed by the prescribing practitioner (for example, CMN) must be kept on file by the DME provider.

(3) Procedure Codes – Table 122-0640.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0640 Eye Prostheses

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
V2623	Prosthetic eye, plastic, custom		PC				NF
V2624	Polishing/Resurfacing of ocular prosthesis		PC				NF
V2625	Enlargement of ocular prosthesis		PC				NF
V2626	Reduction of ocular prosthesis		PC				NF
V2627	Scleral cover shell		PC				NF
V2628	Fabrication and fitting of ocular conformer		PC				NF
V2629	Prosthetic eye, other type		PC				NF

410-122-0660 Orthotics and Prosthetics

(1) Indications and Coverage:

(a) All of the orthotic and prosthetic “L” codes and any temporary “S” or “K” codes have been removed from the rules except for:

(A) OAR 410-122-0470 Supports and Stockings;

(B) OAR 410-122-0255 External Breast Prosthesis, and;

(C) OAR 410-122-0680 Facial Prosthesis.

(b) Use the current HCPCS Level II Guide for current codes and descriptions;

(c) For adults, follow Medicare current guidelines for determining coverage;

(d) For children, the prescribing practitioner must determine and document medical appropriateness.

(2) Prior Authorization is required for the following codes:

(a) L1499;

(b) L2999;

(c) L3649;

(d) L3999;

(e) L5999;

(f) L7499;

(g) L8499;

(h) L9900.

(3) Codes Not Covered -- Table 122-0660.

(4) Reimbursement:

(a) The hospital is responsible for reimbursing the provider for orthotics and prosthetics provided on an inpatient basis;

(b) Evaluations, office visits, fittings and materials are included in the service provided;

(c) Evaluations will only be reimbursed as a separate service when the provider travels to a client's residence to evaluate the client's need;

(d) All covered orthotic and prosthetic codes are also covered if client resides in a nursing facility except:

(A) L1500;

(B) L1510, and;

(C) L1520.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

4-1-05

Table 122-0660 Orthotics and Prosthetics

Codes Not Covered

L1844	L5780	L6875	L7025	L7362
L2750	L5781	L6881	L7030	L7364
L2780	L5782	L6882	L7035	L7366
L3031	L5822	L6920	L7040	L7367
L3251	L5824	L6925	L7045	L7368
L5610	L5828	L6930	L7170	L7500
L5613	L5830	L6935	L7180	L7520
L5614	L5847	L6940	L7185	L7900
L5722	L5848	L6945	L7186	L8510
L5724	L5980	L6950	L7190	L8511
L5726	L6025	L6955	L7191	L8512
L5728	L6310	L6960	L7260	L8513
L8010	L6360	L6965	L7261	L8514
L8500	L6638	L6970	L7266	L8614
L8501	L6646	L6975	L7272	L8619
L8505	L6648	L7015	L7274	
L8507	L6825	L7020	L7360	

410-122-0678 Dynamic Adjustable Extension/Flexion Device

Procedure Codes – Table 122-0678

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0678 Dynamic Adjustable Extension/Flexion Device

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
E1800	Dynamic adjustable elbow extension/flexion device, includes soft interface material		PC	RT	16		NF
E1802	Dynamic adjustable forearm pronation/supernator device, includes soft interface material		PC	RT	16		NF
E1805	Dynamic adjustable wrist extension/flexion device, includes soft interface material		PC	RT	16		NF
E1810	Dynamic adjustable knee extension/flexion device, includes soft interface material		PC	RT	16		NF
E1815	Dynamic adjustable ankle extension/flexion device, includes soft interface material		PC	RT	16		NF
E1820	Replacement soft interface material, dynamic adjustable extension/flexion device		PC				NF
E1825	Dynamic adjustable finger extension/flexion device, includes soft interface material		PC	RT	16		NF
E1830	Dynamic adjustable toe extension/flexion device, includes soft interface material		PC	RT	16		NF
E1840	Dynamic adjustable shoulder flexion/abduction/rotation device, includes soft interface material		PC	RT	16		NF

410-122-0680 Facial Prostheses

(1) Indications and Coverage:

(a) Covered when there is loss or absence of facial tissue due to disease, trauma, surgery, or a congenital defect;

(b) Adhesives, adhesive remover and tape used in conjunction with a facial prosthesis are covered. Other skin care products related to the prosthesis, including but not limited to cosmetics, skin cream, cleansers, etc., are not covered;

(c) The following services and items are included in the allowance for a facial prosthesis:

(A) Evaluation of the client;

(B) Pre-operative planning;

(C) Cost of materials;

(D) Labor involved in the fabrication and fitting of the prosthesis;

(E) Modifications to the prosthesis made at the time of delivery of the prosthesis or within 90 days thereafter;

(F) Repair due to normal wear or tear within 90 days of delivery;

(G) Follow-up visits within 90 days of delivery of the prosthesis.

(d) Modifications to a prosthesis that occur more than 90 days after delivery of the prosthesis and that are required because of a change in the client's condition are covered;

(e) Repairs are covered when there has been accidental damage or extensive wear to the prosthesis that can be repaired. If the expense for repairs exceeds the estimated expense for a replacement prosthesis, no payments can be made for the amount of the excess;

(f) Follow-up visits which occur more than 90 days after delivery and which do not involve modification or repair of the prosthesis are non-covered services;

(g) Replacement of a facial prosthesis is covered in cases of loss or irreparable damage or wear or when required because of a change in the client's condition that cannot be accommodated by modification of the existing prosthesis;

(h) When a prosthesis is needed for adjacent facial regions, a single code must be used to bill for the item, whenever possible. For example, if a defect involves the nose and orbit, this should be billed using the hemi-facial prosthesis code and not separate codes for the orbit and nose. This would apply even if the prosthesis is fabricated in two separate parts.

(2) Documentation: The following must be submitted for prior authorization (PA):

(a) An order for the initial prosthesis and/or related supplies which is signed and dated by the ordering prescribing practitioner must be kept on file by the prosthetist/supplier and submitted with request for PA;

(b) A separate prescribing practitioner order is not required for subsequent modifications, repairs or replacement of a facial prosthesis;

(c) A new prescribing practitioner order is required when different supplies are ordered;

(d) A photograph of the prosthesis and a photograph of the client without the prosthesis must be retained in the supplier's record and must be submitted with the PA request;

(e) When code L8048 is used for a miscellaneous prosthesis or prosthetic component, the authorization request must be accompanied by a clear description and a drawing/copy of photograph of the item provided and the medical appropriateness;

(f) Requests for replacement, repair or modification of a facial prosthesis must include an explanation of the reason for the service;

(g) When replacement involves a new impression/moulage rather than use of a previous master model, the reason for the new impression/moulage must be clearly documented in the authorization request.

(3) Procedure Codes – Table 122-0680.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0680 Facial Prostheses

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A4364	Adhesive liquid, or equal, any type, per ounce		PC				NF
A4365	Adhesive remover wipes, any type, per box of 50		PC				NF
L8040	Nasal prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores all or part of the nose ■ It may include the nasal septum 	PA	PC				NF
L8041	Mid-facial prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores part or all of the nose plus significant adjacent facial tissue/structures, but does not include the orbit or any intra-oral maxillary component ■ Adjacent facial tissue/structures include one or more of the following: <ul style="list-style-type: none"> ◆ Soft tissue of the cheek, ◆ Upper lip, or ◆ Forehead 	PA	PC				NF
L8042	Orbital prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores the eyelids and the hard and soft tissue of the orbit ■ It may also include the eyebrow 	PA	PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
	<ul style="list-style-type: none"> ■ This code does not include the ocular prosthesis component 						
L8043	Upper facial prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores the orbit plus significant adjacent facial tissue/structures, but does not include the nose or any intra-oral maxillary component ■ Adjacent facial tissue/structures include one or more of the following: soft tissue of the cheek or forehead ■ This code does not include the ocular prosthesis component 	PA	PC				NF
L8044	Hemi-facial prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores part or all of the nose plus the orbit plus significant adjacent facial tissue/structures, but does not include any intra-oral maxillary component ■ This code does not include the ocular prosthesis component 	PA	PC				NF
L8045	Auricular prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores all or part of the ear 	PA	PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
L8046	Partial facial prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which restores a portion of the face but which does not specifically involve the nose, orbit or ear 	PA	PC				NF
L8047	Nasal septal prosthesis provided by a non-physician <ul style="list-style-type: none"> ■ A removable superficial prosthesis which occludes a hole in the nasal septum but which does not include superficial nasal tissue 	PA	PC				NF
L8048	Unspecified maxillofacial prosthesis, provided by a non physician <ul style="list-style-type: none"> ■ Used for a facial prosthesis that is not described by a specific code, L8040-L8047 ■ Used for any materials used for modification or repairs or for a component which is used to attach prosthesis to a bone-anchored implant or to an internal prosthesis (e.g., maxillary obturator) ■ Not to be used for implanted prosthesis anchoring components 	PA	PC				NF

Code	Description	PA	PC	RT	MR	RP	NF
L8049	Repair or modification of maxillofacial prosthesis, labor component, 15-minute increments provided by a non-physician <ul style="list-style-type: none"> ■ Use for time used for laboratory modification or repair and prosthetic evaluation services associated with repair or modification, only after 90 days from the date of delivery of the prosthesis ■ Evaluation not associated with repair or modification is not covered 	PA				RP	NF

410-122-0700 Negative Pressure Wound Therapy

(1) Prior authorization (PA) will be given for six weeks of negative pressure wound therapy at a time.

(2) Definitions:

(a) Negative pressure wound therapy (NPWT) is the controlled application of sub-atmospheric pressure to a wound using an electrical pump to intermittently or continuously convey sub-atmospheric pressure through connecting tubing to a specialized wound dressing which includes a resilient, open-cell foam surface dressing, sealed with an occlusive dressing that is meant to contain the sub-atmospheric pressure at the wound site and thereby promote wound healing. Drainage from the wound is collected in a canister;

(b) A licensed health care professional, for the purposes of this policy, may be a physician, physician's assistant (PA), registered nurse (RN), licensed practical nurse (LPN), or physical therapist (PT). The licensed health care professional should be licensed to assess wounds and/or administer wound care within the state where the client is receiving NPWT;

(c) Lack of improvement of a wound, as used within this policy, is defined as a lack of progress in quantitative measurements of wound characteristics including wound length and width (surface area), or depth measured serially and documented, over a specified time interval. Wound healing is defined as improvement occurring in either surface area or depth of the wound;

(d) The staging of pressure ulcers used in this policy is as follows:

(A) Stage I – Non-blanchable erythema of intact light toned skin or darker or violet hue in darkly pigment skin;

(B) Stage II – Partial thickness skin loss involving epidermis and/or dermis;

(C) Stage III – Full thickness skin loss involving damage or necrosis of subcutaneous tissue that may extend down to, but not through, underlying fascia;

(D) Stage IV – Full thickness skin loss with extensive destruction, tissue necrosis or damage to muscle, bone, or supporting structures.

(3) Exclusions from coverage – An NPWT pump and supplies are not covered when one or more of the following are present:

(a) The presence in the wound of necrotic tissue with eschar, if debridement is

not attempted;

(b) Untreated osteomyelitis within the vicinity of the wound;

(c) Cancer present in the wound;

(d) The presence of a fistula to an organ or body cavity within the vicinity of the wound.

(4) Initial Coverage – A NPWT pump and supplies are covered for:

(a) Ulcers and wounds in the home or nursing facility when the client has a chronic Stage III or IV pressure ulcer, neuropathic (for example, diabetic) ulcer, venous or arterial insufficiency ulcer, or a chronic (being present for at least 30 days) ulcer of mixed etiology;

(b) A complete wound therapy program described by criterion 1 and criteria 2, 3, or 4, as applicable depending on the type of wound, should have been tried or considered and ruled out prior to application of NPWT.

(5) Continued Coverage – For consideration of continued coverage for negative pressure wound therapy (NPWT), a licensed medical professional must, on a regular basis:

(a) Directly assess the wound(s) being treated with the NPWT pump; and

(b) Supervise or directly perform the NPWT dressing changes;

(c) On at least a monthly basis, document changes in the ulcer's dimensions and characteristics.

(6) NPWT pump and supplies will be denied as not medically appropriate with any of the following, whichever occurs earliest:

(a) Criteria in section of this rule cease to occur, or;

(b) In the judgement of the treating practitioner, adequate wound healing has occurred to the degree that NPWT may be discontinued, or;

(c) Any measurable degree of wound healing has failed to occur over the prior month. There must be documented in the client's medical records quantitative measurements of wound characteristics including wound length and width (surface area), or depth, serially observed and documented, over a specified time interval. The recorded wound measurements must be consistently and regularly updated and must have demonstrated progressive wound healing from month to

month, or;

(d) Four months (including the time NPWT was applied in an inpatient setting prior to discharge to the home or nursing facility) have elapsed using an NPWT pump in the treatment of any wound. Coverage beyond four months will be given individual consideration based upon required additional documentation, or;

(e) Once equipment or supplies are no longer being used for the client, whether or not by the prescribing practitioner's order.

(7) NPWT Criterion:

(a) 1 – For all ulcers or wounds, the following components of a wound therapy program must include a minimum of all of the following general measures, which should either be addressed, applied, or considered and ruled out prior to application of NPWT:

(A) Documentation in the client's medical record of evaluation, care, and wound measurements by a licensed medical professional; and

(B) Application of dressings to maintain a moist wound environment; and

(C) Debridement of necrotic tissue if present; and

(D) Evaluation of and provision for adequate nutritional status.

(b) 2 – For Stage III or IV pressure ulcers:

(A) The client has been appropriately turned and positioned; and

(B) The client has used a group 2 or 3 support surface for pressure ulcers on the posterior trunk or pelvis, (a group 2 or 3 support surface is not required if the ulcer is not on the trunk or pelvis) and;

(C) The client's moisture and incontinence have been appropriately managed.

(c) 3 – For neuropathic (for example, diabetic) ulcers:

(A) The client has been on a comprehensive diabetic management program; and

(B) Reduction in pressure on a foot ulcer has been accomplished with appropriate modalities.

(d) 4 – For venous insufficiency ulcers:

(A) Compression bandages and/or garments have been consistently applied; and

(B) Leg elevation and ambulation have been encouraged.

(e) 5 – Preoperative myocutaneous flap or graft:

(A) Accelerated formation of granulation tissue which cannot be achieved by other available topical wound treatments;

(B) Other conditions of the client that will not allow for healing times achievable with other topical wound treatments.

(8) Documentation:

(a) The following information must be submitted with the initial written request:

(A) A completed OMAP 3123;

(B) An evaluation by the licensed health care professional supervising the care, describing the underlying condition (diagnosis, prognosis, rehabilitation potential and nutritional status) as well as a comprehensive assessment and evaluation of the client after conservative treatment has been tried without success;

(C) Documentation of other pressure reducing products or methods used but not proven adequate;

(D) Serum total lymphocyte count and prealbumin values within the last 30 days;

(E) Dated photographs of wound or ulcer with client's name.

(b) At review, submit:

(A) Dated photographs of pressure sores;

(B) Copies of skin flow sheets;

(C) Copies of any pertinent notes in the progress records;

(D) A completed OMAP 3124.

(9) Procedure Codes: Table 122-0700.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

7-1-04

Table 122-0700 Negative Pressure Wound Therapy

For the code legend see OAR 410-122-0182

Code	Description	PA	PC	RT	MR	RP	NF
A6550	Dressing set for negative pressure wound therapy electrical pump, stationary or portable, each	PA	PC				NF
A6551	Canister set for negative pressure wound therapy electrical pump, stationary or portable, each	PA	PC				NF
E2402	Negative pressure wound therapy	PA	PC				NF

410-122-0720 Pediatric Wheelchairs

(1) Indications and Limitations of Coverage and/or Medical Appropriateness:

(a) The purchase, rental, repair, maintenance or modification of a client's primary wheelchair may be covered by the Office of Medical Assistance Programs (OMAP) when all of the following criteria are met:

(A) The client's condition is such that without the use of a wheelchair, the client would be bed or chair confined; and,

(B) The client is not functionally ambulatory and the wheelchair is necessary to function within the home.

(b) When a client's current wheelchair is no longer medically appropriate or repair to the wheelchair exceeds replacement cost, a new wheelchair may be authorized;

(c) If a client has a medically appropriate wheelchair regardless of payer, OMAP does not reimburse for another wheelchair;

(d) One month's rental of a wheelchair may be payable if a covered client-owned wheelchair is in need of repair (see OAR 410-122-0184 Repairs, Maintenance, Replacement and Delivery);

(e) The client's living quarters must be able to accommodate and allow for the effective use of the requested wheelchair. OMAP does not reimburse for adapting living quarters;

(f) Backup wheelchairs, backpacks, accessory bags, clothing guards, awnings, additional positioning equipment if wheelchair meets the same need, custom colors, wheelchair gloves, and any other upgrades to primarily allow performance of leisure or recreational activities are not covered;

(g) Reimbursement for wheelchair codes includes all labor charges involved in the assembly of the wheelchair as well as support services such as emergency services, delivery, set-up, education and ongoing assistance with the use of the wheelchair.;

(h) A pediatric tilt-in space wheelchair (E1231- E1234) may be covered when a client:

(A) Is dependent for transfers; and,

(B) Spends a minimum of four hours a day continuously in a wheelchair; and,

(C) The plan of care addresses the need to change position at frequent intervals and the client is not left in the tilt position most of the time; and,

(D) Has one of the following:

(i) High risk of skin breakdown;

(ii) Poor postural control, especially of the head and trunk;

(iii) Hyper/hypotonia;

(iv) Need for frequent changes in position and has poor upright sitting.

(i) A manual wheelchair may be covered for a client residing in a nursing facility only when coverage criteria for a customized seat cushion and a customized back cushion are met (see 410-122-0340 Wheelchair Options/Accessories);

(j) Pediatric seating system codes E2291 – E2294 may only be billed with pediatric wheelchair base codes;

(k) For other pediatric size positioning accessories, use the codes described in 410-122-0340 (Wheelchair Options/Accessories).

(2) Documentation Requirements: Submit the following documentation with the prior authorization (PA) request):

(a) For purchase and modifications, the Wheelchair and Seating Prescription and Justification form (OMAP 3125 - see DME and Medical Supplies Supplemental Information) or reasonable facsimile which includes, but is not limited to, the following information):

(A) Completion of the form or reasonable facsimile by a physical therapist, occupational therapist or treating physician, including signature and date; and,

(B) Completion of the form or reasonable facsimile by an individual who has no direct or indirect financial relationship, agreement or contract with the durable medical equipment, prosthetics, orthotics and supplies (DMEPOS) provider; and,

(C) Signature and date by the treating physician; and,

(D) Information that specifically indicates the client's functional ambulation status in their customary environment; and,

(E) Most cost effective equipment recommended to meet the client's medical needs and that person completing the form is in agreement with the DMEPOS

provider's recommendations (include manufacturer, product name, model number, standard features, specifications, dimensions and options); and,

(F) Detailed information about client-owned equipment (including serial numbers) as well as any other equipment being used or available to meet the client's medical needs, including the age of the equipment and why it can't be grown or modified, if applicable.

(b) Documentation that a physical environment assessment, that includes the client's living quarters as well as the most common places of service for use of the equipment, has been performed by the DMEPOS provider or a health care clinician. This assessment must support that these environments can accommodate and allow for the effective use of the equipment, including, but not limited to, evaluation of door widths, counter/table height, accessibility (e.g., ramps, etc.), electrical service, etc.; and,

(c) All Healthcare Common Procedure Coding System codes (HCPCS) to be billed on this claim (both codes that require authorization and those that do not require authorization);

(d) Documentation for individual consideration might include information on the client's diagnosis, the client's abilities and limitations as they relate to the equipment (e.g., degree of independence/dependence, frequency, and nature of the activities the client performs, etc.), the duration of the condition, the expected prognosis, and past experience using similar equipment;

(e) For a nursing facility client, submit medical justification that corroborates the need for customized seat and back cushions (see 410-122-0340 Wheelchair Options/Accessories), including dated and clear photographs and body contour measurements;

(f) Any additional documentation that supports indications of coverage are met as specified in this policy;

(g) The above documentation must be kept on file by the DMEPOS provider and made available to OMAP upon request.

(3) Table 122-0720.

Stat. Auth.: ORS 409

Stats. Implemented: ORS 414.065

10-1-05

Table 122-0720 Pediatric Wheelchairs

For the code legend see OAR 410-122-0182

* *May be covered when coverage criteria in this policy are met*

Code	Description	PA	PC	RT	MR	RP	NF
E1011	Modification to pediatric wheelchair, width adjustment package (not to be dispensed with initial chair)	PA	PC	RT	16	RP	*
E1014	Reclining back, addition to pediatric wheelchair	PA	PC	RT	16	RP	*
E1025	Lateral thoracic support, non contoured, for pediatric wheelchair, each (includes hardware)	PA	PC	RT	16	RP	*
E1026	Lateral thoracic support, contoured, for pediatric wheelchair, each (includes hardware)	PA	PC	RT	16	RP	*
E1027	Lateral/anterior support, for pediatric wheelchair, each includes hardware)	PA	PC	RT	16	RP	*
E1229	Wheelchair, pediatric size not otherwise specified	PA	PC	RT	16	RP	*
E1231	Wheelchair pediatric size, tilt-in space, rigid, adjustable, with seating system	PA	PC	RT	16	RP	*
E1232	Wheelchair pediatric size, tilt-in space, folding, adjustable, with seating system	PA	PC	RT	16	RP	*
E1233	Wheelchair pediatric size, tilt-in space, rigid, adjustable, without seating system	PA	PC	RT	16	RP	*
E1234	Wheelchair pediatric size, tilt-in space, folding, adjustable, without seating system	PA	PC	RT	16	RP	*

* Covered if supplied for client-owned chair

Code	Description	PA	PC	RT	MR	RP	NF
E1235	Wheelchair pediatric size, rigid, adjustable, with seating system	PA	PC	RT	16	RP	*
E1236	Wheelchair pediatric size, folding, adjustable, with seating system	PA	PC	RT	16	RP	*
E1237	Wheelchair pediatric size, rigid, adjustable, without seating system	PA	PC	RT	16	RP	*
E1238	Wheelchair pediatric size, folding, adjustable, without seating system	PA	PC	RT	16	RP	*
E1239	Power wheelchair, pediatric size, not otherwise specified	PA	PC	RT	16	RP	*
E2291	Back, planar, for pediatric size wheelchair including fixed attaching hardware	PA	PC				
E2292	Seat, planar, for pediatric size wheelchair including fixed attaching hardware	PA	PC				
E2293	Back, contoured, for pediatric size wheelchair, including fixed attaching hardware	PA	PC				
E2294	Seat, contoured, for pediatric size wheelchair including fixed attaching hardware	PA	PC				