

Errata to the 10/1/2015 Prioritized List

- 1) On November 7, 2016, the following corrections were made:
 - a. The following codes were added to line 88 DIABETES MELLITUS WITH END STAGE RENAL DISEASE Treatment SIMULTANEOUS PANCREAS/KIDNEY (SPK) TRANSPLANT, PANCREAS AFTER KIDNEY (PAK) TRANSPLANT
 - i. E10.21 Type 1 diabetes mellitus with diabetic nephropathy
 - ii. E10.22 Type 1 diabetes mellitus with diabetic chronic kidney disease
 - iii. E10.29 Type 1 diabetes mellitus with other diabetic kidney complication
 - b. Condition descriptions for lines 325 and 589 were corrected
 - i. Line 325 OBESITY (ADULT BMI \geq 30, CHILDHOOD BMI \geq 95th PERCENTILE) [AND OVERWEIGHT IN ADULTS \(BMI >25\) WITH CARDIOVASCULAR RISK FACTORS](#)
 - ii. Line 589 OBESITY (ADULT BMI \geq 30, CHILDHOOD BMI \geq 95th PERCENTILE) [AND OVERWEIGHT IN ADULTS \(BMI >25\) WITH CARDIOVASCULAR RISK FACTORS](#)
1. On July 12, 2016 the following corrections were posted
 - a. Add ICD-10-CM codes S32.002A, S32.012A, S32.022A, S32.032A, S32.042A and S32.052A (Unstable burst fractures of the vertebrae) to line 154 CERVICAL VERTEBRAL DISLOCATIONS/FRACTURES, OPEN OR CLOSED; O-THER VERTEBRAL DISLOCATIONS/FRACTURES, OPEN OR UNSTABLE; SPINAL CORD INJURIES WITH OR WITHOUT EVIDENCE OF VERTEBRAL INJURY
 - b. Remove S32.002A, S32.002D,S32.002G,S32.012A, ,S32.012D,S32.012G,S32.022A, S32.022D,S32.022G,S32.032A, S32.032D,S32.032G,S32.042A, S32.042D,S32.042G,S32.052A, S32.052D and S32.052G (Unstable burst fractures of the vertebrae) from line 484 CLOSED DISLOCATIONS/FRACTURES OF NON-CERVICAL VERTEBRAL COLUMN WITHOUT NEUROLOGIC INJURY OR STRUCTURAL INSTABILITY
 - c. Modify GN136 removing reference to unstable burst fracture.
 - d. Modify GN 97, removing ICD-10-CM codes S43.60 and S43.62 (Sprains of sternoclavicular joint).
 - e. Move ICD-10-CM codes M76.20-M76.22 (iliac crest spur) from line 380 DISRUPTIONS OF THE LIGAMENTS AND TENDONS OF THE ARMS AND LEGS, EXCLUDING THE KNEE, RESULTING IN SIGNIFICANT INJURY/IMPAIRMENT and add to line 359 RHEUMATOID ARTHRITIS, OSTEOARTHRITIS, OSTEOCHONDRITIS DISSECANS, AND ASEPTIC NECROSIS OF BONE
 - f. Add a reference to M76.2 (iliac crest spur) to GN 114.
2. On March 16, 2016, the following corrections were posted:
 - a. ICD-10-CM P36.0 Sepsis of newborn were moved from line 2 BIRTH OF INFANT to line 186 SEPTICIMIA.
 - b. HCPCS G0458 Low dose rate (ldr) prostate brachytherapy services, composite rate was removed from lines 8,30,51,84,209,211,239,290,383,427 and added to line 333 CANCER OF PROSTATE GLAND.
 - c. Corrected Guideline Note 36, ADENOTONSILLECTOMY FOR INDICATIONS OTHER THAN OBSTRUCTIVE SLEEP APNEA. Line number references in the second=to-last paragraph were corrected to read as follows (changes in **bold**)
 - i. ICD-10-CM J35.1 and J35.3 are included on Line 370 only for 1) unilateral tonsillar hypertrophy in adults and 2) unilateral tonsillar hypertrophy in children with other symptoms suggestive of malignancy. Bilateral tonsillar hypertrophy

- and unilateral tonsillar hypertrophy in children without other symptoms suggestive of malignancy are included only on Line 556.
- d. Move ICD-10-CM M93.01-M93.03 (slipped upper femoral epiphysis of the hip) from line 85 FRACTURE OF HIP to line 358 CLOSED FRACTURE OF EXTREMITIES (EXCEPT MINOR TOES).
 - e. ICD-10-CM code Z51.0 Encounter for antineoplastic radiation therapy was added to all radiation therapy lines (Lines 97,116,117,119,129,130,133,137,139,161,162,195,203, 204,212, 214,218,219,233,238,241,242,262,263,265,266,274,291,292,299,319,320, 321, 333,346,376,401,402,424,439,446,465,533,611,279).
 - f. ICD-10-CM code Z51.12 Encounter for antineoplastic immunotherapy was added to all chemotherapy lines (Lines 97,116,117,119,130,137,139,161,162,195,203,204,212,214,218,219,233,238,241,242,26 2,263,265,266,274,279,291,292,299,319,320,321,333,401,402,424,439,533).
 - g. ICD-10-CM CODE P78.89 Other specified perinatal digestive system disorders was moved from line 2 BIRTH OF INFANT to line 105 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM AND ABDOMINAL WALL EXCLUDING NECROSIS; CHRONIC INTESTINAL PSEUDO-OBSTRUCTION
 - h. ICD-10-CM code E51.2 Wernicke's encephalopathy was moved from line 122 NUTRITIONAL DEFICIENCIES to line 204 CANCER OF BONES.
 - i. ICD-10-CM codes P07.30 Preterm newborn, unspecified weeks of gestation and P07.32 Preterm newborn, gestational age 29 completed weeks were added to line 17 VERY LOW BIRTH WEIGHT (UNDER 1500 GRAMS).
 - j. ICD-10 code L20.9 Atopic dermatitis, unspecified was added to line 537 ATOPIC DERMATITIS.
 - k. ICD-10-CM codes K44.0 Diaphragmatic hernia with obstruction, without gangrene and K44.1 Diaphragmatic hernia with gangrene were added to line 384 ESOPHAGITIS; ESOPHAGEAL AND INTRAESOPHAGEAL HERNIAS.
3. On December 31, 2015, the following corrections were posted:
 - a. Q28.3 (Other malformations of cerebral vessels) and Q28.2 (Arteriovenous malformation of cerebral vessels) were removed from line 322 STROKE and placed on line 200 SUBARACHNOID AND INTRACEREBRAL HEMORRHAGE/HEMATOMA; CEREBRAL ANEURYSM; COMPRESSION OF BRAIN.
 - b. K22.71 (Barrett's esophagus with dysplasia) was added to line 319 CANCER OF THE ESOPHAGUS and K22.70 (Barrett's esophagus) was temporarily added to line 385 ESOPHAGITIS; ESOPHAGEAL AND INTRAESOPHAGEAL HERNIAS
 - c. CPT 64484 (Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); lumbar or sacral, each additional level (List separately in addition to code for primary procedure)) was removed from the herpes zoster line (line 159 HERPES ZOSTER; HERPES SIMPLEX AND WITH NEUROLOGICAL AND OPHTHALMOLOGICAL COMPLICATIONS).
 - d. Guideline Note 92 (Acupuncture) was modified to change the ICD-10-CM code for pelvic pain in pregnancy from O33.0 (Maternal care for disproportion due to deformity of maternal pelvic bones) to O99.89 (Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium)
 4. On December 17, 2015, several details about the errata posted on December 14, 2015 are corrected below (substantive corrections are now in *italics*). The List and associated data files were posted correctly.

- i. Some changes shown as having been made on December 2, 2015 were actually made on December 14, 2015. Correction dates appear correctly below for each item.
 - ii. A reference to ICD-10-CM code C92.3 was corrected to C93.3.
 - iii. Code and line descriptions were added where previously they were missing.
- 5. On *December 14, 2015*, the following corrections were made:
 - a. ICD-10-CM codes H40.031, H40.032, H40.033, H40.039 (anatomical narrow angle glaucoma) were moved from line 248 CORNEAL ULCER; SUPERFICIAL INJURY OF EYE AND ADNEXA to line 247 PRIMARY ANGLE-CLOSURE GLAUCOMA to pair with appropriate treatments.
 - b. ICD-10-CM C92.Z and C92.9 (myeloid leukemia) were moved from line 381 DYSFUNCTION RESULTING IN LOSS OF ABILITY TO MAXIMIZE LEVEL OF INDEPENDENCE IN SELF- DIRECTED CARE CAUSED BY CHRONIC CONDITIONS THAT CAUSE NEUROLOGICAL DYSFUNCTION to line 402 MYELOID DISORDERS.
 - c. *ICD-10-CM C93.3* (myeloid sarcoma) were moved from line 93 DISCORDANT CARDIOVASCULAR CONNECTIONS to 97 CHILDHOOD LEUKEMIAS.
 - d. ICD-10-CM C94.2 (acute megakaryoblastic leukemia) and C94.3 (mast cell leukemia) were moved from line 381 DYSFUNCTION RESULTING IN LOSS OF ABILITY TO MAXIMIZE LEVEL OF INDEPENDENCE IN SELF- DIRECTED CARE CAUSED BY CHRONIC CONDITIONS THAT CAUSE NEUROLOGICAL DYSFUNCTION to lines 401 ACUTE MYELOID LEUKEMIA and 402 MYELOID DISORDERS.
- 6. On *December 2, 2015*, the following corrections were made:
 - a. Many changes to placement of ICD-10-CM codes in the range E08-E13.999 to correctly address complications of diabetes. The detailed changes are shown in Appendix A.
 - b. ICD-10-CM code D64.81 (Anemia due to antineoplastic chemotherapy) was moved from line 578 ANEMIAS DUE TO DISEASE to line 290 COMPLICATIONS OF A PROCEDURE ALWAYS REQUIRING TREATMENT.
- 7. On November 10, 2015, the following corrections were made:
 - a. ICD-10-CM codes C22.0-C22.8 (liver cancers) were added to line 320 and remain on line 567.
 - b. ICD-10-CM codes E08.41, E08.51, E08.52, E09.41, E09.51, E09.52, E10.40, E10.41, E10.42, E10.51, E10.52, E11.40, E11.41, E11.42, E11.51 and E11.52 (diabetic neuropathy and angiopathy) were added to line 169.
 - c. ICD-10-CM codes G47.411 and G47.419 (narcolepsy) were added to line 206.
- 8. On October 26, 2015, the following corrections were made:
 - a. ICD-10-CM codes N39.43, N39.44, N39.45 were removed from line 459. It is recommended that the Health Systems Division place these codes on the Diagnostic Workup File.
 - b. ICD-10-CM codes H40.031, H40.032, H40.033, H40.039 were moved from line 143 to line 248 to pair with appropriate treatments.
- 9. On October 12, 2015, the following corrections were made:
 - a. Table D1 is now correctly referenced in Guideline Note D1 and appears along with the guideline rather than at the end of the diagnostic guideline notes section.
 - b. Erroneous ICD-10 codes have been removed two lines:
 - i. ICD-10-CM codes M20.039-M21.769 were removed from 391 DEFORMITY/CLOSED DISLOCATION OF MINOR JOINT AND RECURRENT JOINT DISLOCATIONS

- ii. ICD-10-CM codes M22.2X1-M23.92 were removed from 362 DEFORMITY/CLOSED DISLOCATION OF MAJOR JOINT AND RECURRENT JOINT DISLOCATIONS

10. On September 24, 2014, the following corrections were made:

- a. ICD-10 Z63.4 (Disappearance and death of family member) and F43.8 (Other reactions to severe stress) were added to line 449 ADJUSTMENT DISORDERS to align with the existing coding specification. A diagnosis description in the coding specification was also corrected.
- b. In guideline note 106 the link to the Bright Futures periodicity schedule was updated.
- c. Line 563 Open Wound of Eardrum was included; it had previously been omitted from the list.

11. On September 14, 2015 the following corrections were made:

- a. A duplication between guideline notes 21 and 135 was corrected. The corrected guideline now appears as guideline 21; guideline note 135 is now intentionally omitted.
- b. All dental codes were removed from line 504.
- c. CPT code 96127 was removed from all lines on the Prioritized List to reflect HERC's recommendation that this service be treated as ancillary.
- d. Minor typographical and spelling errors were corrected in guideline notes 13, 17, 42, 59, 71, 124, 127, 143.
- e. A grammatical correction was made to Guideline note 18 Ventricular Assist Devices to clarify the indications for use.

Appendix A

Code	Additions	Deletions
D64.81	290	578
E08.21	63	
E08.22	63	
E08.29	63	
E10.21	63,104,343	
E10.22	63,104,343	
E10.29	63,104,343	
E11.21	63,104,343	
E11.22	63,104,343	
E11.29	63,104,343	
E13.21	343	
E13.22	343	
E13.29	343	
E10.36		100
E08.39	100	
E09.39	100,284	
E13.39	100	
E10.40		515,541
E10.41		515,541

Code	Additions	Deletions
E10.42		515,541
E08.41		515,541
E11.40		515,541
E11.41		515,541
E11.42		515,541
E13.40		297,381,515,541
E13.41		381,515,541
E13.42		381,515,541
E09.41		515,541
E13.43		535
E08.44		515
E09.44		515
E10.44		515
E11.44		515
E13.44		75,297,381,515
E08.49		75,297,349,381
E09.49		75,297,349,381
E10.49		515,541
E10.51		383
E10.52	239,336	383
E10.59		383
E11.51	352	336,383
E13.51	352	239,383
E11.52	239	383
E13.52	336	383
E11.59		336,383
E11.49		515,541
E13.49		75,169,297,349,381,515,541
E08.52	239,336	
E08.610		297,381
E08.620	537	
E08.621	169,336	
E08.622	336	
E08.628		631
E08.630	348	
E08.638	348	583
E09.52	336	
E09.610		297,381

Code	Additions	Deletions
E09.620	537	
E09.621	169,336	
E09.622	336	
E09.628		631
E09.630	348	
E09.638	348	583
E10.618	668	
E10.620	537	
E10.621	169,336,383	
E10.622	336,383	
E10.630	348	
E10.638	348	
E11.618	668	
E11.620	537	383
E11.621	169	
E11.628		336
E13.59		169,239,383
E13.610		297,381
E13.618	668	297,381
E13.620	537	383
E13.621	336,169	
E13.622	336	
E10.311		273
E10.319		273
E10.321		273
E10.329		273
E10.331		273
E10.339		273
E10.341		273
E10.349		273
E10.351		273
E10.359		273
E13.311		273
E13.319		273
E13.321		273
E13.329		273
E13.331		273
E13.339		273

Code	Additions	Deletions
E13.341		273
E13.349		273
E13.351		273
E13.359		273