

Percent of eighth graders who are overweight, by ethnicity/race
Oregon Healthy Teens Survey, Oregon, 2013

Ethnicity/Race	N	Est. (%)	SE
Non-Hispanic White	7,256	13.9	0.6
Non-Hispanic Black/African American	283	19.2	2.8
Non-Hispanic Asian	430	13.4	1.8
Non-Hispanic Pacific Islander	126	18.0	3.7
Non-Hispanic American Indian/Alaska Native	402	13.7	2.1
Non-Hispanic Multiracial	1,020	13.9	1.2
Hispanic	2,550	16.8*	1.2
<i>TOTAL</i>	12,178	14.8	0.6

Source: Oregon Healthy Teens Survey, 2013

Number of respondents (N) is unweighted; percentages are weighted

See technical notes for calculations used to determine total N for each ethnicity/race

All estimates are unadjusted as they are restricted to a single age group

* = an estimate that significantly differs from non-Hispanic Whites ($p < .05$); calculated for age-adjusted values only

† = an estimate with a relative standard error $> 30\%$, and should be considered unreliable

Height and weight questions are used to calculate a Body Mass Index (BMI). A BMI between the 85th and 95th percentile is considered overweight, while those with a BMI equal to or greater than the 95th percentile are considered obese.

Number of surveys with missing ethnicity/race data: 111

Date: March 17, 2014

Percent of eighth graders who are obese, by ethnicity/race
Oregon Healthy Teens Survey, Oregon, 2013

Ethnicity/Race	N	Est. (%)	SE
Non-Hispanic White	7,256	8.6	0.5
Non-Hispanic Black/African American	283	15.4*	2.1
Non-Hispanic Asian	430	7.0	1.3
Non-Hispanic Pacific Islander	126	20.7†	6.3
Non-Hispanic American Indian/Alaska Native	402	13.1*	2.1
Non-Hispanic Multiracial	1,020	11.8*	1.4
Hispanic	2,550	12.5*	0.8
<i>TOTAL</i>	12,178	10.1	0.5

Source: Oregon Healthy Teens Survey, 2013

Number of respondents (N) is unweighted; percentages are weighted

See technical notes for calculations used to determine total N for each ethnicity/race

All estimates are unadjusted as they are restricted to a single age group

* = an estimate that significantly differs from non-Hispanic Whites ($p < .05$); calculated for age-adjusted values only

† = an estimate with a relative standard error > 30%, and should be considered unreliable

Height and weight questions are used to calculate a Body Mass Index (BMI). A BMI between the 85th and 95th percentile is considered overweight, while those with a BMI equal to or greater than the 95th percentile are considered obese.

Number of surveys with missing ethnicity/race data: 111

Date: March 17, 2014

Percent of Oregon adults who are overweight, by ethnicity/race
Behavioral Risk Factor Surveillance System (BRFSS), Oregon, 2010 - 2011

Ethnicity/Race	N	Unadjusted		Age-Adjusted	
		Est. (%)	SE	Est. (%)	SE
Non-Hispanic White	18,989	35.4	0.5	35.0	0.6
Non-Hispanic Black/African American	431	32.2	4.0	31.7	3.5
Non-Hispanic Asian/Pacific Islander	619	27.2	3.2	27.6*	3.1
Non-Hispanic American Indian/Alaska Native	538	34.1	2.9	34.4	2.8
Hispanic	620	40.0	3.2	41.5*	3.2
<i>TOTAL</i>	<i>21,197</i>	<i>35.3</i>	<i>0.5</i>	<i>35.2</i>	<i>0.6</i>

Source: Oregon BRFSS 2010-2011 Race Oversample
Number of respondents (N) is unweighted; percentages are weighted

See technical notes for calculations used to determine total N for each ethnicity/race

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

* = an estimate that significantly differs from non-Hispanic Whites ($p < .05$); calculated for age-adjusted values only

† = an estimate with a relative standard error > 30%, and should be considered unreliable

Overweight prevalence determined by BMI score:

Underweight (less than 18.5)

Normal weight (18.5 to less than 25)

Overweight (25 to less than 30)

Obese (30.0 or more)

Don't Know/Not Sure/Refused

Date: March 17, 2014

Percent of Oregon adults who are obese, by ethnicity/race
Behavioral Risk Factor Surveillance System (BRFSS), Oregon, 2010 - 2011

Ethnicity/Race	N	Unadjusted		Age-Adjusted	
		Est. (%)	SE	Est. (%)	SE
Non-Hispanic White	18,989	26.0	0.5	25.7	0.5
Non-Hispanic Black/African American	431	31.9	3.6	33.6*	3.3
Non-Hispanic Asian/Pacific Islander	619	14.0	3.1	13.4*	2.7
Non-Hispanic American Indian/Alaska Native	538	39.6	3.1	39.9*	3.0
Hispanic	620	32.7	3.2	33.4*	3.2
<i>TOTAL</i>	<i>21,197</i>	<i>26.4</i>	<i>0.5</i>	<i>26.3</i>	<i>0.5</i>

Source: Oregon BRFSS 2010-2011 Race Oversample
Number of respondents (N) is unweighted; percentages are weighted

See technical notes for calculations used to determine total N for each ethnicity/race

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

* = an estimate that significantly differs from non-Hispanic Whites ($p < .05$); calculated for age-adjusted values only

† = an estimate with a relative standard error > 30%, and should be considered unreliable

Obesity prevalence determined by BMI score:

Underweight (less than 18.5)

Normal weight (18.5 to less than 25)

Overweight (25 to less than 30)

Obese (30.0 or more)

Don't Know/Not Sure/Refused

Date: March 17, 2014