

Oregon Health Plan Report of Results for

Jackson Care Connect Child Population

2019 CAHPS® 5.0H Medicaid Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

Introduction	
Executive Summary	5
Results on Key Survey Measures	5
Top Priorities for Quality Improvement	5
Survey Results at a Glance	7
About This Report	8
Survey Methodology	10
Survey Protocol and Timeline	10
Survey Materials	10
Sample Selection	10
Data Capture	
Member Dispositions and Response Rate	12
Satisfaction with the Experience of Care	13
Experience of Care Measures	13
Calculation and Reporting of Results	15
Summary of Survey Results	16
Detailed Performance Charts	18
Member Profile and Analysis of Plan Ratings by Member Segment	38
Health Status and Demographics	39
Use of Services	45
Key Driver Analysis	48

	Objectives	48
	Technical Approach	48
	Industry Key Driver Model	49
	Opportunities for Plan Quality Improvement	50
	Health Plan Quality Improvement Resources for Key Drivers	52
Append	dix	I
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	. III
	Calculation Guidelines for Global Proportions	.IV
	Glossary of Terms	.VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

EXECUTIVE SUMMARY

CSS administered the Child Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Jackson Care Connect between January 9 and April 9, 2019. The final Child Medicaid survey sample for Jackson Care Connect included 800 members. 201 members completed the survey, resulting in a response rate of 25.35 percent.

This section highlights some of the key survey findings for Jackson Care Connect, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; Yes for the Shared Decision Making composite; and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE State OHP	Reportable Rate BELOW State OHP					
2019 State OHP						
None	None					

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for Jackson Care Connect are identified below. Effective interventions in these areas have the greatest potential impact on the Rating of Health Plan score.

Top Priorities for Quality Improvement

- 1. Improving the ability of the health plan customer service to treat members with courtesy and respect
- 2. Improving the quality of physicians in the plan's network (personal doctors)
- 3. Improving member access to care (ease of getting needed care, tests, or treatment)
- 4. Improving member access to care (getting an appointment to see a specialist)
- 5. Improving member access to care (having a personal doctor)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 JACKSON CARE CONNECT CHILD MEDICAID SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions and Question Summary Rates		Valid Responses			
		2018	2019	2018	2019	2019 State OHP	
	Q13. Rating of All Health Care	82.50%	84.09%	160	132	85.19%	
Overall Ratings	Q26. Rating of Personal Doctor	91.85%	90.73%	184	151	89.26%	
(% 8, 9, or 10)	Q30. Rating of Specialist Seen Most Often	68.75%	90.00% (Low n)	32	20	84.51%	
	Q36. Rating of Health Plan	85.32%	87.10%	218	186	83.43%	
Court of New York Con-	Getting Needed Care Composite	83.88%	82.30%	98	76	84.77%	
Getting Needed Care	Q14. Easy to get needed care	90.63%	90.91%	160	132	89.35%	
(% Always or Usually)	Q28. Easy to see specialists	77.14%	73.68% (Low n)	35	19	80.18%	
0.000	Getting Care Quickly Composite	88.53%	90.86%	108	95	88.90%	
Getting Care Quickly	Q4. Got urgent care as soon as needed	89.04%	93.44%	73	61	91.76%	
(% Always or Usually)	Q6. Got routine care as soon as needed	88.03%	88.28%	142	128	86.03%	
	How Well Doctors Communicate Composite	94.67%	96.39%	150	118	95.22%	
How Well Doctors	Q17. Doctor explained things	95.33%	94.92%	150	118	95.89%	
Communicate*	Q18. Doctor listened carefully	95.33%	99.15%	150	117	96.02%	
(% Always or Usually)	Q19. Doctor showed respect	98.67%	98.29%	150	117	97.53%	
	Q22. Doctor spent enough time	89.33%	93.22%	150	118	91.42%	
Customer Service	Customer Service Composite	92.86%	85.12%	63	54	87.52%	
	Q32. Provided needed information/help	88.89%	77.78%	63	54	81.83%	
(% Always or Usually)	Q33. Treated with courtesy/respect	96.83%	92.45%	63	53	93.22%	
Shared Decision	Shared Decision Making Composite	81.85%	70.65%	39	30	79.08%	
	Q10. Discussed reasons to take a medicine	97.44%	86.67%	39	30	90.12%	
Making**	Q11. Discussed reasons not to take a medicine	71.79%	66.67%	39	30	69.46%	
(% Yes)	Q12. Discussed what was best for you	76.32%	58.62% (Low n)	38	29	77.66% 🔻	
Other Areas	Q8. Health Promotion and Education (% Yes)	72.96%	70.68%	159	133	71.69%	
Other Areas	Q25. Coordination of Care (% Always or Usually)	89.58%	84.44%	48	45	83.95%	

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

ABOUT THIS REPORT

The key features of this 2019 CAHPS report, prepared by CSS for Jackson Care Connect, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2019, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2019 Jackson Care Connect survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where Jackson Care Connect performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2019 Jackson Care Connect survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 Jackson Care Connect QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2019 Jackson Care Connect respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.
- Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 Jackson Care Connect results on each key driver are compared to the highest score among the one Child Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the Jackson Care Connect Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

•	The	App	oendix	inc	ludes:
---	-----	-----	--------	-----	--------

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Jackson Care Connect using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial guestionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for Jackson Care Connect are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 12 additional questions added by OHA. These included questions on cultural competency, access to dental care, and kindergarten readiness. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for Jackson Care Connect. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to

identify children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population for members not likely to have a chronic condition to receive the standard Child Medicaid (w/o CCC measures).

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for Jackson Care Connect included 800 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the Jackson Care Connect sample members who met final eligibility criteria, 201 completed the survey, resulting in a response rate of 25.35 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 JACKSON CARE CONNECT CHILD MEDICAID CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	Total		
Disposition	Number	% Initial Sample	2019 State OHP
Initial Sample	800	100.00%	
Disposition			
Complete and Eligible - Mail	101	12.63%	12.65%
Complete and Eligible - Phone	95	11.88%	11.88%
Complete and Eligible - Internet	5	0.63%	0.61%
Complete and Eligible - Total	201	25.13%	25.15%
Does not meet Eligible Population criteria	6	0.75%	0.95%
Incomplete (but Eligible)	4	0.50%	0.72%
Ineligible	1	0.13%	2.13%
- Language barrier	1	0.13%	0.71%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.00%
Refusal	9	1.13%	1.46%
Nonresponse after maximum attempts	577	72.13%	70.50%
Added to Do Not Call (DNC) list	2	0.25%	0.51%
Response Rate*		25.35%	25.57%

11340

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

EXPERIENCE OF CARE MEASURES

CAHPS Health Plan Survey 5.0H, Child Medicaid version includes four global *rating questions* that ask respondents to rate the following items on a 0 to 10 scale:

- Rating of Personal Doctor (0 = worst personal doctor possible); 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

The results for five *composite measures* are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines responses to two survey questions that address member access to care:
 - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
 - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?
- Getting Care Quickly combines responses to two survey questions that address timely availability of both urgent and routine care:
 - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication:
 - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

- In the last 6 months, how often did your child's personal doctor listen carefully to you?
- In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
- In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- Customer Service combines responses to two survey questions that ask about member experience with the health plan's customer service:
 - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
 - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Shared Decision Making combines responses to three survey questions that focus on decisions about taking prescription medicines:
 - Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?
 - Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?
 - When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

In addition to the five composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

Health Promotion and Education

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Coordination of Care

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- Shared Decision Making and Health Promotion and Education use a Yes or No scale, with Yes being the desired response. Results are reported as the proportion of members selecting Yes.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except Shared Decision Making, results are reported as Usually or Always global proportions.
- For the Shared Decision Making composite, the proportion of Yes is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019*, *Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 Jackson Care Connect results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level Jackson Care Connect performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 JACKSON CARE CONNECT CHILD MEDICAID CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

			tween 2019 Rate nd
CAHPS 5.0H Survey Measures*	2019 Rate	2018 Rate	2019 State OHP
Ratings	2013 Nate	2010 Nate	2013 State Offi
Rating of Personal Doctor	90.73%	-1.12%	1.46%
Rating of Specialist Seen Most Often Low n	90.00%	21.25%	5.49%
Rating of All Health Care	84.09%	1.59%	-1.10%
Rating of Health Plan	87.10%	1.78%	3.66%
Composite Measures			
Getting Needed Care	82.30%	-1.59%	-2.47%
Getting Care Quickly	90.86%	2.33%	1.97%
How Well Doctors Communicate	96.39%	1.73%	1.17%
Customer Service	85.12%	-7.74%	-2.41%
Shared Decision Making	70.65%	-11.20%	-8.43%
Additional Content Areas			
Health Promotion and Education	70.68%	-2.28%	-1.02%
Coordination of Care	84.44%	-5.14%	0.49%

^{*} Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

^{**} Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30).


All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:


TREND IN RESULTS


- Jackson Care Connect survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.






































Shared Decision Making (Contributing Items) Percent Responding Yes Q10. Did you and a doctor or other health provider talk about the reasons Q11. Did you and a doctor or other health provider talk about the you might want your child to take a medicine? reasons you might not want your child to take a medicine? 2017 2018 2019 2017 2018 2019 No data n = 39n = 30No data n = 39n = 3097.44% 90.12% 84.62% 86.96% Yes Yes 69.46% 71.79% 53.57% Low Performing CCO (53.57%) Low Performing CCO (84.62%) -2019 State OHP (69.46%) -2019 State OHP (90.12%) High Performing CCO (86.96%) High Performing CCO (100.00%) 11340

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.


Shared Decision Making (Contributing Items) Percent Responding Yes Q12. When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child? 2017 2018 2019 No data n = 38n = 29 (Low n)Yes 76.32%


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.

Low Performing CCO (58.62%)2019 State OHP (77.66%)High Performing CCO (90.91%)

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

11340






Forms from Plan Were Easy to Fill Out (Single Item)

Percent Responding Always or Usually

Q35. In the last 6 months, how often were the forms from your child's health plan easy to fill out? (Note: Respondents who did not have to fill out any forms from the health plan are counted as answering "Always".)



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the Jackson Care Connect membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the Jackson Care Connect membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the Jackson Care Connect membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS


The following characteristics are profiled in this section:

- Child's age
- Child's gender
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's relationship to the child
- Child's race
- Child's ethnicity (Hispanic or Latino)




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.



^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q29. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





 $Note: all\ percentages\ are\ rounded\ for\ display.\ \textit{Rating\ of\ Health\ Plan}\ \ score\ should\ be\ interpreted\ with\ caution\ if\ the\ size\ of\ the\ group\ (pie\ slice)\ is\ small.$

100%

88%

86%

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

4

5 to 9

10 or more times

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of Jackson Care Connect to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS Key Driver Model was developed based on a dataset of CAHPS survey results of 619 Child Medicaid plans included in the National CAHPS Benchmarking Database (NCBD) in 2015 and 2014. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global Rating of Health Plan score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists five key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 63 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how Jackson Care Connect is currently performing on these measures. Improvement targets identified specifically for Jackson Care Connect, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

The quality of interactions with the health plan's customer service is a strong predictor of the overall rating of the plan. Plan rating are also strongly related to members' ability to get the care their children need as soon as they need it (Q14 and Q28) and access to a personal doctor (Q15). *Rating of Personal Doctor* (Q26) may reflect the quality of the health plan's network and its ability to contract with better providers.

Key Driver	Interpretation
Q33. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that they were treated with courtesy and respect by customer service, the higher the overall plan score
Q26. Rating of Personal Doctor (percent 8, 9, or 10)	The higher the proportion of members rating their child's personal doctor as 8, 9, or 10, the higher the overall plan score
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q28. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents who were able to get a specialist appointment when they needed it, the higher the overall plan score
Q15. Child has a personal doctor (percent Yes)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for Jackson Care Connect are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how Jackson Care Connect is currently performing on the measure.

The middle panel of the chart compares how Jackson Care Connect is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Child Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of Jackson Care Connect performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score Jackson Care Connect could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2019 JACKSON CARE CONNECT CHILD MEDICAID CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2019 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 8,9, or 10) if Key Driver Performs at Best Practice Level
Q33. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>)	92.45%	+5.62% > 98.08%	+2.71%
Q26. Rating of Personal Doctor (percent 8, 9, or 10)	90.73%	+5.54% -> 96.27%	+2.62%
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	90.91%	+7.34% -> 98.25%	+2.61%
Q28. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>)	73.68%	+18.62% > 92.31%	+1.58%
Q15. Child has personal doctor (percent Yes)	91.67%	+3.90% -> 95.57%	+0.35%

^{*} Best score on the key driver measure among all plans included in the 2019 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for Jackson Care Connect. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to Jackson Care Connect than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement/improvement/improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf).

IMPROVING ACCESS TO CARE: EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT; SCHEDULING SPECIALIST APPOINTMENTS; HAVING A PERSONAL DOCTOR (Q14, Q28, Q15)

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment. For child Medicaid members, two key drivers tap into this concept. The first key driver is whether members scheduled an appointment for routine care. The second is ease of getting care, tests, and treatment. Because the two are so closely linked, resources related to both key drivers are presented together.

- Alternative Access Centers This brief (http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).
- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See http://www.ahrg.gov/research/findings/final-reports/ptflow/index.html for examples of interventions provided by AHRQ.

- Importance of Usual Source of Care A usual source of care is important not only for satisfaction purposes, but also because usual sources of care are related to health outcomes. These papers, funded by AHRQ, explore the role of a usual source of care in ensuring that children receive proper care. See http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and <a h
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians. There are many resources available that provide information on the medical home model of care and health equity. To start, see this Institute of Medicine report: https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf. There is also Family Medicine for America's Health, which is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care through the use of patient-centered medical homes. For AHRQ's resources on transitioning a practice to a patient-centered medical home model, see http://www.pcmh.ahrq.gov/.
- Improve Referral Communication The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase satisfaction with specialists. For examples of interventions that improve care coordination efficiency and quality, see https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and as well as https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency.

IMPROVING QUALITY OF DOCTORS IN HEALTH PLAN NETWORK (Q26)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in improved doctor ratings.

• Improve Physician Communication – Much of patient dissatisfaction stems from a failure of effective physician communication (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their Improving the Patient Experience Change Package (see http://www.calquality.org/storage/Improving Pt Experience Spread Change Pkg UpdatedMay2011.pdf). For general recommendations related to physician communication, see https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. Many of these recommendations could be adapted for parents or guardians of younger patients. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-improving/communication/strategy6htools.html. For a sample communication template that providers can distribute to patients before or during visits, see http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients' physician preferences may increase patient satisfaction
 (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

IMPROVING QUALITY OF INTERACTIONS WITH CUSTOMER SERVICE (Q33)

As representatives of the plan, customer service personnel must ensure that those adults responsible for the enrollee's care have confidence and trust in customer service staff and the information they provide. The following sources make recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, AHRQ suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and more thoroughly assess member satisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, their proper handling can reassure members and restore loyalty to the health plan. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html.

APPENDIX

Jackson Care Connect 2019 CAHPS Survey Results

CROSS-TABULATIONS OF SURVEY RESPONSES

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Satisfaction With the Experience of Care

	Glo	obal Proportic	ons
	2019 State OHP	Plan	Rate
Survey Measures*	0111	2019	2018
Ratings			
Rating of Personal Doctor	89.26%	90.73%	91.85%
Rating of Specialist	84.51%	90.00%	68.75%
Rating of All Health Care	85.19%	84.09%	82.50%
Rating of Health Plan	83.43%	87.10%	85.32%
Composites			
Getting Needed Care	84.77%	82.30%	83.88%
Getting Care Quickly	88.90%	90.86%	88.53%
How Well Doctors Communicate	95.22%	96.39%	94.67%
Customer Service	87.52%	85.12%	92.86%
Shared Decision Making	79.08%	70.65%	81.85%
Additional Content Areas			
Health Promotion and Education	71.69%	70.68%	72.96%
Coordination of Care	83.95%	84.44%	89.58%

^{*} Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	ОНР			Respor Gen (Q4	der	С	hild's Age (Q39)	Э	Respon	dent's Ed	ucation	Hispanic (Q4	` ,	C	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
		ெ	8	(Q-	14)		(Q39)			(Q45)		(Q4	•1)		(Q42)			(Q31)			(Q1)	
	2019 State	2019	201	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-America	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	219	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	43	3	0	0	3	0	2	1	0	2	1	2	1	1	0	1	3	0	0	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,056	198	219	34	162	50	107	37	47	42	104	73	118	138	2	39	173	21	4	63	122	8
	99.0%	98.5%	100.0%	100.0%	98.2%	100.0%	98.2%	97.4%	100.0%	95.5%	99.0%	97.3%	99.2%	99.3%	100.0%	97.5%	98.3%	100.0%	100.0%	100.0%	97.6%	100.0%
Yes	1,078	62	77	9	53	20	31	11	11	17	34	16	44	45	0	11	53	6	3	6	50	5
	26.6%	31.3%	35.2%	26.5%	32.7%	40.0%	29.0%	29.7%	23.4%	40.5%	32.7%	21.9%	37.3%	32.6%	0.0%	28.2%	30.6%	28.6%	75.0%	9.5%	41.0%	62.5%
No	2,978	136	142	25	109	30	76	26	36	25	70	57	74	93	2	28	120	15	1	57	72	3
	73.4%	68.7%	64.8%	73.5%	67.3%	60.0%	71.0%	70.3%	76.6%	59.5%	67.3%	78.1%	62.7%	67.4%	100.0%	71.8%	69.4%	71.4%	25.0%	90.5%	59.0%	37.5%
Significantly different from column:*												М	L						·	U	T	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 4

In the last 6 months, when your child <u>needed care right away</u>, how often did your child get care as soon as he or she needed?

Base: All respondents whose child needed care right away (Q3)

Base. All respondents whose child needed care right	. u.ruj (40)																					
	0			Respor Gen		C	child's Age	9	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vis st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	Ι	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,078	62	73	9	53	20	31	11	11	17	34	16	44	45	0	11	53	6	3	6	50	5
Number missing or multiple answer	22	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,056	61	73	9	52	20	31	10	11	17	33	16	43	44	0	11	52	6	3	6	49	5
	98.0%	98.4%	100.0%	100.0%	98.1%	100.0%	100.0%	90.9%	100.0%	100.0%	97.1%	100.0%	97.7%	97.8%		100.0%	98.1%	100.0%	100.0%	100.0%	98.0%	100.0%
Never	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	79	6.6%	8	0.0%	4 7.7%	2	3.2%	10.00/	3	0.0%	1 3.0%	3	2 20/	2 4.5%	0	0.40/	1 00/	0.0%	3	10.70/	2.0%	1 20.0%
Usually	7.5% 160	6.6%	11.0%	0.0%	7.1%	10.0%	3.2%	10.0%	27.3%	0.0%	3.0%	18.8%	2.3%	4.5%		9.1%	1.9%	0.0%	100.0%	16.7%	2.0%	20.0%
Osuany	15.2%	9.8%	15.1%	0.0%	11.5%	5.0%	12.9%	10.0%	9.1%	11.8%	9.1%	18.8%	7.0%	6.8%		18.2%	9.6%	16.7%	0.0%	0.0%	12.2%	0.0%
Always	809	51	54	9	42	17	26	8	7	15	29	10	39	39	0	8	46	5	0	5	42	4
	76.6%	83.6%	74.0%	100.0%	80.8%	85.0%	83.9%	80.0%	63.6%	88.2%	87.9%	62.5%	90.7%	88.6%		72.7%	88.5%	83.3%	0.0%	83.3%	85.7%	80.0%
Significantly different from column:*																						
Usually or Always	969	57	65	9	48	18	30	9	8	17	32		42	42	0	10	51	6	0	5	48	4
	91.8%	93.4%	89.0%	100.0%	92.3%	90.0%	96.8%	90.0%	72.7%	100.0%	97.0%	81.3%	97.7%	95.5%		90.9%	98.1%	100.0%	0.0%	83.3%	98.0%	80.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

				Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	CI	nild's Rad	e	Child's	Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	(Q44)		(Q39)			(Q45)		(Q4	1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	221	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	Ī
Number missing or multiple answer	56	4	0	1	3	0	3	1	1	2	1	2	2	2	0	1	4	0	0	0	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,043	197	221	33	162	50	106	37	46	42	104	73	117	137	2	39	172	21	4	63	122	Ī
	98.6%	98.0%	100.0%	97.1%	98.2%	100.0%	97.2%	97.4%	97.9%	95.5%	99.0%	97.3%	98.3%	98.6%	100.0%	97.5%	97.7%	100.0%	100.0%	100.0%	97.6%	100.09
Yes	2,674	130	148	21	109	37	70	21	30	25	73	46	80	92	1	26	112	14	4	16	104	i i
	66.1%	66.0%	67.0%	63.6%	67.3%	74.0%	66.0%	56.8%	65.2%	59.5%	70.2%	63.0%	68.4%	67.2%	50.0%	66.7%	65.1%	66.7%	100.0%	25.4%	85.2%	87.5%
No	1,369	67	73	12	53	13	36	16	16	17	31	27	37	45	1	13	60	7	0	47	18	1
	33.9%	34.0%	33.0%	36.4%	32.7%	26.0%	34.0%	43.2%	34.8%	40.5%	29.8%	37.0%	31.6%	32.8%	50.0%	33.3%	34.9%	33.3%	0.0%	74.6%	14.8%	12.5%
Significantly different from column:*																				U	Т	ı —

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for a check-up or routine care (Q5)

	Д			Gen	condent's dender (Q44)		hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	` ,	C	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,674	130	142	21	109	37	70	21	30	25	73	46	80	92	1	26	112	14	4	16	104	7
Number missing or multiple answer	40	2	0	0	2	1	1	0	0	1	1	0	2	2	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,634	128	142	21	107	36	69	21	30	24	72	46	78	90	1	26	110	14	4	16	102	7
	98.5%	98.5%	100.0%	100.0%	98.2%	97.3%	98.6%	100.0%	100.0%	96.0%	98.6%	100.0%	97.5%	97.8%	100.0%	100.0%	98.2%	100.0%	100.0%	100.0%	98.1%	100.0%
Never	46	2	2	0	2	0	2	0	1	0	1	2	0	1	0	1	1	1	0	1	1	0
Sometimes	1.7% 322	1.6%	1.4%	0.0%	1.9%	0.0%	2.9%	0.0%	3.3%	0.0%	1.4%	4.3%	0.0%	1.1%	0.0%	3.8%	0.9%	7.1%	0.0%	6.3%	1.0%	0.0%
Sometimes	322 12.2%	13 10.2%	10.6%	0.0%	12.1%	0.0%	5.8%	42.9%	26.7%	4.2%	5.6%	19.6%	3.8%	8.9%	0.0%	د 11.5%	10.9%	0.0%	25.0%	12.5%	10.8%	0.0%
Usually	640	26	31	0.0%	23	7	14	42.9%	20.7%	4.270	5.0% 18	19.0%	3.0%	18	0.0%	11.5%	10.9%	0.0%	20.0%	12.5%	23	0.0%
Coddiny	24.3%	20.3%		14.3%	21.5%	19.4%	20.3%	19.0%	16.7%	12.5%	25.0%	17.4%	23.1%	20.0%	0.0%	15.4%	17.3%	35.7%	50.0%	6.3%	22.5%	14.3%
Always	1,626	87	94	18	69	29	49	8	16	20	49	27	57	63	1	18	78	8	1	12	67	6
1	61.7%	68.0%	66.2%	85.7%	64.5%	80.6%	71.0%	38.1%	53.3%	83.3%	68.1%		73.1%	70.0%	100.0%	69.2%	70.9%	57.1%	25.0%		65.7%	85.7%
Significantly different from column:*				/-		Н	Н	FG	J	I		1.0	- 1			/-		- 70				
Usually or Always	2,266	113	125	21	92	36	63	12	21	23	67	35	75	81	1	22	97	13	3	13	90	7
	86.0%	88.3%	88.0%	100.0%	86.0%	100.0%	91.3%	57.1%	70.0%	95.8%	93.1%	76.1%	96.2%	90.0%	100.0%	84.6%	88.2%	92.9%	75.0%	81.3%	88.2%	100.0%
Significantly different from column:*												М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

	0			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor V st 6 Montl	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	А	В	С	D	Е	F	G	Н	1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 90 NA	201 5 NA	219 0 NA	1	165 4 NA	50 1 NA	109 2 NA	38 2 NA	47 1 NA	44 1 NA	105 2 NA	2	119 3 NA	139 3 NA	2 0 NA	40 1 NA	176 3 NA	21 1 NA	4 1 NA	63 0 NA	125 0 NA	8 0 NA
Usable responses	4,009 97.8%	196 97.5%	219 100.0%	33	161 97.6%	49 98.0%	107 98.2%	36 94.7%	46 97.9%	43	103 98.1%	73	116 97.5%	136 97.8%	2 100.0%	39 97.5%	173 98.3%	20 95.2%	3 75.0%	63	125 100.0%	100.0%
None	1,321 33.0%	63 32.1%	56 25.6%	· · ·	53 32.9%	11 22.4%	37 34.6%	13 36.1%	21 45.7%	12 27.9%	28 27.2%		30 25.9%	40 29.4%	1 50.0%	15 38.5%	57 32.9%	6 30.0%	0.0%	63 100.0%	0 0.0%	0.0%
1 time	1,278 31.9%	59 30.1%	77 35.2%	13 39.4%	45 28.0%	16 32.7%	34 31.8%	9 25.0%	9 19.6%	13 30.2%	35 34.0%	17 23.3%	39 33.6%	44 32.4%	1 50.0%	9 23.1%	52 30.1%	7 35.0%	0 0.0%	0 0.0%	59 47.2%	0.0%
2	772 19.3%	41 20.9%	35 16.0%	5 15.2%	36 22.4%	8 16.3%	21 19.6%	11 30.6%	9 19.6%	11 25.6%	21 20.4%	14 19.2%	26 22.4%	28 20.6%	0 0.0%	8 20.5%	37 21.4%	4 20.0%	0 0.0%	0 0.0%	41 32.8%	0.0%
3	326 8.1%	17 8.7%	27 12.3%	3 9.1%	14 8.7%	8 16.3%	7 6.5%	1 2.8%	3 6.5%	3 7.0%	11 10.7%	7 9.6%	10 8.6%	16 11.8%	0 0.0%	1 2.6%	16 9.2%	0 0.0%	1 33.3%	0 0.0%	17 13.6%	0.0%
4	162 4.0%	8 4.1%	13 5.9%	1 3.0%	7 4.3%	3 6.1%	4 3.7%	1 2.8%	0 0.0%	2 4.7%	6 5.8%	2 2.7%	5 4.3%	5 3.7%	0 0.0%	2 5.1%	4 2.3%	3 15.0%	1 33.3%	0 0.0%	8 6.4%	0 0.0%
5 to 9	119 3.0%	7 3.6%	11 5.0%	2 6.1%	5 3.1%	2 4.1%	4 3.7%	1 2.8%	3 6.5%	2 4.7%	2 1.9%	2 2.7%	5 4.3%	2 1.5%	0 0.0%	4 10.3%	6 3.5%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	7 87.5%
10 or more times	31 0.8%	1 0.5%	0 0.0%	0 0.0%	1 0.6%	1 2.0%	0 0.0%	0 0.0%	1 2.2%	0 0.0%	0 0.0%	0 0.0%	1 0.9%	1 0.7%	0 0.0%	0 0.0%	1 0.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 12.5%
5 or more times	150 3.7%	8 4.1%	11 5.0%	2 6.1%	6 3.7%	3 6.1%	4 3.7%	1 2.8%	4 8.7%	2 4.7%	2 1.9%	2 2.7%	6 5.2%	3 2.2%	0 0.0%	4 10.3%	7 4.0%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	8 100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

	НР			Respor Gen	der	C	hild's Ag	0	Respon		ucation	Hispanio	` ,	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	I 공			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,688	133	159	24	108	38	70	23	25	31	75	42	86	96	1	24	116	14	3	0	125	8
Number missing or multiple answer	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,653	133	159	24	108	38	70	23	25	31	75	42	86	96	1	24	116	14	3	0	125	8
	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	1,902	94	116	17	77	31	50	12	14	19	60	21	70	69	1	19	84	8	2	0	89	5
	71.7%	70.7%	73.0%	70.8%	71.3%	81.6%	71.4%	52.2%	56.0%	61.3%	80.0%	50.0%	81.4%	71.9%	100.0%	79.2%	72.4%	57.1%	66.7%		71.2%	62.5%
No	751	39	43	7	31	7	20	11	11	12	15	21	16	27	0	5	32	6	1	0	36	3
	28.3%	29.3%	27.0%	29.2%	28.7%	18.4%	28.6%	47.8%	44.0%	38.7%	20.0%	50.0%	18.6%	28.1%	0.0%	20.8%	27.6%	42.9%	33.3%		28.8%	37.5%
Significantly different from column:*						Н		F	K	K	IJ	М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 9

In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

	쇼			Respor Gen	der	С	child's Age	Э	Respon	dent's Ed	ucation	Hispanio	` '	С	hild's Rac	e	Child's	s Health S	Status		Doctor Vi	
	ОНР			(Q4	14)	(Q39)				(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,688	133	159	24	108	38	70	23	25	31	75	42	86	96	1	24	116	14	3	0	125	8
Number missing or multiple answer	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,668	133	159	24	108	38	70	23	25	31	75	42	86	96	1	24	116	14	3	0	125	8
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	602	30	40	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4
	22.6%	22.6%	25.2%	29.2%	21.3%	28.9%	17.1%	30.4%	28.0%	16.1%	24.0%	26.2%	20.9%	19.8%	0.0%	25.0%	19.8%	35.7%	66.7%		20.8%	50.0%
No	2,066	103	119	17	85	27	58	16	18	26	57	31	68	77	1	18	93	9	1	0	99	4
	77.4%	77.4%	74.8%	70.8%	78.7%	71.1%	82.9%	69.6%	72.0%	83.9%	76.0%	73.8%	79.1%	80.2%	100.0%	75.0%	80.2%	64.3%	33.3%		79.2%	50.0%
Significantly different from column:*										·											_	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 10

Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	ОНР			Respor Gen (Q4	der	C	hild's Age (Q39)	Э	Respon	dent's Ed	ucation	Hispanio (Q4	` '	C	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	602	30	39	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	597	30	39	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	538	26	38	7	19	10	11	5	7	3	16	8	17	17	0	5	20	4	2	0	22	4
	90.1%	86.7%	97.4%	100.0%	82.6%	90.9%	91.7%	71.4%	100.0%	60.0%	88.9%	72.7%	94.4%	89.5%		83.3%	87.0%	80.0%	100.0%		84.6%	100.0%
No	59	4	1	0	4	1	1	2	0	2	2	3	1	2	0	1	3	1	0	0	4	0
	9.9%	13.3%	2.6%	0.0%	17.4%	9.1%	8.3%	28.6%	0.0%	40.0%	11.1%	27.3%	5.6%	10.5%		16.7%	13.0%	20.0%	0.0%		15.4%	0.0%
Significantly different from column:*							·	·		·												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 1

Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	ОНР			Respor Gen (Q4	der	C	hild's Age (Q39)	Э	Respon	dent's Ed	ucation	Hispanio (Q4	` '	C	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	602	30	39	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	596	30	39	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	414	20	28	6	14	8	9	3	5	2	13	7	12	11	0	5	17	2	1	0	16	4
	69.5%	66.7%	71.8%	85.7%	60.9%	72.7%	75.0%	42.9%	71.4%	40.0%	72.2%	63.6%	66.7%	57.9%		83.3%	73.9%	40.0%	50.0%		61.5%	100.0%
No	182	10	11	1	9	3	3	4	2	3	5	4	6	8	0	1	6	3	1	0	10	0
	30.5%	33.3%	28.2%	14.3%	39.1%	27.3%	25.0%	57.1%	28.6%	60.0%	27.8%	36.4%	33.3%	42.1%		16.7%	26.1%	60.0%	50.0%		38.5%	0.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 12

When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	ОНР				Respor Gen (Q ²	der	C	hild's Ago (Q39)	е	Respon	dent's Ed	ucation	Hispanio (Q ²	,	Cl	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more	
	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	T	U	V	
Number in sample	602	30	38	7	23	11	12	7	7	5	18	11	18	19	0	6	23	5	2	0	26	4	
Number missing or multiple answer	11	1	0	0	1	0	1	0	0	0	1	0	1	1	0	0	0	1	0	0	1	0	
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Usable responses	591	29	38	7	22	11	11	7	7	5	17	11	17	18	0	6	23	4	2	0	25	4	
	98.2%	96.7%	100.0%	100.0%	95.7%	100.0%	91.7%	100.0%	100.0%	100.0%	94.4%	100.0%	94.4%	94.7%		100.0%	100.0%	80.0%	100.0%		96.2%	100.0%	
Yes	459	17	29	4	13	7	9	1	5	3	9	8	8	8	0	5	13	3	1	0	15	2	
	77.7%	58.6%	76.3%	57.1%	59.1%	63.6%	81.8%	14.3%	71.4%	60.0%	52.9%	72.7%	47.1%	44.4%		83.3%	56.5%	75.0%	50.0%		60.0%	50.0%	
No	132	12	9	3	9	4	2	6	2	2	8	3	9	10	0	1	10	1	1	0	10	2	
	22.3%	41.4%	23.7%	42.9%	40.9%	36.4%	18.2%	85.7%	28.6%	40.0%	47.1%	27.3%	52.9%	55.6%		16.7%	43.5%	25.0%	50.0%		40.0%	50.0%	
Significantly different from column:*		Α					·											·					

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

Number in sample	ctor Visits in Months	Doctor \ st 6 Mon		Status	s Health S	Child's	ce	hild's Rac	CI	(Child)	Hispanic	lucation	dent's Ed	Respon	9	hild's Age	С		Respon Gen			0	
Number in sample A B C D E F G H I J K L M N O P O R S T	<u>17)</u>	(Q7)]	(Q37)			·		l 1)	(Q4		(Q45)	•		(Q39)		14)	(Q4			OHE O	
Number in sample 2,688 133 160 24 108 38 70 23 25 31 75 42 86 96 11 24 116 14 3 0 0 Number missing or multiple answer 28 11 0 0 0 11 0 0 0 0 0 0 0 0 0 1 1 0	1 to 4 5 or more	1 to 4	None	_	Good		Other	African-American	White	Not Hispanic	Hispanic	Some college or more	HS grad	than jrad	14 to 18	6 to 13		Female	Male		2019	9 State	
Number missing or multiple answer (<u> </u>	U	Т	S			'	0			L		J	I			'						
Number no experience NA NA NA NA NA NA NA NA	125	125	0	3	14	116	24	1	96	86	42	75	31	25	23	70	38	108	24	160	133		·
Usable responses	1	1	0	0	0	1	0	0	1	1	0	1	0	0	0	0	0	1	0	0	.1		·
99.0% 99.2% 100.0% 100.0% 99.1% 100.0% 100.0% 100.0% 100.0% 100.0% 98.7% 100.0% 98.8% 99.0% 100.0% 100.0% 99.1% 100.0% 100.0% 0 Worst health care possible 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NA 1		NA O	NA 2				NA 4															·
0 Worst health care possible 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		99.2%		3 100.0%	1	-		100.0%		• •					_~	- 1	"						Osable lespolises
1	0	(0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0 Worst health care possible
2	0.0% 0.0	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	·
2	0	(0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
3	0.0% 0.0	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	
3	0.0% 0.0	0.0%	0	0 0.0%	0 0.0%	0 0 0%	0 0.0%	0 0 0%	0 0.0%	0 ი ი%	0 0.0%	0 0 0%	0 0 0%	0 0 0%	0 0 0%	0 0 0%	0 0%	0 0 0%	0 0.0%	1 ი 6%	0 0 0%	10 0.4%	2
4	1	0.07	0	0.070	0.070	1	0.070	0.070	1	0.070	1	0.070	0.070	1	1	0.070	0.070	1	0.070	2	1	13	3
4	0.8%	0.8%		0.0%	0.0%	0.9%	0.0%	0.0%	1.1%	0.0%	2.4%	0.0%	0.0%	4.0%	4.3%	0.0%	0.0%	0.9%	0.0%	1.3%	0.8%	0.5%	
5 62 2 3 0 2 0 0 2 0 0 2 0 0 2 0	0	(0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	20	4
6	0.0% 0.0	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.8%	
6	2	2	0	0	0	2	1	0	1	2	0	2	0	0	2	0	0	2	0	3	2	62	5
7 220 15 17 2 13 3 7 5 1 4 10 3 11 11 0 1 12 2 1 0 8.3% 11.4% 10.6% 8.3% 12.1% 7.9% 10.0% 21.7% 4.0% 12.9% 13.5% 7.1% 12.9% 11.6% 0.0% 4.2% 10.4% 14.3% 33.3%	1.6% 0.0	1.6%		0.0%	0.0%	1.7%	4.2%	0.0%	1.1%	2.4%	0.0%	2.7%	0.0%	0.0%	8.7%	0.0%	0.0%	1.9%	0.0%	1.9%	1.5%	2.3%	6
7 220 15 17 2 13 3 7 5 1 4 10 3 11 11 0 1 12 2 1 0 8.3% 11.4% 10.6% 8.3% 12.1% 7.9% 10.0% 21.7% 4.0% 12.9% 13.5% 7.1% 12.9% 11.6% 0.0% 4.2% 10.4% 14.3% 33.3%	2.4% 0.0	2.4%		0.0%	7.1%	ے 1.7%	8.3%	0.0%	0.0%	2.4%	2.4%	0.0%	6.5%	4.0%	2 8.7%	1.4%	0.0%	2 1.9%	4.2%	4 2.5%	2.3%	2.5%	
8 537 26 31 6 19 6 15 4 5 5 15 4 19 17 0 8 24 2 0 0 0 20.2% 19.7% 19.4% 25.0% 17.8% 15.8% 21.4% 17.4% 20.0% 16.1% 20.3% 9.5% 22.4% 17.9% 0.0% 33.3% 20.9% 14.3% 0.0%	14		0	1			1	0		11			4	1	5	7	3	13	2				7
20.2% 19.7% 19.4% 25.0% 17.8% 15.8% 21.4% 17.4% 20.0% 16.1% 20.3% 9.5% 22.4% 17.9% 0.0% 33.3% 20.9% 14.3% 0.0%	11.3% 12.5	11.3%		33.3%	14.3%	10.4%	4.2%	0.0%	11.6%	12.9%	7.1%	13.5%	12.9%	4.0%	21.7%	10.0%	7.9%	12.1%	8.3%	10.6%	11.4%		
	24		0	0	2		8	0		19	•	. •	5	5	4	- 1	6	19	6				8
		19.4%		0.0%	1		33.3%	0.0%		22.4%	1	20.3%	16.1%	20.0%	17.4%		15.8%		25.0%				
	25		0	1	· ·	23	5	1	18	11	16	16	5	6	2	16	9	24	3	31	27	542	9
20.4% 20.5 % 19.4% 12.5% 22.4% 23.7% 22.9% 8.7% 24.0% 16.1% 21.6% 38.1% 12.9% 18.9% 100.0% 20.8% 20.0% 21.4% 33.3%		20.2%		33.3%	21.4%		20.8%	100.0%							8.7%			22.4%		19.4%			10 Doot hoolth care possible
10 Best health care possible 1,187 58 70 12 46 20 31 7 11 15 31 17 40 47 0 7 51 6 1 0 44.6% 43.9% 43.8% 50.0% 43.0% 52.6% 44.3% 30.4% 44.0% 48.4% 41.9% 40.5% 47.1% 49.5% 0.0% 29.2% 44.3% 42.9% 33.3%	55 14.4% 37.5	55 44.4%	U	32 20/	42 O0/	-	20.29/	0 00/		. •					30 40/			46 42 00/		/0 /2 00/			TO Best nealth care possible

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

base. All respondents whose child went to a docto	- 0 011100/0111110 0	o got out o (a	'/																			
				Respor Gen		C	hild's Ag	е	Respon	ident's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample Number missing or multiple answer	2,688 28	133 1	160 0	24 0	108 1	38 0	70 0	23 0	25 0	31 0	75 1	42 0	86 1	96 1	1	24 0	116 1	14	3	0	125 1	8
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,660	132	160	24	107	38	70	23	25	31	74	42	85	95	1	24	115	14	3	0	124	8
	99.0%	99.2%	100.0%	100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	98.7%	100.0%	98.8%	99.0%	100.0%	100.0%	99.1%	100.0%	100.0%		99.2%	100.0%
0 to 4	46 1.7%	1 0.8%	4 2.5%	0 0.0%	1 0.9%	0 0.0%	0 0.0%	1 4.3%	1 4.0%	0 0.0%	0.0%	1 2.4%	0.0%	1 1.1%	0 0.0%	0.0%	1 0.9%	0 0.0%	0 0.0%	0 	1 0.8%	0 0.0%
5	62 2.3%	2 1.5%	3 1.9%	0 0.0%	2 1.9%	0.0%	0 0.0%	2 8.7%	0 0.0%	0 0.0%	2 2.7%	0 0.0%	2 2.4%	1 1.1%	0.0%	1 4.2%	2 1.7%	0.0%	0 0.0%	0 	2 1.6%	0 0.0%
6 or 7	286 10.8%	18 13.6%	21 13.1%	3 12.5%	15 14.0%	3 7.9%	8 11.4%	7 30.4%	2 8.0%	6 19.4%	10 13.5%	4 9.5%	13 15.3%	11 11.6%	0 0.0%	3 12.5%	14 12.2%	ľ	1 33.3%	0 	17 13.7%	1 12.5%
8 to 10	2,266 85.2%	111 84.1%	132 82.5%		89 83.2%	35 92.1%	62 88.6%	13 56.5%	22 88.0%	25 80.6%	62 83.8%		70 82.4%	82 86.3%	1 100.0%	20 83.3%	98 85.2%	l	2 66.7%	0 	104 83.9%	7 87.5%
Significantly different from column:*																						
0 to 6	174 6.5%	6 4.5%	11 6.9%	1 4.2%	5 4.7%	0 0.0%	1 1.4%	5 21.7%	2 8.0%	2 6.5%	2 2.7%	2 4.8%	4 4.7%	2 2.1%	0.0%	3 12.5%	5 4.3%	7.1%	0 0.0%	0 	6 4.8%	0 0.0%
7 to 8	757 28.5%	41 31.1%	48 30.0%	8	32 29.9%	9	22 31.4%	9 39.1%	6	9 29.0%	25 33.8%	7	30 35.3%	28 29.5%	0 0.0%	9	36	4	1 33.3%	0	38 30.6%	3 37.5%
9 to 10	1,729 65.0%	85 64.4%	101 63.1%	15 62.5%	70 65.4%	29 76.3%	47 67.1%	9 39.1%	17 68.0%	20 64.5%	47 63.5%		51 60.0%	65 68.4%	1 100.0%	12 50.0%	74 64.3%	ľ	2 66.7%	0	80 64.5%	5 62.5%
Significantly different from column:*	33.070	5 770	0070	52.576	3370	Н	Н	FG	00.070	0 70	22.370	M	L	23.170	. 55.576	23.370	0 70	3 3 / 0	22 70		0 70	32.370
·								_														

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 14

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	1	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,688	133	160	24	108	38	70	23	25	31	75	42	86	96	1	24	116	14	3	0	125	8
Number missing or multiple answer	31	1	0	0	1	0	0	1	1	0	0	1	0	0	0	1	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,657	132	160	24	107	38	70	22	24	31	75	41	86	96	1	23	115	14	3	0	124	8
	98.8%	99.2%	100.0%	100.0%	99.1%	100.0%	100.0%	95.7%	96.0%	100.0%	100.0%	97.6%	100.0%	100.0%	100.0%	95.8%	99.1%	100.0%	100.0%		99.2%	100.0%
Never	36 1.4%	1 0.8%	1 0.6%	0 0.0%	1 0.9%	0 0.0%	1 1.4%	0 0.0%	0 0.0%	1 3.2%	0.0%	1 2.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.9%	0 0.0%	0 0.0%	0	1 0.8%	0 0.0%
Sometimes	247	11	14	2	9	3	6	2.070	4	1	6	4	7	9	0.070	2.070	9	0.070	2.070	0	11	0.070
	9.3%	8.3%	8.8%	8.3%	8.4%	7.9%	8.6%	9.1%	16.7%	3.2%	8.0%	9.8%	8.1%	9.4%	0.0%	8.7%	7.8%	0.0%	66.7%		8.9%	0.0%
Usually	744	39	33	6	33	8	17	12	8	8	23	14	24	28	1	6	32	7	0	0	37	2
	28.0%	29.5%	20.6%	25.0%	30.8%	21.1%	24.3%	54.5%	33.3%	25.8%	30.7%	34.1%	27.9%	29.2%	100.0%	26.1%	27.8%	50.0%	0.0%		29.8%	25.0%
Always	1,630	81	112	16	64	27	46	8	12	21	46	22	55	59	0	15	73	7	1	0	75	6
	61.3%	61.4%	70.0%	66.7%	59.8%	71.1%	65.7%	36.4%	50.0%	67.7%	61.3%	53.7%	64.0%	61.5%	0.0%	65.2%	63.5%	50.0%	33.3%		60.5%	75.0%
Significantly different from column:*						Н	Н	FG														
Usually or Always	2,374	120	145	22	97	35	63	20	20	29	69	36	79	87	1	21	105	14	1	0	112	8
	89.3%	90.9%	90.6%	91.7%	90.7%	92.1%	90.0%	90.9%	83.3%	93.5%	92.0%	87.8%	91.9%	90.6%	100.0%	91.3%	91.3%	100.0%	33.3%		90.3%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 15

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

	0			Respor Gen		C	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rac	е	Child's	Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	222	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	701	33	0	6	27	4	17	10	11	6	13	19	12	17	0	11	27	5	1	31	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,398	168	222	28	138	46	92	28	36	38	92	56	107	122	2	29	149	16	3	32	125	8
	82.9%	83.6%	100.0%	82.4%	83.6%	92.0%	84.4%	73.7%	76.6%	86.4%	87.6%	74.7%	89.9%	87.8%	100.0%	72.5%	84.7%	76.2%	75.0%	50.8%	100.0%	100.0%
Yes	3,049	154	198	26	126	43	88	21	30	37	85	49	100	114	2	24	136	15	3	26	117	8
	89.7%	91.7%	89.2%	92.9%	91.3%	93.5%	95.7%	75.0%	83.3%	97.4%	92.4%	87.5%	93.5%	93.4%	100.0%	82.8%	91.3%	93.8%	100.0%	81.3%	93.6%	100.0%
No	349	14	24	2	12	3	4	7	6	1	7	7	7	8	0	5	13	1	0	6	8	0
	10.3%	8.3%	10.8%	7.1%	8.7%	6.5%	4.3%	25.0%	16.7%	2.6%	7.6%	12.5%	6.5%	6.6%	0.0%	17.2%	8.7%	6.3%	0.0%	18.8%	6.4%	0.0%
Significantly different from column:*																						1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 10

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q15)

	0			Respon Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vis st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	3,049	154	190	26	126	43	88	21	30	37	85	49	100	114	2	24	136	15	3	26	117	8
Number missing or multiple answer	56	5	0	1	3	1	1	3	1	2	1	2	2	3	0	0	3	2	0	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,993 98.2%	149 96.8%	190 100.0%	25 96.2%	123 97.6%	42 97.7%	87 98.9%	18 85.7%	29	35 94.6%	84 98.8%	47	98.0%	111	100.0%	24 100.0%	133 97.8%		3 100.0%	26	113 96.6%	100.0%
None	671 22.4%	31 20.8%	40 21.1%	3 12.0%	27 22.0%	8 19.0%	21 24.1%	2 11.1%	9 31.0%	5 14.3%	17 20.2%	13 27.7%	18 18.4%	22 19.8%	2 100.0%	5 20.8%	31 23.3%	0 0.0%	0.0%	20 76.9%	10 8.8%	0.0%
1 time	1,293	67	72	14	53	20	38	9	11	19	36	18	46	55	0	7	58	9	0	5	61	1
	43.2%	45.0%	37.9%	56.0%	43.1%	47.6%	43.7%	50.0%	37.9%	54.3%	42.9%	38.3%	46.9%	49.5%	0.0%	29.2%	43.6%	69.2%	0.0%	19.2%	54.0%	12.5%
2	589	26	37	4	22	4	16	5	2	5	19	7	18	17	0	6	24	2	0	0	26	0
	19.7%	17.4%	19.5%	16.0%	17.9%	9.5%	18.4%	27.8%	6.9%	14.3%	22.6%	14.9%	18.4%	15.3%	0.0%	25.0%	18.0%	15.4%	0.0%	0.0%	23.0%	0.0%
3	249	17	23	4	13	6	8	2	5	4	8	8	9	11	0	4	14	2	1	1	12	3
	8.3%	11.4%	12.1%	16.0%	10.6%	14.3%	9.2%	11.1%	17.2%	11.4%	9.5%	17.0%	9.2%	9.9%	0.0%	16.7%	10.5%	15.4%	33.3%	3.8%	10.6%	37.5%
4	103	5	9	0	5	3	2	0	0	2	3	0	5	4	0	1	4	0	1	0	4	1
	3.4%	3.4%	4.7%	0.0%	4.1%	7.1%	2.3%	0.0%	0.0%	5.7%	3.6%	0.0%	5.1%	3.6%	0.0%	4.2%	3.0%	0.0%	33.3%	0.0%	3.5%	12.5%
5 to 9	80	3	9	0	3	1	2	0	2	0	1	1	2	2	0	1	2	0	1	0	0	3
	2.7%	2.0%	4.7%	0.0%	2.4%	2.4%	2.3%	0.0%	6.9%	0.0%	1.2%	2.1%	2.0%	1.8%	0.0%	4.2%	1.5%	0.0%	33.3%	0.0%	0.0%	37.5%
10 or more times	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2 or more times	1,029	51	78	8	43	14	28	7	9	11	31	16	34	34	0	12	44	4	3	1	42	7
	34.4%	34.2%	41.1%	32.0%	35.0%	33.3%	32.2%	38.9%	31.0%	31.4%	36.9%	34.0%	34.7%	30.6%	0.0%	50.0%	33.1%	30.8%	100.0%	3.8%	37.2%	87.5%
Significantly different from column:*																				U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 16a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

base. All respondents whose child has a personal de				9 (/																
	0			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHO.			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	Ι	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	17	2	0	1	1	0	0	2	1	0	1	1	0	1	0	0	1	1	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,305	116	150	21	95	34	66	14	19	30	66	33	80	88	0	19	101	12	3	6	101	8
	99.3%	98.3%	100.0%	95.5%	99.0%	100.0%	100.0%	87.5%	95.0%	100.0%	98.5%	97.1%	100.0%	98.9%		100.0%	99.0%	92.3%	100.0%	100.0%	98.1%	100.0%
Never	2,055	111	137	21	90	34	62	13	17	29	64	31		86	0	16	98	10	3	5	97	8
	89.2%	95.7%	91.3%	100.0%	94.7%	100.0%	93.9%	92.9%	89.5%	96.7%	97.0%	93.9%	97.5%	97.7%		84.2%	97.0%	83.3%	100.0%	83.3%	96.0%	100.0%
Sometimes	153	5	9	0	5	0	4	1	2	1	2	2	2	2	0	3	3	2	0	1	4	0
	6.6%	4.3%	6.0%	0.0%	5.3%	0.0%	6.1%	7.1%	10.5%	3.3%	3.0%	6.1%	2.5%	2.3%		15.8%	3.0%	16.7%	0.0%	16.7%	4.0%	0.0%
Usually	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A1	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Always	57	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Significantly different from column:*	2.5%	0.0%	2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Never or Sometimes	2,208	116	146	21	95	34	66	14	19	30	66	33	80	88	n	19	101	12	3	6	101	8
110 voi oi oometimes	95.8%	100.0%	97.3%		100.0%	100.0%	100.0%	100.0%	-	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Significantly different from column:*	22.370	1001070	2370						1001070		/ 0									1221270		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 17

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,314	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	28 1.2%	2 1.7%	1 0.7%	1 4.5%	1 1.0%	1 2.9%	1 1.5%	0 0.0%	1 5.0%	1 3.3%	0 0.0%	2 5.9%	0 0.0%	0 0.0%	0	1 5.3%	1 1.0%	1 7.7%	0 0.0%	0 0.0%	2 1.9%	0 0.0%
Sometimes	67	4	6	0	4	2	1	1	3	0.070	1	2	2	3	0	0.070	2	1	1	2	1	1
	2.9%	3.4%	4.0%	0.0%	4.2%	5.9%	1.5%	6.3%	15.0%	0.0%	1.5%	5.9%	2.5%	3.4%		0.0%	2.0%	7.7%	33.3%	33.3%	1.0%	12.5%
Usually	292	11	21	5	6	2	5	3	2	2	7	3	6	6	0	3	8	3	0	0	10	1
	12.6%	9.3%	14.0%	22.7%	6.3%	5.9%	7.6%	18.8%	10.0%	6.7%	10.4%	8.8%	7.5%	6.7%		15.8%	7.8%	23.1%	0.0%	0.0%	9.7%	12.5%
Always	1,927	101	122	16	85	29	59	12	14	27	59	27	72	80	0	15	91	8	2	4	90	6
	83.3%	85.6%	81.3%	72.7%	88.5%	85.3%	89.4%	75.0%	70.0%	90.0%	88.1%	79.4%	90.0%	89.9%		78.9%	89.2%	61.5%	66.7%	66.7%	87.4%	75.0%
Significantly different from column:*																						
Usually or Always	2,219	112	143	21	91	31	64	15	16	29	66	30		86	0	18	99	11	2	4	100	7
	95.9%	94.9%	95.3%	95.5%	94.8%	91.2%	97.0%	93.8%	80.0%	96.7%	98.5%	88.2%	97.5%	96.6%		94.7%	97.1%	84.6%	66.7%	66.7%	97.1%	87.5%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 18

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	0			Respor		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	10	1	0	1	0	0	0	1	0	1	0	0	1	0	0	1	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,312	117	150	21	96	34	66	15	20	29	67	34	79	89	0	18	101	13	3	6	102	8
	99.6%	99.2%	100.0%	95.5%	100.0%	100.0%	100.0%	93.8%	100.0%	96.7%	100.0%	100.0%	98.8%	100.0%		94.7%	99.0%	100.0%	100.0%	100.0%	99.0%	100.0%
Never	9 0.4%	0 0.0%	1 0.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	83	1	6	0	1	1	0	0	0	0	1	0	1	1	0	0	0	0	1	0	1	0
	3.6%	0.9%	4.0%	0.0%	1.0%	2.9%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%	1.3%	1.1%		0.0%	0.0%	0.0%	33.3%	0.0%	1.0%	0.0%
Usually	337	19	21	6	13	5	10	3	4	4	11	4	14	14	0	3	17	2	0	1	17	1
	14.6%	16.2%	14.0%	28.6%	13.5%	14.7%	15.2%	20.0%	20.0%	13.8%	16.4%	11.8%	17.7%	15.7%		16.7%	16.8%	15.4%	0.0%	16.7%	16.7%	12.5%
Always	1,883	97	122	15	82	28	56	12	16	25	55	30	64	74	0	15	84	11	2	5	84	7
	81.4%	82.9%	81.3%	71.4%	85.4%	82.4%	84.8%	80.0%	80.0%	86.2%	82.1%	88.2%	81.0%	83.1%		83.3%	83.2%	84.6%	66.7%	83.3%	82.4%	87.5%
Significantly different from column:*																						
Usually or Always	2,220	116			95	33	66	15	20	29	66	34	78	88	0	18	101	13	2	6	101	8
	96.0%	99.1%	95.3%	100.0%	99.0%	97.1%	100.0%	100.0%	100.0%	100.0%	98.5%	100.0%	98.7%	98.9%		100.0%	100.0%	100.0%	66.7%	100.0%	99.0%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 19

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	11	1	0	1	0	0	0	1	0	1	0	0	1	0	0	1	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,311	117	150	21	96	34	66	15	20	29	67	34	79	89	0	18	101	13	3	6	102	8
	99.5%	99.2%	100.0%	95.5%	100.0%	100.0%	100.0%	93.8%	100.0%	96.7%	100.0%	100.0%	98.8%	100.0%		94.7%	99.0%	100.0%	100.0%	100.0%	99.0%	100.0%
Never	9 0.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	48	2	2	0	2	2	0	0	1	0	1	0	2	2	0	0	1	0	1	0	1	1
	2.1%	1.7%	1.3%	0.0%	2.1%	5.9%	0.0%	0.0%	5.0%	0.0%	1.5%	0.0%	2.5%	2.2%		0.0%	1.0%	0.0%	33.3%	0.0%	1.0%	12.5%
Usually	287	16	24	4	12	5	8	2	3	4	9	4	12	13	0	2	15	1	0	1	14	1
	12.4%	13.7%	16.0%	19.0%	12.5%	14.7%	12.1%	13.3%	15.0%	13.8%	13.4%	11.8%	15.2%	14.6%		11.1%	14.9%	7.7%	0.0%	16.7%	13.7%	12.5%
Always	1,967	99	124	17	82	27	58	13	16	25	57	30	65	74	0	16	85	12	2	5	87	6
	85.1%	84.6%	82.7%	81.0%	85.4%	79.4%	87.9%	86.7%	80.0%	86.2%	85.1%	88.2%	82.3%	83.1%		88.9%	84.2%	92.3%	66.7%	83.3%	85.3%	75.0%
Significantly different from column:*																						
Usually or Always	2,254	115			94	32	66	15	19	29	66	34	77	87	0	18	100	13	2	6	101	7
	97.5%	98.3%	98.7%	100.0%	97.9%	94.1%	100.0%	100.0%	95.0%	100.0%	98.5%	100.0%	97.5%	97.8%		100.0%	99.0%	100.0%	66.7%	100.0%	99.0%	87.5%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 20

Is your child able to talk with doctors about his or her health care?

	0			Respor Gen		C	hild's Ag	ө	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health	Status		Doctor V	
	불			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	٤
Number missing or multiple answer	21	3	0	1	2	1	1	1	1	0	2	1	2	1	0	0	3	0	0	1	2	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	2,301	115	150	21	94	33	65	15	19	30	65	33	78	88	0	19	99	13	3	5	101	٤
	99.1%	97.5%	100.0%	95.5%	97.9%	97.1%	98.5%	93.8%	95.0%	100.0%	97.0%	97.1%	97.5%	98.9%		100.0%	97.1%	100.0%	100.0%	83.3%	98.1%	100.0%
Yes	1,601	87	108	16	71	13	58	14	17	22	47	24	59	65	0	16	74	11	2	4	76	F
	69.6%	75.7%	72.0%	76.2%	75.5%	39.4%	89.2%	93.3%	89.5%	73.3%	72.3%	72.7%	75.6%	73.9%		84.2%	74.7%	84.6%	66.7%	80.0%	75.2%	75.0%
No	700	28	42	5	23	20	7	1	2	8	18	9	19	23	0	3	25	2	1	1	25	2
	30.4%	24.3%	28.0%	23.8%	24.5%	60.6%	10.8%	6.7%	10.5%	26.7%	27.7%	27.3%	24.4%	26.1%		15.8%	25.3%	15.4%	33.3%	20.0%	24.8%	25.0%
Significantly different from column:*						GH	F	F														

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 2^r

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited his/her personal doctor, and is able to talk with his/her doctors (Q15, Q16, & Q20)

	0			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,601	87	107	16	71	13	58	14	17	22	47	24	59	65	0	16	74	11	2	4	76	6
Number missing or multiple answer	11	3	0	0	3	1	1	1	1	0	2	1	2	2	0	1	3	0	0	1	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,590	84	107	16	68	12	57	13	16	22	45	23	57	63	0	15	71	11	2	3	75	5
	99.3%	96.6%	100.0%	100.0%	95.8%	92.3%	98.3%	92.9%	94.1%	100.0%	95.7%	95.8%	96.6%	96.9%		93.8%	95.9%	100.0%	100.0%	75.0%	98.7%	83.3%
Never	9 0.6%	0 0.0%	1 0.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
Sometimes	82 5.2%	3 3.6%	11 10.3%	0 0.0%	3 4.4%	0 0.0%	3 5.3%	0.0%	0.0%	2 9.1%	1 2.2%	0 0.0%	3 5.3%	2 3.2%	0	1 6.7%	3 4.2%	0.0%	0.0%	0 0.0%	2 2.7%	20.0%
Usually	339 21.3%	20 23.8%	21 19.6%	3 18.8%	17 25.0%	1 8.3%	15 26.3%	2 15.4%	2	5 22.7%	13 28.9%	9	9 15.8%	13	0	3 20.0%	17 23.9%	3 27.3%	0.0%	1 33.3%	19 25.3%	0.0%
Always	1,160 73.0%	61 72.6%	74 69.2%	13 81.3%	48 70.6%	11 91.7%	39 68.4%	11 84.6%	14	15 68.2%	31 68.9%	14	45 78.9%	48	0	11 73.3%	51 71.8%	8	100.0%	2 66.7%	54 72.0%	4 80.0%
Significantly different from column:*																						
Usually or Always	1,499 94.3%	81 96.4%	95 88.8%	16 100.0%	65 95.6%	12 100.0%	54 94.7%	13 100.0%	16 100.0%	20 90.9%	44 97.8%	23 100.0%	54 94.7%	61 96.8%	0	14 93.3%	68 95.8%		2 100.0%	3 100.0%	73 97.3%	4 80.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 22

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

base. All respondents whose child has a personal do		oue,e. pe																				
	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	hild's Rac	e	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,322	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,297	118	150	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	36	2	1	0	2	1	0	1	1	0	1	1	1	1	0	0	1	0	1	1	1	0
	1.6%	1.7%	0.7%	0.0%	2.1%	2.9%	0.0%	6.3%	5.0%	0.0%	1.5%	2.9%	1.3%	1.1%		0.0%	1.0%	0.0%	33.3%	16.7%	1.0%	0.0%
Sometimes	161	6	15	2	4	0	4	1	0	2	4	1	5	3	0	3	6	0	0	0	6	0
	7.0%	5.1%	10.0%	9.1%	4.2%	0.0%	6.1%	6.3%	0.0%	6.7%	6.0%	2.9%	6.3%	3.4%		15.8%	5.9%	0.0%	0.0%	0.0%	5.8%	0.0%
Usually	537	32	28	7	25	7	20	4	6	7	19	11	20	23	0	4	27	5	0	1	27	4
	23.4%	27.1%	18.7%	1	26.0%	20.6%	30.3%	25.0%	30.0%	23.3%	28.4%	32.4%	25.0%	25.8%		21.1%	26.5%	38.5%	0.0%	16.7%	26.2%	50.0%
Always	1,563	78	106	13	65	26	42	10	13	21	43	21	54	62	0	12	68	8	2	4	69	4
	68.0%	66.1%	70.7%	59.1%	67.7%	76.5%	63.6%	62.5%	65.0%	70.0%	64.2%	61.8%	67.5%	69.7%		63.2%	66.7%	61.5%	66.7%	66.7%	67.0%	50.0%
Significantly different from column:*																						
Usually or Always	2,100	110			90	33	62	14	19	28	62	32	74	85	0	16	95	13	2	5	96	8
	91.4%	93.2%	89.3%	90.9%	93.8%	97.1%	93.9%	87.5%	95.0%	93.3%	92.5%	94.1%	92.5%	95.5%		84.2%	93.1%	100.0%	66.7%	83.3%	93.2%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

	ОНР			Respor Gen (Q ²	der	С	hild's Age (Q39)	Э	Respon	dent's Ed	ucation	Hispanio (Q ²	` ′	C	hild's Rac (Q42)	e	Child's	s Health S	Status		Doctor Vi	
		6	8	(Q-	14)		(439)			(Q43)		(Q-	Ĺ					(Q31)			(Q7)	
	2019 State	201	201	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	149	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	8
Number missing or multiple answer	27	2	0	1	1	0	0	2	1	1	0	0	1	0	0	2	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,295	116	149	21	95	34	66	14	19	29	67	34	79	89	0	17	100	13	3	6	101	8
	98.8%	98.3%	100.0%	95.5%	99.0%	100.0%	100.0%	87.5%	95.0%	96.7%	100.0%	100.0%	98.8%	100.0%		89.5%	98.0%	100.0%	100.0%	100.0%	98.1%	100.0%
Yes	2,082	107	132	20	87	32	62	11	17	24	65	32	72	83	0	16	91	13	3	5	94	7
	90.7%	92.2%	88.6%	95.2%	91.6%	94.1%	93.9%	78.6%	89.5%	82.8%	97.0%	94.1%	91.1%	93.3%		94.1%	91.0%	100.0%	100.0%	83.3%	93.1%	87.5%
No	213	9	17	1	8	2	4	3	2	5	2	2	7	6	0	1	9	0	0	1	7	1
	9.3%	7.8%	11.4%	4.8%	8.4%	5.9%	6.1%	21.4%	10.5%	17.2%	3.0%	5.9%	8.9%	6.7%		5.9%	9.0%	0.0%	0.0%	16.7%	6.9%	12.5%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 24

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	0			Respor Ger		C	hild's Age	е	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	hild's Rac	e	Child's	s Health S	Status		Doctor V st 6 Montl	
	OHP			(Q4	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	118	147	22	96	34	66	16	20	30	67	34	80	89	0	19	102	13	3	6	103	
Number missing or multiple answer	25	2	0	1	1	1	0	1	0	1	1	0	2	1	0	1	1	0	1	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.
Usable responses	2,297	116	147	21	95	33	66	15	20	29	66	34	78	88	0	18	101	13	2	6	101	1
	98.9%	98.3%	100.0%	95.5%	99.0%	97.1%	100.0%	93.8%	100.0%	96.7%	98.5%	100.0%	97.5%	98.9%		94.7%	99.0%	100.0%	66.7%	100.0%	98.1%	100.0%
Yes	948	48	50	9	39	14	26	8	8	10	30	13	33	33	0	12	42	4	2	1	41	·
	41.3%	41.4%	34.0%	42.9%	41.1%	42.4%	39.4%	53.3%	40.0%	34.5%	45.5%	38.2%	42.3%	37.5%		66.7%	41.6%	30.8%	100.0%	16.7%	40.6%	62.5%
No	1,349	68	97	12	56	19	40	7	12	19	36	21	45	55	0	6	59	9	0	5	60	
	58.7%	58.6%	66.0%	57.1%	58.9%	57.6%	60.6%	46.7%	60.0%	65.5%	54.5%	61.8%	57.7%	62.5%		33.3%	58.4%	69.2%	0.0%	83.3%	59.4%	37.5%
Significantly different from column:*														Р		Ν						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 25

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited his/her personal doctor, and got care from a doctor besides his/her personal doctor (Q15, Q16, & Q24)

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	948	48	48	9	39	14	26	8	8	10	30	13	33	33	0	12	42	4	2	1	41	5
Number missing or multiple answer	32	3	0	0	3	1	2	0	0	1	2	1	2	3	0	0	3	0	0	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	916	45	48	9	36	13	24	8	8	9	28	12	31	30	0	12	39	4	2	1	38	5
	96.6%	93.8%	100.0%	100.0%	92.3%	92.9%	92.3%	100.0%	100.0%	90.0%	93.3%	92.3%	93.9%	90.9%		100.0%	92.9%	100.0%	100.0%	100.0%	92.7%	100.0%
Never	46 5.0%	5 11.1%	1 2.1%	1 11.1%	4 11.1%	0 0.0%	2 8.3%	3 37.5%	3 37.5%	0 0.0%	2 7.1%	1 8.3%	4 12.9%	5 16.7%	0	0 0.0%	4 10.3%	0 0.0%	1 50.0%	0 0.0%	5 13.2%	0 0.0%
Sometimes	101	2	4	1	1	1	1	01.070	1	0.070	1.1.70	1	1	1	0	1	2	0.070	00.070	0.070	2	0.070
	11.0%	4.4%	8.3%	11.1%	2.8%	7.7%	4.2%	0.0%	12.5%	0.0%	3.6%	8.3%	3.2%	3.3%		8.3%	5.1%	0.0%	0.0%	0.0%	5.3%	0.0%
Usually	238	11	18	0	11	3	8	0	0	3	8	3	8	6	0	5	9	2	0	0	10	1
	26.0%	24.4%	37.5%	0.0%	30.6%	23.1%	33.3%	0.0%	0.0%	33.3%	28.6%	25.0%	25.8%	20.0%		41.7%	23.1%	50.0%	0.0%	0.0%	26.3%	20.0%
Always	531	27	25	7	20	9	13	5	4	6	17	7	18	18	0	6	24	2	1	1	21	4
	58.0%	60.0%	52.1%	77.8%	55.6%	69.2%	54.2%	62.5%	50.0%	66.7%	60.7%	58.3%	58.1%	60.0%		50.0%	61.5%	50.0%	50.0%	100.0%	55.3%	80.0%
Significantly different from column:*																						
Usually or Always	769	38	43	7	31	12	21	5	4	9	25	10	26	24	0	11	33	4	1	1	31	5
	84.0%	84.4%	89.6%	77.8%	86.1%	92.3%	87.5%	62.5%	50.0%	100.0%	89.3%	83.3%	83.9%	80.0%		91.7%	84.6%	100.0%	50.0%	100.0%	81.6%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 26

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q15)

				Respor Gen		С	hild's Age	e	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor Vis st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	M	N	0	Р	Q	R	S	T	U	V
Number in sample	3,049	154	184	26	126	43	88	21	30	37	85	49	100	114	2	24	136	15	3	26	117	8
Number missing or multiple answer	87	3	0	0	3	0	3	0		0	2	2		2	0	1	3	0	0	1	2	0
Number no experience	NA 2.002	NA 151	NA 184	NA 26	NA 123	NA 43	NA 85	NA 21	NA 20	NA 37	NA	NA 47	NA	NA 112	NA	NA 23	NA 133		NA	NA 25	NA 115	NA
Usable responses	2,962 97.1%	98.1%		100.0%	123 97.6%	100.0%	96.6%	100.0%	29 96.7%	100.0%	83 97.6%	95.9%	99 99.0%		100.0%	95.8%	97.8%	1	100.0%	25 96.2%	98.3%	100.0%
Worst personal doctor possible	51.176	30.1 <i>/</i> 0	100.0%	0	0 .07	0.07	0.07	0.07	0.7 /6	0	0.07	0	99.07	90.2 /0	0.07	93.07	0 .07	0	0	0.27	0.576	00.0%
	0.2%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	6 0.2%	0.0%	2 1.1%	0.0%	0.0%	0 00/	0.0%	0 09/	0 00/	0.0%	0 0%	0.0%	0.09/	0.0%	0.0%	0 00/	0.0%	0.0%	0.0%	0 0%	0.0%	0.09/
4	0.2%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ľ	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	62	2	3	1	1	0	0	2	0	2	0	1	1	1	0	1	2	0	0	0	2	0
	2.1%	1.3%	1.6%	3.8%	0.8%	0.0%	0.0%	9.5%	0.0%	5.4%	0.0%	2.1%	1.0%	0.9%	0.0%	4.3%	1.5%	0.0%	0.0%	0.0%	1.7%	0.0%
6	57	2	1	0	2	1	1	0	0	0	2	0	2	2	0	0	1	0	1	1	1	0
	1.9%	1.3%	0.5%	0.0%	1.6%	2.3%	1.2%	0.0%	0.0%	0.0%	2.4%	0.0%	2.0%	1.8%	0.0%	0.0%	0.8%		33.3%	4.0%	0.9%	0.0%
7	161	10	8	1	9	2	6	2	2	2	6	0	9	7	_ 1	2	10	ľ	0	3	6	. 1
0	5.4%	6.6%	4.3%	3.8%	7.3%	4.7%	7.1%	9.5%	6.9%	5.4%	7.2%	0.0%	9.1%	6.3%	50.0%	8.7%	7.5%		0.0%	12.0%	5.2%	12.5%
°	438 14.8%	27 17.9%	21 11.4%	23.1%	19 15.4%	20.9%	15 17.6%	9.5%	5 17.2%	5 13.5%	16 19.3%	7 14.9%	18 18.2%	19 17.0%	0.0%	4 17.4%	25 18.8%	1	0.0%	6 24.0%	20 17.4%	1 12.5%
9	592	23	40	23.170	13.4%	20.976	17.6%	9.5 %	4	13.5 /6	19.5%	7	15.2 /6	17.0%	0.0 %	17.4/0	16.6%		0.0 %	4	17.4%	12.570
	20.0%	15.2%	21.7%	7.7%	17.1%	11.6%	17.6%	9.5%	13.8%	13.5%	16.9%	14.9%	15.2%		0.0%	17.4%	16.5%	1	0.0%	16.0%	14.8%	12.5%
10 Best personal doctor possible	1,614	87	108	16	71	26	48	13	18	23	45	32	54	65	1	12	73		2	11	69	5
	54.5%	57.6%	58.7%	61.5%	57.7%	60.5%	56.5%	61.9%	62.1%	62.2%	54.2%	68.1%	54.5%	58.0%	50.0%	52.2%	54.9%	80.0%	66.7%	44.0%	60.0%	62.5%

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 26

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q15)

				Respor Gen		C	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rac	e	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer	3,049 87	154 3	184	26 0	126 3	43 0	88 3	21 0	30 1	37 0	85 2	49 2	100 1	114 2	0	24 1	136 3	15 0	0	26 1	117 2	8
Number no experience Usable responses	NA 2,962	NA 151	NA 184	NA 26	NA 123	NA 43	NA 85	NA 21	NA 29	NA 37	NA 83	NA 47	NA 99	NA 112	NA 2	NA 23	NA 133	NA 15	NA 2	NA 25	NA 115	NA o
Osable responses	97.1%	98.1%	100.0%	100.0%	97.6%		96.6%	100.0%		100.0%	97.6%	95.9%		98.2%	100.0%	95.8%		100.0%	100.0%	96.2%	98.3%	100.0%
0 to 4	38 1.3%	0 0.0%	3 1.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
5	62 2.1%	2 1.3%	3 1.6%	1 3.8%	1 0.8%	0 0.0%	0 0.0%	2 9.5%	0 0.0%	2 5.4%	0 0.0%	1 2.1%	1 1.0%	1 0.9%	0 0.0%	1 4.3%	2 1.5%	0 0.0%	0 0.0%	0 0.0%	2 1.7%	0 0.0%
6 or 7	218 7.4%	12 7.9%	9 4.9%	1 3.8%	11 8.9%	3 7.0%	7 8.2%	2 9.5%	2 6.9%	2 5.4%	8 9.6%	0 0.0%	11 11.1%	9 8.0%	1 50.0%	2 8.7%	11 8.3%	0 0.0%	1 33.3%	4 16.0%	7 6.1%	1 12.5%
8 to 10	2,644 89.3%	137 90.7%	169 91.8%	24 92.3%	111 90.2%	40 93.0%	78 91.8%	17 81.0%	27 93.1%	33 89.2%	75 90.4%	46 97.9%	87 87.9%	102 91.1%	1 50.0%	20 87.0%	120 90.2%	15 100.0%	2 66.7%	21 84.0%	106 92.2%	7 87.5%
Significantly different from column:*																						
0 to 6	157 5.3%	4 2.6%	7 3.8%	1 3.8%	3 2.4%	1 2.3%	1 1.2%	2 9.5%	0 0.0%	2 5.4%	2 2.4%	1 2.1%	3 3.0%	3 2.7%	0 0.0%	1 4.3%	3 2.3%	0 0.0%	1 33.3%	1 4.0%	3 2.6%	0 0.0%
7 to 8	599 20.2%	37 24.5%	29 15.8%	7 26.9%	28 22.8%	11 25.6%	21 24.7%	4 19.0%	7 24.1%	7 18.9%	22 26.5%	7 14.9%	27 27.3%	26 23.2%	1 50.0%	6 26.1%	35 26.3%	2 13.3%	0 0.0%	9 36.0%	26 22.6%	2 25.0%
9 to 10	2,206 74.5%	110 72.8%	148 80.4%	18 69.2%	92 74.8%	31 72.1%	63 74.1%	15 71.4%	22 75.9%	28 75.7%	59 71.1%	39 83.0%	69 69.7%	83 74.1%	1 50.0%	16 69.6%	95 71.4%	13 86.7%	2 66.7%	15 60.0%	86 74.8%	6 75.0%
Significantly different from column:*																1						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

	۵			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	221	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	23	2	0	0	2	1	0	1	0	0	2	1	1	2	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,076	199	221	34	163	49	109	37	47	44	103	74	118	137	2	40	174	21	4	63	123	8
	99.4%	99.0%	100.0%	100.0%	98.8%	98.0%	100.0%	97.4%	100.0%	100.0%	98.1%	98.7%	99.2%	98.6%	100.0%	100.0%	98.9%	100.0%	100.0%	100.0%	98.4%	100.0%
Yes	557	20	35	5	15	5	12	2	5	1	13	2	15	11	0	8	16	3	1	2	13	4
	13.7%	10.1%	15.8%	14.7%	9.2%	10.2%	11.0%	5.4%	10.6%	2.3%	12.6%	2.7%	12.7%	8.0%	0.0%	20.0%	9.2%	14.3%	25.0%	3.2%	10.6%	50.0%
No	3,519	179	186	29	148	44	97	35	42	43	90	72	103	126	2	32	158	18	3	61	110	4
	86.3%	89.9%	84.2%	85.3%	90.8%	89.8%	89.0%	94.6%	89.4%	97.7%	87.4%	97.3%	87.3%	92.0%	100.0%	80.0%	90.8%	85.7%	75.0%	96.8%	89.4%	50.0%
Significantly different from column:*												М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 28

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q27)

base. All respondents who made an appointment for			(= - /	_																		
	0			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	се	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHO.			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	557	20	35	5	15	5	12	2	5	1	13	2	15	11	0	8	16	3	1	2	13	4
Number missing or multiple answer	7	1	0	0	1	0	1	0	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	550	19	35	5	14	5	11	2	5	1	12	2	14	10	0	8	15	3	1	2	12	4
	98.7%	95.0%	100.0%	100.0%	93.3%	100.0%	91.7%	100.0%	100.0%	100.0%	92.3%	100.0%	93.3%	90.9%		100.0%	93.8%	100.0%	100.0%	100.0%	92.3%	100.0%
Never	31	2	2	1	1	0	1	0	0	1	0	0	1	1	0	1	2	0	0	1	1	0
	5.6%	10.5%	5.7%	20.0%	7.1%	0.0%	9.1%	0.0%	0.0%	100.0%	0.0%	0.0%	7.1%	10.0%		12.5%	13.3%	0.0%	0.0%	50.0%	8.3%	0.0%
Sometimes	78	3	6	0	3	0	3	0	0	0	3	1	2	2	0	1	1	2	0	1	2	0
	14.2%	15.8%	17.1%	0.0%	21.4%	0.0%	27.3%	0.0%	0.0%	0.0%	25.0%	50.0%	14.3%	20.0%		12.5%	6.7%	66.7%	0.0%	50.0%	16.7%	0.0%
Usually	131	6	10	3	3	2	2	2	3	0	3	0	5	4	0	1	5	1	0	0	4	2
	23.8%	31.6%	28.6%	60.0%	21.4%	40.0%	18.2%	100.0%	60.0%	0.0%	25.0%	0.0%	35.7%	40.0%		12.5%	33.3%	33.3%	0.0%	0.0%	33.3%	50.0%
Always	310	8	17	1	7	3	5	0	2	0	6	1	6	3	0	5	7	0	1	0	5	2
Significantly different from column:*	56.4%	42.1%	48.6%	20.0%	50.0%	60.0%	45.5%	0.0%	40.0%	0.0%	50.0%	50.0%	42.9%	30.0%		62.5%	46.7%	0.0%	100.0%	0.0%	41.7%	50.0%
	444	4.4	07	4	40	-	7		-		0	4	4.4	-	0		40	4	4	0	0	
Usually or Always	441 80.2%	14 73.7%	27 77.1%	80.0%	71.4%	100.0%	63.6%	100.0%	100.0%	0.0%	9 75.0%	50.0%	78.6%	70.0%		75.0%	80.0%	33.3%	1 100.0%	0.0%	75.0%	4 100.0%
Significantly different from column:*	00.2%	13.170	11.170	00.0%	11.470	100.0%	03.0%	100.0%	100.0%	0.0%	13.0%	30.0%	10.0%	10.076		75.0%	00.0%	33.3%	100.076	0.0%	13.0%	100.0%
organicantly aniforont from obtainin.																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 29

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q27)

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	се	Child'	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	557	20	35	5	15	5	12	2	5	1	13	2	15	11	0	8	16	3	1	2	13	4
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience Usable responses	NA 551	NA 20	NA 35	NA 5	NA 15	NA 5	NA 12	NA 2	NA	NA 1	NA 12	NA 2	NA 15	NA 11	NA	NA o	NA 16	NA	NA 1	NA	NA 13	NA 4
Osable responses	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	. •	100.0%	100.0%	100.0%	100.0%	100.0%
None	36	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6.5%	0.0%	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1 specialist	398	18	30	4	14	4	12	1	4	1	12	2	13	9	0	8	14	3	1	2	12	3
	72.2%	90.0%	85.7%	80.0%	93.3%	80.0%	100.0%	50.0%	80.0%	100.0%	92.3%	100.0%	86.7%	81.8%		100.0%	87.5%	100.0%	100.0%	100.0%	92.3%	75.0%
2	93	2	2	1	1	1	0	1	1	0	1	0	2	2	0	0	2	0	0	0	1	1
2	16.9%	10.0%	5.7%	20.0%	6.7%	20.0%	0.0%	50.0%	20.0%	0.0%	7.7%	0.0%	13.3%	18.2%		0.0%	12.5%	0.0%	0.0%	0.0%	7.7%	25.0%
3	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	2.470 7	0.0 /8	0.076	0.0 %	0.0%	0.0 %	0.0 %	0.078	0.0 %	0.078	0.078	0.078	0.0 %	0.078	0	0.078	0.078	0.078	0.0 %	0.078	0.0 %	0.076
	1.3%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5 or more specialists	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3 or more specialists	24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4.4%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																						1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 30

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who made an appointment for their child to see a specialist and their child saw a specialist (Q27 & Q29)

Base: All respondents who made an appointment for	then enila to t	see a special	ist and the	Cillia Saw a	Specialist	(427 & 423)													1		
				Respor Gen		С	child's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vis st 6 Month	
1	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample	515	20	32	5	15	5	12	2	5	1	13	2	15	11	0	8	16	3	1	2	13	4
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	510	20	32	5	15	5	12	2	5	1	13	2	15	11	0	8	16	Ĭ	1	2	13	4
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
0 Worst specialist possible	3 0.6%	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0.0%
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	2 0.4%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
3	6	0 0.0%	0	0	0	0	0 0.0%	0	0	0	0	0	0	0 0.0%	0	0	0	0.0%	0	0	0	0.000
4	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
,	7 1.4%	5.0%	3.1%	20.0%	0.0%	0.0%	0.0%	50.0%	20.0%	0.0%	0.0%	0.0%	6.7%	9.1%		0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	25.0%
5	12	1	3	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	C
	2.4%	5.0%	9.4%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		12.5%	6.3%	0.0%	0.0%	50.0%	0.0%	0.0%
б	15 2.9%	0.0%	6.3%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%
7	34	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
	6.7%	0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8	87 17.1%	6 30.0%	3 9.4%	2 40.0%	4 26.7%	3 60.0%	2 16.7%	1 50.0%	1 20.0%	0.0%	5 38.5%	50.0%	4 26.7%	2 18.2%	0 	3 37.5%	4 25.0%	66.7%	0.0%	0.0%	4 30.8%	50.0%
9	97 19.0%	3 15.0%	7 21.9%	0 0.0%	3 20.0%	0 0.0%	3 25.0%	0 0.0%	1 20.0%	0 0.0%	2 15.4%	0.0%	3 20.0%	3 27.3%	0	0 0.0%	2 12.5%	1 33.3%	0 0.0%	1 50.0%	2 15.4%	0.0%
10 Best specialist possible	247	9	12	1	8	2	7	0	2	1	6	1	7	5	0	4	8	0	1	0	7	1
1	48.4%	45.0%	37.5%	20.0%	53.3%	40.0%	58.3%	0.0%	40.0%	100.0%	46.2%	50.0%	46.7%	45.5%		50.0%	50.0%	0.0%	100.0%	0.0%	53.8%	25.0%

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who made an appointment for their child to see a specialist and their child saw a specialist (Q27 & Q29)

				Respor Gen		C	hild's Ag	Э	Respon	dent's Ed	lucation	Hispanio	c (Child)	С	hild's Rac	е	Child's	s Health S	Status		Doctor Vist 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample Number missing or multiple answer Number no experience	515 5 NA	20 0 NA	32 0 NA	5 0 NA	15 0 NA	5 0 NA	12 0 NA	2 0 NA	5 0 NA	1 0 NA	13 0 NA	2 0 NA	15 0 NA	11 0 NA	0 0 NA	8 0 NA	16 0 NA	3 0 NA	1 0 NA	2 0 NA	13 0 NA	4 0 NA
Usable responses	510 99.0%	20	32 100.0%	5 100.0%	15 100.0%	5	12 100.0%	100.0%	5	1 100.0%	13 100.0%	100.0%	15 100.0%	11 100.0%	0	8	16 100.0%	3 100.0%	100.0%	2	13 100.0%	4 100.0%
0 to 4	18 3.5%	1 5.0%	1 3.1%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 20.0%	0.0%	0.0%	0 0.0%	1 6.7%	1 9.1%	0 	0 0.0%	1 6.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%
5	12 2.4%	1 5.0%	3 9.4%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	1 12.5%	1 6.3%	0 0.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%
6 or 7	49 9.6%	0 0.0%	6 18.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
8 to 10	431 84.5%	18 90.0%	22 68.8%	3 60.0%	15 100.0%	5 100.0%	12 100.0%	1 50.0%	4 80.0%	1 100.0%	13 100.0%	2 100.0%	14 93.3%	10 90.9%	0 	7 87.5%	14 87.5%	3 100.0%	1 100.0%	1 50.0%	13 100.0%	3 75.0%
Significantly different from column:*																						
0 to 6	45 8.8%	2 10.0%	6 18.8%	2 40.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	1 6.7%	1 9.1%	0 	1 12.5%	2 12.5%	0 0.0%	0 0.0%	1 50.0%	0 0.0%	1 25.0%
7 to 8	121 23.7%	6 30.0%	7 21.9%	2 40.0%	4 26.7%	3 60.0%	2 16.7%	1 50.0%	1 20.0%	0 0.0%	5 38.5%	1 50.0%	4 26.7%	2 18.2%	0	3 37.5%	4 25.0%	2 66.7%	0 0.0%	0 0.0%	4 30.8%	2 50.0%
9 to 10	344 67.5%	12 60.0%	19 59.4%	1 20.0%	11 73.3%	2 40.0%	10 83.3%	0.0%	60.0%	1 100.0%	8 61.5%	1 50.0%	10 66.7%	8 72.7%	0	4 50.0%	10 62.5%	1 33.3%	1 100.0%	1 50.0%	9 69.2%	1 25.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 31

In the last 6 months, did you get information or help from customer service at your child's health plan?

	0			Respor Gen		C	child's Age	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	높			(Q4	14)		(Q39)			(Q45)		(Q4	1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	70	4	0	1	2	1	2	1	0	0	3	0	3	2	0	0	4	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,029	197	220	33	163	49	107	37	47	44	102	75	116	137	2	40	172	21	4	62	122	8
	98.3%	98.0%	100.0%	97.1%	98.8%	98.0%	98.2%	97.4%	100.0%	100.0%	97.1%	100.0%	97.5%	98.6%	100.0%	100.0%	97.7%	100.0%	100.0%	98.4%	97.6%	100.0%
Yes	1,105	54	64	7	47	13	30	11	19	10	25	31	23	39	0	8	48	4	2	17	33	4
	27.4%	27.4%	29.1%	21.2%	28.8%	26.5%	28.0%	29.7%	40.4%	22.7%	24.5%	41.3%	19.8%	28.5%	0.0%	20.0%	27.9%	19.0%	50.0%	27.4%	27.0%	50.0%
No	2,924	143	156	26	116	36	77	26	28	34	77	44	93	98	2	32	124	17	2	45	89	4
	72.6%	72.6%	70.9%	78.8%	71.2%	73.5%	72.0%	70.3%	59.6%	77.3%	75.5%	58.7%	80.2%	71.5%	100.0%	80.0%	72.1%	81.0%	50.0%	72.6%	73.0%	50.0%
Significantly different from column:*									K		-	М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 32

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information or help from child's health plan's customer service (Q31)

	0			Respor Gen		С	hild's Age	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	1,105	54	63	7	47	13	30	11	19	10	25	31	23	39	0	8	48	4	2	17	33	4
Number missing or multiple answer	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,095	54	63	7	47	13	30	11	19	10	25	31	23	39	0	8	48	4	2	17	33	4
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	27 2.5%	1 1.9%	1 1.6%	0 0.0%	1 2.1%	0 0.0%	1 3.3%	0 0.0%	0 0.0%	0 0.0%	1 4.0%	0 0.0%	1 4.3%	1 2.6%	0 	0 0.0%	1 2.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%
Sometimes	172	11	6	0	11	1	6	4	5	2	4	7	4	6	0	2	11	0	0	7	4	0
	15.7%	20.4%	9.5%	0.0%	23.4%	7.7%	20.0%	36.4%	26.3%	20.0%	16.0%	22.6%	17.4%	15.4%		25.0%	22.9%	0.0%	0.0%	41.2%	12.1%	0.0%
Usually	316	16	19	2	14	4	8	4	4	3	9	10	6	14	0	0	14	2	0	4	12	0
	28.9%	29.6%	30.2%	28.6%	29.8%	30.8%	26.7%	36.4%	21.1%	30.0%	36.0%	32.3%	26.1%	35.9%		0.0%	29.2%	50.0%	0.0%	23.5%	36.4%	0.0%
Always	580	26	37	5	21	8	15	3	10	5	11	14	12	18	0	6	22	2	2	6	17	3
	53.0%	48.1%	58.7%	71.4%	44.7%	61.5%	50.0%	27.3%	52.6%	50.0%	44.0%	45.2%	52.2%	46.2%		75.0%	45.8%	50.0%	100.0%	35.3%	51.5%	75.0%
Significantly different from column:*																						
Usually or Always	896	42	56	7	35	12	23	7	14	8	20	24	18	32	0	6	36	4	2	10	29	3
	81.8%	77.8%	88.9%	100.0%	74.5%	92.3%	76.7%	63.6%	73.7%	80.0%	80.0%	77.4%	78.3%	82.1%		75.0%	75.0%	100.0%	100.0%	58.8%	87.9%	75.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 33

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information or help from child's health plan's customer service (Q31)

	<u> </u>			Respor Gen	der	С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	, ,	CI	nild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,105	54	63	7	47	13	30	11	19	10	25	31	23	39	0	8	48	4	2	17	33	4
Number missing or multiple answer	14	1	0	0	1	0	1	0	0	0	1	0	1	1	0	0	1	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,091	53	63	7	46	13	29	11	19	10	24	31	22	38	0	8	47	4	2	17	33	3
	98.7%	98.1%	100.0%	100.0%	97.9%	100.0%	96.7%	100.0%	100.0%	100.0%	96.0%	100.0%	95.7%	97.4%		100.0%	97.9%	100.0%	100.0%	100.0%	100.0%	75.0%
Never	9 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	65	4	2	0	4	1	3	0	3	1	0	4	0	3	0	0	4	0	0	2	2	0
	6.0%	7.5%	3.2%	0.0%	8.7%	7.7%	10.3%	0.0%	15.8%	10.0%	0.0%	12.9%	0.0%	7.9%		0.0%	8.5%	0.0%	0.0%	11.8%	6.1%	0.0%
Usually	199	14	9	1	13	3	6	5	3	1	10	8	6	10	0	1	12	2	0	5	9	0
	18.2%	26.4%	14.3%	14.3%	28.3%	23.1%	20.7%	45.5%		10.0%	41.7%		27.3%	26.3%		12.5%	25.5%	50.0%	0.0%	29.4%	27.3%	0.0%
Always	818 75.0%	35 66.0%	52 82.5%	6 85.7%	29 63.0%	9 69.2%	20 69.0%	6 54.5%	13 68.4%	8 80.0%	14 58.3%	19 61.3%	16 72.7%	25 65.8%	0	7 87.5%	31 66.0%	2 50.0%	2 100.0%	10 58.8%	22 66.7%	3 100.0%
Significantly different from column:*	13.0%	C	02.370	03.1 70	03.0%	03.270	09.076	J 4 .J 70	00.470	00.0%	30.3%	01.5%	12.170	03.0%		01.5%	00.076	30.0%	100.0%	30.0%	00.7%	100.076
Usually or Always	1,017	49	61	7	42	12	26	11	16	9	24	27	22	35	0	8	43	4	2	15	31	3
	93.2%	92.5%	96.8%	100.0%	91.3%	92.3%	89.7%	100.0%	84.2%	90.0%	100.0%	87.1%	100.0%	92.1%		100.0%	91.5%	100.0%	100.0%	88.2%	93.9%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 34

In the last 6 months, did your child's health plan give you any forms to fill out?

	ОНР			Respor Gen	der	С	hild's Age	е	Respon	dent's Ed	ucation	Hispanio	` ,	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi	
	2019 State OF	2019	2018	(Q4 Wale	Female	0 to 5	6 to 13 (G39)	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic (Q	Not Hispanic	White	African-American (242)	Other	Excellent or Very good	(Q37) poo g	Fair or Poor	None	t ot t 4 ot (04)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	124	7	0	3	4	2	3	2	1	2	4	2	4	4	0	1	5	2	0	3	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,975	194	220	31	161	48	106	36	46	42	101	73	115	135	2	39	171	19	4	60	121	8
	97.0%	96.5%	100.0%	91.2%	97.6%	96.0%	97.2%	94.7%	97.9%	95.5%	96.2%	97.3%	96.6%	97.1%	100.0%	97.5%	97.2%	90.5%	100.0%	95.2%	96.8%	100.0%
Yes	1,412	60	80	10	50	12	34	13	18	15	26	31	28	37	0	13	48	10	2	16	39	3
	35.5%	30.9%	36.4%	32.3%	31.1%	25.0%	32.1%	36.1%	39.1%	35.7%	25.7%	42.5%	24.3%	27.4%	0.0%	33.3%	28.1%	52.6%	50.0%	26.7%	32.2%	37.5%
No	2,563	134	140	21	111	36	72	23	28	27	75	42	87	98	2	26	123	9	2	44	82	5
	64.5%	69.1%	63.6%	67.7%	68.9%	75.0%	67.9%	63.9%	60.9%	64.3%	74.3%	57.5%	75.7%	72.6%	100.0%	66.7%	71.9%	47.4%	50.0%	73.3%	67.8%	62.5%
Significantly different from column:*										·	·	М	L				R	Q				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

In the last 6 months, how often were the forms from your child's health plan easy to fill out?**

Base: All respondents who answered Q34

base. All respondents who answered Q34	0			Respor Gen		С	hild's Age	9	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	nild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	3,975	194	219	31	161	48	106	36	46	42	101	73	115	135	2	39	171	19	4	60	121	8
Number missing or multiple answer	22	2	0	0	2	1	1	0	0	2	0	2	0	1	0	0	1	1	0	1	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,953	192	219	31	159	47	105	36	46	40	101	71	115	134	2	39	170	18	4	59	121	7
	99.4%	99.0%	100.0%	100.0%	98.8%	97.9%	99.1%	100.0%	100.0%	95.2%	100.0%	97.3%	100.0%	99.3%	100.0%	100.0%	99.4%	94.7%	100.0%	98.3%	100.0%	87.5%
Never	41 1.0%	3 1.6%	3 1.4%	0 0.0%	3 1.9%	0.0%	3 2.9%	0 0.0%	1 2.2%	1 2.5%	1 1.0%	2 2.8%	1 0.9%	2 1.5%	0 0.0%	0 0.0%	3 1.8%	0 0.0%	0 0.0%	1 1.7%	2 1.7%	0 0.0%
Sometimes	255	16	4	3	13	3	9	4	6	5	5	8	8	13	0.070	1	15	1	0.070	6	10	0.070
	6.5%	8.3%	1.8%	9.7%	8.2%	6.4%	8.6%	11.1%	13.0%	12.5%	5.0%	11.3%	7.0%	9.7%	0.0%	2.6%	8.8%	5.6%	0.0%	10.2%	8.3%	0.0%
Usually	444	12	27	1	11	3	6	3	4	3	4	8	3	6	0	2	8	4	0	5	7	0
	11.2%	6.3%	12.3%	3.2%	6.9%	6.4%	5.7%	8.3%	8.7%	7.5%	4.0%	11.3%	2.6%	4.5%	0.0%	5.1%	4.7%	22.2%	0.0%	8.5%	5.8%	0.0%
Always	3,213	161	185	27	132	41	87	29	35	31	91	53	103	113	2	36	144	13	4	47	102	7
	81.3%	83.9%	84.5%	87.1%	83.0%	87.2%	82.9%	80.6%	76.1%	77.5%	90.1%	74.6%	89.6%	84.3%	100.0%	92.3%	84.7%	72.2%	100.0%	79.7%	84.3%	100.0%
Significantly different from column:*									K	K	IJ	М	L									
Usually or Always	3,657	173	212	28	143	44	93	32	39	34	95	61	106	119	2	38	152	17	4	52	109	7
	92.5%	90.1%	96.8%	90.3%	89.9%	93.6%	88.6%	88.9%	84.8%	85.0%	94.1%	85.9%	92.2%	88.8%	100.0%	97.4%	89.4%	94.4%	100.0%	88.1%	90.1%	100.0%
Significantly different from column:*		С																				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

^{**}Respondents answering "No" to question 34 are reported to NCQA as "Always" in question 35, and are used in calculating the Customer Service composite score.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

				Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	e	Child's	s Health	Status		Doctor Vast 6 Mont	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	l 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer	4,099 230	201 15	218 0	34 0	165 15	50 3	109 8	38 3	47 3	44 2	105 10	75 5	119 9	139 12	2	40 3	176 14	21 1	4	63 6	125 9	8
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA	NA	NA NA
Usable responses	3,869	186	218	34	150	47	101	35	44	42	95	70	110	127	2	37	162	20	4	57		
<u>'</u>	94.4%	92.5%	100.0%	100.0%	90.9%	94.0%	92.7%	92.1%	93.6%	95.5%	90.5%	93.3%	92.4%	91.4%	100.0%	92.5%	92.0%	95.2%	100.0%	90.5%	92.8%	100.0%
0 Worst health plan possible	6 0.2%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%
1	4 0.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
2	18	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
3	0.5%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	0.4%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	35 0.9%	2 1.1%	1 0.5%	1 2.9%	1 0.7%	0 0.0%	2 2.0%	0 0.0%	0 0.0%	0 0.0%	2 2.1%	0 0.0%	2 1.8%	1 0.8%	0 0.0%	0 0.0%	2 1.2%	0.0%	0 0.0%	1 1.8%	1 0.9%	0.0%
5	161 4.2%	2 1.1%	10 4.6%	0 0.0%	2 1.3%	1 2.1%	1 1.0%	0 0.0%	1 2.3%	0 0.0%	1 1.1%	0 0.0%	2 1.8%	2 1.6%	0 0.0%	0 0.0%	1 0.6%	1 5.0%	0 0.0%	1 1.8%	1 0.9%	0.0%
6	112	4	5	2	2	1	1	2	1	2	1	1	2	2	0	1	3	1	0	1	3	C
	2.9%	2.2%	2.3%	5.9%	1.3%	2.1%	1.0%	5.7%	2.3%	4.8%	1.1%	1.4%	1.8%	1.6%	0.0%	2.7%		5.0%	0.0%	1.8%	2.6%	0.0%
7	288 7.4%	16 8.6%	14 6.4%	6 17.6%	10 6.7%	6 12.8%	9 8.9%	1 2.9%	1 2.3%	7.1%	12 12.6%	4 5.7%	12 10.9%	12 9.4%	0.0%	3 8.1%	15 9.3%	5.0%	0 0.0%	5.3%	12 10.3%	1 12.5%
8	681	37	42	4	32	10	22	5	3	8	24	8	28	26	1	9	34	2	1	9	24	2
0	17.6%	19.9%	19.3% 45	11.8%	21.3%	21.3%	21.8%	14.3%	6.8%	19.0%	25.3%	11.4%	25.5%	20.5%	50.0%	24.3%		10.0%	25.0%	15.8%	20.7%	25.0%
19	678 17.5%	41 22.0%	45 20.6%	6 17.6%	35 23.3%	12.8%	24 23.8%	9 25.7%	7 15.9%	12 28.6%	21 22.1%	17 24.3%	22 20.0%	25 19.7%	50.0%	10 27.0%	37 22.8%	3 15.0%	1 25.0%	13 22.8%	27 23.3%	0.0%
10 Best health plan possible	1,869 48.3%	84 45.2%	99 45.4%	15 44.1%	68 45.3%	23 48.9%	42 41.6%	18 51.4%	31 70.5%	17 40.5%	34 35.8%	40 57.1%	42 38.2%	59 46.5%	0 0.0%	14 37.8%	70 43.2%	12 60.0%	2 50.0%	29 50.9%	48 41.4%	62.5%

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

				Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 230 NA	201 15 NA	218 0 NA	0	165 15 NA	50 3 NA	109 8 NA	38 3 NA	47 3 NA	44 2 NA	105 10 NA	75 5 NA	9	12	2 0 NA	40 3 NA	176 14 NA	21 1 NA	0	63 6 NA	125 9 NA	8 0 NA
Usable responses	3,869 94.4%	186 92.5%	218 100.0%	34	150 90.9%	47	101 92.7%	35 92.1%	44 93.6%	42	95	70	110	127	2	37 92.5%	162	20 95.2%	4	57	116 92.8%	8
0 to 4	80 2.1%	2 1.1%	3 1.4%	1 2.9%	1 0.7%	0 0.0%	2 2.0%	0.0%	0.0%	0 0.0%	2 2.1%	0 0.0%	2 1.8%	1 0.8%	0 0.0%	0.0%	2 1.2%	0 0.0%	0.0%	1 1.8%	1 0.9%	0.0%
5	161 4.2%	2 1.1%	10 4.6%	0 0.0%	2 1.3%	1 2.1%	1 1.0%	0 0.0%	1 2.3%	0 0.0%	1 1.1%	0 0.0%	2 1.8%	2 1.6%	0 0.0%	0 0.0%	1 0.6%	1 5.0%	0 0.0%	1 1.8%	1 0.9%	0 0.0%
6 or 7	400 10.3%	20 10.8%	19 8.7%	-	12 8.0%	7 14.9%	10 9.9%	3 8.6%	2 4.5%	5 11.9%	13 13.7%	5 7.1%	14 12.7%		0 0.0%	4 10.8%	18 11.1%	2 10.0%	0 0.0%	4 7.0%	15 12.9%	-
8 to 10	3,228 83.4%	162 87.1%	186 85.3%		135 90.0%	39 83.0%	88 87.1%	32 91.4%	41 93.2%	37 88.1%	79 83.2%	65 92.9%			2 100.0%	33 89.2%	141 87.0%	17 85.0%	•	51 89.5%	99 85.3%	
Significantly different from column:*																						
0 to 6	353 9.1%	8 4.3%	18 8.3%	_	5 3.3%	2 4.3%	4 4.0%	2 5.7%	2 4.5%	2 4.8%	4 4.2%	1 1.4%	6 5.5%	5 3.9%	0.0%	1 2.7%	6 3.7%	2 10.0%	0 0.0%	3 5.3%	5 4.3%	0 0.0%
7 to 8	969 25.0%	53 28.5%	56 25.7%		42 28.0%	16 34.0%	31 30.7%	6 17.1%	4 9.1%	11 26.2%	36 37.9%	12 17.1%		38 29.9%	1 50.0%	12 32.4%	49 30.2%	3 15.0%	1 25.0%	12 21.1%	36 31.0%	
9 to 10	2,547 65.8%	125 67.2%	144 66.1%	21 61.8%	103 68.7%	29 61.7%	66 65.3%	27 77.1%	38 86.4%	29 69.0%	55 57.9%	57 81.4%	_	84 66.1%	1 50.0%	24 64.9%	107 66.0%	15 75.0%	3 75.0%	42 73.7%	75 64.7%	5 62.5%
Significantly different from column:*									K		I	М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

	НР			Respor Ger (Q4	ıder	C	hild's Ago (Q39)	0	Respon	dent's Ed	ucation	Hispanio (Q4	` ,	Cl	hild's Rac	ë	Child's	Health S	Status		Doctor V st 6 Montl (Q7)	
	2019 State O	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	900g	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	73	1	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,026	200	220	33	165	50	108	38	46	44	105	74	119	139	2	40	176	20	4	62	125	8
	98.2%	99.5%	100.0%	97.1%	100.0%	100.0%	99.1%	100.0%	97.9%	100.0%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	95.2%	100.0%	98.4%	100.0%	100.0%
Yes	3,247	168	182	26	140	34	99	31	42	36	85	65	97	115	2	35	147	18	3	52	105	6
	80.7%	84.0%	82.7%	78.8%	84.8%	68.0%	91.7%	81.6%	91.3%	81.8%	81.0%	87.8%	81.5%	82.7%	100.0%	87.5%	83.5%	90.0%	75.0%	83.9%	84.0%	75.0%
No	779	32	38	7	25	16	9	7	4	8	20	9	22	24	0	5	29	2	1	10	20	2
	19.3%	16.0%	17.3%	21.2%	15.2%	32.0%	8.3%	18.4%	8.7%	18.2%	19.0%	12.2%	18.5%	17.3%	0.0%	12.5%	16.5%	10.0%	25.0%	16.1%	16.0%	25.0%
Significantly different from column:*						G	F	·		·									·			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36b

In the last 6 months, did your child go to a dentist's office or clinic for care?

				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rad	ce	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	l1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	(Q44) _Ф		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	,
Number missing or multiple answer	59	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	1	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,040	200	220	34	164	50	109	37	47	44	104	75	118	138	2	40	175	21	4	62	125	,
	98.6%	99.5%	100.0%	100.0%	99.4%	100.0%	100.0%	97.4%	100.0%	100.0%	99.0%	100.0%	99.2%	99.3%	100.0%	100.0%	99.4%	100.0%	100.0%	98.4%	100.0%	100.0%
Yes	2,574	137	154	27	108	26	85	23	34	31	67	53	79	90	0	32	120	15	2	45	82	7
	63.7%	68.5%	70.0%	79.4%	65.9%	52.0%	78.0%	62.2%	72.3%	70.5%	64.4%	70.7%	66.9%	65.2%	0.0%	80.0%	68.6%	71.4%	50.0%	72.6%	65.6%	75.0%
No	1,466	63	66	7	56	24	24	14	13	13	37	22	39	48	2	8	55	6	2	17	43	
	36.3%	31.5%	30.0%	20.6%	34.1%	48.0%	22.0%	37.8%	27.7%	29.5%	35.6%	29.3%	33.1%	34.8%	100.0%	20.0%	31.4%	28.6%	50.0%	27.4%	34.4%	25.0%
Significantly different from column:*						G	F															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 360

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q36b)

	0			Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,574	137	152	27	108	26	85	23	34	31	67	53	79	90	0	32	120	15	2	45	82	6
Number missing or multiple answer	19	1	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,555	136	152	26	108	26	84	23	33	31	67	52	79	90	0	32	120	14	2	44	82	6
	99.3%	99.3%	100.0%	96.3%	100.0%	100.0%	98.8%	100.0%	97.1%	100.0%	100.0%	98.1%	100.0%	100.0%		100.0%	100.0%	93.3%	100.0%	97.8%	100.0%	100.0%
Never	26 1.0%	1 0.7%	1 0.7%	1 3.8%	0 0.0%	0 0.0%	1 1.2%	0 0.0%	0 0.0%	0 0.0%	1 1.5%	1 1.9%	0 0.0%	0 0.0%	0	1 3.1%	1 0.8%	0 0.0%	0 0.0%	1 2.3%	0 0.0%	0 0.0%
Sometimes	168	5	5	1	4	0	4	1	0	2	3	2	3	2	0	2	5	0	0	0	5	0
	6.6%	3.7%	3.3%	3.8%	3.7%	0.0%	4.8%	4.3%	0.0%	6.5%	4.5%	3.8%	3.8%	2.2%		6.3%	4.2%	0.0%	0.0%	0.0%	6.1%	0.0%
Usually	431	21	33	4	17	2	10	8	6	4	10	9	11	13	0	5	18	3	0	5	15	1
	16.9%	15.4%	21.7%	15.4%	15.7%	7.7%	11.9%	34.8%	18.2%	12.9%	14.9%	17.3%	13.9%	14.4%		15.6%	15.0%	21.4%	0.0%	11.4%	18.3%	16.7%
Always	1,930	109	113	20	87	24	69	14	27	25	53	40	65	75	0	24	96	11	2	38	62	5
	75.5%	80.1%	74.3%	76.9%	80.6%	92.3%	82.1%	60.9%	81.8%	80.6%	79.1%	76.9%	82.3%	83.3%		75.0%	80.0%	78.6%	100.0%	86.4%	75.6%	83.3%
Significantly different from column:*						Н	Н	FG														
Usually or Always	2,361	130	146	24	104	26	79	22	33	29	63	49	76	88	0	29	114	14	2	43	77	6
	92.4%	95.6%	96.1%	92.3%	96.3%	100.0%	94.0%	95.7%	100.0%	93.5%	94.0%	94.2%	96.2%	97.8%		90.6%	95.0%	100.0%	100.0%	97.7%	93.9%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 360

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

base. All respondents				Respor	dent's															Child's	Doctor V	isits in
				Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	Cl	nild's Rad	е	Child's	s Health S	Status		st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	213	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	137	5	0	0	5	2	2	0	3	1	1	3	2	4	1	0	5	0	0	3	2	0
Number no experience	3,124	164	121	28	136	44	90	27	31	40	89	58	103	116	1	32	145	16	3	50	101	8
Usable responses	838	32	92	6	24	4	17	11	13	3	15	14	14	19	0	8	26	5	1	10	22	0
	20.4%	15.9%	43.2%	17.6%	14.5%	8.0%	15.6%	28.9%	27.7%	6.8%	14.3%	18.7%	11.8%	13.7%	0.0%	20.0%	14.8%	23.8%	25.0%	15.9%	17.6%	0.0%
Never	326	13	15	2	9	3	6	4	6	2	4	7	5	8	0	2	11	2	0	4	9	0
	38.9%	40.6%	16.3%	33.3%	37.5%	75.0%	35.3%	36.4%	46.2%	66.7%	26.7%	50.0%	35.7%	42.1%		25.0%	42.3%	40.0%	0.0%	40.0%	40.9%	
Sometimes	134	5	13	2	3	0	3	2	3	0	2	2	0	1	0	2	2	2	1	1	4	0
	16.0%	15.6%	14.1%	33.3%	12.5%	0.0%	17.6%	18.2%	23.1%	0.0%	13.3%	14.3%	0.0%	5.3%		25.0%	7.7%	40.0%	100.0%	10.0%	18.2%	
Usually	127	1	29	0	1	0	1	0	1	0	0	1	0	1	0	0	1	0	0	0	1	0
A.	15.2%	3.1%			4.2%	0.0%	5.9%	0.0%	7.7%	0.0%	0.0%	7.1%	0.0%	5.3%		0.0%	3.8%	0.0%	0.0%	0.0%	4.5%	
Always	251	13	35	_	11	1	7	5	3	1	9	4	9	9	0	50.004	12	1	0	5	8	0 I
Significantly different from column:*	30.0%	40.6%	38.0%	33.3%	45.8%	25.0%	41.2%	45.5%	23.1%	33.3%	60.0%	28.6%	64.3%	47.4%		50.0%	46.2%	20.0%	0.0%	50.0%	36.4%	
Significantly different from column:*	070				4.0				K		ı	_		4.0			4.0		_	_		
Usually or Always	378 45.1%	14 43.8%	64 69.6%	33.3%	12 50.0%	25.0%	8 47.1%	5 45.5%	30.8%	33.3%	9 60.0%	5 35.7%	9 64.3%	10 52.6%	0	4 50.0%	13 50.0%	20.0%	0.0%	5 50.0%	9 40.9%	0
Significantly different from column:*	10.170	C	30.070	33.070	33.070	23.070	.7.170	10.070	00.070	23.070	55.070	33.170	04.070	32.070		23.070	23.070	20.070	0.070	33.070	13.070	

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

Base: All respondents				Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	се	Child's	s Health S	Status		Doctor Vi	
	ОНР			(Q4	44)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	210	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	245		0	1	6		3	2		2		3	3		0	3	8	0	0	1	7	
Number no experience	NA 0.054	NA	NA		NA 450	NA	NA 100	NA	NA 45	NA 40	NA 100	NA	NA 110	NA 105	NA	NA 07	NA 100	NA	NA	NA 00	NA 440	NA
Usable responses	3,854	193	210	33	159	47	106	36	45	42	102	72	116	135	2	37	168	21	4 00 00:	62	118	_
O. F. starovsky, Difficult	94.0%	96.0%	100.0%	97.1%	96.4%	94.0%	97.2%	94.7%	95.7%	95.5%	97.1%	96.0%	97.5%	97.1%	100.0%	92.5%	95.5%	100.0%	100.0%	98.4%	94.4%	100.0%
0 Extremely Difficult	146 3.8%	3.1%	8 3.8%	0.0%	3.8%	4.3%	2.8%	1 2.8%	0.0%	2.4%	5 4.9%	1.4%	5 4.3%	5 3.7%	0.0%	1 2.7%	3 1.8%	9.5%	1 25.0%	1 1.6%	5 4.2%	0.0%
1	53	4	3	2	2	1	0	2	0	1	2	0	3	2	0	2	4	0	0	2	2	C
	1.4%	2.1%	1.4%	6.1%	1.3%	2.1%	0.0%	5.6%	0.0%	2.4%	2.0%	0.0%	2.6%	1.5%	0.0%	5.4%	2.4%	0.0%	0.0%	3.2%	1.7%	0.0%
2	74 1.9%	3 1.6%	5 2.4%	0 0.0%	3 1.9%	1 2.1%	2 1.9%	0 0.0%	1 2.2%	0 0.0%	2 2.0%	0 0.0%	2 1.7%	2 1.5%	0 0.0%	1 2.7%	2 1.2%	1 4.8%	0 0.0%	1 1.6%	2 1.7%	0.0%
3	84	1.076	2.470	0.078	1.976	2.170	1.970	0.076	2.2 /0	0.076	2.076	0.078	1.7 /6	1.576	0.0 %	2.7 /0	1.270	4.0%	0.0 /8	1.076	1.7 /0	0.076
	2.2%	3.1%	1.4%	6.1%	2.5%	2.1%	3.8%	2.8%	0.0%	4.8%	3.9%	1.4%	4.3%	3.7%	0.0%	2.7%	3.6%	0.0%	0.0%	1.6%	4.2%	0.0%
4	82 2.1%	2 1.0%	4 1.9%	0 0.0%	2 1.3%	1 2.1%	1 0.9%	0 0.0%	0 0.0%	1 2.4%	1 1.0%	0 0.0%	2 1.7%	1 0.7%	0 0.0%	1 2.7%	2 1.2%	0 0.0%	0 0.0%	0 0.0%	2 1.7%	0.0%
5	308	12	10	2	10	5	6	1	1	3	8	3	9	10	0.070	1	1.270	0.070	0.070	4	8	0.070
	8.0%	6.2%	4.8%	6.1%	6.3%	10.6%	5.7%	2.8%	2.2%	7.1%	7.8%	4.2%	7.8%	7.4%	0.0%	2.7%	7.1%	0.0%	0.0%	6.5%	6.8%	0.0%
6	153 4.0%	3 1.6%	6 2.9%	2 6.1%	1 0.6%	0 0.0%	2 1.9%	1 2.8%	1 2.2%	0 0.0%	2 2.0%	1 1.4%	1 0.9%	0 0.0%	0 0.0%	1 2.7%	1 0.6%	2 9.5%	0 0.0%	2 3.2%	1 0.8%	0.0%
7	258	1.0 %	2.9%	0.1%	0.0%	0.0%	1.9%	2.0%	2.2%	0.0%	2.0%	7.470	0.9%	0.0%	0.0%	2.170	10	9.5%	0.0%	5.2%	0.6%	0.0%
,	6.7%	5.7%	10.0%	6.1%	5.7%	2.1%	7.5%	5.6%	6.7%	2.4%	6.9%	9.7%	3.4%	4.4%	50.0%	8.1%	6.0%	4.8%	0.0%	8.1%	5.1%	0.0%
8	490	29	34	7	22	7	16	5	10	4	14	11	17	25	0	3	26	2	1	3	23	
0	12.7%	15.0%	16.2%	21.2%	13.8%	14.9%	15.1%	13.9%	22.2%	9.5%	13.7%	15.3%	14.7%	18.5%	0.0%	8.1%	15.5%	9.5%	25.0%	4.8%	19.5%	37.5%
9	436 11.3%	29 15.0%	25 11.9%	9.1%	25 15.7%	8.5%	20 18.9%	5 13.9%	7 15.6%	7 16.7%	15 14.7%	14 19.4%	15 12.9%	20 14.8%	50.0%	5 13.5%	25 14.9%	4 19.0%	0.0%	11 17.7%	17 14.4%	0.0%
10 Extremely Easy	1,770	88	91	13	75	24	44	18	22	22	42	34	53	59	0	18	77	9	2	32	47	5
NA Not Applicable	45.9%	45.6%	43.3%	39.4%	47.2%	51.1%	41.5%	50.0%	48.9%	52.4%	41.2%	47.2%	45.7%	43.7%	0.0%	48.6%	45.8%	42.9%	50.0%	51.6%	39.8%	62.5%

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

				Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor V	
	ОНР			(Q4	44)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 245 NA	201 8 NA	210 0 NA	1	165 6 NA	50 3 NA	109 3 NA	38 2 NA	47 2 NA	44 2 NA	105 3 NA	75 3 NA	3	4	2 0 NA	40 3 NA	176 8 NA	21 0 NA	4 0 NA	63 1 NA	125 7 NA	8 0 NA
Usable responses	3,854 94.0%	193 96.0%	210 100.0%	33	159 96.4%	47	106 97.2%	36 94.7%	45 95.7%	42	102 97.1%	72 96.0%	116	135	2	37 92.5%	168	21 100.0%	4 100.0%	62	118 94.4%	8
0 to 4	439 11.4%	21 10.9%	23 11.0%		17 10.7%	6 12.8%	10 9.4%	4 11.1%	1 2.2%	5 11.9%	14 13.7%	2 2.8%	17 14.7%		0 0.0%	6 16.2%	17 10.1%	3 14.3%	1 25.0%	5 8.1%	16 13.6%	0.0%
5	308 8.0%	12 6.2%	10 4.8%		10 6.3%	5 10.6%	6 5.7%	1 2.8%	1 2.2%	3 7.1%	8 7.8%	3 4.2%	9 7.8%	10 7.4%	0 0.0%	1 2.7%	12 7.1%	0 0.0%	0 0.0%	4 6.5%	8 6.8%	0 0.0%
6 or 7	411 10.7%	14 7.3%	27 12.9%		10 6.3%		10 9.4%	3 8.3%	4 8.9%		9 8.8%	8 11.1%	5 4.3%		1 50.0%	4 10.8%	11 6.5%	3 14.3%	0 0.0%	7 11.3%	7 5.9%	0 0.0%
8 to 10	2,696 70.0%	146 75.6%	150 71.4%		122 76.7%	35 74.5%	80 75.5%	28 77.8%	39 86.7%	33 78.6%	71 69.6%	59 81.9%			1 50.0%	26 70.3%		15 71.4%	3 75.0%	46 74.2%	87 73.7%	1
Significantly different from column:*									K		I											
0 to 6	900 23.4%	36 18.7%	39 18.6%	-	28 17.6%	11 23.4%	18 17.0%	6 16.7%	3 6.7%	8 19.0%	24 23.5%	6 8.3%	27 23.3%		0.0%	8 21.6%	30 17.9%	5 23.8%	1 25.0%	11 17.7%	25 21.2%	
7 to 8	748 19.4%	40 20.7%	55 26.2%		31 19.5%	8 17.0%	24 22.6%	7 19.4%	13 28.9%	-	21 20.6%	18 25.0%		31 23.0%	1 50.0%	6 16.2%	36 21.4%	3 14.3%	1 25.0%	8 12.9%	29 24.6%	
9 to 10	2,206 57.2%	117 60.6%	116 55.2%	16 48.5%	100 62.9%	28 59.6%	64 60.4%	23 63.9%	29 64.4%		57 55.9%	48 66.7%		79 58.5%	1 50.0%	23 62.2%	102 60.7%	13 61.9%	2 50.0%	43 69.4%	64 54.2%	1
Significantly different from column:*																				U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 37

In general, how would you rate your child's overall health?

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	се	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	221	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,070	201	221	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Poor	4 0.1%	0 0.0%	1 0.5%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Fair	120	4	5	0	4	1	2	1	3	0	1	3	1	2	0	1	0	0	4	0	2	1
	2.9%	2.0%	2.3%	0.0%	2.4%	2.0%	1.8%	2.6%	6.4%	0.0%	1.0%	4.0%	0.8%	1.4%	0.0%	2.5%	0.0%	0.0%	100.0%	0.0%	1.6%	12.5%
Good	573	21	27	4	17	3	12	6	9	6	6	12	8	15	0	1	0	21	0	6	14	0
	14.1%	10.4%	12.2%	11.8%	10.3%	6.0%	11.0%	15.8%	19.1%	13.6%	5.7%	16.0%	6.7%	10.8%	0.0%	2.5%	0.0%	100.0%	0.0%	9.5%	11.2%	0.0%
Very good	1,404	67	83	4	63	17	33	14	17	16	34	20	45	49	1	15	67	0	0	18	46	3
	34.5%	33.3%	37.6%	11.8%	38.2%	34.0%	30.3%	36.8%	36.2%	36.4%	32.4%	26.7%	37.8%	35.3%	50.0%	37.5%	38.1%	0.0%	0.0%	28.6%	36.8%	37.5%
Excellent	1,969	109	105	26	81	29	62	17	18	22	64	40	65	73	1	23	109	0	0	39	63	4
	48.4%	54.2%	47.5%	76.5%	49.1%	58.0%	56.9%	44.7%		50.0%	61.0%	53.3%	54.6%	52.5%	50.0%	57.5%		0.0%	0.0%	61.9%	50.4%	50.0%
Significantly different from column:*				Е	D				K		I						R	Q				
Excellent or Very good	3,373	176	188	30	144	46	95	31	35	38	98	60	110	122	2	38	176	0	0	57	109	7
	82.9%	87.6%	85.1%	88.2%	87.3%	92.0%	87.2%	81.6%		86.4%	93.3%	80.0%	92.4%	87.8%	100.0%	95.0%	100.0%	0.0%	0.0%	90.5%	87.2%	87.5%
Significantly different from column:*									K		I	М	L									

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 38

In general, how would you rate your child's overall mental or emotional health?

				Respon Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	Cl	nild's Rad	ce	Child's	s Health S	Status		Doctor Vi	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	34	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,065	200	220	34	164	50	108	38	46	44	105	74	119	138	2	40	176	20	4	62	125	8
	99.2%	99.5%	100.0%	100.0%	99.4%	100.0%	99.1%	100.0%	97.9%	100.0%	100.0%	98.7%	100.0%	99.3%	100.0%	100.0%	100.0%	95.2%	100.0%	98.4%	100.0%	100.0%
Poor	22 0.5%	0.5%	1 0.5%	0.0%	0.6%	0.0%	0.9%	0 0.0%	0.0%	1 2.3%	0 0.0%	0.0%	1 0.8%	0.7%	0.0%	0 0.0%	0.6%	0.0%	0 0.0%	0.0%	0.8%	0 0.0%
Fair	155	3	10	1	2	0	2	1	1	1	1	1	2	2	0	1	1	1	1	0	2	1
	3.8%	1.5%	4.5%	2.9%	1.2%	0.0%	1.9%	2.6%	2.2%	2.3%	1.0%	1.4%	1.7%	1.4%	0.0%	2.5%	0.6%	5.0%	25.0%	0.0%	1.6%	12.5%
Good	650	27	32	5	22	4	14	9	10	5	12	12	14	20	0	2	16	9	2	4	21	1
	16.0%	13.5%	14.5%	14.7%	13.4%	8.0%	13.0%	23.7%	21.7%	11.4%	11.4%	16.2%	11.8%	14.5%	0.0%	5.0%	9.1%	45.0%	50.0%	6.5%	16.8%	12.5%
Very good	1,181	57	69	8	49	13	32	10	9	11	35	17	37	38	1	17	52	5	0	18	32	4
	29.1%	28.5%	31.4%	23.5%	29.9%	26.0%	29.6%	26.3%	19.6%	25.0%	33.3%	23.0%	31.1%	27.5%	50.0%	42.5%	29.5%	25.0%	0.0%	29.0%	25.6%	50.0%
Excellent	2,057	112	108	20	90	33	59	18	26	26	57	44	65	77	1	20	106	5	1	40	69	2
	50.6%	56.0%	49.1%	58.8%	54.9%	66.0%	54.6%	47.4%	56.5%	59.1%	54.3%	59.5%	54.6%	55.8%	50.0%	50.0%	60.2%	25.0%	25.0%	64.5%	55.2%	25.0%
Significantly different from column:*																	R	Q				<u>. </u>
Excellent or Very good	3,238	169	177	28	139	46	91	28	35	37	92	61	102	115	2	37	158	10	1	58	101	6
	79.7%	84.5%	80.5%	82.4%	84.8%	92.0%	84.3%	73.7%	76.1%	84.1%	87.6%	82.4%	85.7%	83.3%	100.0%	92.5%	89.8%	50.0%	25.0%	93.5%	80.8%	75.0%
Significantly different from column:*						Н		F												U	Т	ı

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 39

What is your child's age?

base. All respondents																						
				Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	e	Child'	s Health	Status		Doctor Vis st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	57	4	0	1	3	0	0	0	0	0	3	1	2	2	0	2	4	0	0	2	2	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA
Usable responses	4,042	197	220	33	162	50	109		47	44	102		117	137	2	38	172	ı	4	61	123	8
	98.6%	98.0%	100.0%	97.1%	98.2%	100.0%	100.0%	100.0%	100.0%	100.0%	97.1%	98.7%	98.3%	98.6%	100.0%	95.0%	97.7%	100.0%	100.0%	96.8%	98.4%	100.0%
Less than 1 year old	11 0.3%	0.0%	3 1.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%
1 year old	229	4	8	0	4	4	0	0	0	2	2	3	1	3	0	0	4	0	0	0	3	1
	5.7%	2.0%	3.6%	0.0%	2.5%	8.0%	0.0%	0.0%	0.0%	4.5%	2.0%	4.1%	0.9%	2.2%	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%	2.4%	12.5%
2 years old	256	14	15	3	11	14	0	0	2	2	10	2	12	12	0	1	12	1	1	3	10	1
	6.3%	7.1%	6.8%	9.1%	6.8%	28.0%	0.0%	0.0%	4.3%	4.5%	9.8%	2.7%	10.3%	8.8%	0.0%	2.6%	7.0%	4.8%	25.0%	4.9%	8.1%	12.5%
3 years old	226 5.6%	11 5.6%	11 5.0%	2 6.1%	9 5.6%	11 22.0%	0 0.0%	0 0.0%	3 6.4%	2 4.5%	6 5.9%	3 4.1%	8 6.8%	10 7.3%	0 0.0%	1 2.6%	10 5.8%		0 0.0%	3 4.9%	7 5.7%	1 12.5%
4 to 6 years old	714 17.7%	29 14.7%	42 19.1%		26 16.0%	21 42.0%	8 7.3%	0 0.0%	5 10.6%	8 18.2%	15 14.7%	13 17.6%	15 12.8%	21 15.3%	0 0.0%	4 10.5%	28 16.3%		0 0.0%	6 9.8%	21 17.1%	1 12.5%
7 to 9 years old	712	50	36		41	42.070	50	0.070	10.070	10.270	26		31	34	0.070	10.570	10.570		0.070	16	31	12.570
7 to 9 years old	17.6%	25.4%	16.4%	-	25.3%	0.0%	45.9%	0.0%	23.4%	25.0%	25.5%		26.5%		50.0%	26.3%	25.6%		50.0%	26.2%	25.2%	25.0%
10 to 13 years old	993	51	55	9	41	0	51	0	15	10	25	21	29	35	1	12	43	8	0	20	29	1
	24.6%	25.9%	25.0%	27.3%	25.3%	0.0%	46.8%	0.0%	31.9%	22.7%	24.5%	28.4%	24.8%	25.5%	50.0%	31.6%	25.0%	38.1%	0.0%	32.8%	23.6%	12.5%
14 to 18 years old	901	38	50	8	30	0	0	38	11	9	18	15	21	22	0	10	31		1	13	22	1
	22.3%	19.3%	22.7%	24.2%	18.5%	0.0%	0.0%	100.0%	23.4%	20.5%	17.6%	20.3%	17.9%	16.1%	0.0%	26.3%	18.0%	28.6%	25.0%	21.3%	17.9%	12.5%
3 years old or younger	722	29	37		24	29	0	0	5	6	18	8	21	25	0	2	26	1	1	6	20	3
	17.9%	14.7%	16.8%	15.2%	14.8%	58.0%	0.0%	0.0%	10.6%	13.6%	17.6%	10.8%	17.9%	18.2%	0.0%	5.3%	15.1%	9.5%	25.0%	9.8%	16.3%	37.5%
Significantly different from column:*						GH	F	F						Р		Ν						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 40

Is your child male or female?

	<u> </u>			Respoi Ger		C	hild's Ag	е	Respon	dent's Ed	ucation		c (Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	А	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	221	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	
Number missing or multiple answer	39	3	0	0	3	0	1	1	0	0	2	0	2	2	0	0	3	0	0	1	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
Usable responses	4,060	198	221	34	162	50	108	37	47	44	103	75	117	137	2	40	173	21	4	62	123	
	99.0%	98.5%	100.0%	100.0%	98.2%	100.0%	99.1%	97.4%	100.0%	100.0%	98.1%	100.0%	98.3%	98.6%	100.0%	100.0%	98.3%	100.0%	100.0%	98.4%	98.4%	100.0
Male	2,027	103	118	20	83	29	56	16	22	28	51	39	61	73	1	21	91	10	2	28	67	
	49.9%	52.0%	53.4%	58.8%	51.2%	58.0%	51.9%	43.2%	46.8%	63.6%	49.5%	52.0%	52.1%	53.3%	50.0%	52.5%	52.6%	47.6%	50.0%	45.2%	54.5%	62.5
Female	2,033	95	103	14	79	21	52	21	25	16	52	36	56	64	1	19	82	11	2	34	56	
	50.1%	48.0%	46.6%	41.2%	48.8%	42.0%	48.1%	56.8%	53.2%	36.4%	50.5%	48.0%	47.9%	46.7%	50.0%	47.5%	47.4%	52.4%	50.0%	54.8%	45.5%	37.5
Significantly different from column:*											-											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 41

Is your child of Hispanic or Latino origin or descent?

	수			Respor Gen	der	С	hild's Age	е	Respon	dent's Ed	ucation	Hispanio	` ,	CI	nild's Rac	e	Child's	Health S	status		Doctor Vi	
	ОНР			(Q ²	(Q44)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)		<u> </u>	(Q7)	
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	201	220	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	3
Number missing or multiple answer	85	7	0	3	3	1	3	2	1	0	2	0	0	0	0	4	6	1	0	2	5	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,014	194	220	31	162	49	106	36	46	44	103	75	119	139	2	36	170	20	4	61	120	3
	97.9%	96.5%	100.0%	91.2%	98.2%	98.0%	97.2%	94.7%	97.9%	100.0%	98.1%	100.0%	100.0%	100.0%	100.0%	90.0%	96.6%	95.2%	100.0%	96.8%	96.0%	100.0%
Yes, Hispanic or Latino	1,594	75	96	8	66	17	42	15	34	17	23	75	0	42	1	16	60	12	3	31	40	2
	39.7%	38.7%	43.6%	25.8%	40.7%	34.7%	39.6%	41.7%	73.9%	38.6%	22.3%	100.0%	0.0%	30.2%	50.0%	44.4%	35.3%	60.0%	75.0%	50.8%	33.3%	25.0%
No, not Hispanic or Latino	2,420	119	124	23	96	32	64	21	12	27	80	0	119	97	1	20	110	8	1	30	80	F
	60.3%	61.3%	56.4%	74.2%	59.3%	65.3%	60.4%	58.3%	26.1%	61.4%	77.7%	0.0%	100.0%	69.8%	50.0%	55.6%	64.7%	40.0%	25.0%	49.2%	66.7%	75.0%
Significantly different from column:*									JK	ΙK	IJ	М	L				R	Q		U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 42

What is your child's race? Mark one or more.

Base: All respondents

•																						
				Respor Gen		С	child's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	се	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	223	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	383	20	22	4	14	5	9	6	8	6	4	16	1	0	0	0	14	5	1	7	11	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,716	181	201	30	151	45	100	32	39	38	101	59	118	139	2	40	162	16	3	56	114	7
	90.7%	90.0%	90.1%	88.2%	91.5%	90.0%	91.7%	84.2%	83.0%	86.4%	96.2%	78.7%	99.2%	100.0%	100.0%	100.0%	92.0%	76.2%	75.0%	88.9%	91.2%	87.5%
White	2,802	164	184	25	139	43	89	28	32	35	94	48	114	139	0	25	147	15	2	51	103	6
	75.4%	90.6%	91.5%	83.3%	92.1%	95.6%	89.0%	87.5%	82.1%	92.1%	93.1%	81.4%	96.6%	100.0%	0.0%	62.5%	90.7%	93.8%	66.7%	91.1%	90.4%	85.7%
Black or African-American	234	5	3	0	5	1	4	0	1	1	3	2	3	0	2	3	5	0	0	2	1	2
	6.3%	2.8%	1.5%	0.0%	3.3%	2.2%	4.0%	0.0%	2.6%	2.6%	3.0%	3.4%	2.5%	0.0%	100.0%	7.5%	3.1%	0.0%	0.0%	3.6%	0.9%	28.6%
Asian	321	6	5	4	2	1	3	2	2	1	3	1	4	0	0	6	6	0	0	1	5	0
	8.6%	3.3%	2.5%	13.3%	1.3%	2.2%	3.0%	6.3%	5.1%	2.6%	3.0%	1.7%	3.4%	0.0%	0.0%	15.0%	3.7%	0.0%	0.0%	1.8%	4.4%	0.0%
Native Hawaiian or other Pacific Islander	79	4	2	2	2	0	3	1	0	1	3	1	3	0	0	4	4	0	0	1	3	0
	2.1%	2.2%	1.0%	6.7%	1.3%	0.0%	3.0%	3.1%	0.0%	2.6%	3.0%	1.7%	2.5%	0.0%	0.0%		2.5%		0.0%	1.8%	2.6%	0.0%
American Indian or Alaska Native	305	17	8	6	11	2	11	2	1	4	9	3	12	0	0	17		Ĭ	0	5	9	2
	8.2%	9.4%	4.0%	20.0%	7.3%	4.4%	11.0%	6.3%	2.6%	10.5%	8.9%		10.2%	0.0%	0.0%	42.5%	10.5%	0.0%	0.0%	8.9%	7.9%	28.6%
Other	621	19	19	5	14	2	10	7	4	4	11		6	0	0	19	17	· ·	1	8	10	1
	16.7%	10.5%	9.5%	16.7%	9.3%	4.4%	10.0%	21.9%	10.3%	10.5%	10.9%	20.3%	5.1%	0.0%	0.0%	47.5%	10.5%	6.3%	33.3%	14.3%	8.8%	14.3%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 43

What is your age?

Base: All respondents

Base. All respondents																						
				Respor Gen		C	child's Ag	ө	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	ce	Child's	s Health	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	- 1	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	219	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	75	4	0	1	2	0	2	0	0	0	1	0	1	0	0	2	4	0	0	3	1	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA	NA	NA	NA
Usable responses	4,024	197	219		163	50	107	38	47	44	104	75	118		2	38	172	ı	4	60	124	8
	98.2%	98.0%	100.0%	97.1%	98.8%	100.0%	98.2%	100.0%	100.0%	100.0%	99.0%	100.0%	99.2%	100.0%	100.0%	95.0%	97.7%	100.0%	100.0%	95.2%	99.2%	100.0%
Under 18	147 3.7%	14 7.1%	12 5.5%	2 6.1%	11 6.7%	3 6.0%	8 7.5%	3 7.9%	3 6.4%	4 9.1%	7 6.7%	4 5.3%	9 7.6%	9 6.5%	0 0.0%	4 10.5%	12 7.0%	1	0 0.0%	4 6.7%	10 8.1%	0 0.0%
18 to 24	164	7	6	1	6	4	3	0	2	2	3	3	4	6	0	0	6	1	0	0	6	1
	4.1%	3.6%	2.7%	3.0%	3.7%	8.0%	2.8%	0.0%	4.3%	4.5%	2.9%	4.0%	3.4%	4.3%	0.0%	0.0%	3.5%	4.8%	0.0%	0.0%	4.8%	12.5%
25 to 34	1,198	53	73	6	47	23	28	1	8	16	28	18	34	41	0	8	50	2	1	14	33	4
	29.8%	26.9%	33.3%	18.2%	28.8%	46.0%	26.2%	2.6%	17.0%	36.4%	26.9%	24.0%	28.8%	29.5%	0.0%	21.1%	29.1%	9.5%	25.0%	23.3%	26.6%	50.0%
35 to 44	1,451	86	86	14	72	17	47	21	27	18	41	41	43	59	2	16	72	12	2	29	55	1
	36.1%	43.7%	39.3%	42.4%	44.2%	34.0%	43.9%	55.3%	57.4%	40.9%	39.4%	54.7%	36.4%	42.4%	100.0%	42.1%	41.9%	57.1%	50.0%	48.3%	44.4%	12.5%
45 to 54	703	26	31	• •	19	1	17	8	6	3	16	8	18	16	0	7	21		1	8	14	25.00/
55 to 64	17.5% 259	13.2%	14.2%	21.2%	11.7%	2.0%	15.9%	21.1%	12.8%	6.8%	15.4%	10.7%	15.3%	11.5%	0.0%	18.4%	12.2%	19.0%	25.0%	13.3%	11.3%	25.0%
55 10 64	6.4%	3.6%	4.6%	6.1%	5 3.1%	4.0%	1.9%	3 7.9%	0.0%	2.3%	5.8%	1.3%	ە 5.1%	2.9%	0.0%	3 7.9%	4.1%	0.0%	0.0%	5.0%	3.2%	0.0%
65 to 74	82	3	1	0	3	0	1	2	0	0	3	0	3	3	0	0	3	0	0	1	2	0
	2.0%	1.5%	0.5%	0.0%	1.8%	0.0%	0.9%	5.3%	0.0%	0.0%	2.9%	0.0%	2.5%	2.2%	0.0%	0.0%	1.7%	0.0%	0.0%	1.7%	1.6%	0.0%
75 or older	20	1	0	1	0	0	1	0	1	0	0	0	1	1	0	0	1	0	0	1	0	0
	0.5%	0.5%	0.0%		0.0%	0.0%	0.9%	0.0%		0.0%	0.0%		0.8%	0.7%	0.0%	0.0%	0.6%		0.0%	1.7%	0.0%	0.0%
35 or older	2,515	123	128		99	20	68	34	34	22	66	50	71	• • •	2	26	104	ı	3	42	75	3
	62.5%	62.4%	58.4%	72.7%	60.7%	40.0%	63.6%	89.5%	72.3%	50.0%	63.5%	66.7%	60.2%	59.7%	100.0%	68.4%	60.5%	76.2%	75.0%	70.0%	60.5%	37.5%
Significantly different from column:*						GH	FH	FG	J	I								1		1		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 44

Are you male or female?

Base: All respondents

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	219	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	
Number missing or multiple answer	34	2	0	0	0	0	2	0	1	0	0	1	0	0	0	0	2	0	0	1	1	
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
Usable responses	4,065	199	219	34	165	50	107	38	46	44	105	74	119	139	2	40	174	21	4	62	124	
	99.2%	99.0%	100.0%	100.0%	100.0%	100.0%	98.2%	100.0%	97.9%	100.0%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%	98.9%	100.0%	100.0%	98.4%	99.2%	100.09
Male	673	34	30	34	0	8	17	8	6	9	17	8	23	16	0	14	30	4	0	9	22	
	16.6%	17.1%	13.7%	100.0%	0.0%	16.0%	15.9%	21.1%	13.0%	20.5%	16.2%	10.8%	19.3%	11.5%	0.0%	35.0%	17.2%	19.0%	0.0%	14.5%	17.7%	25.09
Female	3,392	165	189	0	165	42	90	30	40	35	88	66	96	123	2	26	144	17	4	53	102	
	83.4%	82.9%	86.3%	0.0%	100.0%	84.0%	84.1%	78.9%	87.0%	79.5%	83.8%	89.2%	80.7%	88.5%	100.0%	65.0%	82.8%	81.0%	100.0%	85.5%	82.3%	75.09
Significantly different from column:*				E	D									Р		N						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 4

What is the highest grade or level of school that you have completed?

Base: All respondents

				Respor Gen		C	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	Cl	hild's Rad	ce	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	214	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer Number no experience	83 NA	NA	0 NA	2 NA	2 NA	1 NA	3 NA	0 NA	0 NA	0 NA	0 NA	1 NA	0 NA	0 NA	0 NA	3 NA	5 NA	NA	0 NA	2 NA	NA	0 NA
Usable responses	4,016	196	214	32	163	49	106	38	47	1NA 44	105		119	139	2	37			1NA 4	61	123	1NA 8
Coable respondes	98.0%	97.5%	100.0%	94.1%	98.8%	98.0%	97.2%	100.0%		100.0%	100.0%	98.7%		100.0%	100.0%	92.5%		100.0%	100.0%	96.8%	98.4%	100.0%
8th grade or less	440	24	21	2	22	3	17	4	24	0	0	24	0	16	0	3	15		2	12	10	1
	11.0%	12.2%	9.8%	6.3%	13.5%	6.1%	16.0%	10.5%	51.1%	0.0%	0.0%	32.4%	0.0%	11.5%	0.0%	8.1%	8.8%	33.3%	50.0%	19.7%	8.1%	12.5%
Some high school, but did not graduate	442	23	26	4	18	6	10	7	23	0	0	10	12	15	1	4	20		1	9	11	3
	11.0%	11.7%	12.1%	12.5%	11.0%	12.2%	9.4%	18.4%	48.9%	0.0%	0.0%		10.1%		50.0%	10.8%			25.0%	14.8%	8.9%	37.5%
High school graduate or GED	1,174 29.2%	44 22.4%	69 32.2%	9 28.1%	35 21.5%	11 22.4%	24 22.6%	9 23.7%	0.0%	44 100.0%	0.0%	17 23.0%	27 22.7%	31 22.3%	0.0%	7 18.9%	38 22.2%	_	0.0%	12 19.7%	29 23.6%	2 25.0%
Some college or 2-year degree	1,269	69	32.2% 62	20.1%	21.5%	22.4% 18	35	23.7% 14	0.0%	100.0%	69	23.0%	22.1% 56	53	0.0%	10.9%	65		0.0%	19.7%	23.6% 47	25.0%
come conego of 2 your dogree	31.6%	35.2%	29.0%	28.1%	36.8%	36.7%	33.0%	36.8%	0.0%	0.0%	65.7%		47.1%	38.1%	50.0%	35.1%	38.0%	_	25.0%	31.1%	38.2%	12.5%
4-year college graduate	435	21	22	5	16	6	12	3	0	0	21	6	14	14	0	5	18		0	3	18	0
	10.8%	10.7%	10.3%	15.6%	9.8%	12.2%	11.3%	7.9%	0.0%	0.0%	20.0%	8.1%	11.8%	10.1%	0.0%	13.5%	10.5%	14.3%	0.0%	4.9%	14.6%	0.0%
More than 4-year college degree	256 6.4%	15 7.7%	14 6.5%	3 9.4%	12 7.4%	5 10.2%	8 7.5%	1 2.6%	0 0.0%	0 0.0%	15 14.3%	5 6.8%	10 8.4%	10 7.2%	0 0.0%	5 13.5%	15 8.8%	-	0 0.0%	6 9.8%	8 6.5%	1 12.5%
4-year college graduate or more	691 17.2%	36 18.4%	36 16.8%	8 25.0%	28 17.2%	11 22.4%	20 18.9%	4 10.5%	0 0.0%	0 0.0%	36 34.3%		- 1	24 17.3%	0 0.0%	10 27.0%	33 19.3%		0 0.0%	9 14.8%	26 21.1%	1 12.5%
Significantly different from column:*									K	K	IJ											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Jackson Care Connect
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

11340

Question 46

How are you related to the child?

Base: All respondents

,				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	215	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	84	4	0	2	1	2	1	1	1	1	1	1	2	3	0	0	4	0	0	1	3	0
Number no experience	NA	NA	NA		NA	NA	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,015	197	215	32	164	48	108	37	46	43	104	74	117	136	2	40	172	21	4	62	122	8
	98.0%	98.0%	100.0%	94.1%	99.4%	96.0%	99.1%	97.4%	97.9%	97.7%	99.0%	98.7%	98.3%	97.8%	100.0%	100.0%	97.7%	100.0%	100.0%	98.4%	97.6%	100.0%
Mother or father	3,769	186	203	31	154	48	102	33	46	42	94	73	107	128	2	37	161	21	4	58	116	8
	93.9%	94.4%	94.4%	96.9%	93.9%	100.0%	94.4%	89.2%	100.0%	97.7%	90.4%	98.6%	91.5%	94.1%	100.0%	92.5%	93.6%	100.0%	100.0%	93.5%	95.1%	100.0%
Grandparent	145	7	4	0	7	0	3	3	0	0	7	0	7	5	0	2	7	0	0	3	4	0
	3.6%	3.6%	1.9%	0.0%	4.3%	0.0%	2.8%	8.1%	0.0%	0.0%	6.7%	0.0%	6.0%	3.7%	0.0%	5.0%	4.1%	0.0%	0.0%	4.8%	3.3%	0.0%
Aunt or uncle	17 0.4%	1 0.5%	4 1.9%	0 0.0%	1 0.6%	0 0.0%	1 0.9%	0 0.0%	0 0.0%	0 0.0%	1 1.0%	0 0.0%	1 0.9%	1 0.7%	0 0.0%	0 0.0%	1 0.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Older brother or sister	10	1	0	1	0	0	1	0	0	1	0	1	0	1	0	0	1	0	0	0	1	0
	0.2%	0.5%	0.0%	3.1%	0.0%	0.0%	0.9%	0.0%	0.0%	2.3%	0.0%	1.4%	0.0%	0.7%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.8%	0.0%
Other relative	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Legal guardian	47	1	3	0	1	0	1	0	0	0	1	0	1	1	0	0	1	0	0	0	1	0
	1.2%	0.5%	1.4%	0.0%	0.6%	0.0%	0.9%	0.0%	0.0%	0.0%	1.0%	0.0%	0.9%	0.7%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.8%	0.0%
Someone else	22	1	1	0	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0
	0.5%	0.5%	0.5%	0.0%	0.6%	0.0%	0.0%	2.7%	0.0%	0.0%	1.0%	0.0%	0.9%	0.0%	0.0%	2.5%	0.6%	0.0%	0.0%	1.6%	0.0%	0.0%

NA - Not Applicable

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 47

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

	ОНР			Respor Gen (Q ²	der	С	hild's Age (Q39)	е	Respon	dent's Ed	ucation	Hispanio (Q4	` '	C	hild's Rac (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	130	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	1,949	96	0	22	73	20	53	21	24	26	41	41	50	56	1	22	78	14	4	31	56	6
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,150	105	130	12	92	30	56	17	23	18	64	34	69	83	1	18	98	7	0	32	69	2
	52.5%	52.2%	100.0%	35.3%	55.8%	60.0%	51.4%	44.7%	48.9%	40.9%	61.0%	45.3%	58.0%	59.7%	50.0%	45.0%	55.7%	33.3%	0.0%	50.8%	55.2%	25.0%
Yes	79	4	1	0	4	0	3	1	4	0	0	3	0	3	0	1	2	2	0	1	3	0
	3.7%	3.8%	0.8%	0.0%	4.3%	0.0%	5.4%	5.9%	17.4%	0.0%	0.0%	8.8%	0.0%	3.6%	0.0%	5.6%	2.0%	28.6%		3.1%	4.3%	0.0%
No	2,071	101	129	12	88	30	53	16	19	18	64	31	69	80	1	17	96	5	0	31	66	2
	96.3%	96.2%	99.2%	100.0%	95.7%	100.0%	94.6%	94.1%	82.6%	100.0%	100.0%	91.2%	100.0%	96.4%	100.0%	94.4%	98.0%	71.4%		96.9%	95.7%	100.0%
Significantly different from column:*					_						_											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

How did that person help you? Mark one or more.

Base: All mail survey respondents who received help completing this survey (Q47) (Please note that members who responded on the phone were not asked this question.)

	0			Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Hispanio	c (Child)	С	nild's Rad	се	Child's	s Health S	Status		Doctor V	
	ОНР			(Q	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	79	4	223	0	4	0	3	1	4	0	0	3	0	3	0	1	2	2	0	1	3	0
Number missing or multiple answer	0	0	222	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Usable responses	79	4	1	0	4	0	3	1	4	0	0	3	0	3	0	1	2	2	0	1	3	0
	100.0%	100.0%	0.4%		100.0%		100.0%	100.0%	100.0%			100.0%		100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	
Read the questions to me	38	2	1	0	2	0	2	0	2	0	0	2	0	2	0	0	0	2	0	1	1	0
	48.1%	50.0%	100.0%		50.0%		66.7%	0.0%	50.0%			66.7%		66.7%		0.0%	0.0%	100.0%		100.0%	33.3%	
Wrote down the answers I gave	28	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	1	0	0	1	0
	35.4%	25.0%	0.0%		25.0%		33.3%	0.0%	25.0%			33.3%		33.3%		0.0%	0.0%	50.0%		0.0%	33.3%	
Answered the questions for me	18	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	1	0	0	1	0
	22.8%	25.0%	0.0%		25.0%		33.3%	0.0%	25.0%			33.3%		33.3%		0.0%	0.0%	50.0%		0.0%	33.3%	
Translated the questions into my language	43	3	0	0	3	0	2	1	3	0	0	2	0	2	0	1	2	1	0	0	3	0
	54.4%	75.0%	0.0%		75.0%		66.7%	100.0%	75.0%			66.7%		66.7%		100.0%	100.0%	50.0%		0.0%	100.0%	
Helped in some other way	8 10.1%	0 0.0%	0.0%	0	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48a

Is your child between the ages of 3 and 5 years old?

Base: All respondents

	ОНР			Respor Gen (Q ²	der	С	hild's Age (Q39)	e	Respon	dent's Ed	ucation	Hispanic (Q4	` ′	Cl	hild's Rad (Q42)	ce	Child's	Health S	status		Doctor Vi st 6 Month (Q7)	
	2019 State O	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	D000	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	201	213	34	165	50	109	38	47	44	105	75	119	139	2	40	176	21	4	63	125	8
Number missing or multiple answer	111	7	0	4	2	1	2	2	2	1	2	2	3	4	0	2	7	0	0	2	5	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,988	194	213	30	163	49	107	36	45	43	103	73	116	135	2	38	169	21	4	61	120	8
	97.3%	96.5%	100.0%	88.2%	98.8%	98.0%	98.2%	94.7%	95.7%	97.7%	98.1%	97.3%	97.5%	97.1%	100.0%	95.0%	96.0%	100.0%	100.0%	96.8%	96.0%	100.0%
Yes	720	32	38	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
	18.1%	16.5%	17.8%	13.3%	17.2%	61.2%	1.9%	0.0%	15.6%	16.3%	16.5%	15.1%	17.2%	17.8%	0.0%	13.2%	17.8%	9.5%	0.0%	14.8%	17.5%	12.5%
No	3,268	162	175	26	135	19	105	36	38	36	86	62	96	111	2	33	139	19	4	52	99	7
	81.9%	83.5%	82.2%	86.7%	82.8%	38.8%	98.1%	100.0%	84.4%	83.7%	83.5%	84.9%	82.8%	82.2%	100.0%	86.8%	82.2%	90.5%	100.0%	85.2%	82.5%	87.5%
Significantly different from column:*						GH	F	F														

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48h

When he or she is paying attention, how often can this child follow instructions to complete a simple task?

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	720	32	37	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	714	32	37	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	4 0.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Some of the time	58	2	4	0.070	2	2	0.070	0	2	0.070	0.070	1	1	1	0	0.070	1	1	0	1	1	0.070
	8.1%	6.3%	10.8%	0.0%	7.1%	6.7%	0.0%		28.6%	0.0%	0.0%	9.1%	5.0%	4.2%		0.0%	3.3%	50.0%		11.1%	4.8%	0.0%
Most of the time	279	17	13	2	15	16	1	0	3	3	11	7	10	12	0	4	16	1	0	5	10	1
	39.1%	53.1%	35.1%	50.0%	53.6%	53.3%	50.0%		42.9%	42.9%	64.7%	63.6%	50.0%	50.0%		80.0%	53.3%	50.0%		55.6%	47.6%	100.0%
All of the time	373	13	20	2	11	12	1	0	2	4	6	3	9	11	0	1	13	0	0	3	10	0
	52.2%	40.6%	54.1%	50.0%	39.3%	40.0%	50.0%		28.6%	57.1%	35.3%	27.3%	45.0%	45.8%		20.0%	43.3%	0.0%		33.3%	47.6%	0.0%
Significantly different from column:*																						
All of the time or Most of the time	652	30		- 1	26	28	2	0	5	7	17	10	19	23	0	5	29	1	0	8	20	1
	91.3%	93.8%	89.2%	100.0%	92.9%	93.3%	100.0%		71.4%	100.0%	100.0%	90.9%	95.0%	95.8%		100.0%	96.7%	50.0%		88.9%	95.2%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48c

How often does this child play well with others?

				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	32	38	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	715	32	38	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	1 0.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Some of the time	64	1	4	0	1	1	0	0	1	0	0	1	0	1	0	0	1	0	0	1	0	0
	9.0%	3.1%	10.5%	0.0%	3.6%	3.3%	0.0%		14.3%	0.0%	0.0%	9.1%	0.0%	4.2%		0.0%	3.3%	0.0%		11.1%	0.0%	0.0%
Most of the time	305	18	20	2	16	17	1	0	5	4	9	5	13	14	0	3	16	2	0	5	11	1
	42.7%	56.3%	52.6%	50.0%	57.1%	56.7%	50.0%		71.4%	57.1%	52.9%	45.5%	65.0%	58.3%		60.0%	53.3%	100.0%		55.6%	52.4%	100.0%
All of the time	345	13	14	2	11	12	1	0	1	3	8	5	7	9	0	2	13	0	0	3	10	0
	48.3%	40.6%	36.8%	50.0%	39.3%	40.0%	50.0%		14.3%	42.9%	47.1%	45.5%	35.0%	37.5%		40.0%	43.3%	0.0%		33.3%	47.6%	0.0%
Significantly different from column:*																						
All of the time or Most of the time	650	31		- 1	27	29	2	0	6	7	17	10	20	23	0	5	29		0	8	21	1
	90.9%	96.9%	89.5%	100.0%	96.4%	96.7%	100.0%		85.7%	100.0%	100.0%	90.9%	100.0%	95.8%		100.0%	96.7%	100.0%		88.9%	100.0%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 486

How often can this child calm down when excited or all wound up?

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	nild's Rac	е	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	32	37	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	715	32	37	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	4 0.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Some of the time	118	7	8	1	6	7	0	0	4	1	1	3	3	3	0	2	5	2	0	2	4	1
	16.5%	21.9%	21.6%	25.0%	21.4%	23.3%	0.0%		57.1%	14.3%	5.9%	27.3%	15.0%	12.5%		40.0%	16.7%	100.0%		22.2%	19.0%	100.0%
Most of the time	384	18	24	3	15	17	1	0	0	6	12	4	14	16	0	2	18	0	0	3	14	0
	53.7%	56.3%	64.9%	75.0%	53.6%	56.7%	50.0%		0.0%	85.7%	70.6%	36.4%	70.0%	66.7%		40.0%	60.0%	0.0%		33.3%	66.7%	0.0%
All of the time	209	7	5	0	7	6	1	0	3	0	4	4	3	5	0	1	7	0	0	4	3	0
	29.2%	21.9%	13.5%	0.0%	25.0%	20.0%	50.0%		42.9%	0.0%	23.5%	36.4%	15.0%	20.8%		20.0%	23.3%	0.0%		44.4%	14.3%	0.0%
Significantly different from column:*																						
All of the time or Most of the time	593	25	29	3	22	23	2	0	3	6	16	8	17	21	0	3	25	0	0	7	17	0
	82.9%	78.1%	78.4%	75.0%	78.6%	76.7%	100.0%		42.9%	85.7%	94.1%	72.7%	85.0%	87.5%		60.0%	83.3%	0.0%		77.8%	81.0%	0.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 486

How often does this child lose control of his or her temper when things do not go his or her way?

	0			Respor Ger		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	32	38	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
Number missing or multiple answer	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	711	32	38	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
	98.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	136	5	4	1	4	5	0	0	1	1	2	1	3	4	0	1	5	0	0	2	3	0
	19.1%	15.6%	10.5%	25.0%	14.3%	16.7%	0.0%		14.3%	14.3%	11.8%	9.1%	15.0%	16.7%		20.0%	16.7%	0.0%		22.2%	14.3%	0.0%
Some of the time	498	24		3	21	22	2	0	5	4	15	9	15	17	0	4	23	1	0	6	16	1
	70.0%	75.0%	78.9%	75.0%	75.0%	73.3%	100.0%		71.4%	57.1%	88.2%	81.8%	75.0%	70.8%		80.0%	76.7%	50.0%		66.7%	76.2%	100.0%
Most of the time	53	1	4	0	1	1	0	0	0	1	0	1	0	1	0	0	1	0	0	0	1	0
	7.5%	3.1%	10.5%	0.0%	3.6%	3.3%	0.0%		0.0%	14.3%	0.0%	9.1%	0.0%	4.2%		0.0%	3.3%	0.0%		0.0%	4.8%	0.0%
All of the time	24	2	0	0	2	2	0	0	1	1	0	0	2	2	0	0	1	1	0	1	1	0
	3.4%	6.3%	0.0%	0.0%	7.1%	6.7%	0.0%		14.3%	14.3%	0.0%	0.0%	10.0%	8.3%		0.0%	3.3%	50.0%		11.1%	4.8%	0.0%
Significantly different from column:*																						
All of the time or Most of the time	77	3	4	0	3	3	0	0	1	2	0	1	2	3	0	0	2	1	0	1	2	0
Significantly different from column:*	10.8%	9.4%	10.5%	0.0%	10.7%	10.0%	0.0%		14.3%	28.6%	0.0%	9.1%	10.0%	12.5%		0.0%	6.7%	50.0%		11.1%	9.5%	0.0%
organicality different from column.																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11340

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

In the past 6 months, were you ever asked to keep your child home from any child care or preschool because of their behavior (things like hitting, kicking, biting, tantrums or disobeying)?

	۵	, ,		Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	720	32	37	4	28	30	2	0	7	7	17	11	20	24	0	5	30	2	0	9	21	1
Number missing or multiple answer	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	129	5	12	1	4	4	1	0	1	2	2	2	3	4	0	1	5	0	0	2	3	0
Usable responses	573	27	25	3	24	26	1	0	6	5	15	9	17	20	0	4	25	2	0	7	18	1
	79.6%	84.4%	67.6%	75.0%	85.7%	86.7%	50.0%		85.7%	71.4%	88.2%	81.8%	85.0%	83.3%		80.0%	83.3%	100.0%		77.8%	85.7%	100.0%
No	562	27	25	3	24	26	1	0	6	5	15	9	17	20	0	4	25	2	0	7	18	1
	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
Yes, I was told to pick up my child early on 1 or more days	8 1.4%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0.0%	0 0.0%	0 0.0%
Yes, I had to keep my child home for 1 full day or more	3 0.5%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Yes permanently, I was told my child could no longer attend this childcare center or	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Significantly different from column:*																						
No	562	27	25	3	24	26	1	0	6	5	15	9	17	20	0	4	25	2	0	7	18	1
	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

SURVEY INSTRUMENT





Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow *If Yes, Go to Question 1* \square_2 No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

- Our records show that your child is now in Oregon Health Plan. Is that right?
 - \square_1 Yes \rightarrow *If Yes, Go to Question 3* \square_2 No
- What is the name of your child's health plan? (Please print)

Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

- 3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?
 - ☐₁ Yes
 - \square_2 No \rightarrow *If No, Go to Question 5*

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed? \[\begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	9.	In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine fo your child? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 13
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? Yes	10.	Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine? $\Box_{\scriptscriptstyle 1} \ \text{Yes} \\ \Box_{\scriptscriptstyle 2} \ \text{No}$
6.	□₂ No → If No, Go to Question 7 In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?	11.	Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine? Yes No
	 □₁ Never □₂ Sometimes □₃ Usually □₄ Always 	12.	When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child? Yes
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? \square_0 None \rightarrow <i>If None, Go to Question 15</i> \square_1 1 time \square_2 2	13.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?
	\square_3 3 \square_4 4 \square_5 5 to 9 \square_6 10 or more times		\square_0 0 Worst health care possible \square_1 1 \square_2 2 \square_3 3 \square_4 4
8.	In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child? Yes No		□ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9

14. In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	 17. In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand? □₁ Never □₂ Sometimes □₃ Usually □₄ Always
Your Child's Personal Doctor 15. A personal doctor is the one your child would see if he or she needs a checkup, has a health	 18. In the last 6 months, how often did your child's personal doctor listen carefully to you? □₁ Never □₂ Sometimes □₃ Usually
problem, or gets sick or hurt. Does your child have a personal doctor? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 27</i>	19. In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
16. In the last 6 months, how many times did your child visit his or her personal doctor for care? □₀ None → If None, Go to Question 26 □₁ 1 time	☐ Never ☐ Sometimes ☐ Usually ☐ Always
\square_2 2 \square_3 3 \square_4 4 \square_5 5 to 9 \square_6 10 or more times	 20. Is your child able to talk with doctors about his or her health care? □₁ Yes □₂ No → If No, Go to Question 22
16a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	21. In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand? Never Sometimes Usually Always

22.	In the last 6 months, how often did your child's personal doctor spend enough time with your child? Never Sometimes Usually Always	 26. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor? 0 Worst personal doctor possible 1 2
23.	In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving? Yes No	□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8
24.	In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?	\square_9 9 \square_{10} 10 Best personal doctor possible
	\square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 26</i>	Getting Health Care from Specialists
25.	In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these	When you answer the next questions, do <u>not</u> include dental visits or care your child got when he or she stayed overnight in a hospital.
	doctors or other health providers? \[\bigcup_1 \text{Never} \\ \bigcup_2 \text{Sometimes} \\ \bigcup_3 \text{Usually} \\ \bigcup_4 \text{Always} \end{aligned}	 27. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist? □₁ Yes □₂ No → If No, Go to Question 31
		28. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always

29. How many specialists has your child seen in the last 6 months? □₀ None → If None, Go to Question 31 □₁ 1 specialist □₂ 2 □₃ 3 □₄ 4 □₅ 5 or more specialists	 32. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed? Never Sometimes Usually Always 33. In the last 6 months, how often did customer
30. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?	service staff at your child's health plan treat you with courtesy and respect? □¹ Never □² Sometimes □₃ Usually □⁴ Always 34. In the last 6 months, did your child's health plan give you any forms to fill out? □¹ Yes □² No → If No, Go to Question 36 35. In the last 6 months, how often were the forms from your child's health plan easy to fill out? □¹ Never □² Sometimes □₃ Usually
Your Child's Health Plan	□₄ Always
The next questions ask about your experience with your child's health plan.	
 31. In the last 6 months, did you get information or help from customer service at your child's health plan? □₁ Yes □₂ No → If No, Go to Question 34 	

36. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan? □₀ 0 Worst health plan possible □₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □٫ 8 8 □٫ 9 □₁ 10 Best health plan possible	36d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted? □₁ Never □₂ Sometimes □₃ Usually □₄ Always □₅ My child did not have a dental emergency in the last 6 months 36e. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how eas it was for you to find a dentist for your child? □₀ 0 Extremely difficult □₁ 1
Access to Dental Care	□ ₂ 2
36a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist? ☐₁ Yes ☐₂ No	□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9 □ ₁₀ 10 Extremely easy
36b. In the last 6 months, did your child go to a dentist's office or clinic for care?	
□₁ Yes	About Your Child and You
 □₂ No → If No, Go to Question 36d 36c. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child? □₁ Never □₂ Sometimes □₃ Usually □₄ Always 	37. In general, how would you rate your child's overall health? □₁ Excellent □₂ Very good □₃ Good □₄ Fair □₅ Poor

38.	In general, how would you rate your child's	44.	Are you male or female?
	overall mental or emotional health?		□₁ Male
	□₁ Excellent		□₂ Female
	□₂ Very good		
	$\square_{\scriptscriptstyle 3}$ Good	45.	What is the highest grade or level of school
	□₄ Fair	13.	that you have completed?
	□ _s Poor		\square_1 8th grade or less
			\square_2 Some high school, but did not
39.	What is your child's age?		graduate
	\square_{∞} Less than 1 year old		☐₃ High school graduate or GED
	•		Some college or 2-year degree
	YEARS OLD <i>(write in)</i>		□ _s 4-year college graduate
			☐ More than 4-year college degree
40.	Is your child male or female?		6 Word than 4 year conege degree
	□₁ Male	4.0	
	\square_2 Female	46.	How are you related to the child?
			☐₁ Mother or father
41.	Is your child of Hispanic or Latino origin or		☐₂ Grandparent
	descent?		☐₃ Aunt or uncle
	☐₁ Yes, Hispanic or Latino		Older brother or sister
	□₂ No, not Hispanic or Latino		□₅ Other relative
			☐ Legal guardian
12	What is your child's race? Mark one or more.		$\square_{\scriptscriptstyle 7}$ Someone else
+∠.	-		
	☐, White	47.	Did someone help you complete this survey?
	☐ Black or African-American		$\square_{\scriptscriptstyle 1}$ Yes \rightarrow <i>If Yes, Go to Question 48</i>
	a Asian		$\square_{\scriptscriptstyle 2}$ No \rightarrow If No, Go to Question 48a
	Native Hawaiian or other Pacific Islander		
		48.	How did that person help you? Mark one or
	☐ American Indian or Alaska Native ☐ Other		more.
	□ _f Other		\square _a Read the questions to me
42	William San and D		☐ Wrote down the answers I gave
43.	What is your age?		$\square_{\scriptscriptstyle c}$ Answered the questions for me
	Under 18		$\square_{\scriptscriptstyle d}$ Translated the questions into my
	18 to 24		language
	25 to 34		$\square_{\scriptscriptstyle m e}$ Helped in some other way
	□₃ 35 to 44		
	□ ₄ 45 to 54		
	□ ₅ 55 to 64		
	☐ ₆ 65 to 74		
	\square_{7} 75 or older		

Kindergarten Readiness 48a. Is your child between the ages of 3 and 5 years old? \square Yes \rightarrow *If Yes, Go to Question 48b* \square , No \rightarrow Thank you. Please return the survey in the postage-paid envelope. 48b. When he or she is paying attention, how often can this child follow instructions to complete a simple task? \square All of the time \square , Most of the time \square_3 Some of the time \square ₄ None of the time 48c. How often does this child play well with others? ☐₁ All of the time \square , Most of the time ☐ Some of the time \square_4 None of the time 48d. How often can this child calm down when excited or all wound up? \square All of the time \square , Most of the time \square_3 Some of the time \square_{4} None of the time 48e. How often does this child lose control of his or her temper when things do not go his or her

way?

 \square_1 All of the time \square_2 Most of the time \square_3 Some of the time \square_4 None of the time

to keep y	our child home from any child
care or p	reschool because of their behavior
(things li	ke hitting, kicking, biting, tantrums or
disobeyi	ng)?
	This child did not attend childcare or
	preschool
	No
Пз	Yes, I was told to pick up my child
	early on 1 or more days
	Yes, I had to keep my child home for 1
	full day or more
5	Yes permanently, I was told my child
	could no longer attend this childcare
	center or preschool

48f. In the past 6 months, were you ever asked

Thank You

Please return the completed survey in the postage-paid envelope to:

Center for the Study of Services PO Box 10820 Herndon, VA 20172-9904

Please do not include any other correspondence.



Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadrito que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

 \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 1 \square_2 No

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Por favor conteste las preguntas para el niño cuyo nombre está anotado en el sobre. No las conteste para ningún otro niño.

- 1. Nuestros registros muestran que su niño está ahora con Oregon Health Plan. ¿Es correcta esta información?
 - \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 3
 - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Por favor escriba en letra de molde)

La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. <u>No</u> incluya la atención que recibió su niño cuando pasó la noche hospitalizado. <u>No</u> incluya las consultas de su niño con el dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
 - □₁ Sí
 - \square_2 No \rightarrow Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como él o ella lo necesitaba? Nunca A veces La mayoría de las veces	8.	En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre cosas específicas que usted podría hacer para prevenir que su niño se enferme? Sí No
5.	 □₄ Siempre En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7 	9.	En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre comenzar o suspender una medicina recetada? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 13
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica tan pronto como su niño la necesitaba? Nunca A veces La mayoría de las veces Siempre		¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez usted quiera que su niño tome una medicina? Sí No ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez usted no quiera que su niño tome una medicina? Sí
7.	En los últimos 6 meses, <u>sin</u> contar las veces en que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 15 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más	12.	Cuando hablaron de comenzar o suspender una medicina recetada para su niño, ¿le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para su niño? Sí No

peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?	 16. En los últimos 6 meses, ¿cuántas veces fue su niño a ver a su doctor personal para recibir atención médica? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 26 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más 16a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de su niño o entenderlo porque hablaban idiomas
En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el tratamiento que su niño necesitaba?	diferentes? Nunca A veces La mayoría de las veces Siempre
□₂ A veces□₃ La mayoría de las veces□₄ Siempre	17. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas sobre la salud de su niño de una manera fácil de entender?
El doctor personal de su niño	□₁ Nunca
El doctor personal es aquel a quien su niño va si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño	 □₂ A veces □₃ La mayoría de las veces □₄ Siempre
un doctor personal? □¹ Sí □² No → Si contestó "No", pase a la pregunta 27	 18. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le escuchó a usted con atención? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre
	atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses? □₀ 0 La peor atención médica posible □₁ 1 □₂ 2 □₃ 3 □₄ 4 □ѕ 5 □₆ 6 □٫ 7 7 □ଃ 8 □᠀ 9 □₁₀ 10 La mejor atención médica posible En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el tratamiento que su niño necesitaba? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₄ Siempre El doctor personal de su niño El doctor personal es aquel a quien su niño va si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño un doctor personal? □₁ Sí □₂ No → Si contestó "No", pase a la

19.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir? Nunca A veces La mayoría de las veces Siempre		En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 26
20.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 22	25.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su niño había recibido de estos doctores u otros profesionales médicos? Nunca A veces
21.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a <u>su niño</u> de una manera fácil de entender?		□₃ La mayoría de las veces□₄ Siempre
	 □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre 	26.	Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría para calificar al doctor personal de su niño? 0 El peor doctor personal posible
22.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con su niño? Nunca A veces La mayoría de las veces Siempre		□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □₃ 8 □ዓ 9
23.	En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando? Sí No		□ ₁₀ 10 El mejor doctor personal posible

La atención médica que recibió de especialistas

Al contestar las siguientes preguntas <u>no</u> incluya las veces que su niño fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado.

27.	Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita para su niño con un especialista? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 31
	pregunta 31
28.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como él o ella la necesitaba? Nunca A veces La mayoría de las veces Siempre
29.	¿Cuántos especialistas ha visto su niño en los últimos 6 meses?
	\square_{\circ} Ninguno \rightarrow <i>Si contestó "Ninguno",</i> pase a la pregunta 31
	□₁ 1 especialista
	\square_2 2
	□₃ 3
	$\square_{\scriptscriptstyle 4}$ 4

□₅ 5 especialistas o más

30.	Queremos saber cómo califica al especialista al que su niño fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?
E	El plan de salud de su niño
L	as siguientes preguntas se refieren a su experiencia con el plan de salud de su niño.
31.	En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente del plan de salud de su niño? ☐¹ Sí ☐² No → Si contestó "No", pase a la pregunta 34
32.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba? Nunca A veces

☐₃ La mayoría de las veces

□₄ Siempre

33.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud	Acceso a atención dental
	de su niño le trató con cortesía y respeto? \[\bigcal_1 \text{Nunca} \\ \bigcal_2 \text{A veces} \\ \bigcal_3 \text{La mayoría de las veces} \\ \bigcal_4 \text{Siempre} \]	36a. Un dentista regular es a quien su niño va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un dentista regular?
34.	En los últimos 6 meses, ¿le dio el plan de salud de su niño algún formulario para llenar? □₁ Sí □₂ No → Si contestó "No", pase a la	☐₂ No 36b.En los últimos 6 meses, ¿fue su niño al consultorio de un dentista o a una clínica dental para recibir atención?
35.	pregunta 36 En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de llenar los formularios del plan	 □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 36d
	de salud de su niño? Nunca A veces La mayoría de las veces Siempre	36c. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? □₁ Nunca □₂ A veces
36.	Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño?	□3 La mayoría de las veces □4 Siempre 36d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia él o ella pudo ver a un dentista tan pronto como usted quería? □1 Nunca □2 A veces □3 La mayoría de las veces □4 Siempre □5 Mi niño no tuvo una emergencia dental en los últimos 6 meses

36e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10 extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista para su niño? □₀ 0 Extremadamente difícil □₁ 1 □₂ 2 □₃ 3	 39. ¿Qué edad tiene <u>su niño</u>? □₀ Menos de un año AÑOS (escriba la respuesta) 40. ¿Es su niño de sexo masculino o femenino? □₁ Masculino □₂ Femenino
□ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8	41. ¿Es su niño de origen o ascendencia hispana o latina? ☐₁ Sí, hispano o latino ☐₂ No, ni hispano ni latino
□, 9 □ ₁₀ 10 Extremadamente fácil	42. ¿A qué raza pertenece su niño? Por favor marque una o más. □ Blanca □ Negra o afroamericana
Acerca de usted y de su niño	☐ Asiática ☐ Nativo de Hawái o de otras islas del
 37. En general, ¿cómo calificaría toda la salud de su niño? □₁ Excelente □₂ Muy buena 	Pacífico Indígena americano o nativo de Alaska Otra
□₃ Buena □₄ Regular □₅ Mala	43. ¿Qué edad tiene <u>usted</u> ? ☐₀ Menos de 18 años ☐₁ 18 a 24
38. En general, ¿cómo calificaría toda la salud mental o emocional de su niño? ☐ Excelente ☐ Muy buena ☐ Buena ☐ Regular	☐₂ 25 a 34 ☐₃ 35 a 44 ☐₄ 45 a 54 ☐₅ 55 a 64 ☐₆ 65 a 74 ☐₃ 75 años o más
□ _s Mala	44. ¿Es usted hombre o mujer? ☐₁ Hombre ☐₂ Mujer

45.	usted ha completado?	Preparación para el kindergarten		
	 8 años de escuela o menos 9 a 12 años de escuela, pero sin graduarse Graduado de la escuela secundaria (high school), Diploma de escuela secundaria, preparatoria o su equivalente (o GED) 	48a. ¿Su niño tiene entre 3 y 5 años de edad? ☐ Sí → Si contestó "Sí", pase a la pregunta 48b ☐ No → Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado.		
	 □₄ Algunos cursos universitarios o un título universitario de un programa de 2 años □₅ Título universitario de 4 años □₆ Título universitario de más de 4 años 	48b. Cuando el niño está prestando atención, ¿con qué frecuencia puede seguir instrucciones para completar una tarea simple? Siempre		
46.	¿Qué relación tiene con el niño? Madre o padre Abuelo o abuela	 ☐₂ Casi siempre ☐₃ Algunas veces ☐₄ Nunca 		
	 ☐₃ Tía o tío ☐₄ Hermano o hermana mayor ☐₅ Otro familiar ☐₀ Tutor legal del niño ☐₀ Otra persona 	48c. ¿Con qué frecuencia el niño juega bien con los demás? □₁ Siempre □₂ Casi siempre □₃ Algunas veces □₄ Nunca		
47.	¿Le ayudó alguien a completar esta encuesta? □₁ Sí → Si contestó "Sí", pase a la pregunta 48 □₂ No → Si contestó "No", pase a la pregunta 48a	48d. ¿Con qué frecuencia puede calmarse el niño cuando está excitado? ☐₁ Siempre ☐₂ Casi siempre ☐₃ Algunas veces		
48.	¿Cómo le ayudó a usted esta persona? Marque una o más. a Me leyó las preguntasb Anotó las respuestas que le dic Contestó las preguntas por míd Tradujo las preguntas a mi idiomae Me ayudó de otra forma	 □₄ Nunca 48e. ¿Con qué frecuencia pierde el niño el control de su temperamento cuando las cosas no salen a su manera? □₁ Siempre □₂ Casi siempre □₃ Algunas veces □₄ Nunca 		

48f.	En los ultimos 6 meses, ¿alguna vez le
	pidieron que el niño se quedara en casa y no
	fuera a la guardería o preescolar debido a su
	comportamiento (por golpear, patear, morder
	hacer rabietas o desobedecer)?
	$\square_{\scriptscriptstyle 1}$ El niño no asistió a la guardería ni a
	preescolar

No

☐₃ Sí, me dijeron que recogiera al niño temprano 1 o más días

☐₄ Sí, tuve que mantener al niño en casa por 1 día completo o más

□₅ Sí, me dijeron que el niño ya no podría asistir a la guardería preescolar

Gracias

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2019, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the Shared Decision Making composite, the favorable responses are Usually and Always.
- For the Shared Decision Making questions, the favorable response is Yes.

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS 5.0H Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Experience of Care Measures*.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

Eligible Population

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

Response Rate

Survey response rate is calculated using the following formula:

Posnonso Pato -	Complete and Eligible Surveys	
Response Rate = —	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts	
	+ Added to Do Not Call (DNC) List]	

Sample size

OHA's methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.

Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

Trending

Comparison of survey results over time

Usable Responses (n)

See Denominator

Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.