

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Are you limited in any way in any activities because of an impairment or health problem?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		21.4	12.4	11.7	19.1	21.2	31.5	32.0
<b>No</b>		77.8	87.2	87.9	80.4	77.8	68.2	66.2
<b>Don't know/Not sure</b>		.6	.4	.4		.9	.3	1.4
<b>Refused</b>		.2			.6			.4
<b>Male</b>	<b>Yes</b>	21.3	11.9	11.3	19.4	24.8	26.5	32.8
	<b>No</b>	77.7	88.1	87.8	79.6	74.4	72.8	65.2
	<b>Don't know/Not sure</b>	.7		.9		.8	.7	2.0
	<b>Refused</b>	.2			1.0			
<b>Female</b>	<b>Yes</b>	21.5	12.9	12.1	18.8	18.0	35.1	31.5
	<b>No</b>	77.9	86.4	87.9	80.9	81.0	64.9	66.9
	<b>Don't know/Not sure</b>	.5	.7			1.1		1.1
	<b>Refused</b>	.2			.2			.6
Denominator is: All survey respondents								

Are you limited in any way in any activities because of an impairment or health problem?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		2915	258	529	698	546	327	557
<b>Yes</b>		624	32	62	133	116	103	178
<b>No</b>		2268	225	465	561	425	223	369
<b>Don't know/Not sure</b>		17	1	2		5	1	8
<b>Refused</b>		6			4			2
<b>Male</b>	<b>Total</b>	1233	118	222	294	262	136	201
	<b>Yes</b>	263	14	25	57	65	36	66
	<b>No</b>	958	104	195	234	195	99	131
	<b>Don't know/Not sure</b>	9		2		2	1	4
	<b>Refused</b>	3			3			
<b>Female</b>	<b>Total</b>	1682	140	307	404	284	191	356
	<b>Yes</b>	361	18	37	76	51	67	112
	<b>No</b>	1310	121	270	327	230	124	238
	<b>Don't know/Not sure</b>	8	1			3		4
	<b>Refused</b>	3			1			2
Denominator is: All survey respondents								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

What is the major impairment or health problem that limits your activities?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Arthritis/Rheumatism</b>		13.5	3.1	3.2	7.5	12.9	18.4	20.8
<b>Back/Neck problems</b>		22.0	15.6	14.5	36.1	30.2	20.4	10.7
<b>Fractures</b>		10.1	21.9	16.1	9.0	12.1	11.7	4.5
<b>Walking problems</b>		8.3	12.5	4.8	3.8	3.4	5.8	16.9
<b>Lung/Breath</b>		7.4	6.3	8.1	9.0	6.0	5.8	7.9
<b>Hearing</b>		1.1	3.1	3.2	1.5		1.0	.6
<b>Eye/Vision</b>		4.3	12.5	4.8	3.0		2.9	7.3
<b>Heart</b>		6.7			1.5	6.0	12.6	11.2
<b>Stroke</b>		1.0					1.9	2.2
<b>Blood pressure</b>		.3				.9		.6
<b>Diabetes</b>		1.0			.8	2.6	1.0	.6
<b>Cancer</b>		1.4		1.6	.8	2.6	1.9	1.1
<b>Emotional</b>		2.7	6.3	14.5	3.0	.9	1.0	
<b>Other</b>		19.2	18.8	29.0	23.3	19.0	15.5	15.2
<b>Don't know/Not sure</b>		1.0			.8	3.4		.6
<b>Male</b>	<b>Arthritis/Rheumatism</b>	7.2			3.5	10.8	11.1	9.1
	<b>Back/Neck problems</b>	25.9	14.3	20.0	42.1	30.8	27.8	10.6
	<b>Fractures</b>	12.5	28.6	20.0	10.5	15.4	16.7	3.0
	<b>Walking problems</b>	8.0	14.3	4.0	1.8	3.1	2.8	21.2
	<b>Lung/Breath</b>	7.2	7.1	12.0	7.0	6.2	2.8	9.1
	<b>Hearing</b>	1.5		4.0	3.5		2.8	
	<b>Eye/Vision</b>	4.2	7.1	4.0	5.3		2.8	7.6
	<b>Heart</b>	9.1			3.5	7.7	19.4	15.2
	<b>Stroke</b>	.8						3.0
	<b>Blood pressure</b>	.4				1.5		
	<b>Diabetes</b>	.8			1.8	1.5		
	<b>Cancer</b>	1.5			1.8	3.1		1.5
	<b>Emotional</b>	1.5		12.0		1.5		
	<b>Other</b>	18.6	28.6	24.0	19.3	15.4	13.9	19.7
	<b>Don't know/Not sure</b>	.8				3.1		
	<b>Arthritis/Rheumatism</b>	18.0	5.6	5.4	10.5	15.7	22.4	27.7
	<b>Back/Neck problems</b>	19.1	16.7	10.8	31.6	29.4	16.4	10.7
	<b>Fractures</b>	8.3	16.7	13.5	7.9	7.8	9.0	5.4
	<b>Walking problems</b>	8.6	11.1	5.4	5.3	3.9	7.5	14.3
	<b>Lung/Breath</b>	7.5	5.6	5.4	10.5	5.9	7.5	7.1

<b>Female</b>	<b>Hearing</b>	.8	5.6	2.7				.9
	<b>Eye/Vision</b>	4.4	16.7	5.4	1.3		3.0	7.1
	<b>Heart</b>	5.0				3.9	9.0	8.9
	<b>Stroke</b>	1.1					3.0	1.8
	<b>Blood pressure</b>	.3						.9
	<b>Diabetes</b>	1.1				3.9	1.5	.9
	<b>Cancer</b>	1.4		2.7		2.0	3.0	.9
	<b>Emotional</b>	3.6	11.1	16.2	5.3		1.5	
	<b>Other</b>	19.7	11.1	32.4	26.3	23.5	16.4	12.5
	<b>Don't know/Not sure</b>	1.1			1.3	3.9		.9

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

What is the major impairment or health problem that limits your activities?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		624	32	62	133	116	103	178
<b>Arthritis/Rheumatism</b>		84	1	2	10	15	19	37
<b>Back/Neck problems</b>		137	5	9	48	35	21	19
<b>Fractures</b>		63	7	10	12	14	12	8
<b>Walking problems</b>		52	4	3	5	4	6	30
<b>Lung/Breath</b>		46	2	5	12	7	6	14
<b>Hearing</b>		7	1	2	2		1	1
<b>Eye/Vision</b>		27	4	3	4		3	13
<b>Heart</b>		42			2	7	13	20
<b>Stroke</b>		6					2	4
<b>Blood pressure</b>		2				1		1
<b>Diabetes</b>		6			1	3	1	1
<b>Cancer</b>		9		1	1	3	2	2
<b>Emotional</b>		17	2	9	4	1	1	
<b>Other</b>		120	6	18	31	22	16	27
<b>Don't know/Not sure</b>		6			1	4		1
<b>Male</b>	<b>Total</b>	263	14	25	57	65	36	66
	<b>Arthritis/Rheumatism</b>	19			2	7	4	6
	<b>Back/Neck problems</b>	68	2	5	24	20	10	7
	<b>Fractures</b>	33	4	5	6	10	6	2
	<b>Walking problems</b>	21	2	1	1	2	1	14
	<b>Lung/Breath</b>	19	1	3	4	4	1	6
	<b>Hearing</b>	4		1	2		1	
	<b>Eye/Vision</b>	11	1	1	3		1	5
	<b>Heart</b>	24			2	5	7	10
	<b>Stroke</b>	2						2
	<b>Blood pressure</b>	1				1		
	<b>Diabetes</b>	2			1	1		
	<b>Cancer</b>	4			1	2		1
	<b>Emotional</b>	4		3		1		
	<b>Other</b>	49	4	6	11	10	5	13
	<b>Don't know/Not sure</b>	2				2		
<b>Total</b>		361	18	37	76	51	67	112
<b>Arthritis/Rheumatism</b>		65	1	2	8	8	15	31
<b>Back/Neck problems</b>		69	3	4	24	15	11	12

<b>Female</b>	<b>Fractures</b>	30	3	5	6	4	6	6
	<b>Walking problems</b>	31	2	2	4	2	5	16
	<b>Lung/Breath</b>	27	1	2	8	3	5	8
	<b>Hearing</b>	3	1	1				1
	<b>Eye/Vision</b>	16	3	2	1		2	8
	<b>Heart</b>	18				2	6	10
	<b>Stroke</b>	4					2	2
	<b>Blood pressure</b>	1						1
	<b>Diabetes</b>	4				2	1	1
	<b>Cancer</b>	5		1		1	2	1
	<b>Emotional</b>	13	2	6	4		1	
	<b>Other</b>	71	2	12	20	12	11	14
	<b>Don't know/Not sure</b>	4			1	2		1

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Because of any impairment or health problem, do you need the help of other persons with your personal care needs such as eating, bathing, dressing, or getting around the house?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		6.4	6.3	11.3	5.3	4.3	8.7	5.6
<b>No</b>		93.6	93.8	88.7	94.7	95.7	91.3	94.4
<b>Male</b>	<b>Yes</b>	6.5	7.1	16.0	7.0	4.6	8.3	3.0
	<b>No</b>	93.5	92.9	84.0	93.0	95.4	91.7	97.0
<b>Female</b>	<b>Yes</b>	6.4	5.6	8.1	3.9	3.9	9.0	7.1
	<b>No</b>	93.6	94.4	91.9	96.1	96.1	91.0	92.9
Denominator is: All survey respondents who are limited in any activities because of impairment or health problem								

Because of any impairment or health problem, do you need the help of other persons with your personal care needs such as eating, bathing, dressing, or getting around the house?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		624	32	62	133	116	103	178
<b>Yes</b>		40	2	7	7	5	9	10
<b>No</b>		584	30	55	126	111	94	168
<b>Male</b>	<b>Total</b>	263	14	25	57	65	36	66
	<b>Yes</b>	17	1	4	4	3	3	2
	<b>No</b>	246	13	21	53	62	33	64
<b>Female</b>	<b>Total</b>	361	18	37	76	51	67	112
	<b>Yes</b>	23	1	3	3	2	6	8
	<b>No</b>	338	17	34	73	49	61	104
Denominator is: All survey respondents who are limited in any activities because of impairment or health problem								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		26.6	9.4	29.0	30.1	19.0	28.2	30.3
<b>No</b>		72.6	90.6	71.0	69.9	81.0	68.9	68.5
<b>Don't know/Not sure</b>		.8				2.9	1.1	
<b>Male</b>	<b>Yes</b>	17.5	14.3	16.0	17.5	9.2	19.4	25.8
	<b>No</b>	82.1	85.7	84.0	82.5	90.8	80.6	72.7
	<b>Don't know/Not sure</b>	.4						1.5
<b>Female</b>	<b>Yes</b>	33.2	5.6	37.8	39.5	31.4	32.8	33.0
	<b>No</b>	65.7	94.4	62.2	60.5	68.6	62.7	66.1
	<b>Don't know/Not sure</b>	1.1					4.5	.9

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem

Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		624	32	62	133	116	103	178
<b>Yes</b>		166	3	18	40	22	29	54
<b>No</b>		453	29	44	93	94	71	122
<b>Don't know/Not sure</b>		5					3	2
<b>Male</b>	<b>Total</b>	263	14	25	57	65	36	66
	<b>Yes</b>	46	2	4	10	6	7	17
	<b>No</b>	216	12	21	47	59	29	48
	<b>Don't know/Not sure</b>	1						1
<b>Female</b>	<b>Total</b>	361	18	37	76	51	67	112
	<b>Yes</b>	120	1	14	30	16	22	37
	<b>No</b>	237	17	23	46	35	42	74
	<b>Don't know/Not sure</b>	4					3	1

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work or recreation?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	1.9	12.5	1.6	3.0	1.7		.6
2	6.9	6.3	12.9	9.8	7.8	1.0	5.6
3	4.5	9.4	6.5	3.8	6.9	4.9	1.7
4	1.4	3.1	3.2	3.0			1.1
5	2.9	6.3	1.6	2.3	4.3	1.0	3.4
6	.8		1.6	.8	.9	1.0	.6
7	2.1		4.8	3.0	4.3		.6
8	.2			.8			
10	3.8		4.8	4.5	4.3	4.9	2.8
12	.2			.8			
14	1.6	6.3	3.2	.8	2.6		1.1
15	5.8	6.3	4.8	6.8	6.9	8.7	2.8
16	.2				.9		
17	.2			.8			
20	2.2	3.1	3.2	3.0	1.7	2.9	1.1
21	.2		1.6				
23	.3	3.1			.9		
25	1.9	3.1	1.6	3.8	.9	1.9	1.1
28	.3			.8	.9		
29	.3			.8	.9		
30	22.1	9.4	8.1	18.0	23.3	36.9	23.0
Don't know/Not sure	2.2				1.7	3.9	4.5
None	38.0	31.3	40.3	33.8	29.3	33.0	50.0
Male	1	2.3	14.3	4.0	1.8	3.1	
	2	6.8	14.3	12.0	8.8	7.7	4.5
	3	3.8			3.5	7.7	5.6
	4	.8	7.1				1.5
	5	3.4		4.0	1.8	3.1	2.8
	6	.8				1.5	1.5
	7	.8				3.1	
	10	3.4		4.0	3.5	4.6	2.8
	14	1.5	7.1	4.0	1.8	1.5	
	15	7.2	7.1	4.0	8.8	7.7	13.9
	16	.4				1.5	
	17	.4			1.8		



	20	2.7		8.0		3.1	5.6	1.5	
	21	.4		4.0					
	23	.8	7.1			1.5			
	25	1.1	7.1		3.5				
	29	.4			1.8				
	30	20.9	7.1	8.0	22.8	23.1	33.3	18.2	
	<b>Don't know/Not sure</b>	1.5					5.6	3.0	
	<b>None</b>	40.7	28.6	48.0	40.4	30.8	30.6	56.1	
<b>Female</b>	1	1.7	11.1		3.9			.9	
	2	6.9		13.5	10.5	7.8	1.5	6.3	
	3	5.0	16.7	10.8	3.9	5.9	4.5	1.8	
	4	1.9		5.4	5.3			.9	
	5	2.5	11.1		2.6	5.9		1.8	
	6	.8		2.7	1.3		1.5		
	7	3.0		8.1	5.3	5.9		.9	
	8	.3			1.3				
	10	4.2		5.4	5.3	3.9	6.0	2.7	
	12	.3			1.3				
	14	1.7	5.6	2.7		3.9		1.8	
	15	4.7	5.6	5.4	5.3	5.9	6.0	2.7	
	20	1.9	5.6		5.3		1.5	.9	
	25	2.5		2.7	3.9	2.0	3.0	1.8	
	28	.6			1.3	2.0			
	29	.3				2.0			
	30	23.0	11.1	8.1	14.5	23.5	38.8	25.9	
		<b>Don't know/Not sure</b>	2.8				3.9	3.0	5.4
		<b>None</b>	36.0	33.3	35.1	28.9	27.5	34.3	46.4
	Denominator is: All survey respondents who are limited in any activities because of impairment or health activities, such as self-care, work or recreation?								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work or recreation?

(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	624	32	62	133	116	103	178	
<b>1</b>	12	4	1	4	2		1	
<b>2</b>	43	2	8	13	9	1	10	
<b>3</b>	28	3	4	5	8	5	3	
<b>4</b>	9	1	2	4			2	
<b>5</b>	18	2	1	3	5	1	6	
<b>6</b>	5		1	1	1	1	1	
<b>7</b>	13		3	4	5		1	
<b>8</b>	1			1				
<b>10</b>	24		3	6	5	5	5	
<b>12</b>	1			1				
<b>14</b>	10	2	2	1	3		2	
<b>15</b>	36	2	3	9	8	9	5	
<b>16</b>	1				1			
<b>17</b>	1			1				
<b>20</b>	14	1	2	4	2	3	2	
<b>21</b>	1		1					
<b>23</b>	2	1			1			
<b>25</b>	12	1	1	5	1	2	2	
<b>28</b>	2			1	1			
<b>29</b>	2			1	1			
<b>30</b>	138	3	5	24	27	38	41	
<b>Don't know/Not sure</b>	14				2	4	8	
<b>None</b>	237	10	25	45	34	34	89	
<b>Male</b>	<b>Total</b>	263	14	25	57	65	36	66
	<b>1</b>	6	2	1	1	2		
	<b>2</b>	18	2	3	5	5		3
	<b>3</b>	10			2	5	2	1
	<b>4</b>	2	1					1
	<b>5</b>	9		1	1	2	1	4
	<b>6</b>	2				1		1
	<b>7</b>	2				2		
	<b>10</b>	9		1	2	3	1	2
	<b>14</b>	4	1	1	1	1		
	<b>15</b>	19	1	1	5	5	5	2

	16	1				1		
	17	1			1			
	20	7		2		2	2	1
	21	1		1				
	23	2	1			1		
	25	3	1		2			
	29	1			1			
	30	55	1	2	13	15	12	12
	Don't know/Not sure	4					2	2
	None	107	4	12	23	20	11	37
Female	Total	361	18	37	76	51	67	112
	1	6	2		3			1
	2	25		5	8	4	1	7
	3	18	3	4	3	3	3	2
	4	7		2	4			1
	5	9	2		2	3		2
	6	3		1	1		1	
	7	11		3	4	3		1
	8	1			1			
	10	15		2	4	2	4	3
	12	1			1			
	14	6	1	1		2		2
	15	17	1	2	4	3	4	3
	20	7	1		4		1	1
	25	9		1	3	1	2	2
	28	2			1	1		
	29	1				1		
	30	83	2	3	11	12	26	29
	Don't know/Not sure	10				2	2	6
	None	130	6	13	22	14	23	52
Denominator is: All survey respondents who are limited in any activities because of impairment or health activities, such as self-care, work or recreation?								