

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

On how many of the past 30 days has someone, including yourself, smoked in your home?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		2.0	3.1	3.0	2.1	1.5	1.2	1.3
2		1.9	.8	2.1	2.1	2.2	1.5	2.0
3		.8	.4	.9	.7	.9	1.2	.5
4		.3	.4	.9	.1	.4		.2
5		.7	.8	.9	.7	.7	.9	.4
6		.3	.8	.2	.3	.2	.3	.4
7		.2	.8	.6				
8		.2		.4	.3	.2	.3	.2
9		.0				.2		
10		.5		.8	.4	.7	.3	.5
12		.1		.2			.3	.4
14		.1		.4		.2		.2
15		.5	1.2	.9	.4		.6	.5
16		.1			.1			.2
18		.0				.2		
20		.7	1.6	.4	1.1	.5	.3	.2
24		.1			.1	.2		
25		.2		.2	.1	.4		.2
29		.1			.3			
30		17.8	21.7	16.4	18.2	22.2	21.7	10.4
Don't know/Not sure		.3		.2			.6	1.1
None		72.6	68.6	71.3	71.9	69.4	70.3	81.0
Refused		.3		.2	.7		.3	.5
Male	1	2.2	2.5	4.5	2.4	1.1	1.5	1.0
	2	2.8	1.7	3.6	3.1	2.3	2.9	3.0
	3	.9	.8	.9	.7	.8	2.9	
	4	.1		.5				
	5	.7	.8		.7	1.1	1.5	.5
	6	.1				.4		
	7	.2		.9				
	8	.2		.5	.3		.7	
	9	.1				.4		
	10	.4		.9		.8		.5
	12	.2		.5			.7	.5
	14	.1		.5				
	15	.5	1.7	.9			.7	.5

	20	.7	.8	.5	1.4	.8		.5	
	24	.2			.3	.4			
	25	.1				.4			
	29	.1			.3				
	30	19.1	18.6	21.2	16.7	23.3	21.3	13.4	
	Don't know/Not sure	.2					.7	1.0	
	None	70.6	72.9	64.9	72.8	68.3	66.2	78.6	
	Refused	.5			1.4		.7	.5	
Female	1	1.8	3.6	2.0	2.0	1.8	1.0	1.4	
	2	1.2		1.0	1.5	2.1	.5	1.4	
	3	.7		1.0	.7	1.1		.8	
	4	.5	.7	1.3	.2	.7		.3	
	5	.7	.7	1.6	.7	.4	.5	.3	
	6	.5	1.4	.3	.5		.5	.6	
	7	.2	1.4	.3					
	8	.2		.3	.2	.4		.3	
	10	.6		.7	.7	.7	.5	.6	
	12	.1						.3	
	14	.2		.3		.4		.3	
	15	.6	.7	1.0	.7		.5	.6	
	16	.1			.2			.3	
	18	.1				.4			
	20	.6	2.1	.3	1.0	.4	.5		
	25	.2		.3	.2	.4		.3	
	29	.1			.2				
	30	16.9	24.3	13.0	19.3	21.1	22.0	8.7	
		Don't know/Not sure	.4		.3			.5	1.1
		None	74.0	65.0	75.9	71.3	70.4	73.3	82.3
	Refused	.2		.3	.2			.6	
Denominator is: All survey respondents									

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

On how many of the past 30 days has someone, including yourself, smoked in your home?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2915	258	529	698	546	327	557
1		58	8	16	15	8	4	7
2		56	2	11	15	12	5	11
3		23	1	5	5	5	4	3
4		10	1	5	1	2		1
5		21	2	5	5	4	3	2
6		9	2	1	2	1	1	2
7		5	2	3				
8		7		2	2	1	1	1
9		1				1		
10		15		4	3	4	1	3
12		4		1			1	2
14		4		2		1		1
15		16	3	5	3		2	3
16		2			1			1
18		1				1		
20		19	4	2	8	3	1	1
24		2			1	1		
25		5		1	1	2		1
29		2			2			
30		520	56	87	127	121	71	58
Don't know/Not sure		9		1			2	6
None		2116	177	377	502	379	230	451
Refused		10		1	5		1	3
Male	Total	1233	118	222	294	262	136	201
	1	27	3	10	7	3	2	2
	2	35	2	8	9	6	4	6
	3	11	1	2	2	2	4	
	4	1		1				
	5	9	1		2	3	2	1
	6	1				1		
	7	2		2				
	8	3		1	1		1	
	9	1				1		
	10	5		2		2		1

	12	3		1			1	1
	14	1		1				
	15	6	2	2			1	1
	20	9	1	1	4	2		1
	24	2			1	1		
	25	1				1		
	29	1			1			
	30	235	22	47	49	61	29	27
	Don't know/Not sure	3					1	2
	None	871	86	144	214	179	90	158
	Refused	6			4		1	1
Female	Total	1682	140	307	404	284	191	356
	1	31	5	6	8	5	2	5
	2	21		3	6	6	1	5
	3	12		3	3	3		3
	4	9	1	4	1	2		1
	5	12	1	5	3	1	1	1
	6	8	2	1	2		1	2
	7	3	2	1				
	8	4		1	1	1		1
	10	10		2	3	2	1	2
	12	1						1
	14	3		1		1		1
	15	10	1	3	3		1	2
	16	2			1			1
	18	1				1		
	20	10	3	1	4	1	1	
	25	4		1	1	1		1
	29	1			1			
	30	285	34	40	78	60	42	31
		Don't know/Not sure	6		1			1
	None	1245	91	233	288	200	140	293
	Refused	4		1	1			2
Denominator is: All survey respondents								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Which of these best describes your place of work's smoking policy for work areas?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not allowed		75.0	63.5	74.5	76.0	77.7	75.9	72.9
Allowed some areas		17.0	29.7	17.1	16.7	14.9	14.4	10.4
Allowed all areas		6.3	6.8	7.1	6.2	5.6	5.7	8.3
Don't know/Not sure		1.3		1.2	.5	1.8	2.9	6.3
Refused		.3			.5		1.1	2.1
Male	Not allowed	64.2	48.7	67.2	61.7	70.3	60.9	70.8
	Allowed some areas	23.5	39.5	20.0	25.0	20.1	26.4	8.3
	Allowed all areas	10.6	11.8	11.8	12.1	7.4	10.3	12.5
	Don't know/Not sure	1.3		1.0		2.2	2.3	8.3
	Refused	.3			1.1			
Female	Not allowed	85.1	79.2	80.9	88.6	85.5	90.8	75.0
	Allowed some areas	10.9	19.4	14.7	9.4	9.5	2.3	12.5
	Allowed all areas	2.3	1.4	3.1	1.0	3.6	1.1	4.2
	Don't know/Not sure	1.4		1.3	1.0	1.4	3.4	4.2
	Refused	.3					2.3	4.2

Denominator is: All survey respondents who are employed for wages or self employed

Which of these best describes your place of work's smoking policy for work areas?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1802	148	420	563	449	174	48
Not allowed		1351	94	313	428	349	132	35
Allowed some areas		307	44	72	94	67	25	5
Allowed all areas		114	10	30	35	25	10	4
Don't know/Not sure		24		5	3	8	5	3
Refused		6			3		2	1
Male	Total	875	76	195	264	229	87	24
	Not allowed	562	37	131	163	161	53	17
	Allowed some areas	206	30	39	66	46	23	2
	Allowed all areas	93	9	23	32	17	9	3
	Don't know/Not sure	11		2		5	2	2
	Refused	3			3			
	Total	927	72	225	299	220	87	24
	Not allowed	789	57	182	265	188	79	18

Female	Allowed some areas	101	14	33	28	21	2	3
	Allowed all areas	21	1	7	3	8	1	1
	Don't know/Not sure	13		3	3	3	3	1
	Refused	3					2	1

Denominator is: All survey respondents who are employed for wages or self employed

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

In a typical week, about how many hours would you say you are exposed to secondhand smoke at work?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
0	.2					2.4	
1	13.7	10.7	16.5	17.3	13.0	2.4	7.7
2	5.2	8.9	7.3	1.4	8.0	2.4	
3	3.7	3.6	4.6	2.2	5.0	2.4	7.7
4	3.9	5.4	1.8	2.2	6.0	4.8	15.4
5	4.1	3.6	6.4	2.9	4.0	4.8	
6	1.1	1.8		1.4	2.0		
7	.7		.9	1.4			
8	2.0	1.8	2.8	2.2	1.0	2.4	
10	3.3	3.6	4.6	2.2	4.0	2.4	
12	1.3	1.8		1.4	2.0	2.4	
14	.2			.7			
15	1.3	1.8		2.2	1.0		7.7
20	2.0	1.8	2.8	1.4	2.0	2.4	
22	.4	1.8	.9				
24	.7	1.8			1.0		7.7
25	1.3	3.6	3.7				
28	.2					2.4	
30	2.0	1.8	1.8	1.4	4.0		
32	.7	1.8	.9		1.0		
35	.9	1.8	.9		2.0		
40	5.4	7.1	5.5	4.3	9.0		
45	.4		.9	.7			
48	.2			.7			
50	.4	1.8			1.0		
60	.4			.7		2.4	
75	.2			.7			
Don't know/Not sure	4.6	7.1	3.7	4.3	5.0	4.8	
None	37.5	26.8	33.9	44.6	29.0	54.8	46.2
Refused	2.0			3.6		7.1	7.7
	0	.3				2.9	
	1	14.9	12.2	17.5	19.4	13.2	14.3
	2	5.7	7.3	9.5	1.0	10.3	2.9
	3	3.5	4.9	3.2	1.0	5.9	2.9
	4	4.4	4.9	1.6	1.9	7.4	5.9

Male	5	4.4	2.4	7.9	1.9	5.9	5.9	
	6	1.6	2.4		1.9	2.9		
	8	1.9	2.4	1.6	1.9	1.5	2.9	
	10	2.8	4.9	4.8	1.9	1.5	2.9	
	12	1.6	2.4		1.9	1.5	2.9	
	15	1.3	2.4		1.9	1.5		
	20	.9			1.0	1.5	2.9	
	24	.6	2.4					14.3
	25	1.6	2.4	6.3				
	28	.3					2.9	
	30	1.9		3.2	1.0	4.4		
	35	.9	2.4			2.9		
	40	5.7	9.8	4.8	5.8	7.4		
	45	.3		1.6				
	48	.3			1.0			
	50	.6	2.4			1.5		
	60	.6			1.0		2.9	
	75	.3			1.0			
	Don't know/Not sure	4.1	4.9	6.3	3.9	2.9	2.9	
	None	37.0	29.3	31.7	45.6	27.9	50.0	28.6
Refused	2.2			4.9		5.9		
Female	1	11.2	6.7	15.2	11.1	12.5		
	2	4.2	13.3	4.3	2.8	3.1		
	3	4.2		6.5	5.6	3.1		
	4	2.8	6.7	2.2	2.8	3.1		
	5	3.5	6.7	4.3	5.6			
	7	2.1		2.2	5.6			
	8	2.1		4.3	2.8			
	10	4.2		4.3	2.8	9.4		
	12	.7				3.1		
	14	.7			2.8			
	15	1.4			2.8			16.7
	20	4.2	6.7	6.5	2.8	3.1		
	22	1.4	6.7	2.2				
	24	.7				3.1		
	25	.7	6.7					
	30	2.1	6.7		2.8	3.1		
	32	2.1	6.7	2.2		3.1		
	35	.7		2.2				
	40	4.9		6.5		12.5		
45	.7			2.8				

Don't know/Not sure	5.6	13.3		5.6	9.4	12.5	
None	38.5	20.0	37.0	41.7	31.3	75.0	66.7
Refused	1.4					12.5	16.7
Denominator is: All survey respondents who are employed for wages or self employed							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

In a typical week, about how many hours would you say you are exposed to secondhand smoke at work?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	459	56	109	139	100	42	13	
0	1					1		
1	63	6	18	24	13	1	1	
2	24	5	8	2	8	1		
3	17	2	5	3	5	1	1	
4	18	3	2	3	6	2	2	
5	19	2	7	4	4	2		
6	5	1		2	2			
7	3		1	2				
8	9	1	3	3	1	1		
10	15	2	5	3	4	1		
12	6	1		2	2	1		
14	1			1				
15	6	1		3	1		1	
20	9	1	3	2	2	1		
22	2	1	1					
24	3	1			1		1	
25	6	2	4					
28	1					1		
30	9	1	2	2	4			
32	3	1	1		1			
35	4	1	1		2			
40	25	4	6	6	9			
45	2		1	1				
48	1			1				
50	2	1			1			
60	2			1		1		
75	1			1				
Don't know/Not sure	21	4	4	6	5	2		
None	172	15	37	62	29	23	6	
Refused	9			5		3	1	
	Total	316	41	63	103	68	34	7
	0	1				1		
	1	47	5	11	20	9	1	

Male	2	18	3	6	1	7	1	
	3	11	2	2	1	4	1	1
	4	14	2	1	2	5	2	2
	5	14	1	5	2	4	2	
	6	5	1		2	2		
	8	6	1	1	2	1	1	
	10	9	2	3	2	1	1	
	12	5	1		2	1	1	
	15	4	1		2	1		
	20	3			1	1	1	
	24	2	1					1
	25	5	1	4				
	28	1					1	
	30	6		2	1	3		
	35	3	1			2		
	40	18	4	3	6	5		
	45	1		1				
	48	1			1			
	50	2	1			1		
	60	2			1		1	
	75	1			1			
	Don't know/Not sure	13	2	4	4	2	1	
	None	117	12	20	47	19	17	2
Refused	7			5		2		
Female	Total	143	15	46	36	32	8	6
	1	16	1	7	4	4		
	2	6	2	2	1	1		
	3	6		3	2	1		
	4	4	1	1	1	1		
	5	5	1	2	2			
	7	3		1	2			
	8	3		2	1			
	10	6		2	1	3		
	12	1				1		
	14	1			1			
	15	2			1			1
	20	6	1	3	1	1		
	22	2	1	1				
	24	1				1		
	25	1	1					
	30	3	1		1	1		

32	3	1	1		1		
35	1		1				
40	7		3		4		
45	1			1			
Don't know/Not sure	8	2		2	3	1	
None	55	3	17	15	10	6	4
Refused	2					1	1

Denominator is: All survey respondents who are employed for wages or self employed

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Which of the following statements best represents your opinion on children's exposure to second hand smoke?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not harmful		.8	.8	.4	.3	1.5	.9	1.3
Harmful/no worry		6.4	1.9	3.4	6.0	8.6	8.6	8.3
Somewhat harmful		19.5	20.2	19.3	23.9	21.2	16.8	13.8
Very harmful		70.8	76.7	76.2	68.1	67.4	70.3	69.8
Don't know/Not sure		2.0	.4	.4	1.0	1.1	2.8	6.1
Refused		.5		.4	.7	.2	.6	.7
Male	Not harmful	1.1		.9	.3	1.9	1.5	1.5
	Harmful/no worry	8.0	2.5	4.1	7.8	12.6	6.6	10.9
	Somewhat harmful	23.7	21.2	25.7	28.6	23.7	23.5	15.9
	Very harmful	64.6	76.3	68.0	61.2	59.9	64.0	65.7
	Don't know/Not sure	2.0		.9	.7	1.9	3.7	5.5
	Refused	.6		.5	1.4		.7	.5
Female	Not harmful	.7	1.4		.2	1.1	.5	1.1
	Harmful/no worry	5.2	1.4	2.9	4.7	4.9	9.9	6.7
	Somewhat harmful	16.5	19.3	14.7	20.5	19.0	12.0	12.6
	Very harmful	75.3	77.1	82.1	73.0	74.3	74.9	72.2
	Don't know/Not sure	2.0	.7		1.2	.4	2.1	6.5
	Refused	.4		.3	.2	.4	.5	.8
Denominator is: All survey respondents								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Which of the following statements best represents your opinion on children's exposure to second hand smoke?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2915	258	529	698	546	327	557
Not harmful		24	2	2	2	8	3	7
Harmful/no worry		186	5	18	42	47	28	46
Somewhat harmful		569	52	102	167	116	55	77
Very harmful		2063	198	403	475	368	230	389
Don't know/Not sure		59	1	2	7	6	9	34
Refused		14		2	5	1	2	4
Male	Total	1233	118	222	294	262	136	201
	Not harmful	13		2	1	5	2	3
	Harmful/no worry	99	3	9	23	33	9	22
	Somewhat harmful	292	25	57	84	62	32	32
	Very harmful	797	90	151	180	157	87	132
	Don't know/Not sure	25		2	2	5	5	11
	Refused	7		1	4		1	1
Female	Total	1682	140	307	404	284	191	356
	Not harmful	11	2		1	3	1	4
	Harmful/no worry	87	2	9	19	14	19	24
	Somewhat harmful	277	27	45	83	54	23	45
	Very harmful	1266	108	252	295	211	143	257
	Don't know/Not sure	34	1		5	1	4	23
	Refused	7		1	1	1	1	3
Denominator is: All survey respondents								