

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

On how many of the past 30 days has someone, including yourself, smoked in your home?
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	1.6	2.5	2.2	1.8	.6	1.6	1.1	
2	2.0	5.5	2.4	1.3	1.7	1.5	.9	
3	.5	1.8	.3	.1	.3	.3	.7	
4	.5	.8	.2	1.1			.6	
5	.6	1.1	.5	.6	.3	.9	.4	
6	.2	.8	.4	.1	.1		.1	
7	.1	.4		.1			.1	
8	.0				.3			
10	.4	.3	.3	.8	.4	.1	.4	
12	.1		.1		.2		.1	
14	.1		.2	.3				
15	.4	.5	.1	.8	.4	.4	.1	
18	.0		.2					
20	.5	2.0	.5	.3	.4	.1	.2	
21	.1				.2	.3		
25	.3	.1		.2	.4		.8	
26	.2		.9					
27	.0			.1				
28	.1		.2	.1			.1	
29	.1				.2	.2		
30	16.0	16.0	15.8	16.6	21.7	13.8	11.4	
31	.0				.3			
Don't know/Not sure	.4	.9		.1	.6	.2	.7	
None	75.8	67.3	75.7	75.6	71.8	80.5	82.1	
Refused	.1				.3		.2	
	1	1.4	3.3	1.6	2.2	.1	.6	.7
	2	2.3	4.5	3.1	1.4	2.0	2.2	1.4
	3	.4	.9	.2		.4		1.4
	4	.2	1.5					
	5	.9	1.7	.4	.9	.5	1.9	.6
	6	.2	.6		.2	.1		.2
	10	.6	.3	.2	1.4	.9		.3
	12	.0		.2				
	14	.1			.4			
	15	.2			.5	.1	.7	

Male	18	.1		.4				
	20	.4	2.7	.4	.2			
	25	.5	.3		.3	.8		1.7
	26	.3		1.7				
	27	.0			.1			
	28	.1			.3			.2
	29	.0					.4	
	30	16.3	20.5	12.6	18.8	20.9	12.9	11.5
	31	.1				.5		
	Don't know/Not sure	.3	.9			.3	.5	.5
	None	75.3	63.0	79.2	73.5	72.8	80.8	81.6
	Refused	.1				.5		
	Female	1	1.7	1.6	2.9	1.4	1.0	2.5
2		1.7	6.5	1.6	1.2	1.4	.9	.6
3		.6	2.7	.5	.2	.2	.6	.3
4		.7		.4	2.1			1.0
5		.3	.4	.6	.3	.1		.3
6		.3	1.0	.8				
7		.2	.9		.3			.2
8		.1				.6		
10		.3	.3	.4	.1		.3	.5
12		.1				.3		.2
14		.1		.3	.3			
15		.5	1.0	.2	1.1	.7		.1
20		.6	1.4	.6	.4	.7	.3	.3
21		.1				.4	.5	
25		.1			.1			.2
28		.1		.4				
29		.1				.4		
30		15.7	11.3	19.1	14.6	22.5	14.7	11.3
Don't know/Not sure		.5	1.0		.3	.9		.9
None		76.3	71.9	72.2	77.7	70.8	80.2	82.5
Refused	.1						.3	

Denominator is: All survey respondents

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

On how many of the past 30 days has someone, including yourself, smoked in your home?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	3308	292	607	750	592	391	676	
1	56	7	13	14	6	7	9	
2	56	12	12	11	10	5	6	
3	16	2	4	1	2	2	5	
4	13	3	1	5			4	
5	22	4	4	5	2	4	3	
6	9	3	3	1	1		1	
7	4	2		1			1	
8	1				1			
10	17	2	4	5	2	1	3	
12	3		1		1		1	
14	3		1	2				
15	14	1	1	6	4	1	1	
18	1		1					
20	16	3	4	3	3	1	2	
21	2				1	1		
25	8	1		2	2		3	
26	1		1					
27	1			1				
28	3		1	1			1	
29	2				1	1		
30	517	53	92	122	121	58	71	
31	1				1			
Don't know/Not sure	13	2		1	3	1	6	
None	2527	197	464	569	430	309	558	
Refused	2				1		1	
	Total	1399	153	273	327	241	170	235
	1	22	5	5	7	1	2	2
	2	30	6	7	4	6	3	4
	3	7	1	2		1		3
	4	3	3					
	5	14	3	1	4	1	4	1
	6	4	1		1	1		1
	10	9	1	1	4	2		1
	12	1		1				

Male	14	1			1			
	15	4			2	1	1	
	18	1		1				
	20	4	2	1	1			
	25	6	1		1	2		2
	26	1		1				
	27	1			1			
	28	2			1			1
	29	1					1	
	30	231	35	40	58	49	21	28
	31	1				1		
	Don't know/Not sure	4	1			1	1	1
	None	1051	94	213	242	174	137	191
	Refused	1				1		
Female	Total	1909	139	334	423	351	221	441
	1	34	2	8	7	5	5	7
	2	26	6	5	7	4	2	2
	3	9	1	2	1	1	2	2
	4	10		1	5			4
	5	8	1	3	1	1		2
	6	5	2	3				
	7	4	2		1			1
	8	1				1		
	10	8	1	3	1		1	2
	12	2				1		1
	14	2		1	1			
	15	10	1	1	4	3		1
	20	12	1	3	2	3	1	2
	21	2				1	1	
	25	2			1			1
	28	1		1				
	29	1				1		
	30	286	18	52	64	72	37	43
	Don't know/Not sure	9	1		1	2		5
	None	1476	103	251	327	256	172	367
Refused	1						1	
Denominator is: All survey respondents								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Which of these best describes your place of work's smoking policy for work areas?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not allowed		74.1	61.8	73.9	74.3	77.9	78.6	76.6
Allowed some areas		18.0	28.1	19.6	19.2	12.3	12.1	15.8
Allowed all areas		6.8	9.6	5.6	5.5	8.7	7.1	4.2
Don't know/Not sure		1.1	.5	.9	.9	1.1	2.2	3.3
Male	Not allowed	65.2	50.4	64.5	65.6	68.8	72.2	75.7
	Allowed some areas	23.6	32.8	26.7	25.1	17.8	16.0	14.6
	Allowed all areas	9.9	15.9	8.0	8.4	11.9	9.2	4.9
	Don't know/Not sure	1.3	.9	.8	.9	1.5	2.6	4.9
Female	Not allowed	85.5	77.0	86.9	85.3	89.0	86.5	77.4
	Allowed some areas	10.8	21.9	9.9	11.7	5.7	7.4	17.0
	Allowed all areas	2.9	1.2	2.1	2.0	4.8	4.5	3.6
	Don't know/Not sure	.9		1.0	1.0	.5	1.7	1.9

Denominator is: All survey respondents who are employed for wages or self employed

Which of these best describes your place of work's smoking policy for work areas?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2007	182	488	597	471	201	68
Not allowed		1526	112	367	449	383	162	53
Allowed some areas		345	52	95	113	54	22	9
Allowed all areas		114	17	22	30	28	13	4
Don't know/Not sure		22	1	4	5	6	4	2
Male	Total	988	108	253	295	209	98	25
	Not allowed	657	56	165	195	149	74	18
	Allowed some areas	236	36	70	74	38	14	4
	Allowed all areas	84	15	17	24	18	8	2
	Don't know/Not sure	11	1	1	2	4	2	1
Female	Total	1019	74	235	302	262	103	43
	Not allowed	869	56	202	254	234	88	35
	Allowed some areas	109	16	25	39	16	8	5
	Allowed all areas	30	2	5	6	10	5	2
	Don't know/Not sure	11		3	3	2	2	1

Denominator is: All survey respondents who are employed for wages or self employed

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

In a typical week, about how many hours would you say you are exposed to secondhand smoke at work?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	7.3	5.0	8.6	7.6	7.3	6.8	2.5
2	3.7	7.8	5.3	2.6	2.6	1.1	3.2
3	1.9	3.0	2.1	2.2	.9	2.4	
4	1.5	4.3	1.3	1.1	.8	.5	4.4
5	1.8	2.1	2.0	1.6	1.2	3.2	
6	.4	.5	.2	.2	.9		
7	.2		.6	.4			
8	1.2	2.6	1.6	.9	.5	.4	2.3
9	.1			.2			
10	.8	.4	.8	.9	1.2		
12	.3	2.6		.2			
14	.2	.6	.3		.3		
15	.3	1.4	.2			1.1	
16	.3			1.0			
17	.1			.2			
18	.1				.2		
20	1.1	1.2	1.3	1.0	1.2	.4	1.0
24	.1			.3			
25	.3	1.0		.2	.4		
28	.2	1.0		.2			
30	.2	.5	.1	.2	.3		
32	.1		.1			.6	
35	.3	.3	1.1	.2			
37	.0			.1			
40	1.7	2.8	1.7	2.0	1.5	.9	.6
45	.1	.3			.1		
50	.1	.5			.1		
60	.2			.2	.6		
70	.4			.3	1.3	.3	
Don't know/Not sure	.8		.4	.7	1.6	.4	4.5
None	74.3	62.1	72.5	75.3	76.7	82.0	81.4
90	.1			.2			
1	9.4	6.6	12.6	10.1	8.2	7.4	
2	3.6	6.9	5.6	2.3	2.6	.9	

Male	3	2.9	4.3	2.9	3.3	1.4	4.4	
	4	2.1	7.5	2.0	1.3	1.1	.7	2.9
	5	2.5	3.7	2.9	2.7	.9	4.1	
	6	.6	.9	.4	.1	1.7		
	7	.3		.2	.7			
	8	1.3	1.6	2.0	1.3		.7	4.9
	10	1.2	.8	1.3	1.4	1.6		
	12	.5	4.5					
	14	.2		.4		.6		
	15	.3	.4	.4			2.0	
	16	.5			1.8			
	18	.1				.4		
	20	1.4	2.2	1.5	.7	2.3	.7	
	24	.0			.1			
	25	.3	.9		.4	.3		
	28	.3	1.3		.4			
	30	.2	.9	.2	.3			
	35	.5		1.8				
	40	2.2	3.5	2.0	2.8	1.8	1.1	
	60	.4			.4	1.2		
70	.6			.2	2.4			
	Don't know/Not sure	1.1		.6	.7	2.4	7.3	
	None	67.5	54.1	63.1	68.9	71.1	78.1	84.9
Female	1	4.6	2.9	3.1	4.6	6.3	6.0	4.8
	2	3.9	9.0	4.8	3.0	2.6	1.3	6.2
	3	.7	1.3	1.1	.9	.3		
	4	.7		.3	.9	.4	.4	5.8
	5	.9		.8	.4	1.6	2.0	
	6	.1			.4			
	7	.2		1.0				
	8	1.0	3.8	1.1	.4	1.0		
	9	.1			.4			
	10	.2			.2	.8		
	12	.1			.4			
	14	.2	1.4					
	15	.3	2.6					
	17	.2			.5			
	20	.7		1.0	1.3			1.9
	24	.1			.4			
25	.3	1.3			.5			
28	.1	.6						

30	.2				.8		
32	.2		.1			1.3	
35	.2	.6		.4			
37	.0			.2			
40	1.2	1.8	1.3	1.0	1.2	.7	1.2
45	.1	.6			.3		
50	.2	1.3			.3		
70	.2			.4		.7	
Don't know/Not sure	.5			.7	.6	.9	1.9
None	82.8	72.8	85.3	83.3	83.5	86.6	78.1
90	.1			.4			

Denominator is: All survey respondents who are employed for wages or self employed

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

In a typical week, about how many hours would you say you are exposed to secondhand smoke at work?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2007	182	488	597	471	201	68
1	155	13	44	47	34	14	3
2	63	11	21	17	10	3	1
3	33	4	9	12	5	3	
4	29	6	5	8	5	2	3
5	33	5	9	8	6	5	
6	7	1	1	2	3		
7	5		3	2			
8	20	5	7	4	2	1	1
9	1			1			
10	15	1	3	6	5		
12	3	2		1			
14	3	1	1		1		
15	4	2	1			1	
16	1			1			
17	1			1			
18	1				1		
20	23	3	8	6	4	1	1
24	2			2			
25	5	2		1	2		
28	3	2		1			
30	5	2	1	1	1		
32	2		1			1	
35	3	1	1	1			
37	1			1			
40	38	7	9	12	6	3	1
45	2	1			1		
50	2	1			1		
60	3			1	2		
70	4			2	1	1	
Don't know/Not sure	20		3	5	7	2	3
None	1519	112	361	453	374	164	55
90	1			1			
Total	988	108	253	295	209	98	25

Male	1	101	9	36	31	17	8	
	2	32	7	10	8	6	1	
	3	26	3	7	9	4	3	
	4	20	6	4	5	3	1	1
	5	23	5	7	6	2	3	
	6	6	1	1	1	3		
	7	3		1	2			
	8	13	3	5	3		1	1
	10	12	1	3	5	3		
	12	2	2					
	14	2		1		1		
	15	3	1	1			1	
	16	1			1			
	18	1				1		
	20	15	3	5	2	4	1	
	24	1			1			
	25	3	1		1	1		
	28	2	1		1			
	30	4	2	1	1			
	35	1		1				
40	24	4	6	9	3	2		
60	3			1	2			
70	2			1	1			
Don't know/Not sure	12		3	2	5		2	
None	676	59	161	205	153	77	21	
Female	Total	1019	74	235	302	262	103	43
	1	54	4	8	16	17	6	3
	2	31	4	11	9	4	2	1
	3	7	1	2	3	1		
	4	9		1	3	2	1	2
	5	10		2	2	4	2	
	6	1			1			
	7	2		2				
	8	7	2	2	1	2		
	9	1			1			
	10	3			1	2		
	12	1			1			
	14	1	1					
	15	1	1					
	17	1			1			
	20	8		3	4			1

24	1			1			
25	2	1			1		
28	1	1					
30	1				1		
32	2		1			1	
35	2	1		1			
37	1			1			
40	14	3	3	3	3	1	1
45	2	1			1		
50	2	1			1		
70	2			1		1	
Don't know/Not sure	8			3	2	2	1
None	843	53	200	248	221	87	34
90	1			1			

Denominator is: All survey respondents who are employed for wages or self employed

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Which of the following statements best represents your opinion on children's exposure to second hand smoke?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not harmful		.7	.1	.1	.1	.9	1.7	1.9
Harmful/no worry		5.4	2.8	3.7	3.8	8.0	7.4	6.9
Somewhat harmful		15.0	15.3	13.0	18.5	14.4	15.5	12.9
Very harmful		76.4	81.2	83.0	76.3	74.1	71.9	72.0
Don't know/Not sure		2.1		.1	.9	2.5	3.6	5.6
Refused		.3	.7	.1	.5	.1		.6
Male	Not harmful	1.0		.1		1.6	2.9	2.4
	Harmful/no worry	7.2	4.4	3.2	4.7	11.7	11.9	8.9
	Somewhat harmful	19.2	18.0	16.5	24.3	19.1	18.5	17.1
	Very harmful	69.9	76.3	79.9	69.2	64.2	63.1	65.6
	Don't know/Not sure	2.2		.2	1.2	3.5	3.6	5.1
	Refused	.5	1.3	.2	.7			.8
Female	Not harmful	.5	.2	.1	.1	.2	.5	1.5
	Harmful/no worry	3.7	1.0	4.2	2.9	4.2	3.2	5.5
	Somewhat harmful	11.1	12.4	9.5	13.0	9.8	12.6	9.9
	Very harmful	82.5	86.4	86.2	83.2	84.1	80.2	76.6
	Don't know/Not sure	2.1			.6	1.6	3.5	6.0
	Refused	.2			.3	.1		.4
Denominator is: All survey respondents								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Which of the following statements best represents your opinion on children's exposure to second hand smoke?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3308	292	607	750	592	391	676
Not harmful		26	1	2	1	4	6	12
Harmful/no worry		173	10	15	31	43	28	46
Somewhat harmful		499	45	83	142	89	65	75
Very harmful		2528	234	505	567	443	279	500
Don't know/Not sure		71		1	6	12	13	39
Refused		11	2	1	3	1		4
Male	Total	1399	153	273	327	241	170	235
	Not harmful	14		1		3	4	6
	Harmful/no worry	103	8	10	17	29	18	21
	Somewhat harmful	278	28	47	83	50	34	36
	Very harmful	966	115	213	221	152	109	156
	Don't know/Not sure	31		1	4	7	5	14
	Refused	7	2	1	2			2
Female	Total	1909	139	334	423	351	221	441
	Not harmful	12	1	1	1	1	2	6
	Harmful/no worry	70	2	5	14	14	10	25
	Somewhat harmful	221	17	36	59	39	31	39
	Very harmful	1562	119	292	346	291	170	344
	Don't know/Not sure	40			2	5	8	25
	Refused	4			1	1		2
Denominator is: All survey respondents								