

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you smoked at least 100 cigarettes (5 packs = 100 cigarettes) in your entire life?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		48.3	40.1	39.7	47.9	52.1	59.3	51.3
<b>No</b>		51.7	59.9	60.3	52.1	47.9	40.7	48.7
<b>Male</b>	<b>Yes</b>	52.4	40.0	37.4	47.5	60.9	66.0	65.9
	<b>No</b>	47.6	60.0	62.6	52.5	39.1	34.0	34.1
<b>Female</b>	<b>Yes</b>	44.4	40.2	42.1	48.2	43.3	53.0	40.8
	<b>No</b>	55.6	59.8	57.9	51.8	56.7	47.0	59.2

Denominator is: All survey respondents.

Have you smoked at least 100 cigarettes (5 packs = 100 cigarettes) in your entire life?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		7,196	639	1,385	1,484	1,486	892	1,310
<b>Yes</b>		3,461	255	556	705	761	525	659
<b>No</b>		3,722	383	827	776	725	365	646
<b>Don't know</b>		10	1	2	2		1	4
<b>Refused</b>		3			1		1	1
<b>Male</b>	<b>Total</b>	3,039	293	618	648	654	372	454
	<b>Yes</b>	1,599	114	230	302	401	251	301
	<b>No</b>	1,435	179	386	345	253	121	151
	<b>Don't know</b>	3		2				1
	<b>Refused</b>	2			1			1
<b>Female</b>	<b>Total</b>	4,157	346	767	836	832	520	856
	<b>Yes</b>	1,862	141	326	403	360	274	358
	<b>No</b>	2,287	204	441	431	472	244	495
	<b>Don't know</b>	7	1		2		1	3
	<b>Refused</b>	1					1	

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Do you now smoke cigarettes everyday, some days, or not at all?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Everyday		34.0	49.3	42.7	43.5	31.5	27.8	16.8
Some days		9.9	19.9	16.8	11.6	8.6	4.9	3.2
Not at all		56.1	30.8	40.6	44.9	59.9	67.3	80.0
Male	Everyday	33.2	46.0	48.2	43.6	29.6	28.0	14.9
	Some days	9.0	26.0	14.4	8.6	7.8	5.0	2.4
	Not at all	57.8	28.0	37.4	47.8	62.7	67.0	82.7
Female	Everyday	34.9	52.6	37.6	43.4	34.3	27.7	19.0
	Some days	10.9	13.6	18.9	14.5	9.7	4.7	4.2
	Not at all	54.2	33.8	43.5	42.1	56.0	67.6	76.8

Denominator is: All survey respondents who have smoked 100 cigarettes in their lifetimes.

Do you now smoke cigarettes everyday, some days, or not at all?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,461	255	556	705	761	525	659
Everyday		1,149	121	235	291	242	148	112
Some days		356	49	95	93	68	27	24
Not at all		1,956	85	226	321	451	350	523
Male	Total	1,599	114	230	302	401	251	301
	Everyday	519	51	105	127	122	71	43
	Some days	149	27	37	30	34	13	8
	Not at all	931	36	88	145	245	167	250
Female	Total	1,862	141	326	403	360	274	358
	Everyday	630	70	130	164	120	77	69
	Some days	207	22	58	63	34	14	16
	Not at all	1,025	49	138	176	206	183	273

Denominator is: All survey respondents who have smoked 100 cigarettes in their lifetimes.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On the average, about how many cigarettes a day do you now smoke (1 pack = 20 cigarettes)?  
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	.4	.6	.5			1.4	.5
2	.3			1.1			
3	1.6	3.1	1.4	1.5	1.4	.9	1.6
4	1.6	1.9	1.5	1.7	1.0	1.6	1.9
5	3.5	4.0	6.4	4.4	1.5	1.6	1.3
6	2.0	3.3	3.8	1.8	.8	1.1	1.2
7	2.0	4.1	2.2	2.5	.5	.7	1.6
8	1.5	.5	1.7	1.8	.9	1.5	2.3
9	.3		.8	.4			
10	19.3	29.1	20.0	18.9	17.3	9.5	20.4
11	.3		.2	.8		.8	
12	2.4	1.0	4.0	1.7	2.5	.9	4.8
13	.1	.4		.2			
14	.2		.5		.5		.5
15	13.7	18.5	17.6	11.6	15.5	10.4	6.8
16	.2	.8					.5
17	.3					1.8	.5
18	1.2	.9	1.3	1.2	1.3		2.8
20	34.2	23.8	31.0	36.0	35.4	45.6	33.3
22	.1						.5
23	.1			.4			
24	.1			.2	.3		
25	2.9	2.3	.4	3.2	5.1	3.1	3.1
30	5.9	3.4	2.1	5.7	8.2	8.9	9.4
32	.1					.9	
35	.8		1.1	.7	.8	1.1	1.3
40	3.8	1.2	2.4	3.6	6.7	5.3	3.7
45	.0		.2				
50	.4	1.2			.3	1.4	.5
60	.5		.8	.7		1.2	
75	.1						1.3
76 or more	.1		.3			.4	
	1	.2	1.0				
	2	.6		2.2			

Male	3	2.0	4.4	1.9	3.1	1.4		
	4	.9		.5	.9		1.7	4.0
	5	2.6		3.3	4.6	1.4	1.7	2.7
	6	2.0	5.6	2.4	1.8	1.4		1.3
	7	1.4	4.0	1.0	1.8	1.0		
	8	1.3		2.9	1.3	.5	.8	2.7
	10	16.5	36.6	16.6	13.4	15.3	5.8	14.7
	11	.3			.9		.8	
	12	1.7	2.0	1.0	1.8	1.0		6.7
	13	.1	.8					
	14	.4		1.0		1.0		
	15	13.1	11.2	16.6	9.2	18.8	14.6	5.3
	16	.2	1.6					
	17	.4					3.3	
	18	.7		2.4		.5		1.3
	20	35.4	21.0	40.4	39.0	30.1	44.6	33.3
	23	.2			.9			
	24	.2			.4	.5		
	25	4.2	4.8	.7	4.8	5.2	5.0	5.3
	30	7.6	3.2	1.9	8.3	11.2	11.3	10.7
	32	.2					1.7	
	35	1.1		1.9		1.4	2.1	2.7
	40	5.3	2.4	2.9	5.3	8.8	5.8	6.7
	50	.4	2.4			.5		
	60	.5		1.4	.4		.8	
	75	.2						2.7
76 or more	.1		.5					
Female	1	.6	1.2				3.1	1.0
	3	1.2	1.8	.9		1.3	1.9	3.1
	4	2.3	3.6	2.7	2.6	2.2	1.5	
	5	4.5	7.6	9.9	4.2	1.6	1.5	
	6	2.0	1.2	5.4	1.8		2.3	1.0
	7	2.7	4.3	3.6	3.2		1.5	3.1
	8	1.6	.9	.4	2.3	1.3	2.3	2.1
	9	.6		1.8	.8			
	10	22.1	22.2	23.8	24.3	19.8	13.8	25.6
	11	.4		.4	.6		.8	
	12	3.1		7.6	1.6	4.5	1.9	3.1
	13	.1			.3			
	14	.1						1.0
	15	14.5	25.2	18.7	13.9	11.5	5.4	8.2

16	.1						1.0
17	.1						1.0
18	1.8	1.8		2.3	2.2		4.1
20	32.8	26.4	20.0	33.0	42.0	46.9	33.3
22	.1						1.0
25	1.5			1.6	4.9	.8	1.0
30	4.2	3.6	2.2	3.2	4.5	6.2	8.2
35	.4		.2	1.3			
40	2.2		1.8	1.9	4.0	4.6	1.0
45	.1		.4				
50	.4					3.1	1.0
60	.5			1.0		1.5	
76 or more	.1					.8	

Denominator is: All survey respondents who currently smoke cigarettes every day.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On the average, about how many cigarettes a day do you now smoke (1 pack = 20 cigarettes)?  
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>	1,149	121	235	291	242	148	112
<b>1</b>	4	1	1			1	1
<b>2</b>	1			1			
<b>3</b>	17	4	3	3	3	2	2
<b>4</b>	17	3	5	4	2	2	1
<b>5</b>	40	6	14	13	4	2	1
<b>6</b>	24	5	10	4	1	2	2
<b>7</b>	21	6	6	6	1	1	1
<b>8</b>	16	1	4	4	2	3	2
<b>9</b>	4		2	2			
<b>10</b>	225	31	51	63	42	15	23
<b>11</b>	5		1	2		2	
<b>12</b>	28	2	9	7	4	3	3
<b>13</b>	2	1		1			
<b>14</b>	3		1		1		1
<b>15</b>	146	18	38	31	36	15	8
<b>16</b>	2	1					1
<b>17</b>	3					2	1
<b>18</b>	13	1	2	4	3		3
<b>20</b>	391	31	67	109	85	61	38
<b>22</b>	1						1
<b>23</b>	1			1			
<b>24</b>	2			1	1		
<b>25</b>	29	2	2	8	9	4	4
<b>30</b>	75	5	6	14	25	13	12
<b>32</b>	1					1	
<b>35</b>	10		3	2	1	3	1
<b>40</b>	50	2	6	9	19	10	4
<b>45</b>	1		1				
<b>50</b>	6	1			1	3	1
<b>60</b>	5		1	2		2	
<b>75</b>	1						1
<b>76 or more</b>	2		1			1	
<b>Don't know/Not sure</b>	2		1		1		

<b>Refused</b>		1				1		
<b>Male</b>	<b>Total</b>	519	51	105	127	122	71	43
	<b>1</b>	1		1				
	<b>2</b>	1			1			
	<b>3</b>	10	3	2	3	2		
	<b>4</b>	4		1	1		1	1
	<b>5</b>	14		3	7	2	1	1
	<b>6</b>	8	3	2	1	1		1
	<b>7</b>	6	2	1	2	1		
	<b>8</b>	7		3	1	1	1	1
	<b>10</b>	76	13	19	19	16	4	5
	<b>11</b>	2			1		1	
	<b>12</b>	9	2	1	3	2		1
	<b>13</b>	1	1					
	<b>14</b>	2		1		1		
	<b>15</b>	68	5	16	11	23	11	2
	<b>16</b>	1	1					
	<b>17</b>	2					2	
	<b>18</b>	4		2		1		1
	<b>20</b>	184	13	39	54	33	28	17
	<b>23</b>	1			1			
	<b>24</b>	2			1	1		
	<b>25</b>	21	2	2	6	5	3	3
	<b>30</b>	46	3	3	8	18	9	5
	<b>32</b>	1					1	
	<b>35</b>	7		2		1	3	1
	<b>40</b>	33	2	4	6	13	5	3
	<b>50</b>	2	1			1		
	<b>60</b>	3		1	1		1	
	<b>75</b>	1						1
	<b>76 or more</b>	1		1				
<b>Don't know/Not sure</b>	1		1					
	<b>Total</b>	630	70	130	164	120	77	69
	<b>1</b>	3	1				1	1
	<b>3</b>	7	1	1		1	2	2
	<b>4</b>	13	3	4	3	2	1	
	<b>5</b>	26	6	11	6	2	1	
	<b>6</b>	16	2	8	3		2	1
	<b>7</b>	15	4	5	4		1	1
	<b>8</b>	9	1	1	3	1	2	1
	<b>9</b>	4		2	2			

<b>Female</b>	<b>10</b>	149	18	32	44	26	11	18
	<b>11</b>	3		1	1		1	
	<b>12</b>	19		8	4	2	3	2
	<b>13</b>	1			1			
	<b>14</b>	1						1
	<b>15</b>	78	13	22	20	13	4	6
	<b>16</b>	1						1
	<b>17</b>	1						1
	<b>18</b>	9	1		4	2		2
	<b>20</b>	207	18	28	55	52	33	21
	<b>22</b>	1						1
	<b>25</b>	8			2	4	1	1
	<b>30</b>	29	2	3	6	7	4	7
	<b>35</b>	3		1	2			
	<b>40</b>	17		2	3	6	5	1
	<b>45</b>	1		1				
	<b>50</b>	4					3	1
	<b>60</b>	2			1		1	
	<b>76 or more</b>	1					1	
	<b>Don't know/Not sure</b>	1				1		
<b>Refused</b>	1				1			

Denominator is: All survey respondents who currently smoke cigarettes every day.



# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the last 30 days, on the average, about how many cigarettes did you smoke (1 pack = 20 cigarettes)?  
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>1</b>	15.3	21.1	15.2	14.1	17.8		12.8
<b>2</b>	12.6	14.5	20.2	9.8	6.7	14.4	2.8
<b>3</b>	18.4	14.4	18.5	21.8	14.8	12.0	31.8
<b>4</b>	5.9	6.7	6.3	6.6	1.0	6.5	11.7
<b>5</b>	16.5	18.0	15.8	19.2	18.2	8.6	8.4
<b>6</b>	5.4	1.9	4.0	5.9	3.3	12.6	16.1
<b>7</b>	2.6		6.2	1.7		9.2	
<b>8</b>	2.7	3.9	1.1	1.3	4.0	10.4	
<b>9</b>	.4	1.9					
<b>10</b>	13.0	11.8	3.7	10.9	24.9	23.6	16.4
<b>12</b>	1.0	2.9	1.1	.6			
<b>15</b>	1.4		2.4	.4	4.0		
<b>20</b>	4.0	2.9	3.5	5.7	5.3	2.6	
<b>30</b>	.5			1.9			
<b>40</b>	.1		.5				
<b>60</b>	.3		1.3				
<b>Male</b>	<b>1</b>	12.3	17.0	8.1	9.5	14.8	25.0
	<b>2</b>	12.6	12.1	9.8	19.0	11.1	18.6
	<b>3</b>	19.5	14.2	35.8	26.2	12.0	16.7
	<b>4</b>	6.0	9.9	4.9	2.4	1.9	11.6
	<b>5</b>	14.2	14.2	12.2	21.4	17.6	4.7
	<b>6</b>	7.2	2.8	9.8	9.5	1.9	4.7
	<b>7</b>	1.7		3.3	1.2		9.3
	<b>8</b>	4.5	5.7			7.4	18.6
	<b>9</b>	.8	2.8				
	<b>10</b>	13.1	12.8	6.5	9.5	16.7	27.9
	<b>12</b>	1.2	4.3				
	<b>15</b>	2.3		3.3	1.2	7.4	
	<b>20</b>	4.0	4.3	3.3		9.3	4.7
	<b>60</b>	.7		3.3			
	<b>1</b>	17.9	29.6	20.2	16.6	21.3	4.7
	<b>2</b>	12.7	19.8	27.5	4.9	1.6	9.1
	<b>3</b>	17.3	14.8	6.4	19.5	18.0	27.3
	<b>4</b>	5.9		7.3	8.8		14.0
	<b>5</b>	18.6	25.9	18.3	18.0	18.9	13.6

<b>Female</b>	<b>6</b>	3.7			3.9	4.9	22.7	4.7
	<b>7</b>	3.5		8.3	2.0		9.1	
	<b>8</b>	1.1		1.8	2.0			
	<b>10</b>	12.9	9.9	1.8	11.7	34.4	18.2	16.3
	<b>12</b>	.8		1.8	1.0			
	<b>15</b>	.5		1.8				
	<b>20</b>	3.9		3.7	8.8	.8		
	<b>30</b>	.9			2.9			
	<b>40</b>	.3		.9				

Denominator is: All survey respondents who currently smoke cigarettes on some days.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the last 30 days, on the average, about how many cigarettes did you smoke (1 pack = 20 cigarettes)?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		356	49	95	93	68	27	24
<b>1</b>		52	10	17	12	10		3
<b>2</b>		44	9	17	9	4	4	1
<b>3</b>		59	6	16	17	9	4	7
<b>4</b>		21	3	6	6	1	2	3
<b>5</b>		63	9	16	19	14	3	2
<b>6</b>		18	1	3	5	3	3	3
<b>7</b>		8		4	2		2	
<b>8</b>		8	2	1	1	2	2	
<b>9</b>		1	1					
<b>10</b>		48	5	4	12	16	6	5
<b>12</b>		3	1	1	1			
<b>15</b>		5		2	1	2		
<b>20</b>		14	1	3	4	5	1	
<b>30</b>		1			1			
<b>40</b>		1		1				
<b>60</b>		1		1				
<b>Don't know/Not sure</b>		9	1	3	3	2		
<b>Male</b>	<b>Total</b>	149	27	37	30	34	13	8
	<b>1</b>	16	5	3	2	4		2
	<b>2</b>	18	4	4	5	3	2	
	<b>3</b>	27	3	12	7	4		1
	<b>4</b>	10	3	2	1	1	2	1
	<b>5</b>	23	3	6	6	7	1	
	<b>6</b>	10	1	3	2	1	1	2
	<b>7</b>	3		1	1		1	
	<b>8</b>	6	2			2	2	
	<b>9</b>	1	1					
	<b>10</b>	18	3	2	3	5	3	2
	<b>12</b>	1	1					
	<b>15</b>	4		1	1	2		
	<b>20</b>	7	1	1		4	1	
	<b>60</b>	1		1				
	<b>Don't know/Not sure</b>	4		1	2	1		
	<b>Total</b>		207	22	58	63	34	14

<b>Female</b>	<b>1</b>	36	5	14	10	6		1
	<b>2</b>	26	5	13	4	1	2	1
	<b>3</b>	32	3	4	10	5	4	6
	<b>4</b>	11		4	5			2
	<b>5</b>	40	6	10	13	7	2	2
	<b>6</b>	8			3	2	2	1
	<b>7</b>	5		3	1		1	
	<b>8</b>	2		1	1			
	<b>10</b>	30	2	2	9	11	3	3
	<b>12</b>	2		1	1			
	<b>15</b>	1		1				
	<b>20</b>	7		2	4	1		
	<b>30</b>	1			1			
	<b>40</b>	1		1				
	<b>Don't know/Not sure</b>	5	1	2	1	1		

Denominator is: All survey respondents who currently smoke cigarettes on some days.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 12 months, have you quit smoking for 1 day or longer?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		54.6	74.5	61.5	52.1	43.5	45.4	50.1
<b>No</b>		45.4	25.5	38.5	47.9	56.5	54.6	49.9
<b>Male</b>	<b>Yes</b>	58.1	78.6	66.4	58.0	41.3	47.7	59.7
	<b>No</b>	41.9	21.4	33.6	42.0	58.7	52.3	40.3
<b>Female</b>	<b>Yes</b>	50.8	70.5	55.9	46.5	46.2	42.5	41.4
	<b>No</b>	49.2	29.5	44.1	53.5	53.8	57.5	58.6

Denominator is: All survey respondents who currently smoke cigarettes every day.

During the past 12 months, have you quit smoking for 1 day or longer?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,226	135	255	315	252	154	115
<b>Yes</b>		648	102	152	163	111	70	50
<b>No</b>		575	33	101	152	140	84	65
<b>Don't know</b>		2		1		1		
<b>Refused</b>		1		1				
<b>Male</b>	<b>Total</b>	552	57	112	138	126	75	44
	<b>Yes</b>	305	48	71	76	53	34	23
	<b>No</b>	246	9	40	62	73	41	21
	<b>Refused</b>	1		1				
<b>Female</b>	<b>Total</b>	674	78	143	177	126	79	71
	<b>Yes</b>	343	54	81	87	58	36	27
	<b>No</b>	329	24	61	90	67	43	44
	<b>Don't know</b>	2		1		1		

Denominator is: All survey respondents who currently smoke cigarettes every day.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long since you last smoked cigarettes regularly?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within past month		1.9	8.1	4.4	2.7	.8	2.3	
Within past 3 months		2.3	11.5	3.5	4.2	1.2	1.6	.3
Within past 6 months		3.2	11.1	8.2	2.5	2.2	2.2	1.6
Within last year		4.1	13.2	10.7	5.3	1.8	2.9	1.5
Within last five years		16.4	39.4	29.2	20.7	13.6	9.8	10.9
Within last fifteen years		25.8	10.2	36.3	34.3	22.4	25.2	22.3
15+ years ago		44.2	1.0	4.2	26.6	55.9	55.0	62.7
Never smoked regularly		2.1	5.4	3.6	3.7	2.0	1.0	.7
Male	Within past month	1.4	11.8	3.6	.8	.7	1.4	
	Within past 3 months	2.0	9.2	2.4	4.0	.9	2.1	.5
	Within past 6 months	2.7	17.1	6.7	3.6	1.5	1.4	.5
	Within last year	3.6	11.8	10.9	6.4	1.7	1.9	1.2
	Within last five years	14.6	34.2	30.9	20.8	10.8	9.0	9.6
	Within last fifteen years	24.2	11.8	37.6	31.8	21.5	23.2	20.6
	15+ years ago	49.4		4.8	29.3	60.0	60.3	66.9
	Never smoked regularly	2.0	3.9	3.0	3.2	2.9	.7	.7
Female	Within past month	2.6	4.8	5.0	4.7	1.1	3.5	
	Within past 3 months	2.6	13.5	4.3	4.3	1.6	.9	
	Within past 6 months	3.8	5.8	9.3	1.3	3.4	3.1	3.0
	Within last year	4.5	14.5	10.5	4.2	2.0	4.1	1.8
	Within last five years	18.5	44.0	27.8	20.5	18.2	10.7	12.4
	Within last fifteen years	27.7	8.7	35.3	37.1	23.8	27.6	24.5
	15+ years ago	38.1	1.9	3.7	23.7	49.3	48.8	57.5
	Never smoked regularly	2.2	6.8	4.1	4.2	.5	1.3	.8
Denominator is: All survey respondents who have smoked 100 cigarettes in their lives and do not currently smoke regularly.								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long since you last smoked cigarettes regularly?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,956	85	226	321	451	350	523
<b>Within past month</b>		36	6	10	9	5	6	
<b>Within past 3 months</b>		45	10	9	14	6	5	1
<b>Within past 6 months</b>		60	9	14	8	11	8	10
<b>Within last year</b>		76	11	23	14	10	11	7
<b>Within last five years</b>		336	33	68	72	67	38	58
<b>Within last fifteen years</b>		518	9	82	110	105	96	116
<b>15+ years ago</b>		838	1	11	81	236	183	326
<b>Don't know/Not sure</b>		3	1			2		
<b>Never smoked regularly</b>		44	5	9	13	9	3	5
<b>Male</b>	<b>Total</b>	931	36	88	145	245	167	250
	<b>Within past month</b>	11	3	4	1	2	1	
	<b>Within past 3 months</b>	18	4	2	6	2	3	1
	<b>Within past 6 months</b>	23	6	5	6	3	2	1
	<b>Within last year</b>	33	4	9	7	6	4	3
	<b>Within last five years</b>	149	13	28	33	32	17	26
	<b>Within last fifteen years</b>	225	4	33	47	52	43	46
	<b>15+ years ago</b>	449		4	40	138	96	171
	<b>Don't know/Not sure</b>	2				2		
	<b>Never smoked regularly</b>	21	2	3	5	8	1	2
<b>Female</b>	<b>Total</b>	1,025	49	138	176	206	183	273
	<b>Within past month</b>	25	3	6	8	3	5	
	<b>Within past 3 months</b>	27	6	7	8	4	2	
	<b>Within past 6 months</b>	37	3	9	2	8	6	9
	<b>Within last year</b>	43	7	14	7	4	7	4
	<b>Within last five years</b>	187	20	40	39	35	21	32
	<b>Within last fifteen years</b>	293	5	49	63	53	53	70
	<b>15+ years ago</b>	389	1	7	41	98	87	155
	<b>Don't know/Not sure</b>	1	1					
	<b>Never smoked regularly</b>	23	3	6	8	1	2	3

Denominator is: All survey respondents who have smoked 100 cigarettes in their lives and do not currently smoke regularly.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How soon after you awaken in the morning do you smoke your first cigarette?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the first 15 minutes		26.0	28.7	17.6	25.7	30.2	31.0	27.5
15 minutes to a half an hour		15.2	10.6	12.5	17.5	15.1	20.8	15.3
One-half to one hour		22.4	22.6	23.6	22.8	20.3	19.9	25.3
Between 1 and 2 hours		16.4	16.6	18.7	14.4	15.4	17.9	17.4
Longer than within the first 2 hours		19.9	21.5	27.6	19.6	19.0	10.3	14.6
Male	Within the first 15 minutes	30.4	35.3	22.1	29.5	37.5	30.7	26.7
	15 minutes to a half an hour	15.8	8.3	9.8	17.0	19.6	28.5	13.3
	One-half to one hour	19.4	20.7	26.0	17.0	13.7	15.8	26.7
	Between 1 and 2 hours	16.1	14.0	18.7	15.0	14.5	18.9	16.7
	Longer than within the first 2 hours	18.3	21.6	23.3	21.5	14.7	6.1	16.7
Female	Within the first 15 minutes	21.7	21.4	13.3	22.4	21.3	31.5	28.1
	15 minutes to a half an hour	14.6	13.2	15.1	17.9	9.7	11.2	16.9
	One-half to one hour	25.4	24.7	21.2	27.7	28.2	25.0	24.2
	Between 1 and 2 hours	16.8	19.4	18.7	13.9	16.5	16.8	18.0
	Longer than within the first 2 hours	21.5	21.4	31.7	17.9	24.2	15.5	12.9
Denominator is: All survey respondents who currently smoke cigarettes every day.								

How soon after you awaken in the morning do you smoke your first cigarette?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,116	114	247	291	225	139	100
Within the first 15 minutes		293	30	44	70	71	50	28
15 minutes to a half an hour		165	9	30	51	34	24	17
One-half to one hour		234	23	51	65	45	27	23
Between 1 and 2 hours		181	21	45	42	34	22	17
Longer than within the first 2 hours		228	28	76	58	38	14	14
Don't know/Not sure		15	3	1	5	3	2	1
Male	Total	489	50	101	117	116	71	34
	Within the first 15 minutes	146	14	23	33	42	25	9
	15 minutes to a half an hour	83	5	11	19	23	19	6
	One-half to one hour	88	10	20	23	17	10	8
	Between 1 and 2 hours	74	8	17	16	17	12	4
	Longer than within the first 2 hours	89	10	30	24	15	4	6
	Don't know/Not sure	9	3		2	2	1	1
	Total	627	64	146	174	109	68	66



<b>Female</b>	<b>Within the first 15 minutes</b>	147	16	21	37	29	25	19
	<b>15 minutes to a half an hour</b>	82	4	19	32	11	5	11
	<b>One-half to one hour</b>	146	13	31	42	28	17	15
	<b>Between 1 and 2 hours</b>	107	13	28	26	17	10	13
	<b>Longer than within the first 2 hours</b>	139	18	46	34	23	10	8
	<b>Don't know/Not sure</b>	6		1	3	1	1	
Denominator is: All survey respondents who currently smoke cigarettes every day.								

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

At your last visit to your health care provider, did someone ask you if you smoked?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		59.6	67.2	69.1	66.8	58.4	54.9	41.7
<b>No</b>		40.4	32.8	30.9	33.2	41.6	45.1	58.3
<b>Male</b>	<b>Yes</b>	59.0	61.6	62.7	63.2	60.7	58.0	46.0
	<b>No</b>	41.0	38.4	37.3	36.8	39.3	42.0	54.0
<b>Female</b>	<b>Yes</b>	60.2	73.1	75.6	70.2	56.0	52.0	38.6
	<b>No</b>	39.8	26.9	24.4	29.8	44.0	48.0	61.4

Denominator is: All survey respondents.

At your last visit to your health care provider, did someone ask you if you smoked?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,400	484	1,041	1,114	1,082	674	1,005
<b>Yes</b>		3,042	317	697	717	579	350	382
<b>No</b>		2,088	141	305	341	428	293	580
<b>Don't know/Not sure</b>		267	26	39	56	74	30	42
<b>Refused</b>		3				1	1	1
<b>Male</b>	<b>Total</b>	2,295	233	473	477	489	281	342
	<b>Yes</b>	1,268	134	285	283	272	150	144
	<b>No</b>	891	83	163	161	184	116	184
	<b>Don't know/Not sure</b>	134	16	25	33	32	15	13
	<b>Refused</b>	2				1		1
<b>Female</b>	<b>Total</b>	3,105	251	568	637	593	393	663
	<b>Yes</b>	1,774	183	412	434	307	200	238
	<b>No</b>	1,197	58	142	180	244	177	396
	<b>Don't know/Not sure</b>	133	10	14	23	42	15	29
	<b>Refused</b>	1					1	

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

At your last visit to your health care provider, were you advised to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		50.6	51.3	50.1	46.8	52.2	56.4	50.6
<b>No</b>		49.4	48.7	49.9	53.2	47.8	43.6	49.4
<b>Male</b>	<b>Yes</b>	53.3	48.6	48.1	49.2	55.5	67.3	60.0
	<b>No</b>	46.7	51.4	51.9	50.8	44.5	32.7	40.0
<b>Female</b>	<b>Yes</b>	47.9	54.2	51.9	44.7	47.9	44.3	42.4
	<b>No</b>	52.1	45.8	48.1	55.3	52.1	55.7	57.6

Denominator is: All survey respondents who currently smoke cigarettes.

At your last visit to your health care provider, were you advised to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		738	81	161	187	141	102	66
<b>Yes</b>		370	45	79	85	69	60	32
<b>No</b>		355	36	77	98	69	41	34
<b>Don't know/Not sure</b>		13		5	4	3	1	
<b>Male</b>	<b>Total</b>	325	36	66	73	79	48	23
	<b>Yes</b>	169	17	29	33	43	33	14
	<b>No</b>	151	19	34	38	36	15	9
	<b>Don't know/Not sure</b>	5		3	2			
<b>Female</b>	<b>Total</b>	413	45	95	114	62	54	43
	<b>Yes</b>	201	28	50	52	26	27	18
	<b>No</b>	204	17	43	60	33	26	25
	<b>Don't know/Not sure</b>	8		2	2	3	1	

Denominator is: All survey respondents who currently smoke cigarettes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Has a doctor or other health care professional ever advised you to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		52.1	35.4	58.4	50.9	53.8	62.0	56.0
<b>No</b>		47.9	64.6	41.6	49.1	46.2	38.0	44.0
<b>Male</b>	<b>Yes</b>	43.2	20.2	43.8	43.1	47.8	72.0	56.3
	<b>No</b>	56.8	79.8	56.2	56.9	52.2	28.0	43.8
<b>Female</b>	<b>Yes</b>	59.9	54.3	72.7	56.8	59.9	55.9	55.9
	<b>No</b>	40.1	45.7	27.3	43.2	40.1	44.1	44.1

Denominator is: All survey respondents who currently smoke cigarettes and who were not advised to quit smoking the last time they visited a health care professional.

Has a doctor or other health care professional ever advised you to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		368	36	82	102	72	42	34
<b>Yes</b>		192	13	46	50	40	25	18
<b>No</b>		174	23	36	52	31	16	16
<b>Don't know/Not sure</b>		2				1	1	
<b>Male</b>	<b>Total</b>	156	19	37	40	36	15	9
	<b>Yes</b>	69	5	15	16	18	10	5
	<b>No</b>	86	14	22	24	18	4	4
	<b>Don't know/Not sure</b>	1					1	
<b>Female</b>	<b>Total</b>	212	17	45	62	36	27	25
	<b>Yes</b>	123	8	31	34	22	15	13
	<b>No</b>	88	9	14	28	13	12	12
	<b>Don't know/Not sure</b>	1				1		

Denominator is: All survey respondents who currently smoke cigarettes and who were not advised to quit smoking the last time they visited a health care professional.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When was the last time a health care professional advised you to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year		57.5	49.6	61.0	55.3	55.3	63.3	64.1
Within the past three years		25.8	44.2	28.0	23.0	26.0	19.0	8.6
3 or more years ago		16.7	6.2	11.0	21.7	18.7	17.7	27.2
Male	Within the past year	54.6	38.3	57.4	47.7	54.0	62.9	75.8
	Within the past three years	25.3	47.6	27.7	23.0	24.5	21.7	3.0
	3 or more years ago	20.1	14.1	14.9	29.3	21.6	15.4	21.2
Female	Within the past year	60.3	58.5	63.6	61.3	57.0	63.7	52.4
	Within the past three years	26.2	41.5	28.3	23.0	28.0	15.6	14.3
	3 or more years ago	13.6		8.1	15.7	15.1	20.7	33.3

Denominator is: All survey respondents who currently smoke cigarettes and have ever been advised to quit smoking the last time they visited a health care professional.

When was the last time a health care professional advised you to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		562	58	125	135	109	85	50
Within the past year		333	36	77	75	59	55	31
Within the past three years		130	17	31	30	30	17	5
3 or more years ago		92	4	13	29	20	13	13
Don't know/Not sure		7	1	4	1			1
Male	Total	238	22	44	49	61	43	19
	Within the past year	136	11	25	24	35	27	14
	Within the past three years	52	6	11	11	14	9	1
	3 or more years ago	48	4	7	14	12	7	4
	Don't know/Not sure	2	1	1				
Female	Total	324	36	81	86	48	42	31
	Within the past year	197	25	52	51	24	28	17
	Within the past three years	78	11	20	19	16	8	4
	3 or more years ago	44		6	15	8	6	9
	Don't know/Not sure	5		3	1			1

Denominator is: All survey respondents who currently smoke cigarettes and have ever been advised to quit smoking the last time they visited a health care professional.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On how many of those visits were you advised to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
None		32.0	31.6	24.3	32.6	42.1	26.1	32.5
Once		24.2	44.0	23.8	20.6	24.7	14.5	23.4
Two to four times		28.9	13.4	34.8	34.1	24.4	35.8	17.6
Five to nine times		8.7	11.0	12.5	3.0	6.7	13.9	14.8
Ten or more times		6.3		4.7	9.6	2.1	9.7	11.6
Male	None	32.7	47.8	23.6	22.9	40.9	35.1	42.9
	Once	28.4	34.8	33.7	31.3	31.1	15.8	14.3
	Two to four times	26.8	17.4	38.2	31.2	18.8	28.1	14.3
	Five to nine times	7.5		4.5	4.2	9.1	7.0	28.6
	Ten or more times	4.7			10.4		14.0	
Female	None	31.4	24.1	24.8	38.9	43.8	5.9	25.0
	Once	20.5	48.3	15.6	13.7	15.7	11.8	30.0
	Two to four times	30.7	11.5	31.9	36.0	32.2	52.9	20.0
	Five to nine times	9.8	16.1	19.1	2.3	3.3	29.4	5.0
	Ten or more times	7.6		8.5	9.1	5.0		20.0

Denominator is: All survey respondents who are current smokers and were advised by a health professional to quit smoking.

On how many of those visits were you advised to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		286	21	70	76	68	26	25
None		90	8	18	23	27	6	8
Once		62	6	15	16	14	5	6
Two to four times		86	4	22	26	19	10	5
Five to nine times		26	3	10	4	4	2	3
Ten or more times		18		4	7	2	3	2
Don't know/Not sure		3		1		2		
Refused		1						1
Male	Total	108	5	24	26	28	18	7
	None	34	2	6	6	12	5	3
	Once	33	2	9	9	8	4	1
	Two to four times	26	1	8	6	5	5	1
	Five to nine times	9		1	2	3	1	2
	Ten or more times	6			3		3	
Total		178	16	46	50	40	8	18

<b>Female</b>	<b>None</b>	56	6	12	17	15	1	5
	<b>Once</b>	29	4	6	7	6	1	5
	<b>Two to four times</b>	60	3	14	20	14	5	4
	<b>Five to nine times</b>	17	3	9	2	1	1	1
	<b>Ten or more times</b>	12		4	4	2		2
	<b>Don't know/Not sure</b>	3		1		2		
	<b>Refused</b>	1						1

Denominator is: All survey respondents who are current smokers and were advised by a health professional to quit smoking.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

At your last visit to your health care provider, were you offered recommendations or assistance to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		29.7	28.0	26.6	28.4	32.9	37.4	26.6
<b>No</b>		70.3	72.0	73.4	71.6	67.1	62.6	73.4
<b>Male</b>	<b>Yes</b>	31.9	26.4	29.1	35.7	30.1	40.9	30.0
	<b>No</b>	68.1	73.6	70.9	64.3	69.9	59.1	70.0
<b>Female</b>	<b>Yes</b>	27.4	29.9	24.4	22.3	36.4	33.5	23.7
	<b>No</b>	72.6	70.1	75.6	77.7	63.6	66.5	76.3

Denominator is: All survey respondents who currently smoke cigarettes and have seen a health care professional in the last 12 months.

At your last visit to your health care provider, were you offered recommendations or assistance to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		738	81	161	187	141	102	66
<b>Yes</b>		215	26	39	53	41	38	18
<b>No</b>		514	55	118	131	99	63	48
<b>Don't know/Not sure</b>		9		4	3	1	1	
<b>Male</b>	<b>Total</b>	325	36	66	73	79	48	23
	<b>Yes</b>	99	9	17	25	22	19	7
	<b>No</b>	222	27	47	47	56	29	16
	<b>Don't know/Not sure</b>	4		2	1	1		
<b>Female</b>	<b>Total</b>	413	45	95	114	62	54	43
	<b>Yes</b>	116	17	22	28	19	19	11
	<b>No</b>	292	28	71	84	43	34	32
	<b>Don't know/Not sure</b>	5		2	2		1	

Denominator is: All survey respondents who currently smoke cigarettes and have seen a health care professional in the last 12 months.



## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional provided information or help to quit smoking?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		58.8	34.4	60.1	67.4	60.2	62.9	47.8
<b>No</b>		41.2	65.6	39.9	32.6	39.8	37.1	52.2
<b>Male</b>	<b>Yes</b>	60.7	66.7	52.9	75.7	50.1	62.2	50.0
	<b>No</b>	39.3	33.3	47.1	24.3	49.9	37.8	50.0
<b>Female</b>	<b>Yes</b>	57.1	24.2	66.0	60.7	75.0	64.3	46.7
	<b>No</b>	42.9	75.8	34.0	39.3	25.0	35.7	53.3

Denominator is: All survey respondents who currently smoke cigarettes and were advised by a doctor or other health professional to quit smoking.

In the past 12 months, has a health professional provided information or help to quit smoking?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		192	13	51	53	39	20	16
<b>Yes</b>		116	6	29	33	28	13	7
<b>No</b>		75	7	22	20	11	6	9
<b>Don't know/Not sure</b>		1					1	
<b>Male</b>	<b>Total</b>	74	3	18	20	16	13	4
	<b>Yes</b>	47	2	10	14	10	9	2
	<b>No</b>	27	1	8	6	6	4	2
<b>Female</b>	<b>Total</b>	118	10	33	33	23	7	12
	<b>Yes</b>	69	4	19	19	18	4	5
	<b>No</b>	48	6	14	14	5	2	7
	<b>Don't know/Not sure</b>	1					1	

Denominator is: All survey respondents who currently smoke cigarettes and were advised by a doctor or other health professional to quit smoking.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you seriously considering stopping smoking within the next 6 months?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		65.2	59.6	68.9	68.6	68.9	64.3	49.2
<b>No</b>		34.8	40.4	31.1	31.4	31.1	35.7	50.8
<b>Male</b>	<b>Yes</b>	62.6	53.3	69.2	61.2	67.9	62.2	57.1
	<b>No</b>	37.4	46.7	30.8	38.8	32.1	37.8	42.9
<b>Female</b>	<b>Yes</b>	67.7	66.8	68.6	74.9	70.0	67.0	43.0
	<b>No</b>	32.3	33.2	31.4	25.1	30.0	33.0	57.0

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days.

Are you seriously considering stopping smoking within the next 6 months?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,116	114	247	291	225	139	100
<b>Yes</b>		707	73	163	194	148	86	43
<b>No</b>		373	36	79	87	71	49	51
<b>Don't know/Not sure</b>		36	5	5	10	6	4	6
<b>Male</b>	<b>Total</b>	489	50	101	117	116	71	34
	<b>Yes</b>	300	29	66	71	74	43	17
	<b>No</b>	176	19	33	44	39	27	14
	<b>Don't know/Not sure</b>	13	2	2	2	3	1	3
<b>Female</b>	<b>Total</b>	627	64	146	174	109	68	66
	<b>Yes</b>	407	44	97	123	74	43	26
	<b>No</b>	197	17	46	43	32	22	37
	<b>Don't know/Not sure</b>	23	3	3	8	3	3	3

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you planning to stop within the next 30 days?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		44.5	54.0	42.2	38.0	47.1	48.3	48.4
<b>No</b>		55.5	46.0	57.8	62.0	52.9	51.7	51.6
<b>Male</b>	<b>Yes</b>	48.8	55.0	44.6	43.9	43.1	59.0	67.9
	<b>No</b>	51.2	45.0	55.4	56.1	56.9	41.0	32.1
<b>Female</b>	<b>Yes</b>	40.6	53.1	39.7	34.0	52.0	35.5	28.1
	<b>No</b>	59.4	46.9	60.3	66.0	48.0	64.5	71.9
Denominator is:								

Are you planning to stop within the next 30 days?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		707	73	163	194	148	86	43
<b>Yes</b>		277	31	62	70	60	37	17
<b>No</b>		355	35	79	109	76	36	20
<b>Don't know/Not sure</b>		75	7	22	15	12	13	6
<b>Male</b>	<b>Total</b>	300	29	66	71	74	43	17
	<b>Yes</b>	129	12	27	29	28	23	10
	<b>No</b>	139	14	31	35	40	14	5
	<b>Don't know/Not sure</b>	32	3	8	7	6	6	2
<b>Female</b>	<b>Total</b>	407	44	97	123	74	43	26
	<b>Yes</b>	148	19	35	41	32	14	7
	<b>No</b>	216	21	48	74	36	22	15
	<b>Don't know/Not sure</b>	43	4	14	8	6	7	4
Denominator is:								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your health insurance coverage pay for the cost of any smoking cessation assistance such as nicotine replacement or a smoking cessation program?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		32.4	32.2	34.8	31.8	39.7	34.9	15.5
<b>No</b>		67.6	67.8	65.2	68.2	60.3	65.1	84.5
<b>Male</b>	<b>Yes</b>	31.5	42.6	35.0	25.0	43.7	27.3	18.4
	<b>No</b>	68.5	57.4	65.0	75.0	56.3	72.7	81.6
<b>Female</b>	<b>Yes</b>	33.2	21.2	34.7	37.4	35.3	46.9	12.2
	<b>No</b>	66.8	78.8	65.3	62.6	64.7	53.1	87.8

Denominator is: All survey respondents who currently smoke cigarettes and have health insurance.

Does your health insurance coverage pay for the cost of any smoking cessation assistance such as nicotine replacement or a smoking cessation program?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		913	77	192	228	196	120	100
<b>Yes</b>		161	9	33	41	46	24	8
<b>No</b>		292	20	53	75	61	42	41
<b>Don't know/Not sure</b>		460	48	106	112	89	54	51
<b>Male</b>	<b>Total</b>	404	34	79	92	101	64	34
	<b>Yes</b>	71	5	12	14	26	11	3
	<b>No</b>	129	8	20	33	27	26	15
	<b>Don't know/Not sure</b>	204	21	47	45	48	27	16
<b>Female</b>	<b>Total</b>	509	43	113	136	95	56	66
	<b>Yes</b>	90	4	21	27	20	13	5
	<b>No</b>	163	12	33	42	34	16	26
	<b>Don't know/Not sure</b>	256	27	59	67	41	27	35

Denominator is: All survey respondents who currently smoke cigarettes and have health insurance.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Thinking of when you successfully quit smoking, please tell me the single most important reason you had for quitting?  
(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Concern about my health at the time		34.2	37.4	40.2	34.2	30.5	32.5	35.4
Concern about my future health		15.6	12.0	10.7	22.4	16.4	15.4	13.4
Concern for the health of those around me		5.1	6.0	5.7	7.2	4.2	5.4	4.1
Cost of cigarettes		4.4	4.2	3.7	2.3	3.1	4.5	6.7
Doctor advised me to quit		1.4				.6	3.7	2.0
It isn't the thing to do anymore		8.5	7.0	8.8	5.9	11.0	7.4	9.1
Pregnancy		4.2	11.8	10.2	3.5	5.2	2.7	1.1
Pressure from family and friends		3.8	2.3	4.6	3.4	4.8	4.4	3.1
Workplace smoking policy		.5					1.1	1.1
Other, specify		.6	.8	.8			1.2	.9
Other		21.7	18.3	15.2	21.0	24.2	21.6	23.1
Male	Concern about my health at the time	32.3	37.5	35.3	31.6	32.5	29.7	32.3
	Concern about my future health	16.5	13.3	13.4	24.9	15.1	16.7	13.8
	Concern for the health of those around me	5.6	9.2	3.6	8.7	3.8	6.0	4.9
	Cost of cigarettes	5.4	8.3	5.8	4.1	3.9	5.6	6.7
	Doctor advised me to quit	1.7				.6	3.7	3.3
	It isn't the thing to do anymore	9.5	10.0	13.4	4.6	13.2	8.4	9.0
	Pregnancy	.2		1.8				.3
	Pressure from family and friends	3.9	3.3	1.8	4.1	4.6	4.2	3.6
	Workplace smoking policy	.7					.9	2.0
	Other, specify	.6	1.7	1.8			2.3	
	Other	23.5	16.7	23.2	21.9	26.2	22.5	24.1
Female	Concern about my health at the time	36.6	37.3	43.9	37.5	27.1	35.7	39.2
	Concern about my future health	14.5	10.7	8.7	19.2	18.5	13.9	13.0
	Concern for the health of those around me	4.6	2.7	7.3	5.2	4.8	4.6	3.2
	Cost of cigarettes	3.1		2.2		1.7	3.4	6.7
	Doctor advised me to quit	.9				.7	3.8	.4
	It isn't the thing to do anymore	7.3	4.0	5.4	7.5	7.4	6.3	9.3
	Pregnancy	9.1	24.0	16.5	8.0	13.7	5.9	2.1
	Pressure from family and friends	3.8	1.3	6.8	2.5	5.0	4.6	2.5
	Workplace smoking policy	.2					1.3	
	Other, specify	.6						2.1
	Other	19.4	20.0	9.2	20.0	21.0	20.6	21.7

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Thinking of when you successfully quit smoking, please tell me the single most important reason you had for quitting?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,458	65	164	232	346	265	386
Concern about my health at the time		502	23	69	85	107	84	134
Concern about my future health		225	7	15	51	62	41	49
Concern for the health of those around me		74	4	10	15	15	15	15
Cost of cigarettes		63	2	5	6	10	14	26
Doctor advised me to quit		17				2	8	7
It isn't the thing to do anymore		126	3	14	14	36	20	39
Pregnancy		65	8	18	9	20	5	5
Pressure from family and friends		53	2	8	7	14	11	11
Workplace smoking policy		6					2	4
Other, specify		6	1	1			1	3
Don't know/Not sure		18	1		2	6	4	5
Other		302	14	24	43	74	59	88
Refused		1					1	
<b>Male</b>	<b>Total</b>	705	28	63	112	193	125	184
	Concern about my health at the time	226	9	25	39	62	34	57
	Concern about my future health	119	3	8	28	33	22	25
	Concern for the health of those around me	36	3	2	8	7	8	8
	Cost of cigarettes	37	2	3	6	6	8	12
	Doctor advised me to quit	10				1	3	6
	It isn't the thing to do anymore	70	2	8	5	25	11	19
	Pregnancy	2		1				1
	Pressure from family and friends	23	1	1	4	6	5	6
	Workplace smoking policy	5					1	4
	Other, specify	3	1	1			1	
	Don't know/Not sure	11	1		1	6	2	1
	Other	162	6	14	21	47	29	45
	Refused	1					1	
<b>Female</b>	<b>Total</b>	753	37	101	120	153	140	202
	Concern about my health at the time	276	14	44	46	45	50	77
	Concern about my future health	106	4	7	23	29	19	24
	Concern for the health of those around me	38	1	8	7	8	7	7
	Cost of cigarettes	26		2		4	6	14
	Doctor advised me to quit	7				1	5	1
	It isn't the thing to do anymore	56	1	6	9	11	9	20

<b>Pregnancy</b>	63	8	17	9	20	5	4
<b>Pressure from family and friends</b>	30	1	7	3	8	6	5
<b>Workplace smoking policy</b>	1					1	
<b>Other, specify</b>	3						3
<b>Don't know/Not sure</b>	7			1		2	4
<b>Other</b>	140	8	10	22	27	30	43

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you quit smoking the last time, did you use a nicotine patch, nicotine gum, or any other medication to help you?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		26.6	8.1	28.7	38.7	41.1	31.8	9.8
<b>No</b>		73.4	91.9	71.3	61.3	58.9	68.2	90.2
<b>Male</b>	<b>Yes</b>	27.6	7.1	14.3	36.4	51.4	50.0	28.6
	<b>No</b>	72.4	92.9	85.7	63.6	48.6	50.0	71.4
<b>Female</b>	<b>Yes</b>	25.8	9.1	37.5	42.1	30.4	21.7	
	<b>No</b>	74.2	90.9	62.5	57.9	69.6	78.3	100.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

When you quit smoking the last time, did you use a nicotine patch, nicotine gum, or any other medication to help you?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		166	28	43	34	26	20	15
<b>Yes</b>		45	3	13	12	11	5	1
<b>No</b>		121	25	30	22	15	15	14
<b>Male</b>	<b>Total</b>	65	12	15	18	11	5	4
	<b>Yes</b>	19	1	2	7	6	2	1
	<b>No</b>	46	11	13	11	5	3	3
<b>Female</b>	<b>Total</b>	101	16	28	16	15	15	11
	<b>Yes</b>	26	2	11	5	5	3	
	<b>No</b>	75	14	17	11	10	12	11

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.



## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you quit smoking, did you use any other assistance such as counseling or classes?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		3.9			11.5	8.3	2.8	
<b>No</b>		96.1	100.0	100.0	88.5	91.7	97.2	100.0
<b>Male</b>	<b>Yes</b>	5.7			12.1	16.2		
	<b>No</b>	94.3	100.0	100.0	87.9	83.8	100.0	100.0
<b>Female</b>	<b>Yes</b>	2.4			10.5		4.3	
	<b>No</b>	97.6	100.0	100.0	89.5	100.0	95.7	100.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

When you quit smoking, did you use any other assistance such as counseling or classes?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		166	28	43	34	26	20	15
<b>Yes</b>		6			3	2	1	
<b>No</b>		160	28	43	31	24	19	15
<b>Male</b>	<b>Total</b>	65	12	15	18	11	5	4
	<b>Yes</b>	4			2	2		
	<b>No</b>	61	12	15	16	9	5	4
<b>Female</b>	<b>Total</b>	101	16	28	16	15	15	11
	<b>Yes</b>	2			1		1	
	<b>No</b>	99	16	28	15	15	14	11

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

The last time you tried to quit smoking, did you use a nicotine patch, nicotine gum, or any other medication to help you quit?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		28.5	7.8	28.7	33.9	29.2	49.0	35.5
<b>No</b>		71.5	92.2	71.3	66.1	70.8	51.0	64.5
<b>Male</b>	<b>Yes</b>	27.4	7.9	25.8	22.5	32.9	45.5	51.5
	<b>No</b>	72.6	92.1	74.2	77.5	67.1	54.5	48.5
<b>Female</b>	<b>Yes</b>	29.7	7.7	31.8	46.3	25.0	54.5	13.8
	<b>No</b>	70.3	92.3	68.2	53.7	75.0	45.5	86.2

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.

The last time you tried to quit smoking, did you use a nicotine patch, nicotine gum, or any other medication to help you quit?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		492	73	116	125	84	60	34
<b>Yes</b>		146	7	31	43	27	27	11
<b>No</b>		345	66	85	81	57	33	23
<b>Refused</b>		1			1			
<b>Male</b>	<b>Total</b>	221	29	49	54	43	31	15
	<b>Yes</b>	62	2	11	14	14	14	7
	<b>No</b>	159	27	38	40	29	17	8
<b>Female</b>	<b>Total</b>	271	44	67	71	41	29	19
	<b>Yes</b>	84	5	20	29	13	13	4
	<b>No</b>	186	39	47	41	28	16	15
	<b>Refused</b>	1			1			

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

The last time you tried to quit smoking, did you use any other assistance such as counseling or classes?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		4.6		1.4	9.5	4.0	10.9	1.7
<b>No</b>		95.4	100.0	98.6	90.5	96.0	89.1	98.3
<b>Male</b>	<b>Yes</b>	5.6		1.9	10.8	4.3	12.7	3.0
	<b>No</b>	94.4	100.0	98.1	89.2	95.7	87.3	97.0
<b>Female</b>	<b>Yes</b>	3.5		.8	8.2	3.7	8.0	
	<b>No</b>	96.5	100.0	99.2	91.8	96.3	92.0	100.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit smoking for one day or longer during the past year.

The last time you tried to quit smoking, did you use any other assistance such as counseling or classes?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		492	73	116	125	84	60	34
<b>Yes</b>		24		2	10	4	7	1
<b>No</b>		467	73	114	114	80	53	33
<b>Refused</b>		1			1			
<b>Male</b>	<b>Total</b>	221	29	49	54	43	31	15
	<b>Yes</b>	11		1	4	1	4	1
	<b>No</b>	210	29	48	50	42	27	14
<b>Female</b>	<b>Total</b>	271	44	67	71	41	29	19
	<b>Yes</b>	13		1	6	3	3	
	<b>No</b>	257	44	66	64	38	26	19
	<b>Refused</b>	1			1			

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit smoking for one day or longer during the past year.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you were trying to quit smoking, how helpful do you think it would be to have assistance such as a nicotine patch or nicotine gum or a smoking cessation program?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Very helpful		38.9	24.3	45.8	44.4	43.4	34.5	27.4
Somewhat helpful		30.7	39.8	31.5	32.0	25.7	29.0	20.3
Not very helpful		10.1	14.1	8.8	9.5	8.2	8.9	13.4
Not helpful at all		20.3	21.7	13.9	14.2	22.7	27.6	38.9
Male	Very helpful	36.6	23.0	49.0	39.6	36.3	33.3	32.7
	Somewhat helpful	31.5	43.0	31.0	31.9	25.0	33.3	19.2
	Not very helpful	11.0	15.7	6.8	13.3	11.3	7.4	7.7
	Not helpful at all	20.9	18.3	13.2	15.2	27.4	25.9	40.4
Female	Very helpful	41.2	25.9	43.0	48.3	51.9	36.0	22.7
	Somewhat helpful	29.9	36.1	31.9	32.0	26.5	23.0	21.3
	Not very helpful	9.3	12.2	10.7	6.3	4.5	11.0	18.4
	Not helpful at all	19.6	25.9	14.4	13.3	17.1	30.0	37.6

Denominator is: All survey respondents smoke every day or on some days.

If you were trying to quit smoking, how helpful do you think it would be to have assistance such as a nicotine patch or nicotine gum or a smoking cessation program?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,116	114	247	291	225	139	100
Very helpful		403	30	96	119	95	43	20
Somewhat helpful		318	38	72	92	61	39	16
Not very helpful		102	19	21	22	18	11	11
Not helpful at all		200	23	36	36	40	33	32
Don't know/Not sure		90	4	22	20	11	13	20
Refused		3			2			1
Male	Total	489	50	101	117	116	71	34
	Very helpful	161	12	39	38	42	23	7
	Somewhat helpful	142	18	28	40	30	22	4
	Not very helpful	48	9	8	12	12	5	2
	Not helpful at all	96	10	14	16	25	16	15
	Don't know/Not sure	40	1	12	9	7	5	6
	Refused	2			2			
Female	Total	627	64	146	174	109	68	66
	Very helpful	242	18	57	81	53	20	13
	Somewhat helpful	176	20	44	52	31	17	12

<b>Female</b>	<b>Not very helpful</b>	54	10	13	10	6	6	9
	<b>Not helpful at all</b>	104	13	22	20	15	17	17
	<b>Don't know/Not sure</b>	50	3	10	11	4	8	14
	<b>Refused</b>	1						1

Denominator is: All survey respondents smoke every day or on some days.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you smoked a cigar in the past month?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		5.5	12.6	7.5	4.7	3.8	4.6	2.3
<b>No</b>		94.5	87.4	92.5	95.3	96.2	95.4	97.7
<b>Male</b>	<b>Yes</b>	9.6	18.9	13.0	7.6	7.3	8.5	5.0
	<b>No</b>	90.4	81.1	87.0	92.4	92.7	91.5	95.0
<b>Female</b>	<b>Yes</b>	1.6	5.9	1.8	1.9	.4	.9	.4
	<b>No</b>	98.4	94.1	98.2	98.1	99.6	99.1	99.6

Denominator is: All survey respondents.

Have you smoked a cigar in the past month?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		7,196	639	1,385	1,484	1,486	892	1,310
<b>Yes</b>		340	68	95	66	56	34	21
<b>No</b>		6,856	571	1,290	1,418	1,430	858	1,289
<b>Male</b>	<b>Total</b>	3,039	293	618	648	654	372	454
	<b>Yes</b>	277	51	77	49	52	30	18
	<b>No</b>	2,762	242	541	599	602	342	436
<b>Female</b>	<b>Total</b>	4,157	346	767	836	832	520	856
	<b>Yes</b>	63	17	18	17	4	4	3
	<b>No</b>	4,094	329	749	819	828	516	853

Denominator is: All survey respondents.