

During the past 12 months, have you had a flu shot?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	32.8	18.8	14.8	20.8	28.4	39.4	72.8
No	67.2	81.2	85.2	79.2	71.6	60.6	27.2
Male	31.2	22.3	16.4	19.5	25.6	37.6	73.2
No	68.8	77.7	83.6	80.5	74.4	62.4	26.8
Female	34.2	15.0	13.2	22.1	31.2	41.2	72.5
No	65.8	85.0	86.8	77.9	68.8	58.8	27.5

Denominator is:
All survey respondents.

During the past 12 months, have you had a flu shot?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	6,305	600	1,114	1,286	1,275	893	1,137
Yes	2,077	106	166	267	367	363	808
No	4,214	493	947	1,017	906	528	323
Don't know/Not sure	14	1	1	2	2	2	6
Male	2,658	287	473	564	539	386	409
Yes	831	63	81	108	142	146	291
No	1,820	223	391	455	395	239	117
Don't know/Not sure	7	1	1	1	2	1	1
Female	3,647	313	641	722	736	507	728
Yes	1,246	43	85	159	225	217	517
No	2,394	270	556	562	511	289	206
Don't know/Not sure	7			1		1	5

Denominator is:
All survey respondents.

What is the most important reason you had for not getting a flu shot?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
	Doctor/nurse never suggested it	.7	1.2	.3	1.0	.2	.3	1.1
	I haven't thought about it	9.5	13.0	12.6	8.7	7.2	8.1	6.0
	I'm in good health/not at risk/don't need it	35.3	39.7	35.7	36.0	34.3	30.4	34.2
	It might make me sick/might be side effects/reactions	18.6	15.0	16.0	15.7	20.0	25.5	28.7
	Vaccine is not effective/doesn't work/wouldn't help	4.6	5.5	4.1	5.1	4.8	3.1	4.2
	Inconvenient: time/transportation/location	7.0	6.7	6.6	8.2	6.5	6.5	6.8
	No shots were available	10.5	3.8	9.4	10.1	14.1	17.3	6.8
	Tried to get a flu shot; doctor said I didn't need one	.8	1.7	.1	1.1	.7	.7	
	Other 1	11.5	11.4	14.4	13.5	10.5	5.9	8.5
	None/No other	1.5	2.0	.8	.6	1.7	2.1	3.6
Male	Doctor/nurse never suggested it	.6		.2	1.6	.5		1.0
	I haven't thought about it	10.2	11.2	14.9	9.5	8.4	8.1	4.2
	I'm in good health/not at risk/don't need it	38.9	49.5	38.2	39.2	39.1	28.5	35.1
	It might make me sick/might be side effects/reactions	16.0	6.8	14.6	13.0	19.3	25.9	24.1
	Vaccine is not effective/doesn't work/wouldn't help	4.8	8.5	3.9	5.1	4.5	2.5	3.1
	Inconvenient: time/transportation/location	7.4	3.9	7.8	10.3	7.5	5.0	5.2
	No shots were available	8.5	3.3	6.5	7.3	10.4	18.1	7.9
	Tried to get a flu shot; doctor said I didn't need one	.5			1.0	.5	1.5	
	Other 1	11.5	14.0	13.4	12.3	8.8	7.8	13.1
	None/No other	1.5	2.7	.5	.6	1.1	2.6	6.3
Female	Doctor/nurse never suggested it	.7	2.4	.4	.3		.7	1.2
	I haven't thought about it	8.9	14.6	10.2	7.9	5.9	8.0	7.3
	I'm in good health/not at risk/don't need it	31.9	30.4	33.1	32.9	29.3	32.4	33.6
	It might make me sick/might be side effects/reactions	21.1	22.7	17.4	18.3	20.8	25.1	31.8
	Vaccine is not effective/doesn't work/wouldn't help	4.4	2.7	4.3	5.0	5.1	3.7	4.8
	Inconvenient: time/transportation/location	6.6	9.3	5.4	6.1	5.4	8.0	7.9
	No shots were available	12.4	4.3	12.4	12.8	18.1	16.4	6.1
	Tried to get a flu shot; doctor said I didn't need one	1.0	3.3	.2	1.3	.9		
	Other 1	11.6	9.0	15.5	14.7	12.2	4.0	5.5
	None/No other	1.4	1.2	1.1	.6	2.3	1.7	1.8

Denominator is:

All survey respondents who said they did not get a flu shot.

What is the most important reason you had for not getting a flu shot?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,538	292	540	647	548	331	180
Doctor/nurse never suggested it		13	2	2	5	1	1	2
I haven't thought about it		219	35	56	55	35	25	13
I'm in good health/not at risk/don't need it		862	114	183	223	182	102	58
It might make me sick/might be side effects/reactions		482	44	93	100	107	83	55
Vaccine is not effective/doesn't work/wouldn't help		117	13	24	35	28	10	7
Inconvenient: time/transportation/location		180	18	36	54	37	23	12
No shots were available		272	12	52	66	76	54	12
Tried to get a flu shot; doctor said I didn't need one		18	4	1	7	4	2	
Other 1		291	33	73	94	56	22	13
Don't know/Not sure		42	10	15	4	9	2	2
None/No other		41	7	5	4	12	7	6
Refused		1				1		
Male	Total	1,107	137	231	285	238	151	65
	Doctor/nurse never suggested it	7		1	4	1		1
	I haven't thought about it	102	15	28	28	15	12	4
	I'm in good health/not at risk/don't need it	429	73	90	110	92	43	21
	It might make me sick/might be side effects/reactions	175	7	33	36	44	39	16
	Vaccine is not effective/doesn't work/wouldn't help	49	9	10	13	11	4	2
	Inconvenient: time/transportation/location	90	6	19	30	22	9	4
	No shots were available	96	4	17	21	23	26	5
	Tried to get a flu shot; doctor said I didn't need one	6			3	1	2	
	Other 1	118	16	27	37	19	12	7
	Don't know/Not sure	18	3	4	1	7	1	2
	None/No other	17	4	2	2	3	3	3
Female	Total	1,431	155	309	362	310	180	115
	Doctor/nurse never suggested it	6	2	1	1		1	1
	I haven't thought about it	117	20	28	27	20	13	9
	I'm in good health/not at risk/don't need it	433	41	93	113	90	59	37
	It might make me sick/might be side effects/reactions	307	37	60	64	63	44	39
	Vaccine is not effective/doesn't work/wouldn't help	68	4	14	22	17	6	5
	Inconvenient: time/transportation/location	90	12	17	24	15	14	8
	No shots were available	176	8	35	45	53	28	7
	Tried to get a flu shot; doctor said I didn't need one	12	4	1	4	3		
	Other 1	173	17	46	57	37	10	6
	Don't know/Not sure	24	7	11	3	2	1	
	None/No other	24	3	3	2	9	4	3
	Refused	1				1		

Denominator is:

All survey respondents who said they did not get a flu shot.

At what kind of place did you get your last flu shot?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
A doctor's office or health maintenance organization		39.0	45.5	15.9	23.2	28.7	38.6	51.7
A health department		4.7	10.1		6.8	5.4	4.6	3.9
Another type of clinic or health center		14.1	11.1	12.5	10.4	11.0	12.5	17.9
A senior, recreation, or community center		2.8			.7	.8	2.9	5.3
A store		9.8	2.0	3.5	9.0	10.7	12.4	11.1
A hospital or emergency room		8.6	12.3	17.5	7.6	7.7	9.9	6.5
Workplace		18.3	15.4	45.8	38.7	34.8	14.8	1.7
Other		2.6	3.7	4.9	3.6	1.0	4.2	1.8
Male	A doctor's office or health maintenance organization	34.9	44.4	15.7	18.1	22.4	38.4	47.8
	A health department	5.5	11.2		7.0	9.5	5.0	3.5
	Another type of clinic or health center	13.8	11.7	12.4	11.4	10.7	13.0	17.4
	A senior, recreation, or community center	3.1					2.5	7.3
	A store	8.3	2.0		7.0	11.7	9.3	10.4
	A hospital or emergency room	10.2	7.1	21.9	6.1	9.5	12.7	8.7
	Workplace	20.9	19.4	44.9	44.2	35.6	16.1	2.3
	Other	3.2	4.1	5.1	6.1	.6	3.1	2.8
Female	A doctor's office or health maintenance organization	42.7	47.5	16.2	28.0	34.3	38.8	54.7
	A health department	4.0	7.9		6.7	1.7	4.3	4.2
	Another type of clinic or health center	14.3	9.9	12.7	9.5	11.2	12.1	18.3
	A senior, recreation, or community center	2.6			1.3	1.4	3.3	3.8
	A store	11.1	2.0	8.1	10.8	9.8	15.1	11.6
	A hospital or emergency room	7.2	21.8	11.6	8.9	6.1	7.6	4.9
	Workplace	16.0	7.9	46.8	33.5	34.1	13.7	1.3
	Other	2.1	3.0	4.6	1.3	1.3	5.2	1.1

Denominator is:

All survey respondents who said they had gotten a flu shot.

At what kind of place did you get your last flu shot?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,237	65	97	155	215	224	481
	A doctor's office or health maintenance organization	486	28	15	35	62	89	257
	A health department	57	7		11	10	10	19
	Another type of clinic or health center	165	9	10	15	23	30	78
	A senior, recreation, or community center	36			1	3	7	25
	A store	121	2	4	15	22	26	52
	A hospital or emergency room	99	5	16	11	15	22	30
	Workplace	235	11	46	62	76	31	9
	Other	35	3	6	5	3	9	9
	Don't know/Not sure	3				1		2
Male	Total	499	43	48	64	87	88	169
	A doctor's office or health maintenance organization	175	18	7	11	19	36	84
	A health department	27	5		4	8	4	6
	Another type of clinic or health center	67	7	6	7	8	12	27
	A senior, recreation, or community center	14					2	12
	A store	38	1		5	9	7	16
	A hospital or emergency room	48	2	11	3	8	10	14
	Workplace	110	8	21	30	33	14	4
	Other	18	2	3	4	1	3	5
	Don't know/Not sure	2				1		1
Female	Total	738	22	49	91	128	136	312
	A doctor's office or health maintenance organization	311	10	8	24	43	53	173
	A health department	30	2		7	2	6	13
	Another type of clinic or health center	98	2	4	8	15	18	51
	A senior, recreation, or community center	22			1	3	5	13
	A store	83	1	4	10	13	19	36
	A hospital or emergency room	51	3	5	8	7	12	16
	Workplace	125	3	25	32	43	17	5
	Other	17	1	3	1	2	6	4
	Don't know/Not sure	1						1

Denominator is:

All survey respondents who said they had gotten a flu shot.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uhl] vaccine.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	27.6	27.2	12.4	11.1	14.9	26.0	70.8
No	72.4	72.8	87.6	88.9	85.1	74.0	29.2
Male Yes	29.4	42.0	16.8	12.4	15.8	25.6	70.0
Male No	70.6	58.0	83.2	87.6	84.2	74.4	30.0
Female Yes	26.1	15.1	8.6	9.9	14.1	26.4	71.4
Female No	73.9	84.9	91.4	90.1	85.9	73.6	28.6

Denominator is:
All survey respondents.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uhl] vaccine.

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,520	242	476	483	511	337	471
Yes	639	54	55	43	80	90	317
No	1,680	149	365	399	399	229	139
Don't know/Not sure	201	39	56	41	32	18	15
Male Total	1,048	106	193	214	214	147	174
Male Yes	266	35	28	18	34	37	114
Male No	647	48	127	167	157	97	51
Male Don't know/Not sure	135	23	38	29	23	13	9
Female Total	1,472	136	283	269	297	190	297
Female Yes	373	19	27	25	46	53	203
Female No	1,033	101	238	232	242	132	88
Female Don't know/Not sure	66	16	18	12	9	5	6

Denominator is:
All survey respondents.