

## Oregon BRFSS 2004

**True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?**

(Weighted Column Percents)

		Total	18-24	25-34	35-44	45-54	55-64
True		51.3	51.9	55.5	52.0	47.0	50.6
False		15.8	22.4	11.7	16.2	17.4	12.3
Don't know/Not sure		32.8	25.8	32.8	31.8	35.5	36.9
Refused		.1			.1	.1	.3
Male	True	47.7	44.7	52.7	49.7	42.2	48.9
	False	19.8	28.1	15.3	19.3	22.1	14.7
	Don't know/Not sure	32.4	27.2	32.0	30.8	35.4	35.8
	Refused	.2			.1	.2	.6
Female	True	55.0	59.9	58.4	54.3	51.7	52.1
	False	11.8	16.0	8.0	13.0	12.8	10.0
	Don't know/Not sure	33.2	24.2	33.5	32.7	35.5	37.9

Denominator is:  
All survey respondents younger than 65 years of age.

## Oregon BRFSS 2004

**True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?**

(Unweighted Frequencies)

		Total	18-24	25-34	35-44	45-54	55-64
Total		3,889	310	745	866	1,053	915
True		2,018	164	417	455	514	468
False		551	62	81	138	167	103
Don't know/Not sure		1,316	84	247	272	371	342
Refused		4			1	1	2
Male	Total	1,533	126	296	331	416	364
	True	732	55	159	164	177	177
	False	285	35	44	65	91	50
	Don't know/Not sure	512	36	93	101	147	135
	Refused	4			1	1	2
Female	Total	2,356	184	449	535	637	551
	True	1,286	109	258	291	337	291
	False	266	27	37	73	76	53
	Don't know/Not sure	804	48	154	171	224	207

Denominator is:

All survey respondents younger than 65 years of age.

## Oregon BRFSS 2004

**True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?**

(Weighted Column Percents)

		Total	18-24	25-34	35-44	45-54	55-64
True		90.6	86.1	92.5	90.6	92.6	89.2
False		2.4	5.5	2.3	2.5	1.5	1.1
Don't know		6.9	8.5	5.2	6.7	5.9	9.5
Refused		.1			.2	.1	.2
Male	True	90.0	87.7	91.6	88.8	92.0	88.5
	False	3.1	6.4	3.2	3.9	1.5	.8
	Don't know	6.7	5.9	5.2	6.9	6.2	10.3
	Refused	.2			.4	.2	.4
Female	True	91.2	84.3	93.4	92.4	93.1	89.8
	False	1.7	4.4	1.3	1.0	1.4	1.4
	Don't know	7.1	11.3	5.3	6.6	5.5	8.8

Denominator is:

All survey respondents younger than 65 years of age.

## Oregon BRFSS 2004

**True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?**

(Unweighted Frequencies)

		Total	18-24	25-34	35-44	45-54	55-64
Total		3,886	310	745	863	1,053	915
True		3,563	271	695	797	975	825
False		73	15	14	15	17	12
Don't know		247	24	36	50	60	77
Refused		3			1	1	1
Male	Total	1,533	126	296	331	416	364
	True	1,396	114	274	303	381	324
	False	35	6	9	9	7	4
	Don't know	99	6	13	18	27	35
	Refused	3			1	1	1
Female	Total	2,353	184	449	532	637	551
	True	2,167	157	421	494	594	501
	False	38	9	5	6	10	8
	Don't know	148	18	23	32	33	42

Denominator is:

All survey respondents younger than 65 years of age.

**Have you ever been tested for HIV?**

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		41.5	38.2	59.3	52.0	30.2	22.3
No		58.5	61.8	40.7	48.0	69.8	77.7
Male	Yes	40.4	35.4	52.1	49.3	32.2	27.5
	No	59.6	64.6	47.9	50.7	67.8	72.5
Female	Yes	42.5	41.1	66.9	54.8	28.2	17.6
	No	57.5	58.9	33.1	45.2	71.8	82.4

Denominator is:

All survey respondents younger than 65 years of age.

## Oregon BRFSS 2004

### Have you ever been tested for HIV?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,883	309	745	863	1,051	915
Yes		1,538	117	448	440	328	205
No		2,208	183	280	393	687	665
Don't know/Not sure		130	8	16	30	33	43
Refused		7	1	1		3	2
Male	Total	1,532	125	296	331	416	364
	Yes	600	41	156	160	144	99
	No	865	78	135	158	254	240
	Don't know/Not sure	62	5	5	13	16	23
	Refused	5	1			2	2
Female	Total	2,351	184	449	532	635	551
	Yes	938	76	292	280	184	106
	No	1,343	105	145	235	433	425
	Don't know/Not sure	68	3	11	17	17	20
	Refused	2		1		1	

Denominator is:

All survey respondents younger than 65 years of age.

## Oregon BRFSS 2004

### What was the main reason you had your last test for HIV?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
It was required	18.8	9.6	15.9	23.3	22.6	21.6
Someone suggested you should be tested	3.3	3.6	3.3	1.9	5.2	3.2
You thought you may have gotten HIV through sex or drug use	4.5	5.8	3.3	4.7	5.5	4.5
You just wanted to find out whether you had HIV	21.6	26.0	23.1	18.7	20.0	21.5
You were worried that you could give HIV to someone	.7		.5	.6	1.5	1.8
If Female: You were pregnant	13.2	15.7	21.7	13.9	1.5	
It was done as part of a routine medical check-up	22.0	18.2	20.9	21.6	23.3	30.7
Or you were tested for some other reason	15.9	21.1	11.3	15.5	20.5	16.8
Male						
It was required	22.3	5.2	22.2	28.0	25.9	23.0
Someone suggested you should be tested	4.2	2.6	6.2	2.7	5.2	3.1
You thought you may have gotten HIV through sex or drug use	3.8	6.0	2.9	4.0	3.3	3.6
You just wanted to find out whether you had HIV	25.2	38.8	27.5	20.5	21.7	19.6
You were worried that you could give HIV to someone	1.0		1.1	.2	1.5	3.1
It was done as part of a routine medical check-up	26.4	15.5	26.9	28.2	27.1	33.6
Or you were tested for some other reason	17.2	31.9	13.2	16.4	15.3	14.0
Female						
It was required	15.5	13.7	10.8	19.0	18.9	19.8
Someone suggested you should be tested	2.4	4.6	.9	1.1	5.3	3.3
You thought you may have gotten HIV through sex or drug use	5.2	5.5	3.5	5.2	8.0	5.7
You just wanted to find out whether you had HIV	18.1	14.4	19.5	17.0	18.2	24.2
You were worried that you could give HIV to someone	.5			.9	1.4	
If Female: You were pregnant	25.7	30.0	39.5	26.6	3.1	
It was done as part of a routine medical check-up	17.8	20.6	16.1	15.5	19.1	26.5
Or you were tested for some other reason	14.8	11.3	9.7	14.7	26.1	20.6

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV (where the test was not part of the blood donation process).

## Oregon BRFSS 2004

### What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,535	117	448	440	325	205
It was required		276	10	67	95	65	39
Someone suggested you should be tested		48	4	12	7	18	7
You thought you may have gotten HIV through sex or drug use		72	7	15	21	19	10
You just wanted to find out whether you had HIV		335	30	103	89	68	45
You were worried that you could give HIV to someone		13		2	3	5	3
If Female: You were pregnant		216	27	110	73	6	
It was done as part of a routine medical check-up		323	20	88	81	73	61
Or you were tested for some other reason		238	19	48	66	69	36
Don't know/Not sure		9		2	4		3
Refused		5		1	1	2	1
Male	Total	599	41	156	160	143	99
	It was required	141	3	36	48	35	19
	Someone suggested you should be tested	26	1	9	4	9	3
	You thought you may have gotten HIV through sex or drug use	22	3	4	7	5	3
	You just wanted to find out whether you had HIV	147	17	45	33	32	20
	You were worried that you could give HIV to someone	8		2	1	2	3
	It was done as part of a routine medical check-up	162	6	39	41	40	36
	Or you were tested for some other reason	86	11	19	25	18	13
	Don't know/Not sure	4		1	1		2
	Refused	3		1		2	
Female	Total	936	76	292	280	182	106
	It was required	135	7	31	47	30	20
	Someone suggested you should be tested	22	3	3	3	9	4
	You thought you may have gotten HIV through sex or drug use	50	4	11	14	14	7
	You just wanted to find out whether you had HIV	188	13	58	56	36	25
	You were worried that you could give HIV to someone	5			2	3	
	If Female: You were pregnant	216	27	110	73	6	
	It was done as part of a routine medical check-up	161	14	49	40	33	25
	Or you were tested for some other reason	152	8	29	41	51	23
	Don't know/Not sure	5		1	3		1
	Refused	2			1		1

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV (where the test was not part of the blood donation process).

## Oregon BRFSS 2004

### Where did you have your last blood test for HIV?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Private doctor or HMO		41.7	32.8	46.0	39.5	43.0	45.2
Counseling and testing site		4.8	2.1	3.0	6.4	7.1	5.7
Hospital		15.3	15.8	12.5	14.6	16.7	24.5
Clinic		26.8	38.3	27.9	28.2	19.0	14.7
Jail or prison or other correctional facility		1.5	6.9	.6	1.1	.4	
Drug treatment facility		.4		1.0	.4		
At home		4.4	1.2	4.1	4.1	8.5	3.6
Somewhere else (SPECIFY:)		5.0	3.0	4.9	5.7	5.3	6.2
Male	Private doctor or HMO	35.3	28.2	34.3	28.6	43.6	51.2
	Counseling and testing site	6.3	4.3	3.6	9.8	8.5	2.9
	Hospital	16.3	12.5	15.4	14.6	18.9	24.4
	Clinic	26.9	36.0	30.9	32.1	15.3	9.9
	Jail or prison or other correctional facility	3.1	13.8	1.3	2.2	.8	
	Drug treatment facility	.8		1.7	.9		
	At home	4.8	2.6	5.1	4.7	6.8	3.5
	Somewhere else (SPECIFY:)	6.6	2.6	7.8	7.1	6.2	8.1
Female	Private doctor or HMO	47.7	37.0	55.4	49.5	42.3	37.4
	Counseling and testing site	3.3		2.5	3.2	5.4	9.4
	Hospital	14.4	18.8	10.2	14.6	14.3	24.7
	Clinic	26.7	40.4	25.6	24.5	23.2	21.2
	Jail or prison or other correctional facility	.1	.5		.2		
	Drug treatment facility	.1		.3			
	At home	4.1		3.3	3.6	10.4	3.8
	Somewhere else (SPECIFY:)	3.6	3.4	2.6	4.3	4.4	3.5

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process).



## Oregon BRFSS 2004

### Where did you have your last blood test for HIV?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,533	117	447	439	325	205
Private doctor or HMO		671	42	217	189	135	88
Counseling and testing site		72	2	12	23	24	11
Hospital		236	18	54	64	51	49
Clinic		381	46	116	115	68	36
Jail or prison or other correctional facility		12	4	2	4	2	
Drug treatment facility		4		3	1		
At home		65	1	18	15	24	7
Somewhere else (SPECIFY:)		68	3	18	23	15	9
Don't know/Not sure		18	1	5	4	3	5
Refused		6		2	1	3	
Male	Total	598	41	156	159	143	99
	Private doctor or HMO	225	13	53	49	60	50
	Counseling and testing site	35	2	5	13	13	2
	Hospital	105	6	24	25	27	23
	Clinic	143	15	46	49	23	10
	Jail or prison or other correctional facility	10	3	2	3	2	
	Drug treatment facility	3		2	1		
	At home	29	1	9	7	9	3
	Somewhere else (SPECIFY:)	36	1	10	12	7	6
	Don't know/Not sure	8		3			5
	Refused	4		2		2	
Female	Total	935	76	291	280	182	106
	Private doctor or HMO	446	29	164	140	75	38
	Counseling and testing site	37		7	10	11	9
	Hospital	131	12	30	39	24	26
	Clinic	238	31	70	66	45	26
	Jail or prison or other correctional facility	2	1		1		
	Drug treatment facility	1		1			
	At home	36		9	8	15	4
	Somewhere else (SPECIFY:)	32	2	8	11	8	3
	Don't know/Not sure	10	1	2	4	3	
	Refused	2			1	1	

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process).

## Oregon BRFSS 2004

### What type of clinic did you go to for your last HIV test?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Family planning clinic		20.5	33.8	24.5	13.1	11.3	3.7
STD clinic		3.4	1.4	4.4	3.7	2.8	4.9
Prenatal clinic		4.3	5.6	4.0	6.1		
Public health clinic		31.4	27.5	31.4	34.9	28.9	31.9
Community health clinic		17.4	19.0	10.6	21.4	20.7	26.9
Hospital clinic		8.8	8.1	7.6	8.5	14.5	9.7
Other		14.1	4.6	17.5	12.4	21.8	22.8
Male	Family planning clinic	14.8	20.0	16.4	14.2	7.0	
	STD clinic	5.4		8.9	4.8	2.8	13.3
	Prenatal clinic	.3			1.0		
	Public health clinic	33.4	41.3	35.0	31.9	25.3	13.3
	Community health clinic	20.4	28.4	11.7	23.3	25.3	20.0
	Hospital clinic	9.9		14.0	7.6	15.5	26.6
	Other	15.9	10.3	14.0	17.2	24.0	26.7
Female	Family planning clinic	25.8	44.9	32.5	11.8	14.5	5.9
	STD clinic	1.5	2.5		2.3	2.7	
	Prenatal clinic	8.1	10.1	7.9	12.2		
	Public health clinic	29.6	16.4	27.8	38.6	31.6	42.7
	Community health clinic	14.7	11.4	9.6	19.1	17.2	30.9
	Hospital clinic	7.9	14.6	1.3	9.5	13.7	
	Other	12.5		20.9	6.5	20.3	20.6

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process), and reported that the testing site was a clinic.

## Oregon BRFSS 2004

### What type of clinic did you go to for your last HIV test?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		380	46	116	114	68	36
Family planning clinic		65	16	26	14	8	1
STD clinic		11	1	4	3	2	1
Prenatal clinic		17	4	6	7		
Public health clinic		113	10	36	35	19	13
Community health clinic		62	7	12	24	12	7
Hospital clinic		32	3	8	11	7	3
Other		60	2	23	13	14	8
Don't know/Not sure		19	3	1	7	5	3
Refused		1				1	
Male	Total	143	15	46	49	23	10
	Family planning clinic	17	3	7	5	2	
	STD clinic	8		4	2	1	1
	Prenatal clinic	1			1		
	Public health clinic	44	5	16	16	5	2
	Community health clinic	23	4	4	9	5	1
	Hospital clinic	17		7	4	3	3
	Other	24	2	7	8	5	2
	Don't know/Not sure	8	1	1	4	1	1
	Refused	1				1	
Female	Total	237	31	70	65	45	26
	Family planning clinic	48	13	19	9	6	1
	STD clinic	3	1		1	1	
	Prenatal clinic	16	4	6	6		
	Public health clinic	69	5	20	19	14	11
	Community health clinic	39	3	8	15	7	6
	Hospital clinic	15	3	1	7	4	
	Other	36		16	5	9	6
	Don't know/Not sure	11	2		3	4	2

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process), and reported that the testing site was a clinic.

**Oregon BRFSS 2004**

**Was this test done by a nurse or other health worker, or with a home testing kit?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Nurse or health worker	84.4	100.0	65.5	100.0	86.9	81.8
A home testing kit	15.6		34.5		13.1	18.2
Male		100.0	66.7	100.0	91.4	66.7
Nurse or health worker	85.1					
A home testing kit	14.9		33.3		8.6	33.3
Female			64.1	100.0	83.6	100.0
Nurse or health worker	83.7					
A home testing kit	16.3		35.9		16.4	

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process).

**Was this test done by a nurse or other health worker, or with a home testing kit?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	65	1	18	15	24	7
Nurse or health worker	55	1	12	15	21	6
A home testing kit	10		6		3	1
Male		1	9	7	9	3
Total	29					
Nurse or health worker	5	1	6	7	8	2
A home testing kit	5		3		1	1
Female			9	8	15	4
Total	36					
Nurse or health worker	31		6	8	13	4
A home testing kit	5		3		2	

Denominator is:

All survey respondents younger than 65 years of age, who have ever been tested for HIV (where the test was not part of the blood donation process).

## Oregon BRFSS 2004

**In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases (e.g., syphilis, gonorrhea, chlamydia, or genital herpes) through condom use?**

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		13.1	38.7	17.9	9.6	4.2	1.4
No		86.9	61.3	82.1	90.4	95.8	98.6
Male	Yes	12.0	31.0	15.4	11.4	3.8	1.6
	No	88.0	69.0	84.6	88.6	96.2	98.4
Female	Yes	14.2	47.0	20.5	7.8	4.5	1.2
	No	85.8	53.0	79.5	92.2	95.5	98.8

Denominator is:

All survey respondents younger than 65 years of age

## Oregon BRFSS 2004

**In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases (e.g., syphilis, gonorrhea, chlamydia, or genital herpes) through condom use?**

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,867	308	741	860	1,047	911
Yes		365	115	128	66	43	13
No		3,484	192	609	790	1,000	893
Don't know/Not sure		7	1	3	2		1
Refused		11		1	2	4	4
Male	Total	1,527	125	296	330	414	362
	Yes	120	33	40	26	14	7
	No	1,398	91	255	303	396	353
	Don't know/Not sure	3	1	1			1
	Refused	6			1	4	1
Female	Total	2,340	183	445	530	633	549
	Yes	245	82	88	40	29	6
	No	2,086	101	354	487	604	540
	Don't know/Not sure	4		2	2		
	Refused	5		1	1		3

Denominator is:

All survey respondents younger than 65 years of age