

Adult Immunization

During the past 12 months, have you had a flu shot?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	31.6	15.3	16.3	20.3	22.3	44.2	71.3
No	68.4	84.7	83.7	79.7	77.7	55.8	28.7
Male							
Yes	28.3	19.6	12.6	18.6	18.8	38.0	70.4
No	71.7	80.4	87.4	81.4	81.2	62.0	29.6
Female							
Yes	34.8	10.7	20.4	22.1	25.7	50.1	72.1
No	65.2	89.3	79.6	77.9	74.3	49.9	27.9

Denominator is:
All survey respondents.

During the past 12 months, have you had a flu shot?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	4,799	224	496	764	974	1,073	1,268
Yes	1,868	30	81	162	233	471	891
No	2,905	190	412	595	739	599	370
Don't know/Not sure	25	4	3	7	2	3	6
Refused	1						1
Male							
Total	1,839	103	183	287	389	426	451
Yes	632	17	22	51	75	156	311
No	1,198	84	160	234	314	267	139
Don't know/Not sure	9	2	1	2		3	1
Female							
Total	2,960	121	313	477	585	647	817
Yes	1,236	13	59	111	158	315	580
No	1,707	106	252	361	425	332	231
Don't know/Not sure	16	2	2	5	2		5
Refused	1						1

Denominator is:
All survey respondents.

During the past 12 months, have you had a flu vaccine that was sprayed in your nose?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	.3			.8	.3	.5	.3
No	99.7	100.0	100.0	99.2	99.7	99.5	99.7
Male							
Yes	.5			.8	.6	.8	.5
No	99.5	100.0	100.0	99.2	99.4	99.2	99.5
Female							
Yes	.2			.7		.2	.1
No	99.8	100.0	100.0	99.3	100.0	99.8	99.9

Denominator is:
All survey respondents.

During the past 12 months, have you had a flu vaccine that was sprayed in your nose?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	4,799	223	496	765	973	1,074	1,268
Yes	15			6	2	3	4
No	4,775	221	496	758	970	1,069	1,261
Don't know/Not sure	7	2		1	1	1	2
Refused	2					1	1
Male							
Total	1,839	102	183	287	389	427	451
Yes	9			2	2	2	3
No	1,824	100	183	285	387	423	446
Don't know/Not sure	5	2				1	2
Refused	1					1	
Female							
Total	2,960	121	313	478	584	647	817
Yes	6			4		1	1
No	2,951	121	313	473	583	646	815
Don't know/Not sure	2			1	1		
Refused	1						1

Denominator is:
All survey respondents.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uhl] vaccine.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	28.8	25.1	13.6	14.1	14.3	28.8	74.7
No	71.2	74.9	86.4	85.9	85.7	71.2	25.3
Male Yes	28.9	32.6	17.3	19.9	14.6	24.3	71.1
Male No	71.1	67.4	82.7	80.1	85.4	75.7	28.9
Female Yes	28.6	17.7	9.6	8.5	13.9	32.9	77.3
Female No	71.4	82.3	90.4	91.5	86.1	67.1	22.7

Denominator is:

All survey respondents (Asked only in January and February).

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uhl] vaccine.

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	4,795	222	496	764	973	1,073	1,267
Yes	1,502	38	47	84	140	284	909
No	2,884	123	364	586	772	730	309
Don't know/Not sure	408	61	85	94	61	59	48
Refused	1						1
Male Total	1,836	101	183	287	389	426	450
Male Yes	536	24	25	46	53	89	299
Male No	1,094	48	125	196	299	299	127
Male Don't know/Not sure	206	29	33	45	37	38	24
Female Total	2,959	121	313	477	584	647	817
Female Yes	966	14	22	38	87	195	610
Female No	1,790	75	239	390	473	431	182
Female Don't know/Not sure	202	32	52	49	24	21	24
Female Refused	1						1

Denominator is:

All survey respondents (Asked only in January and February).

Have you EVER received the Hepatitis B vaccine? [NOTE: The Hepatitis B vaccine is completed after the third shot is given.]

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	35.0	61.9	51.5	38.2	30.5	22.9	12.7
No	65.0	38.1	48.5	61.8	69.5	77.1	87.3
Male Yes	35.7	63.7	48.5	36.8	30.6	23.3	15.6
Male No	64.3	36.3	51.5	63.2	69.4	76.7	84.4
Female Yes	34.2	60.2	55.0	39.6	30.4	22.6	10.6
Female No	65.8	39.8	45.0	60.4	69.6	77.4	89.4

Denominator is:
All survey respondents.

Have you EVER received the Hepatitis B vaccine? [NOTE: The Hepatitis B vaccine is completed after the third shot is given.]

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	4,794	222	496	764	973	1,073	1,266
Yes	1,160	111	210	234	258	206	141
No	2,980	71	191	390	609	740	979
Don't know/Not sure	653	40	95	140	106	127	145
Refused	1						1
Male Total	1,835	101	183	286	389	426	450
Male Yes	443	49	73	81	99	78	63
Male No	1,102	31	80	153	242	279	317
Male Don't know/Not sure	290	21	30	52	48	69	70
Female Total	2,959	121	313	478	584	647	816
Female Yes	717	62	137	153	159	128	78
Female No	1,878	40	111	237	367	461	662
Female Don't know/Not sure	363	19	65	88	58	58	75
Female Refused	1						1

Denominator is:
All survey respondents.

Tell me if ANY of these statements is true for you? [Don't tell me WHICH statement(s) are true, just if any of them are true.]

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes, at least one statement is true	6.9	18.8	9.7	6.6	6.3	1.8	.7
No, none of these statements is true	93.1	81.2	90.3	93.4	93.7	98.2	99.3
Male Yes, at least one statement is true	8.7	20.1	12.3	8.8	7.8	2.6	1.2
Male No, none of these statements is true	91.3	79.9	87.7	91.2	92.2	97.4	98.8
Female Yes, at least one statement is true	5.2	17.5	7.0	4.4	4.8	1.0	.3
Female No, none of these statements is true	94.8	82.5	93.0	95.6	95.2	99.0	99.7

Denominator is:
All survey respondents.

Tell me if ANY of these statements is true for you? [Don't tell me WHICH statement(s) are true, just if any of them are true.]

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	4,778	220	496	761	972	1,071	1,258
Yes, at least one statement is true	234	43	46	46	68	21	10
No, none of these statements is true	4,519	176	448	712	896	1,046	1,241
Don't know/Not sure	5			3	1		1
Refused	20	1	2		7	4	6
Male Total	1,828	100	183	285	389	424	447
Male Yes, at least one statement is true	122	19	22	26	34	14	7
Male No, none of these statements is true	1,694	80	159	257	352	409	437
Male Don't know/Not sure	2			2			
Male Refused	10	1	2		3	1	3
Female Total	2,950	120	313	476	583	647	811
Female Yes, at least one statement is true	112	24	24	20	34	7	3
Female No, none of these statements is true	2,825	96	289	455	544	637	804
Female Don't know/Not sure	3			1	1		1
Female Refused	10				4	3	3

Denominator is:
All survey respondents.

What type of health professional gave you your last flu shot/flu vaccine spray?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
A doctor	22.2	49.8	23.9	21.2	18.9	17.2	22.4
A nurse	65.6	50.2	59.8	61.8	72.6	69.1	66.0
Or a pharmacist	8.1		8.3	6.5	4.9	12.2	8.7
Some other type of health professional	4.1		8.0	10.5	3.7	1.6	2.9
Male							
A doctor	25.2	38.1	40.5	24.3	17.7	19.8	24.6
A nurse	62.9	61.9	52.9	54.1	73.7	61.8	65.3
Or a pharmacist	7.0		6.6	2.8	2.5	15.4	7.9
Some other type of health professional	4.8			18.8	6.0	3.0	2.3
Female							
A doctor	19.8	78.7	13.0	18.5	19.8	15.5	20.8
A nurse	67.7	21.3	64.4	68.4	71.7	74.0	66.6
Or a pharmacist	8.9		9.4	9.8	6.8	10.0	9.3
Some other type of health professional	3.6		13.2	3.3	1.8	.6	3.3

Denominator is:

All survey respondents who reported getting a flu shot or flu vaccine spray.

What type of health professional gave you your last flu shot/flu vaccine spray?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,093	17	51	98	143	267	517
A doctor		221	7	10	20	25	43	116
A nurse		714	7	29	63	101	182	332
Or a pharmacist		98		7	8	9	30	44
Don't know/Not sure		24	2	1	1	3	6	11
Some other type of health professional		34		4	6	5	5	14
Refused		2	1				1	
Male	Total	382	9	13	30	51	87	192
	A doctor	87	3	4	8	9	15	48
	A nurse	240	5	7	17	37	55	119
	Or a pharmacist	31		1	1	2	12	15
	Don't know/Not sure	8	1	1			1	5
	Some other type of health professional	15			4	3	3	5
	Refused	1					1	
Female	Total	711	8	38	68	92	180	325
	A doctor	134	4	6	12	16	28	68
	A nurse	474	2	22	46	64	127	213
	Or a pharmacist	67		6	7	7	18	29
	Don't know/Not sure	16	1		1	3	5	6
	Some other type of health professional	19		4	2	2	2	9
	Refused	1	1					

Denominator is:

All survey respondents who reported getting a flu shot or flu vaccine spray.

The flu season in Oregon usually runs between September and March of each year. During the last flu season, were flu shots offered at your workplace?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	26.4	17.6	30.4	36.1	33.3	29.6	7.8
No	47.1	59.6	61.2	52.3	52.0	43.5	16.1
Not employed during last flu season	26.5	22.9	8.5	11.6	14.7	26.8	76.1
Male							
Yes	28.6	15.0	31.6	40.2	36.4	30.7	10.3
No	52.9	68.1	68.0	57.8	55.3	46.1	19.1
Not employed during last flu season	18.5	16.9	.5	2.0	8.3	23.2	70.6
Female							
Yes	24.3	20.4	29.0	32.0	30.3	28.6	5.9
No	41.5	50.2	53.8	46.8	48.7	41.0	13.7
Not employed during last flu season	34.3	29.5	17.2	21.3	20.9	30.4	80.4

Denominator is:
All survey respondents.

The flu season in Oregon usually runs between September and March of each year. During the last flu season, were flu shots offered at your workplace?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,815	134	293	428	577	639	744
Yes		683	23	84	148	186	183	59
No		1,148	79	169	214	293	273	120
Not employed during last flu season		941	29	33	53	89	177	560
Don't know/Not sure		41	3	6	13	9	5	5
Refused		2		1			1	
Male	Total	1,115	61	107	166	236	265	280
	Yes	294	9	31	61	84	78	31
	No	505	42	71	95	126	117	54
	Not employed during last flu season	300	9	1	5	23	69	193
	Don't know/Not sure	14	1	3	5	3		2
	Refused	2		1			1	
Female	Total	1,700	73	186	262	341	374	464
	Yes	389	14	53	87	102	105	28
	No	643	37	98	119	167	156	66
	Not employed during last flu season	641	20	32	48	66	108	367
	Don't know/Not sure	27	2	3	8	6	5	3

Denominator is:

All survey respondents.

In the last year, were you hospitalized for more than one night?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	7.7	4.1	7.9	6.2	6.6	8.8	12.0
No	92.3	95.9	92.1	93.8	93.4	91.2	88.0
Male Yes	5.3		3.4	4.9	5.4	7.7	10.0
Male No	94.7	100.0	96.6	95.1	94.6	92.3	90.0
Female Yes	10.1	8.5	12.9	7.6	7.7	9.7	13.5
Female No	89.9	91.5	87.1	92.4	92.3	90.3	86.5

Denominator is:
All survey respondents.

In the last year, were you hospitalized for more than one night?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,815	134	293	428	577	639	744
Yes	251	8	27	26	40	58	92
No	2,562	125	266	402	537	580	652
Don't know/Not sure	2	1				1	
Male Total	1,115	61	107	166	236	265	280
Male Yes	73		3	8	12	21	29
Male No	1,041	60	104	158	224	244	251
Male Don't know/Not sure	1	1					
Female Total	1,700	73	186	262	341	374	464
Female Yes	178	8	24	18	28	37	63
Female No	1,521	65	162	244	313	336	401
Female Don't know/Not sure	1					1	

Denominator is:
All survey respondents.

Were you hospitalized during the flu season? [The flu season in Oregon usually runs between September and March of each year.]

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	47.1	35.9	57.8	27.9	46.0	53.0	50.3
No	52.9	64.1	42.2	72.1	54.0	47.0	49.7
Male							
Yes	49.7		86.9	35.1	44.8	48.8	46.5
No	50.3		13.1	64.9	55.2	51.2	53.5
Female							
Yes	45.8	35.9	49.4	23.1	46.8	56.2	52.6
No	54.2	64.1	50.6	76.9	53.2	43.8	47.4

Denominator is:

All survey respondents who reported being hospitalized for more than one night in the last year.

Were you hospitalized during the flu season? [The flu season in Oregon usually runs between September and March of each year.]

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	251	8	27	26	40	58	92
Yes	123	4	15	8	21	29	46
No	124	4	12	18	19	27	44
Don't know/Not sure	3					1	2
Refused	1					1	
Male							
Total	73		3	8	12	21	29
Yes	34		2	3	6	9	14
No	38		1	5	6	11	15
Don't know/Not sure	1					1	
Female							
Total	178	8	24	18	28	37	63
Yes	89	4	13	5	15	20	32
No	86	4	11	13	13	16	29
Don't know/Not sure	2						2
Refused	1					1	

Denominator is:

All survey respondents who reported being hospitalized for more than one night in the last year.

Child Immunization

Has a doctor, nurse, or other health professional ever said that he/she has any of the following health problems?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		11.8	13.4	11.9	11.0	12.0	13.0	7.4
No		88.2	86.6	88.1	89.0	88.0	87.0	92.6
Male	Yes	8.2	13.5	5.2	8.1	9.0	11.3	
	No	91.8	86.5	94.8	91.9	91.0	88.7	100.0
Female	Yes	15.2	13.3	17.7	13.4	15.5	16.0	13.5
	No	84.8	86.7	82.3	86.6	84.5	84.0	86.5

Denominator is:

All survey respondents who have a child six months of age or older.

Has a doctor, nurse, or other health professional ever said that he/she has any of the following health problems?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,384	95	333	507	337	87	25
Yes		170	11	44	58	43	12	2
No		1,189	78	288	442	288	72	21
Don't know/Not sure		12	5	1	3	1	2	
Refused		13	1		4	5	1	2
Male	Total	520	35	105	173	149	47	11
	Yes	42	3	5	14	14	6	
	No	463	28	100	154	133	39	9
	Don't know/Not sure	7	3		3		1	
	Refused	8	1		2	2	1	2
Female	Total	864	60	228	334	188	40	14
	Yes	128	8	39	44	29	6	2
	No	726	50	188	288	155	33	12
	Don't know/Not sure	5	2	1		1	1	
	Refused	5			2	3		

Denominator is:

All survey respondents who have a child six months of age or older.

Does he/she still has this/any of these problems?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	71.4	82.7	80.5	61.3	63.1	89.9	68.1
No	28.6	17.3	19.5	38.7	36.9	10.1	31.9
Male	Yes	67.0	100.0	100.0	55.6	47.4	81.8
	No	33.0			44.4	52.6	18.2
Female	Yes	73.2	77.6	76.8	64.3	74.0	100.0
	No	26.8	22.4	23.2	35.7	26.0	31.9

Denominator is:

All survey respondents who have a child six months of age or older.

Does he/she still has this/any of these problems?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	170	11	44	58	43	12	2
Yes	116	8	33	36	27	11	1
No	51	1	10	22	16	1	1
Don't know/Not sure	3	2	1				
Male	Total	42	3	5	14	14	6
	Yes	24	1	4	7	7	5
	No	15			7	7	1
	Don't know/Not sure	3	2	1			
Female	Total	128	8	39	44	29	6
	Yes	92	7	29	29	20	6
	No	36	1	10	15	9	1

Denominator is:

All survey respondents who have a child six months of age or older.

During the past 12 months, has the child had an influenza vaccine sprayed in his/her nose?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	20.1	25.1	26.3	18.4	10.7	20.5	19.2
No	79.9	74.9	73.7	81.6	89.3	79.5	80.8
Male Yes	21.5	28.1	29.1	21.2	10.6	20.2	15.4
Male No	78.5	71.9	70.9	78.8	89.4	79.8	84.6
Female Yes	18.8	23.3	24.0	16.1	10.9	21.1	23.4
Female No	81.2	76.7	76.0	83.9	89.1	78.9	76.6

Denominator is:

All survey respondents who have a child six months of age or older (Asked only in January and February).

During the past 12 months, has the child had an influenza vaccine sprayed in his/her nose?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	1,322	86	302	491	333	85	25
Yes	231	16	72	90	33	15	5
No	1,031	56	219	391	285	64	16
Don't know/Not sure	48	13	11	6	10	5	3
Refused	12	1		4	5	1	1
Male Total	498	31	96	166	148	46	11
Male Yes	87	6	24	33	13	9	2
Male No	375	16	65	127	127	32	8
Male Don't know/Not sure	29	8	7	4	6	4	
Male Refused	7	1		2	2	1	1
Female Total	824	55	206	325	185	39	14
Female Yes	144	10	48	57	20	6	3
Female No	656	40	154	264	158	32	8
Female Don't know/Not sure	19	5	4	2	4	1	3
Female Refused	5			2	3		

Denominator is:

All survey respondents who have a child six months of age or older (Asked only in January and February).

What is the MAIN reason he/she has not received a flu vaccination for this current flu season? [i.e., September 2005-March 2006.]

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Need: Do not think need it/Not recommended		69.3	59.3	65.6	69.4	75.0	76.1	100.0
Concern about vaccine: Side effects/Can cause flu/Does not work		7.1	13.0	6.0	8.6	5.1	3.1	
Access/Cost/Inconvenience		9.2	18.1	8.1	9.2	8.5	5.8	
Vaccine shortage: Saving vaccine for people who need it more		2.3		3.6	2.6	1.4	.8	
Vaccine shortage: Tried to find vaccine, but could not get it		2.5	2.1	3.8	2.2	1.2	5.3	
Vaccine shortage: Not eligible to receive vaccine		3.1		5.1	2.2	3.0	5.5	
Some other reason		6.4	7.5	7.8	5.8	5.8	3.4	
Male	Need: Do not think need it/Not recommended	72.0	70.4	70.1	69.2	76.5	71.8	100.0
	Concern about vaccine: Side effects/Can cause flu/Does not work	5.0	6.1	3.8	6.7	5.1		
	Access/Cost/Inconvenience	8.8	23.5	5.4	12.0	6.1	6.5	
	Vaccine shortage: Saving vaccine for people who need it more	1.6		4.6	.9			
	Vaccine shortage: Tried to find vaccine, but could not get it	2.3		3.1	2.7	.4	8.2	
	Vaccine shortage: Not eligible to receive vaccine	2.7		3.1	.9	4.3	8.4	
Some other reason		7.5		9.9	7.5	7.5	5.1	
Female	Need: Do not think need it/Not recommended	67.1	53.4	62.0	69.5	73.4	84.1	100.0
	Concern about vaccine: Side effects/Can cause flu/Does not work	8.8	16.7	7.6	9.9	5.2	9.1	
	Access/Cost/Inconvenience	9.5	15.2	10.1	7.3	11.1	4.5	
	Vaccine shortage: Saving vaccine for people who need it more	2.9		2.9	3.8	2.9	2.3	
	Vaccine shortage: Tried to find vaccine, but could not get it	2.7	3.2	4.4	1.9	2.0		
	Vaccine shortage: Not eligible to receive vaccine	3.5		6.7	3.0	1.5		
Some other reason		5.4	11.5	6.2	4.6	3.9		

Denominator is:

All survey respondents who have a child six months of age or older.

What is the MAIN reason he/she has not received a flu vaccination for this current flu season? [i.e., September 2005-March 2006.]

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,057	59	228	401	287	66	16
Need: Do not think need it/Not recommended		651	18	137	249	191	43	13
Concern about vaccine: Side effects/Can cause flu/Does not work		68	6	14	34	12	2	
Access/Cost/Inconvenience		79	8	17	27	23	4	
Vaccine shortage: Saving vaccine for people who need it more		22		7	10	4	1	
Vaccine shortage: Tried to find vaccine, but could not get it		22	2	8	8	2	2	
Vaccine shortage: Not eligible to receive vaccine		27		10	9	6	2	
Some other reason		50	3	13	20	13	1	
Don't know/Not sure		131	22	21	40	35	10	3
Refused		7		1	4	1	1	
Male	Total	393	18	69	135	129	34	8
	Need: Do not think need it/Not recommended	232	6	43	74	80	22	7
	Concern about vaccine: Side effects/Can cause flu/Does not work	17	1	3	8	5		
	Access/Cost/Inconvenience	28	3	3	12	8	2	
	Vaccine shortage: Saving vaccine for people who need it more	4		3	1			
	Vaccine shortage: Tried to find vaccine, but could not get it	8		2	3	1	2	
	Vaccine shortage: Not eligible to receive vaccine	9		2	1	4	2	
	Some other reason	19		4	7	7	1	
	Don't know/Not sure	72	8	8	27	24	4	1
	Refused	4		1	2		1	
Female	Total	664	41	159	266	158	32	8
	Need: Do not think need it/Not recommended	419	12	94	175	111	21	6
	Concern about vaccine: Side effects/Can cause flu/Does not work	51	5	11	26	7	2	
	Access/Cost/Inconvenience	51	5	14	15	15	2	
	Vaccine shortage: Saving vaccine for people who need it more	18		4	9	4	1	
	Vaccine shortage: Tried to find vaccine, but could not get it	14	2	6	5	1		
	Vaccine shortage: Not eligible to receive vaccine	18		8	8	2		
	Some other reason	31	3	9	13	6		
	Don't know/Not sure	59	14	13	13	11	6	2
	Refused	3			2	1		

Denominator is:

All survey respondents who have a child six months of age or older.