

Oregon 2014 BRFSS
Family Planning

In the last year, has a doctor, nurse, or other health care worker asked you if you want to become pregnant in the future?

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Yes	24.1	26.3	35.0	31.8	23.8	15.6	7.9
No	75.0	72.8	62.7	66.4	76.2	83.9	92.1
Have not had a health care visit in the last year	.9	.8	2.3	1.7		.5	

Denominator is: Female respondents under 50 without a hysterectomy.

In the last year, has a doctor, nurse, or other health care worker asked you if you want to become pregnant in the future?

(Unweighted Frequencies)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Total	691	103	85	116	119	134	134
Yes	149	24	28	41	30	17	9
No	523	75	51	72	86	114	125
Have not had a health care visit in the last year	5	1	2	1		1	
Don't know/Not sure	11	3	2	2	2	2	
Refused	3		2		1		

Denominator is: Female respondents under 50 without a hysterectomy.

Oregon 2014 BRFSS
Family Planning

Did you or your husband/wife/or partner do anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups								
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Yes		62.0	62.6	65.1	73.1	70.8	62.0	57.5	47.1	35.9
No		28.7	14.0	30.0	20.2	27.0	31.8	36.4	46.8	53.0
No partner/Not sexually active		8.9	23.4	4.2	6.3	2.1	5.4	5.5	5.9	9.5
Same sex partner		.5		.8	.4	.2	.8	.5	.2	1.6
Male	Yes	58.9	62.6	60.3	70.8	71.7	58.5	61.7	47.1	35.9
	No	33.4	14.8	36.6	26.3	28.1	37.5	34.3	46.8	53.0
	No partner/Not sexually active	7.2	22.5	3.1	2.9		3.0	3.0	5.9	9.5
	Same sex partner	.4				.3	1.1	1.0	.2	1.6
Female	Yes	66.6	62.5	72.3	75.5	69.6	65.4	53.3		
	No	21.5	13.1	20.0	14.1	25.7	26.5	38.6		
	No partner/Not sexually active	11.4	24.4	5.8	9.7	4.7	7.7	8.1		
	Same sex partner	.5		1.9	.8		.5			

Denominator is: Female respondents under 50 without a hysterectomy and not currently pregnant. Male respondents under 60.

Did you or your husband/wife/or partner do anything the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups								
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Total		1,689	213	176	207	230	225	255	158	225
Yes		991	134	114	153	159	135	144	70	82
No		499	30	44	38	58	64	91	68	106
No partner/Not sexually active		114	40	8	10	4	11	10	10	21
Same sex partner		15		2	1	1	3	2	1	5
Don't know/Not sure		12			2	3	1	1	3	2
Refused		58	9	8	3	5	11	7	6	9
Male	Total	1,029	114	99	99	118	93	123	158	225
	Yes	558	67	60	70	78	55	76	70	82
	No	350	17	29	24	34	33	39	68	106
	No partner/Not sexually active	67	24	4	3		2	3	10	21
	Same sex partner	10				1	1	2	1	5
	Don't know/Not sure	7				2			3	2
	Refused	37	6	6	2	3	2	3	6	9
Female	Total	660	99	77	108	112	132	132		
	Yes	433	67	54	83	81	80	68		
	No	149	13	15	14	24	31	52		
	No partner/Not sexually active	47	16	4	7	4	9	7		
	Same sex partner	5		2	1		2			
	Don't know/Not sure	5			2	1	1	1		
	Refused	21	3	2	1	2	9	4		

Denominator is: Female respondents under 50 without a hysterectomy and not currently pregnant. Male respondents under 60.

Oregon 2014 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups									
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	11.0	1.4	3.8	9.4	20.6	20.3	15.4	11.2	13.3	
	Male sterilization (vasectomy)	18.9		4.7	13.1	21.1	31.8	32.8	50.5	54.1	
	Contractive implant (ex: Implanon, Nexplanon)	1.8	4.3	1.2	1.3	1.9	1.2	.6			
	Hormonal IUD (ex: Mirena, Skyla)	6.2	4.6	11.1	10.0	5.7	2.9	5.8		2.4	
	Copper-bearing IUD (ex: ParaGard)	2.1	.9	3.2	3.8	.8	4.6	1.2			
	IUD, type unknown	6.4	6.6	7.7	5.9	10.3	4.3	5.5	2.9	1.6	
	Shots (ex: Depo-Provera)	1.1	2.5	2.3	.8	.3		1.0			
	Birth control pills, any kind	17.0	31.9	15.9	19.1	12.5	9.2	10.1	7.8	8.5	
	Contraceptive patch (ex: Ortho Evra)	.5	.6			2.1					
	Contraceptive ring (ex: Nuvaring)	.8	1.4	2.8	.5			.4		.9	
	Male condoms	25.6	41.9	38.9	27.7	14.9	12.4	13.6	18.9	11.4	
	Diaphragm, cervical cap, sponge	.3				1.9				1.0	
	Female condoms	.6	1.8	1.0		.2		.5			
	Not having sex at certain times (rhythm or natural family pl	.8		1.4	.4	1.9	.7	1.4		.5	
	Withdrawal (or pulling out)	2.3	1.1	5.0	3.7	2.4		2.6		1.9	
	Foam, jelly, film, or cream	.1			.5						
	Emergency contraception (morning after pill)	.3		.6		1.5					
	Other method	3.0	.9	.4	3.7	1.9	7.6	4.8	4.5	3.0	
	Hysterectomy	1.4					5.0	4.4	4.1	1.5	
Male	Female sterilization (ex: Tubal ligation, Essure, Adiana)	9.7	2.7		5.7	18.5	21.6	12.4	11.2	13.3	
	Male sterilization (vasectomy)	19.7		1.6	9.5	18.8	29.6	27.8	50.5	54.1	
	Contractive implant (ex: Implanon, Nexplanon)	1.9	3.9	.6	1.6	3.3	2.8	1.1			
	Hormonal IUD (ex: Mirena, Skyla)	3.6		7.3	7.8	2.5	3.2	6.9		2.4	
	Copper-bearing IUD (ex: ParaGard)	2.5	1.7	2.3	6.7	1.4	7.6				
	IUD, type unknown	6.1	6.7	10.6	.8	12.8		9.3	2.9	1.6	
	Shots (ex: Depo-Provera)	1.3	2.2	3.5	1.8			1.8			
	Birth control pills, any kind	12.3	18.0	17.6	20.5	6.7	6.1	4.9	7.8	8.5	
	Contraceptive patch (ex: Ortho Evra)	.6				3.8					
	Contraceptive ring (ex: Nuvaring)	.7	2.1	1.2	1.0					.9	
	Male condoms	33.1	55.4	51.5	40.9	20.5	18.2	21.3	18.9	11.4	
	Diaphragm, cervical cap, sponge	.5				2.8				1.0	
	Female condoms	.6	3.4								
	Not having sex at certain times (rhythm or natural family pl	.6				2.8	1.7			.5	
	Withdrawal (or pulling out)	2.0	2.1	3.3	2.3	2.1		4.2		1.9	
	Emergency contraception (morning after pill)	.4				2.7					
	Other method	2.5	1.8	.7	1.5	1.3	6.7	3.1	4.5	3.0	
	Hysterectomy	1.5					2.4	7.3	4.1	1.5	
	Female	Female sterilization (ex: Tubal ligation, Essure, Adiana)	12.7		8.5	12.7	23.2	19.4	18.9		
		Male sterilization (vasectomy)	17.9		8.6	16.3	24.0	33.4	38.7		
Contractive implant (ex: Implanon, Nexplanon)		1.6	4.7	1.9	1.2						
Hormonal IUD (ex: Mirena, Skyla)		9.4	9.6	15.8	12.0	10.0	2.6	4.6			
Copper-bearing IUD (ex: ParaGard)		1.5		4.4	1.3		2.3	2.5			
IUD, type unknown		6.7	6.5	4.2	10.4	7.0	7.5	1.0			
Shots (ex: Depo-Provera)		.9	2.9	.9		.7					

Oregon 2014 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Birth control pills, any kind	23.0	46.9	13.7	17.8	19.9	11.6	16.1		
Contraceptive patch (ex: Ortho Evra)	.3	1.3							
Contraceptive ring (ex: Nuvaring)	.9	.7	4.8				.8		
Male condoms	15.8	27.3	23.2	16.1	7.7	8.0	4.7		
Diaphragm, cervical cap, sponge	.1				.7				
Female condoms	.5		2.3		.6		1.0		
Not having sex at certain times (rhythm or natural family pl)	1.0		3.1	.7	.9		3.0		
Withdrawal (or pulling out)	2.6		7.1	4.8	2.7		.8		
Foam, jelly, film, or cream	.2			1.0					
Emergency contraception (morning after pill)	.2		1.3						
Other method	3.7			5.7	2.7	8.2	6.8		
Hysterectomy	1.2					7.0	1.1		

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant. Male respondents under 60 whose spouses or partners are sexually active, and are doing something to prevent pregnancy.

Oregon 2014 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups								
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Total		988	134	112	153	159	135	143	70	82
Female sterilization (ex: Tubal ligation, Essure, Adiana)		105	1	3	12	27	23	22	8	9
Male sterilization (vasectomy)		215		4	19	32	48	43	28	41
Contractive implant (ex: Implanon, Nexplanon)		12	4	2	2	1	2	1		
Hormonal IUD (ex: Mirena, Skyla)		58	6	11	14	11	5	9		2
Copper-bearing IUD (ex: ParaGard)		18	1	3	4	2	7	1		
IUD, type unknown		64	9	7	11	19	7	8	2	1
Shots (ex: Depo-Provera)		9	4	2	1	1		1		
Birth control pills, any kind		157	43	22	29	21	12	13	9	8
Contraceptive patch (ex: Ortho Evra)		2	1			1				
Contraceptive ring (ex: Nuvaring)		9	2	4	1			1		1
Male condoms		209	52	38	40	23	14	21	12	9
Diaphragm, cervical cap, sponge		4				2				2
Female condoms		4	1	1		1		1		
Not having sex at certain times (rhythm or natural family pl)		10		2	1	3	1	2		1
Withdrawal (or pulling out)		21	2	5	4	4		4		2
Foam, jelly, film, or cream		1			1					
Emergency contraception (morning after pill)		2		1		1				
Other method		34	2	1	5	4	8	5	5	4
Don't know/Not sure		9	1	3		1	1	1	2	
Hysterectomy		12					2	5	3	2
Refused		33	5	3	9	5	5	5	1	
Male	Total	556	67	59	70	78	55	75	70	82
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	50	1		3	10	10	9	8	9
	Male sterilization (vasectomy)	129		1	8	14	17	20	28	41
	Contractive implant (ex: Implanon, Nexplanon)	8	2	1	1	1	2	1		
	Hormonal IUD (ex: Mirena, Skyla)	20		5	5	2	2	4		2
	Copper-bearing IUD (ex: ParaGard)	11	1	1	3	2	4			
	IUD, type unknown	34	5	5	1	13		7	2	1
	Shots (ex: Depo-Provera)	5	2	1	1			1		
	Birth control pills, any kind	66	11	11	14	6	3	4	9	8
	Contraceptive patch (ex: Ortho Evra)	1				1				
	Contraceptive ring (ex: Nuvaring)	4	1	1	1					1
	Male condoms	148	35	27	24	16	7	18	12	9
	Diaphragm, cervical cap, sponge	3				1				2
	Female condoms	1	1							
	Not having sex at certain times (rhythm or natural family pl)	4				2	1			1
	Withdrawal (or pulling out)	12	2	1	2	2		3		2
	Emergency contraception (morning after pill)	1				1				
	Other method	20	2	1	1	2	4	1	5	4
	Don't know/Not sure	8	1	2		1	1	1	2	
	Hysterectomy	10					1	4	3	2
	Refused	21	3	2	6	4	3	2	1	
Female	Total	432	67	53	83	81	80	68		
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	55		3	9	17	13	13		

Oregon 2014 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Male sterilization (vasectomy)	86		3	11	18	31	23		
Contractive implant (ex: Implanon, Nexplanon)	4	2	1	1					
Hormonal IUD (ex: Mirena, Skyla)	38	6	6	9	9	3	5		
Copper-bearing IUD (ex: ParaGard)	7		2	1		3	1		
IUD, type unknown	30	4	2	10	6	7	1		
Shots (ex: Depo-Provera)	4	2	1		1				
Birth control pills, any kind	91	32	11	15	15	9	9		
Contraceptive patch (ex: Ortho Evra)	1	1							
Contraceptive ring (ex: Nuvaring)	5	1	3				1		
Male condoms	61	17	11	16	7	7	3		
Diaphragm, cervical cap, sponge	1				1				
Female condoms	3		1		1		1		
Not having sex at certain times (rhythm or natural family pl)	6		2	1	1		2		
Withdrawal (or pulling out)	9		4	2	2		1		
Foam, jelly, film, or cream	1			1					
Emergency contraception (morning after pill)	1		1						
Other method	14			4	2	4	4		
Don't know/Not sure	1		1						
Hysterectomy	2					1	1		
Refused	12	2	1	3	1	2	3		

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant. Male respondents under 60 whose spouses or partners are sexually active, and are doing something to prevent pregnancy.

Oregon 2014 BRFS
Family Planning

What was your main reason for not doing anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Didn't think you were going to have sex	4.8	28.3	9.4			1.6	1.9		2.2
You want a pregnancy	9.1	16.2	27.3	18.8	4.9	5.8	.3	2.8	
You don't mind if you get pregnant	8.5	6.3	25.6	13.4	18.3	1.9	3.6	.6	
You were not taking, or using, your method consistently	1.0	3.2			5.0			.7	
Same sex partner	2.4	2.4	1.5	5.8	1.2	1.0	6.0	1.7	
You or your partner are pregnant now	3.1		5.2	6.6	4.6	6.0	2.6		
You didn't think you would get pregnant that time	6.7	3.1	2.2	11.5	3.1	8.9	11.3	9.3	3.5
Other reason	20.5	32.1	13.1	16.3	34.9	14.5	12.2	24.4	20.3
You or your partner don't want to use birth control/side effects	1.4	8.4			.9	1.0	2.5		
Religious reasons/ it doesn't fit in with your beliefs	.5			3.0				1.0	
You couldn't get or couldn't pay for birth control when you needed it	.2				1.8				
You or your partner can't get pregnant (too old or infertile)	16.2		10.2	15.8	15.3	12.8	15.6	22.8	31.7
You or your partner have been sterilized	19.9		5.6	8.7	9.9	33.4	37.3	24.2	31.4
You or your partner had a hysterectomy	5.8					13.2	6.4	12.4	10.8

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant, who are sexually active and not doing something to keep from getting pregnant. Male respondents under 60 who are sexually active and not doing something to keep from getting pregnant.

Oregon 2014 BRFSS
Family Planning

What was your main reason for not doing anything the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Total	493	30	44	37	54	64	91	68	105
Didn't think you were going to have sex	14	6	3			1	2		2
You want a pregnancy	31	3	12	7	2	4	1	2	
You don't mind if you get pregnant	25	2	5	4	9	1	3	1	
You were not taking, or using, your method consistently	3	1			1			1	
Same sex partner	13	1	1	3	1	1	4	2	
You or your partner are pregnant now	11		2	4	2	1	2		
You didn't think you would get pregnant that time	31	1	1	3	3	6	7	5	5
Other reason	93	9	8	6	14	7	12	16	21
You or your partner don't want to use birth control/side effects	5	2			1	1	1		
Religious reasons/ it doesn't fit in with your beliefs	2			1				1	
You couldn't get or couldn't pay for birth control when you needed it	1				1				
Don't know/Not sure	18	4			1	3	7	1	2
You or your partner can't get pregnant (too old or infertile)	88		4	4	7	7	16	16	34
You or your partner have been sterilized	101		2	3	6	21	27	15	27
You or your partner had a hysterectomy	23					5	4	5	9
Refused	34	1	6	2	6	6	5	3	5

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant, who are sexually active and not doing something to keep from getting pregnant. Male respondents under 60 who are sexually active and not doing something to keep from getting pregnant.

Oregon 2014 BRFSS
Family Planning

How do you feel about becoming pregnant now or sometime in the future? Would you say. . .

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
You don't want a future pregnancy	39.1	19.1	19.4	42.6	48.5	77.3	75.2
You are trying to get pregnant now	3.7		6.2	3.8	13.2		
You're not trying now but want to get pregnant in the future	27.8	57.2	34.4	16.8	7.5	1.5	6.9
You aren't sure if you want to become pregnant in the future	14.8	15.2	15.1	28.9	8.5	3.3	2.7
You're ok with getting pregnant or not getting pregnant	12.2	7.3	24.9	5.4	19.3	13.8	8.2
Other	2.3	1.1		2.5	3.1	4.0	7.1

Denominator is: All female respondents under 50 without a hysterectomy or tubes tied, and are not currently pregnant.

How do you feel about becoming pregnant now or sometime in the future? Would you say. . .

(Unweighted Frequencies)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Total	383	80	60	73	64	50	56
You don't want a future pregnancy	160	14	9	28	32	35	42
You are trying to get pregnant now	12		4	3	5		
You're not trying now but want to get pregnant in the future	92	44	24	15	6	1	2
You aren't sure if you want to become pregnant in the future	53	14	9	20	6	3	1
You're ok with getting pregnant or not getting pregnant	49	6	13	5	12	7	6
Other	8	1		2	2	1	2
Refused	9	1	1		1	3	3

Denominator is: All female respondents under 50 without a hysterectomy or tubes tied, and are not currently pregnant.

Oregon 2014 BRFSS
Family Planning

How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
0 times a week	54.6	61.9	47.7	42.4	54.2	57.6	67.6
1 to 3 times a week	10.5	10.3	14.0	17.8	4.9	6.8	1.3
4 to 6 times a week	8.3	10.7	10.0	4.0	7.6	5.8	11.5
Every day of the week	26.6	17.1	28.2	35.7	33.3	29.8	19.6

Denominator is: All female respondents under 50 without a hysterectomy, tubes tied, contraceptive implants, emergency contraception, and not currently pregnant.

How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Unweighted Frequencies)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Total	382	80	60	72	64	50	56
0 times a week	196	50	28	28	29	28	33
1 to 3 times a week	42	9	9	14	5	4	1
4 to 6 times a week	34	7	5	3	7	5	7
Every day of the week	107	14	16	27	23	12	15
Don't know/Not sure	1		1				
Refused	2		1			1	

Denominator is: All female respondents under 50 without a hysterectomy, tubes tied, contraceptive implants, emergency contraception, and not currently pregnant.