

Oregon 2004 -2007 BRFSS Data - Behavior Risk Survey Topics by County

Heavy Drinking, Adult Males, Oregon, 2004-2007 (Age adjusted)							
Adult males who had 2+ drinks of alcohol per day (60+ drinks of alcohol per month) in the past 30 days.							
			95% Confidence				
Males	PERCENT		Interval		Small	Number	Interviews
18 years & older	weighted %	S.S.*	L. limit %	U. limit %	#	unweighted N	unweighted N
STATEWIDE	5.8		5.2	6.4		608	10291
BAKER	6.3		2.7	14.1		8	80
BENTON	3.5		1.5	8.0		8	284
CLACKAMAS	6.2		4.4	8.7		55	913
CLATSOP	7.1		3.4	14.5		9	141
COLUMBIA	8.7		3.2	21.7		8	158
COOS	9.5		5.1	16.8		16	221
CROOK	2.7		0.9	7.8		4	69
CURRY	5.6		2.6	11.7		10	102
DESCHUTES	5.1		3.1	8.3		25	451
DOUGLAS	5.3		2.9	9.6		17	338
GILLIAM/WHEELER	**		**	**	**	1	17
GRANT	3.7		1.2	10.9	**	3	36
HARNEY	**		**	**	**	4	35
HOOD RIVER	10.3		2.9	30.6		5	59
JACKSON	6.2		4.0	9.5		37	571
JEFFERSON	3.5		1.0	12.2		3	67
JOSEPHINE	6.4		3.1	12.7		17	279
KLAMATH	6.5		3.2	12.8		14	243
LAKE	12.1		4.3	29.8	**	6	41
LANE	6.8		5.1	9.2		64	1039
LINCOLN	4.2		2.0	8.9		10	166
LINN	5.5		2.7	10.8		17	323
MALHEUR	8.7		4.1	17.3		9	87
MARION	5.0		3.4	7.4		37	703
MORROW	**		**	**	**	0	32
MULTNOMAH	6.7		5.4	8.4		123	1730
POLK	1.6	s-	0.6	4.2		6	194
TILLAMOOK	2.3		0.6	8.3		3	87
UMATILLA	3.1		1.4	6.8		9	206
UNION	1.8		0.4	8.6		2	85
WALLOWA	1.4		0.2	10.1		1	51
WASCO/SHERMAN	9.7		3.6	23.4		7	103
WASHINGTON	4.0		2.9	5.4		52	1141
YAMHILL	9.2		5.2	15.8		18	239

\* S.S. = Statistical Significance: s+ indicates that the county estimate is greater than the statewide rate; s-, less than the statewide rate; a blank, not different from the statewide rate.

\*\* % based on less than 50 respondents total or fewer than 12 in any one of the three age groups may not accurately reflect behavior of the entire county.

NOTE: Age adjustment is based on three age groups: 18-34; 35-54; and 55+, per U.S. Standard Million Population.

Source: Oregon Behavioral Risk Factor Surveillance System - [healthoregon.org/brfss](http://healthoregon.org/brfss)