

**Oregon Adults 65+ Who Had a Pneumonia Shot Within the Past Year, Oregon,
2012-2015**

Adults 18 years & older	<i>Unadjusted</i>		
	%	95% Confidence Interval ¹	
		L. limit %	U. limit %
STATEWIDE	75.2	73.8	76.5
BAKER	56.7 ~	40.9	71.3
BENTON	84.7 ~	77.9	89.6
CLACKAMAS	76.2	71.7	80.3
CLATSOP	67.0	53.0	78.4
COLUMBIA	70.4	58.6	80.0
COOS	73.1	64.4	80.3
CROOK	78.9	65.1	88.2
CURRY	72.1	58.2	82.8
DESCHUTES	79.3	73.8	83.8
DOUGLAS	78.0	72.3	82.9
GRANT	66.1	46.5	81.4
HARNEY	*	*	*
HOOD RIVER	89.8 ~	76.7	95.9
JACKSON	65.6 ~	59.1	71.7
JEFFERSON	72.0	51.8	86.0
JOSEPHINE	67.4	59.6	74.4
KLAMATH	66.4	55.9	75.6
LAKE	*	*	*
LANE	78.5	74.6	82.1
LINCOLN	79.3	70.8	85.8
LINN	69.3	62.7	75.2
MALHEUR	70.0	55.4	81.4
MARION	78.9	73.4	83.6
MORROW	76.1	46.8	92.0
MULTNOMAH	76.8	72.9	80.3
POLK	70.0	59.2	78.9
TILLAMOOK	74.0	59.7	84.6
UMATILLA	72.3	59.5	82.2
UNION	66.5	50.1	79.7
WALLOWA	68.7	41.8	87.0
WASHINGTON	79.5	74.7	83.6
WHEELER	*	*	*
YAMHILL	80.9	73.6	86.6
GILLIAM/WASCO/SHERMAN	76.7	58.3	88.5

* This number is suppressed because it is statistically unreliable.

~ Statistically Significant: significantly higher or lower than the statewide rate.

¹ Confidence intervals provide a measure of how much an estimate might vary due to chance. We present 95% confidence intervals, which means that if we conducted this survey over and over, 95% of the confidence intervals calculated would contain the true population value. Wider intervals suggest the estimate is more unreliable and should be interpreted with caution, however it is the best estimate available.

Source: Oregon Behavioral Risk Factors Surveillance System 2012-2015 county combined

NOTE: Age adjustment is based on three age groups: 18-34; 35-54; and 55+, per U.S.