

TABLE 3-5. Contraceptive Use, Number of Previous Abortions, and Number of Living Children by Age of Patient, Oregon Occurrence, 2003

Contraceptive Used, Previous Abortions, and Number of Living Children	Total	Age Groups								
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	12,622	52	2,154	4,398	2,690	1,829	1,077	367	32	23
None Used	8,308	35	1,506	2,885	1,772	1,149	674	252	20	15
No Previous Abortion	4,603	34	1,262	1,648	826	451	260	108	7	7
One	2,130	1	194	800	488	353	205	75	8	6
Two	922	–	38	276	261	188	111	43	5	–
Three	352	–	3	103	100	88	43	14	–	1
Four or More	261	–	2	52	85	63	48	11	–	–
Pills Used	1,250	3	221	472	283	172	85	10	–	4
No Previous Abortion	684	2	170	268	130	71	38	4	–	1
One	345	1	39	129	92	52	28	3	–	1
Two	134	–	7	48	29	36	12	2	–	–
Three	53	–	3	16	20	9	4	1	–	–
Four or More	27	–	1	8	12	3	3	–	–	–
Condoms Used	2,301	13	358	819	464	349	215	74	6	3
No Previous Abortion	1,256	13	297	470	205	152	80	32	5	2
One	625	–	48	237	149	98	69	23	–	1
Two	271	–	10	70	78	63	39	10	1	–
Three	82	–	3	26	19	15	13	6	–	–
Four or More	61	–	–	14	11	19	14	3	–	–
Other Contraceptive	917	1	90	273	201	180	127	37	7	1
No Previous Abortion	414	1	72	141	82	58	41	14	4	1
One	266	–	12	76	61	61	44	9	3	–
Two	140	–	5	43	32	32	21	7	–	–
Three	55	–	1	8	15	18	10	3	–	–
Four or More	39	–	–	5	11	9	10	4	–	–
Contraceptive Use Unknown	7	–	1	2	1	1	–	2	–	–
No Previous Abortion	5	–	1	2	–	1	–	1	–	–
One	–	–	–	–	–	–	–	–	–	–
Two	1	–	–	–	1	–	–	–	–	–
Three	–	–	–	–	–	–	–	–	–	–
Four or More	–	–	–	–	–	–	–	–	–	–
Previous Abortions Unknown ...	7	–	2	1	2	1	1	–	–	–
Number of Living Children										
No Children	5,575	51	1,771	2,186	893	409	194	62	2	7
Total with Children	7,029	1	381	2,208	1,792	1,416	881	305	30	15
One	3,208	1	327	1,337	736	468	254	69	8	8
Two	2,488	–	50	709	682	547	351	132	11	6
Three	903	–	3	142	265	252	168	64	8	1
Four	281	–	–	16	79	91	68	26	1	–
Five or More	149	–	1	4	30	58	40	14	2	–

– Quantity is zero.

NOTE: Contraceptive totals include abortions where the number of previous abortions is unknown. Multiple contraceptive methods may be reported for a single patient.