

TABLE 3-1. Number, Rate, and Percent Change for Pregnancies, Births, and Abortions to 15- to 44-year-olds, Oregon, 1980-2009

Year	Pregnancies ¹			Births ²			Abortions ³				
	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	% of Pregnancies Ending in Abortion	% Change in Percent from Previous Year
1980	58,592	94.4	1.6	43,007	69.3	0.3	15,585	25.1	5.3	26.6	3.7
1985	51,287	81.1	-2.9	39,364	62.2	-1.0	11,923	18.8	-9.1	23.2	-6.5
1990	56,315	85.8	1.3	42,741	65.2	3.0	13,754	20.7	-3.0	24.1	-4.4
1995	56,521	82.8	2.7	42,568	62.4	2.1	13,953	20.4	4.6	24.7	2.1
1996	57,175	83.1	0.4	43,515	63.2	1.3	13,660	19.9	-2.5	24.4	-1.2
1997	58,106	84.0	3.1	43,619	63.0	-0.3	14,487	20.9	5.0	24.9	2.0
1998	59,284	84.5	0.6	45,075	64.2	1.9	14,209	20.3	-2.9	24.0	-3.6
1999	59,067	84.2	-0.4	45,039	64.2	0.0	14,028	20.0	-1.5	23.7	-1.3
2000	59,758	82.4	-2.1	45,654	62.9	-2.0	14,104	19.4	-3.0	23.6	-0.4
2001	59,348	81.0	-1.7	45,177	61.6	-2.1	14,171	19.3	-0.5	23.9	1.3
2002	58,172	78.6	-3.0	45,071	60.9	-1.1	13,101	17.7	-8.3	22.5	-5.9
2003	58,337	77.9	-0.9	45,799	61.2	0.5	12,538	16.7	-5.6	21.5	-4.4
2004	56,865	74.9	-3.9	45,508	60.0	-2.0	11,357	15.0	-10.2	20.0	-7.0
2005	57,271	77.9	4.0	45,776	62.2	3.7	11,495	15.6	4.0	20.1	0.5
2006	60,678	81.9	5.1	48,539	65.5	5.3	12,139	16.4	5.1	20.0	-0.5
2007	60,885	81.7	-0.2	49,211	66.0	0.8	11,674	15.7	-4.3	19.2	-4.2
2008	59,496	78.4	-4.0	48,999	64.6	-2.2	10,497	13.8	-11.6	17.6	-8.0
2009	57,804	76.1	-2.9	47,070	62.0	-4.0	10,734	14.1	2.3	18.6	5.3
Change 1999 - 2009	-1,263	-8.1		2,031	-2.2		-3,294	-5.9		-5.0	
% Change 1999 - 2009	-2.1%	-9.6%		4.5%	-3.4%		-23.5%	-29.5%		-21.5%	

¹ Pregnancies include resident births and occurrence abortions, but exclude fetal deaths and spontaneous abortions.

² Oregon residence, figures for births (includes 15-44 year-old females only).

³ Oregon occurrence, figures for abortions (includes 15-44 and unknown age females).

Note: ORS 435.496 was implemented in 1984, requiring all providers of abortion to file a report of induced termination of pregnancy for each abortion performed. Rates per 1,000 females 15-44 years of age. 2009 population estimate: 759,104.

**Table 3-2. Live Births and Induced Abortions
Occurring in Oregon, 1970-2009**

Year	Births	Induced Abortions	
		Number	Ratio
1970	36,031	7,187	199.5
1975	34,312	10,641	310.1
1976	35,612	12,590	353.5
1977	38,448	13,163	342.4
1978	40,015	13,605	340.0
1979	42,874	14,501	338.2
1980	44,223	*15,735	355.8
1981	44,150	14,799	335.2
1982	42,093	12,807	304.3
1983	41,047	12,064	293.9
1984	40,841	**13,133	321.6
1985	40,778	12,056	295.6
1986	40,093	11,217	279.8
1987	39,996	11,147	278.7
1988	41,345	13,309	321.9
1989	42,710	13,928	326.1
1990	44,464	13,658	307.2
1991	44,007	14,310	325.2
1992	43,627	12,685	290.8
1993	43,272	12,961	299.5
1994	43,591	13,392	307.2
1995	44,609	14,079	315.6
1996	45,677	13,767	301.4
1997	45,117	14,612	323.9
1998	46,277	14,344	310.0
1999	46,106	14,145	306.8
2000	46,790	14,194	303.4
2001	46,200	14,272	308.9
2002	46,053	13,172	286.0
2003	46,844	12,622	269.4
2004	46,453	11,443	246.3
2005	46,715	11,602	248.4
2006	49,089	12,246	249.5
2007	49,373	11,883	240.7
2008	49,492	10,610	214.4
2009	47,685	10,801	226.5

* The increase in the 1980 total reflects improved reporting rather than an increase in the number of abortions performed. Approximately 1,000-1,400 of the abortions were performed by providers who did not participate in the voluntary abortion reporting system prior to 1980 even though they performed abortions in previous years.

**The increase in the 1984 total is probably a consequence of the implementation of ORS 435.496, which requires that an induced termination of pregnancy report be filed by abortion providers whenever an induced abortion is performed.

NOTE: Induced abortion ratio is the number of abortions per 1,000 live births.

TABLE 3-3. Induced Abortions by Race/Ethnicity, Marital Status and Age, Oregon Occurrence, 2009

Race/Ethnicity and Marital Status	Total	Age Groups								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	10,801	37	1,737	3,373	2,619	1,595	1,022	344	30	44
White	9,099	32	1,459	2,867	2,205	1,341	864	273	25	33
African American	694	2	136	233	168	88	50	17	–	–
American Indian	273	3	55	77	70	39	20	8	–	1
Chinese	108	–	13	22	21	21	16	13	1	1
Japanese	31	–	3	4	10	7	5	1	–	1
Hawaiian	33	–	5	13	6	7	2	–	–	–
Filipino	51	–	3	14	11	13	8	2	–	–
Other Asian/Pacific Islander ...	279	1	26	87	75	39	32	14	3	2
Other Non-white	13	–	2	1	8	2	–	–	–	–
Unknown	303	1	60	94	75	43	19	7	–	4
Hispanic	1,248	5	226	400	291	183	106	29	–	8
White	995	5	178	321	224	149	85	26	–	7
African American	23	–	6	12	4	1	–	–	–	–
American Indian	39	–	4	14	9	6	4	1	–	1
Chinese	12	–	4	2	2	3	1	–	–	–
Japanese	–	–	–	–	–	–	–	–	–	–
Hawaiian	6	–	1	2	–	2	1	–	–	–
Filipino	7	–	–	2	1	3	–	1	–	–
Other Asian/Pacific Islander	10	–	1	4	2	2	1	–	–	–
Other Non-white	6	–	1	–	4	1	–	–	–	–
Unknown	182	–	36	59	46	23	15	2	–	1
Non-Hispanic	9,449	31	1,496	2,945	2,296	1,397	913	311	30	30
White	8,053	27	1,270	2,533	1,965	1,184	778	246	25	25
African American	668	2	129	219	164	87	50	17	–	–
American Indian	233	3	51	63	60	33	16	7	–	–
Chinese	93	–	9	19	19	18	14	12	1	1
Japanese	31	–	3	4	10	7	5	1	–	1
Hawaiian	27	–	4	11	6	5	1	–	–	–
Filipino	44	–	3	12	10	10	8	1	–	–
Other Asian/Pacific Islander	260	1	24	82	69	35	31	13	3	2
Other Non-white	7	–	1	1	4	1	–	–	–	–
Unknown	98	–	24	27	21	17	4	4	–	1
Ethnicity Unknown	104	1	15	28	32	15	3	4	0	6
Marital Status										
Never Married	7,432	37	1,639	2,840	1,744	739	334	81	4	14
Now Married	1,537	–	36	248	376	394	319	141	16	7
Widowed	31	–	–	2	9	9	5	4	1	1
Divorced	975	–	3	94	241	291	242	89	8	7
Separated	453	–	6	81	156	102	86	21	1	–
Unknown	373	–	53	108	93	60	36	8	–	15

– Quantity is zero.

NOTE: Persons may report multiple races, therefore the subsets may not add to the category totals.

TABLE 3-4. Abortions in Relation to Length of Gestation by Method, Complications, and Age of Patient, Oregon Occurrence, 2009

Method, Complications and Age of Patient	Total	Weeks Gestation						
		< 9	9-12	13-16	17-20	21-22	23+	Unk.
Total	10,801	6,711	2,432	749	405	107	72	325
Suction Curette	5,995	3,578	1,810	337	40	9	1	220
Medical (Non-surgical)	1,690	1,587	41	4	7	–	2	49
Dilation & Evacuation	3,056	1,514	576	401	350	98	67	50
Intra-uterine Instillation	2	2	–	–	–	–	–	–
Vaginal Prostaglandin	9	1	1	–	6	–	1	–
Other	28	24	–	1	–	–	–	3
Unknown	21	5	4	6	2	–	1	3
Complications								
None	8,451	4,876	2,161	655	364	92	59	244
Hemorrhage	7	6	–	1	–	–	–	–
Infection	35	25	6	2	1	–	–	1
Uterine Perforation	1	–	–	–	–	1	–	–
Cervical Laceration	2	1	1	–	–	–	–	–
Retained Products	78	58	10	5	1	1	–	3
Failure of First Method	48	42	3	–	–	–	–	3
Other	40	26	8	2	1	–	–	3
Multiple Complications	21	13	5	1	–	1	–	1
Age Groups								
< 15	37	21	6	1	6	–	–	3
15-19	1,737	969	473	137	78	20	14	46
20-24	3,373	2,003	827	264	126	30	27	96
25-29	2,619	1,641	555	194	94	27	21	87
30-34	1,595	1,092	318	82	47	12	2	42
35-39	1,022	696	184	51	37	13	4	37
40-44	344	240	55	17	15	5	4	8
45+	30	21	6	1	1	–	–	1
N.S.	44	28	8	2	1	–	–	5

– Quantity is zero.

TABLE 3-5. Contraceptive Use, Number of Previous Abortions, and Number of Living Children by Age of Patient, Oregon Occurrence, 2009

Contraceptive Used, Previous Abortions, and Number of Living Children	Total	Age Groups								N.S.
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	
Total	10,801	37	1,737	3,373	2,619	1,595	1,022	344	30	44
None Used	7,239	29	1,250	2,289	1,735	993	663	230	20	30
No Previous Abortion	4,246	28	1,061	1,453	858	428	278	115	10	15
One	1,673	—	147	521	455	289	199	57	1	4
Two	672	1	20	182	220	122	89	30	3	5
Three	285	—	4	70	88	58	46	14	3	2
Four or More	259	—	2	32	92	79	42	10	2	—
Pills Used	1,171	2	193	411	301	165	74	17	2	6
No Previous Abortion	667	2	155	253	130	73	41	8	2	3
One	286	—	24	109	89	42	16	5	—	1
Two	122	—	7	29	52	22	10	1	—	1
Three	36	—	1	9	12	12	2	—	—	—
Four or More	41	—	1	8	13	14	3	2	—	—
Condoms Used	1,805	6	264	519	432	300	199	74	6	5
No Previous Abortion	999	6	235	324	198	115	77	39	3	2
One	441	—	21	127	122	94	64	10	2	1
Two	185	—	4	39	59	41	23	17	1	1
Three	93	—	1	13	30	26	18	4	—	1
Four or More	63	—	—	12	16	20	12	3	—	—
Other Contraceptive	718	—	51	191	194	154	95	28	2	3
No Previous Abortion	342	—	44	106	78	56	38	16	2	2
One	190	—	6	52	56	44	25	7	—	—
Two	93	—	1	19	38	21	12	2	—	—
Three	52	—	—	5	12	17	15	2	—	1
Four or More	36	—	—	9	7	15	4	1	—	—
Contraceptive Use Unknown	54	1	7	19	17	4	1	2	—	3
No Previous Abortion	34	1	6	14	10	2	—	1	—	—
One	9	—	—	3	1	2	1	1	—	1
Two	5	—	—	1	4	—	—	—	—	—
Three	2	—	—	1	1	—	—	—	—	—
Four or More	—	—	—	—	—	—	—	—	—	—
Previous Abortions Unknown ...	2	—	—	—	1	1	—	—	—	—
Number of Living Children										
No Children	5,145	35	1,432	1,964	1,000	424	210	62	5	13
Total with Children	5,575	2	285	1,381	1,604	1,159	810	280	25	29
One	2,492	2	247	869	667	375	222	84	8	18
Two	1,907	—	35	389	592	432	328	116	9	6
Three	756	—	3	97	235	221	143	47	7	3
Four	284	—	—	25	78	86	78	15	—	2
Five or More	136	—	—	1	32	45	39	18	1	—

— Quantity is zero.

NOTE: Contraceptive totals include abortions where the number of previous abortions is unknown. Multiple contraceptive methods may be reported for a single patient.

TABLE 3-6. Induced Terminations of Pregnancy by Residence and Age Group of Patient, Oregon Occurrence, 2009

Place of Residence	Total	Age Groups								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	10,801	37	1,737	3,373	2,619	1,595	1,022	344	30	44
Baker	6	*	*	*	*	*	*	*	*	*
Benton	149	—	33	64	27	8	13	1	—	3
Clackamas	768	1	144	226	150	121	86	32	5	3
Clatsop	78	—	19	25	16	11	4	2	1	—
Columbia	90	—	18	29	19	16	5	3	—	—
Coos	94	—	22	26	21	11	10	3	—	1
Crook	24	1	7	9	4	1	1	1	—	—
Curry	13	—	3	5	3	1	1	—	—	—
Deschutes	354	2	60	108	78	54	38	13	1	—
Douglas	175	2	25	59	50	18	18	3	—	—
Gilliam	—	—	—	—	—	—	—	—	—	—
Grant	5	*	*	*	*	*	*	*	*	*
Harney	9	*	*	*	*	*	*	*	*	*
Hood River	41	—	6	16	2	7	8	1	1	—
Jackson	448	4	81	137	102	70	34	18	1	1
Jefferson	37	1	7	16	3	4	3	3	—	—
Josephine	112	1	20	40	24	15	10	1	—	1
Klamath	82	1	19	30	18	8	5	1	—	—
Lake	3	*	*	*	*	*	*	*	*	*
Lane	920	4	133	298	213	137	102	29	2	2
Lincoln	97	1	16	30	24	17	9	—	—	—
Linn	174	—	44	52	31	27	16	2	2	—
Malheur	7	*	*	*	*	*	*	*	*	*
Marion	807	2	163	261	181	114	55	29	1	1
Morrow	1	*	*	*	*	*	*	*	*	*
Multnomah	3,212	8	434	923	889	520	314	102	7	15
Polk	113	—	22	42	23	15	4	6	—	1
Sherman	1	*	*	*	*	*	*	*	*	*
Tillamook	42	—	6	15	8	4	6	3	—	—
Umatilla	37	—	3	10	14	5	4	1	—	—
Union	12	—	—	5	5	1	1	—	—	—
Wallowa	2	*	*	*	*	*	*	*	*	*
Wasco	44	1	3	22	9	5	3	1	—	—
Washington	1,355	1	178	427	347	199	143	52	7	1
Wheeler	—	—	—	—	—	—	—	—	—	—
Yamhill	188	1	34	63	52	16	19	2	—	1
Out of State	1,217	6	209	400	287	170	102	34	2	7
Not Stated	84	—	15	25	14	18	5	—	—	7

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.

TABLE 3-7. Induced Terminations of Pregnancy by County of Residence and County of Occurrence, Oregon, 2009

County of Residence	Total	County of Occurrence							
		Benton	Deschutes	Jackson	Lane	Marion	Multnomah	Washington	Yamhill
Total	10,801	24	404	596	1,334	780	6,814	743	89
Baker	6	*	*	*	*	*	*	*	*
Benton	149	18	1	—	35	55	26	8	6
Clackamas ..	768	—	—	—	6	8	698	53	3
Clatsop	78	—	—	—	1	—	73	4	—
Columbia	90	—	—	—	1	1	71	17	—
Coos	94	—	1	3	71	1	18	—	—
Crook	24	—	19	—	—	—	5	—	—
Curry	13	—	—	6	6	—	1	—	—
Deschutes ...	354	—	306	1	8	3	33	2	1
Douglas	175	—	2	4	141	3	23	2	—
Gilliam	—	—	—	—	—	—	—	—	—
Grant	5	*	*	*	*	*	*	*	*
Harney	9	*	*	*	*	*	*	*	*
Hood River ..	41	—	—	—	1	—	40	—	—
Jackson	448	—	2	353	67	2	22	2	—
Jefferson	37	—	23	—	—	—	13	1	—
Josephine ...	112	—	3	80	23	—	5	1	—
Klamath	82	—	15	40	16	—	11	—	—
Lake	3	*	*	*	*	*	*	*	*
Lane	920	—	4	—	804	30	76	5	1
Lincoln	97	1	—	—	24	22	43	—	7
Linn	174	4	—	—	49	67	44	3	7
Malheur	7	*	*	*	*	*	*	*	*
Marion	807	—	—	—	12	482	271	18	23
Morrow	1	*	*	*	*	*	*	*	*
Multnomah ..	3,212	—	—	—	5	2	3,074	122	3
Polk	113	—	—	—	7	58	41	2	4
Sherman	1	*	*	*	*	*	*	*	*
Tillamook	42	—	—	—	2	—	33	6	1
Umatilla	37	—	1	—	—	—	35	1	—
Union	12	—	—	—	—	—	12	—	—
Wallowa	2	*	*	*	*	*	*	*	*
Wasco	44	—	2	—	1	—	40	1	—
Washington	1,355	—	—	—	33	6	854	455	5
Wheeler	—	—	—	—	—	—	—	—	—
Yamhill	188	—	—	—	1	35	103	22	27
Out of State	1,217	—	8	43	17	5	1,124	17	1
Not Stated ...	84	1	4	66	1	—	11	1	—

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.