

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995**

9TH REV. ICD	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
ALL CAUSES		28,190	262	70	97	389	543	1,129	1,602	2,525	5,642	4,113	11,818
	MALE	14,274	137	38	53	276	404	788	1,000	1,481	3,164	2,174	4,759
	FEMALE	13,916	125	32	44	113	139	341	602	1,044	2,478	1,939	7,059
	I. INFECTIVE AND PARASITIC DISEASE												
		590	4	6	1	8	93	169	93	49	59	31	77
	MALE	435	2	4	-	3	77	155	85	30	38	15	26
	FEMALE	155	2	2	1	5	16	14	8	19	21	16	51
010-018, 137	TUBERCULOSIS, ALL FORMS	26	-	-	-	-	-	-	1	1	6	6	12
	MALE	12	-	-	-	-	-	-	-	1	3	2	6
	FEMALE	14	-	-	-	-	-	-	1	-	3	4	6
038	SEPTICEMIA	90	-	-	-	-	2	2	2	13	19	15	37
	MALE	43	-	-	-	-	2	1	2	8	11	8	11
	FEMALE	47	-	-	-	-	-	1	-	5	8	7	26
042-044	AIDS	333	-	-	-	3	87	152	72	14	5	-	-
	MALE	304	-	-	-	2	73	144	68	12	5	-	-
	FEMALE	29	-	-	-	1	14	8	4	2	-	-	-
070	VIRAL HEPATITIS	64	-	-	-	-	2	13	14	13	11	5	6
	MALE	40	-	-	-	-	2	9	13	5	6	2	3
	FEMALE	24	-	-	-	-	-	4	1	8	5	3	3
RESIDUAL OF 001-139	OTHER INFECTIVE & PARASITIC DISEASES	77	4	6	1	5	2	2	4	8	18	5	22
	MALE	36	2	4	-	1	-	1	2	4	13	3	6
	FEMALE	41	2	2	1	4	2	1	2	4	5	2	16
	II. NEOPLASMS												
		6,910	2	9	8	22	28	199	539	1,003	2,033	1,142	1,925
	MALE	3,556	1	4	3	13	15	83	250	515	1,092	612	968
	FEMALE	3,354	1	5	5	9	13	116	289	488	941	530	957
140-208	MALIGNANT NEOPLASMS	6,824	1	7	7	22	28	198	536	998	2,017	1,127	1,883
	MALE	3,513	1	3	2	13	15	82	250	512	1,083	605	947
	FEMALE	3,311	-	4	5	9	13	116	286	486	934	522	936
140-149	BUCCAL CAVITY & PHARYNX	93	-	-	-	-	-	3	14	14	33	10	19
	MALE	60	-	-	-	-	-	3	11	7	22	7	10
	FEMALE	33	-	-	-	-	-	-	3	7	11	3	9
150-159	DIGESTIVE ORGANS AND PERITONEUM	1,543	-	2	-	1	3	42	91	228	434	252	490
	MALE	832	-	1	-	-	2	17	55	153	256	134	214
	FEMALE	711	-	1	-	1	1	25	36	75	178	118	276

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
150	ESOPHAGUS	140	-	-	-	-	2	2	11	24	46	25	30
	MALE	112	-	-	-	-	1	2	10	21	37	18	23
	FEMALE	28	-	-	-	-	1	-	1	3	9	7	7
151	STOMACH	133	-	-	-	-	1	6	9	14	31	24	48
	MALE	80	-	-	-	-	1	3	6	10	19	16	25
	FEMALE	53	-	-	-	-	-	3	3	4	12	8	23
153	LARGE INTESTINE (EXC. RECTUM)	607	-	-	-	1	-	16	27	83	172	103	205
	MALE	306	-	-	-	-	-	4	15	58	94	52	83
	FEMALE	301	-	-	-	1	-	12	12	25	78	51	122
154	RECTUM	103	-	-	-	-	-	2	9	16	31	11	34
	MALE	62	-	-	-	-	-	1	5	10	24	6	16
	FEMALE	41	-	-	-	-	-	1	4	6	7	5	18
157	PANCREAS	363	-	-	-	-	-	9	24	60	100	67	103
	MALE	169	-	-	-	-	-	3	12	37	49	32	36
	FEMALE	194	-	-	-	-	-	6	12	23	51	35	67
160-165	RESPIRATORY/INTRATHORACIC ORGANS	2,021	-	-	-	1	3	26	155	353	720	385	378
	MALE	1,118	-	-	-	1	1	18	80	187	418	206	207
	FEMALE	903	-	-	-	-	2	8	75	166	302	179	171
162.2-.9	BRONCHUS & LUNG	1,957	-	-	-	1	2	25	153	346	694	373	363
	MALE	1,072	-	-	-	1	1	17	79	183	399	198	194
	FEMALE	885	-	-	-	-	1	8	74	163	295	175	169
170-175	BONE, CONNECTIVE TISSUE, SKIN & BREAST	727	1	-	-	6	8	44	108	129	169	83	179
	MALE	118	1	-	-	4	4	6	21	24	17	16	25
	FEMALE	609	-	-	-	2	4	38	87	105	152	67	154
172	MALIGNANT MELANOMA	105	-	-	-	2	4	9	20	20	24	9	17
	MALE	65	-	-	-	2	3	5	15	15	11	7	7
	FEMALE	40	-	-	-	-	1	4	5	5	13	2	10
173	OTHER SKIN	25	-	-	-	-	-	-	2	4	3	3	13
	MALE	18	-	-	-	-	-	-	2	1	3	3	9
	FEMALE	7	-	-	-	-	-	-	-	3	-	-	4
174-175	BREAST	535	-	-	-	-	3	30	76	91	135	61	139
	MALE	7	-	-	-	-	-	-	-	1	1	2	3
	FEMALE	528	-	-	-	-	3	30	76	90	134	59	136

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS												
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
179-187	GENITAL ORGANS		810	-	-	-	-	-	1	22	44	62	198	152	331
	MALE		489	-	-	-	-	-	-	2	8	20	113	108	238
	FEMALE		321	-	-	-	-	-	1	20	36	42	85	44	93
179-182	CERVIX & UTERUS		127	-	-	-	-	-	1	12	9	21	22	20	42
	MALE		-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		127	-	-	-	-	-	1	12	9	21	22	20	42
180	CERVIX UTERI		47	-	-	-	-	-	1	11	6	9	10	5	5
	MALE		-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		47	-	-	-	-	-	1	11	6	9	10	5	5
182	UTERUS		42	-	-	-	-	-	-	-	-	8	6	11	17
	MALE		-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		42	-	-	-	-	-	-	-	-	8	6	11	17
183	OVARY		173	-	-	-	-	-	-	7	26	18	55	21	46
	MALE		-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		173	-	-	-	-	-	-	7	26	18	55	21	46
185	PROSTATE		481	-	-	-	-	-	-	-	6	20	112	107	236
	MALE		481	-	-	-	-	-	-	-	6	20	112	107	236
	FEMALE		-	-	-	-	-	-	-	-	-	-	-	-	-
188-189	URINARY ORGANS		321	-	-	1	-	-	-	5	20	41	83	56	115
	MALE		217	-	-	-	-	-	-	5	15	26	61	35	75
	FEMALE		104	-	-	1	-	-	-	-	5	15	22	21	40
188	BLADDER		158	-	-	-	-	-	-	1	4	7	38	34	74
	MALE		119	-	-	-	-	-	-	1	3	6	33	22	54
	FEMALE		39	-	-	-	-	-	-	-	1	1	5	12	20
190-199	OTHER & UNSPECIFIED SITES		610	-	2	3	3	7	19	63	95	177	78	163	
	MALE		289	-	1	-	1	6	12	38	51	73	35	72	
	FEMALE		321	-	1	3	2	1	7	25	44	104	43	91	
191	BRAIN		219	-	2	2	3	5	13	37	43	66	24	24	
	MALE		123	-	1	-	1	4	10	26	29	23	13	16	
	FEMALE		96	-	1	2	2	1	3	11	14	43	11	8	
200-208	LYMPHATIC & HEMATOPOIETIC TISSUES		699	-	3	3	11	6	37	41	76	203	111	208	
	MALE		390	-	1	2	7	2	19	22	44	123	64	106	
	FEMALE		309	-	2	1	4	4	18	19	32	80	47	102	
202	LYMPHOMA		252	-	-	-	2	3	10	14	26	79	40	78	
	MALE		142	-	-	-	1	2	4	9	17	47	28	34	
	FEMALE		110	-	-	-	1	1	6	5	9	32	12	44	

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS												
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
203	MULTIPLE MYELOMA		125	-	-	-	-	-	-	4	6	23	39	16	37
	MALE		67	-	-	-	-	-	-	1	3	13	22	9	19
	FEMALE		58	-	-	-	-	-	-	3	3	10	17	7	18
204-208	LEUKEMIA		273	-	3	3	7	2	18	17	21	74	49	79	
	MALE		158	-	1	2	5	-	10	8	12	47	25	48	
	FEMALE		115	-	2	1	2	2	8	9	9	27	24	31	
204	LYMPHATIC LEUKEMIA		71	-	2	1	1	-	6	3	4	16	8	30	
	MALE		46	-	1	-	-	-	4	2	2	11	6	20	
	FEMALE		25	-	1	1	1	-	2	1	2	5	2	10	
205	MYELOID LEUKEMIA		130	-	1	-	5	2	10	10	12	32	30	28	
	MALE		69	-	-	-	4	-	5	4	8	20	11	17	
	FEMALE		61	-	1	-	1	2	5	6	4	12	19	11	
210-229	BENIGN NEOPLASMS		28	-	2	1	-	-	-	1	1	7	5	11	
	MALE		17	-	1	1	-	-	-	-	1	4	4	6	
	FEMALE		11	-	1	-	-	-	-	1	-	3	1	5	
230-239	IN SITU, UNCERTAIN BEHAVIOR & UNSPECIFIED NATURE NEOPLASMS		58	1	-	-	-	-	1	2	4	9	10	31	
	MALE		26	-	-	-	-	-	1	-	2	5	3	15	
	FEMALE		32	1	-	-	-	-	-	2	2	4	7	16	
III.	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES		907	4	-	2	8	13	24	56	106	220	156	318	
	MALE		411	3	-	1	5	8	17	32	55	114	67	109	
	FEMALE		496	1	-	1	3	5	7	24	51	106	89	209	
250	DIABETES MELLITUS		705	-	-	-	3	7	18	38	85	182	128	244	
	MALE		327	-	-	-	1	6	14	22	44	91	60	89	
	FEMALE		378	-	-	-	2	1	4	16	41	91	68	155	
RESIDUAL OF 240-279	OTHER ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES		202	4	-	2	5	6	6	18	21	38	28	74	
	MALE		84	3	-	1	4	2	3	10	11	23	7	20	
	FEMALE		118	1	-	1	1	4	3	8	10	15	21	54	
IV.	DISEASES OF THE BLOOD-FORMING ORGANS		93	1	1	-	-	-	2	5	8	10	12	54	
	MALE		51	-	1	-	-	-	1	3	5	6	12	23	
	FEMALE		42	1	-	-	-	-	1	2	3	4	-	31	

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	ANEMIAS	37	-	1	-	-	-	1	2	6	2	-	25
	MALE	17	-	1	-	-	-	-	1	3	2	-	10
	FEMALE	20	-	-	-	-	-	1	1	3	-	-	15
RESIDUAL OF 280-289	OTHER DISEASES OF THE BLOOD & BLOOD-FORMING ORGANS	56	1	-	-	-	-	1	3	2	8	12	29
	MALE	34	-	-	-	-	-	1	2	2	4	12	13
	FEMALE	22	1	-	-	-	-	-	1	-	4	-	16
	V. MENTAL DISORDERS	900	-	-	-	1	11	43	32	28	85	104	596
	MALE	349	-	-	-	1	7	34	21	19	45	53	169
	FEMALE	551	-	-	-	-	4	9	11	9	40	51	427
290.1	ALZHEIMER'S DEMENTIA	289	-	-	-	-	-	-	-	3	22	39	225
	MALE	109	-	-	-	-	-	-	-	-	11	18	80
	FEMALE	180	-	-	-	-	-	-	-	3	11	21	145
291	ALCOHOLIC PSYCHOSIS	9	-	-	-	-	-	-	-	2	3	2	2
	MALE	8	-	-	-	-	-	-	-	2	2	2	2
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-
303	ALCOHOLISM	103	-	-	-	-	4	25	25	13	29	5	2
	MALE	74	-	-	-	-	3	18	17	10	20	5	1
	FEMALE	29	-	-	-	-	1	7	8	3	9	-	1
304	DRUG DEPENDENCE	21	-	-	-	-	4	12	4	-	1	-	-
	MALE	17	-	-	-	-	2	11	3	-	1	-	-
	FEMALE	4	-	-	-	-	2	1	1	-	-	-	-
305	NON-DEPENDENT DRUG ABUSE	13	-	-	-	1	-	5	1	2	3	1	-
	MALE	7	-	-	-	1	-	4	-	1	-	1	-
	FEMALE	6	-	-	-	-	-	1	1	1	3	-	-
RESIDUAL OF 290-319	OTHER MENTAL DISORDERS	465	-	-	-	-	3	1	2	8	27	57	367
	MALE	134	-	-	-	-	2	1	1	6	11	27	86
	FEMALE	331	-	-	-	-	1	-	1	2	16	30	281
	VI. DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	925	8	3	9	6	11	29	30	43	141	136	509
	MALE	402	4	2	5	3	7	16	18	20	65	63	199
	FEMALE	523	4	1	4	3	4	13	12	23	76	73	310

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
320-322	MENINGITIS	13	1	1	-	-	1	2	-	2	2	1	3
	MALE	9	1	1	-	-	1	2	-	1	1	-	2
	FEMALE	4	-	-	-	-	-	-	-	1	1	1	1
331.0	ALZHEIMER'S DISEASE	399	-	-	-	-	-	-	1	5	37	53	303
	MALE	126	-	-	-	-	-	-	1	2	14	20	89
	FEMALE	273	-	-	-	-	-	-	-	3	23	33	214
332	PARKINSON'S DISEASE	232	-	-	-	-	-	-	-	4	34	50	144
	MALE	130	-	-	-	-	-	-	-	3	19	29	79
	FEMALE	102	-	-	-	-	-	-	-	1	15	21	65
345	EPILEPSY	29	-	-	-	4	4	6	6	3	2	-	4
	MALE	18	-	-	-	1	3	4	5	1	2	-	2
	FEMALE	11	-	-	-	3	1	2	1	2	-	-	2
RESIDUAL OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	252	7	2	9	2	6	21	23	29	66	32	55
	MALE	119	3	1	5	2	3	10	12	13	29	14	27
	FEMALE	133	4	1	4	-	3	11	11	16	37	18	28
VII.	DISEASES OF THE CIRCULATORY SYSTEM	10,932	6	1	2	10	29	147	394	779	2,015	1,705	5,844
	MALE	5,326	2	-	1	7	16	104	290	538	1,244	915	2,209
	FEMALE	5,606	4	1	1	3	13	43	104	241	771	790	3,635
390-448	MAJOR CARDIOVASCULAR DISEASES	10,898	6	1	2	10	29	145	390	776	2,009	1,699	5,831
	MALE	5,312	2	-	1	7	16	102	288	537	1,240	913	2,206
	FEMALE	5,586	4	1	1	3	13	43	102	239	769	786	3,625
390-398, 402,	DISEASES OF THE HEART	7,542	4	1	1	7	24	119	327	614	1,486	1,171	3,788
	MALE	3,968	2	-	-	5	15	90	257	441	959	669	1,530
	FEMALE	3,574	2	1	1	2	9	29	70	173	527	502	2,258
390-398	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE	102	-	-	-	1	3	1	5	8	23	18	43
	MALE	31	-	-	-	-	2	-	2	1	6	8	12
	FEMALE	71	-	-	-	1	1	1	3	7	17	10	31
402, 404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	210	-	-	-	-	-	5	10	12	30	30	123
	MALE	73	-	-	-	-	-	3	9	6	16	11	28
	FEMALE	137	-	-	-	-	-	2	1	6	14	19	95

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH	AGE GROUPS											
	TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414 ISCHEMIC HEART DISEASE	5,126	-	-	-	-	11	60	237	468	1,100	823	2,427
MALE	2,899	-	-	-	-	7	53	193	353	739	500	1,054
FEMALE	2,227	-	-	-	-	4	7	44	115	361	323	1,373
410 MYOCARDIAL INFARCTION	2,010	-	-	-	-	5	24	85	198	470	337	891
MALE	1,137	-	-	-	-	2	20	69	141	300	197	408
FEMALE	873	-	-	-	-	3	4	16	57	170	140	483
411 OTHER ACUTE & SUBACUTE ISCHEMIC HEART DISEASE	7	-	-	-	-	-	-	-	-	1	-	6
MALE	4	-	-	-	-	-	-	-	-	1	-	3
FEMALE	3	-	-	-	-	-	-	-	-	-	-	3
412-414 CHRONIC ISCHEMIC HEART DISEASE	3,109	-	-	-	-	6	36	152	270	629	486	1,530
MALE	1,758	-	-	-	-	5	33	124	212	438	303	643
FEMALE	1,351	-	-	-	-	1	3	28	58	191	183	887
415-429 ALL OTHER FORMS	2,104	4	1	1	6	10	53	75	126	333	300	1,195
MALE	965	2	-	-	5	6	34	53	81	198	150	436
FEMALE	1,139	2	1	1	1	4	19	22	45	135	150	759
401, 403 HYPERTENSION	193	-	-	-	-	-	-	4	5	33	28	123
MALE	75	-	-	-	-	-	-	1	3	19	13	39
FEMALE	118	-	-	-	-	-	-	3	2	14	15	84
430-438 CEREBROVASCULAR DISEASE	2,483	1	-	1	1	5	18	47	122	359	383	1,546
MALE	916	-	-	1	-	1	8	22	71	175	161	477
FEMALE	1,567	1	-	-	1	4	10	25	51	184	222	1,069
430 SUBARACHNOID HEMORRHAGE	92	-	-	-	-	2	9	18	21	14	9	19
MALE	27	-	-	-	-	1	2	4	7	6	2	5
FEMALE	65	-	-	-	-	1	7	14	14	8	7	14
431-432 INTRACEREBRAL & INTRACRANIAL HEMORRHAGES	285	1	-	1	1	2	5	14	27	77	45	112
MALE	123	-	-	1	-	-	4	9	16	41	19	33
FEMALE	162	1	-	-	1	2	1	5	11	36	26	79
434 CEREBRAL THROMBOSIS & EMBOLISM	264	-	-	-	-	1	1	1	11	37	48	165
MALE	97	-	-	-	-	-	-	1	7	18	25	46
FEMALE	167	-	-	-	-	1	1	-	4	19	23	119
436 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	1,471	-	-	-	-	-	1	12	48	194	227	989
MALE	521	-	-	-	-	-	1	7	30	95	87	301
FEMALE	950	-	-	-	-	-	-	5	18	99	140	688

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH	AGE GROUPS											
	TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437 GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	178	-	-	-	-	-	1	1	5	18	18	135
MALE	69	-	-	-	-	-	-	1	2	10	11	45
FEMALE	109	-	-	-	-	-	1	-	3	8	7	90
440 ARTERIOSCLEROSIS	298	-	-	-	-	-	1	2	11	41	50	193
MALE	146	-	-	-	-	-	1	2	7	29	33	74
FEMALE	152	-	-	-	-	-	-	-	4	12	17	119
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES	382	1	-	-	2	-	7	10	24	90	67	181
MALE	207	-	-	-	2	-	3	6	15	58	37	86
FEMALE	175	1	-	-	-	-	4	4	9	32	30	95
441 AORTIC ANEURYSM	223	-	-	-	2	-	3	3	15	60	40	100
MALE	136	-	-	-	2	-	2	2	10	38	25	57
FEMALE	87	-	-	-	-	-	1	1	5	22	15	43
451-453 VENOUS THROMBOSIS & EMBOLISM	14	-	-	-	-	-	1	3	1	3	1	5
MALE	6	-	-	-	-	-	1	2	1	1	-	1
FEMALE	8	-	-	-	-	-	-	1	-	2	1	4
RESIDUAL OF 390-459 OTHER DISEASES OF THE CIRCULATORY SYSTEM	20	-	-	-	-	-	1	1	2	3	5	8
MALE	8	-	-	-	-	-	1	-	-	3	2	2
FEMALE	12	-	-	-	-	-	-	1	2	-	3	6
VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,659	3	2	1	-	12	18	60	188	605	467	1,303
MALE	1,308	3	1	-	-	5	7	28	95	298	260	611
FEMALE	1,351	-	1	1	-	7	11	32	93	307	207	692
480-487 PNEUMONIA & INFLUENZA	899	1	-	-	-	7	9	14	32	103	122	611
MALE	422	1	-	-	-	3	2	8	20	64	65	259
FEMALE	477	-	-	-	-	4	7	6	12	39	57	352
480-486 PNEUMONIA	893	1	-	-	-	7	9	14	32	100	122	608
MALE	420	1	-	-	-	3	2	8	20	63	65	258
FEMALE	473	-	-	-	-	4	7	6	12	37	57	350
487 INFLUENZA	6	-	-	-	-	-	-	-	-	3	-	3
MALE	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE	4	-	-	-	-	-	-	-	-	2	-	2

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH	AGE GROUPS												
	TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE & ALLIED CONDITIONS	1,460	-	-	1	-	4	7	39	131	451	306	521
	MALE	744	-	-	-	-	2	4	16	59	212	171	280
	FEMALE	716	-	-	1	-	2	3	23	72	239	135	241
490-491	CHRONIC & UNSPECIFIED BRONCHITIS	55	-	-	-	-	-	-	1	6	14	10	24
	MALE	29	-	-	-	-	-	-	-	3	4	6	16
	FEMALE	26	-	-	-	-	-	-	1	3	10	4	8
492	EMPHYSEMA	310	-	-	-	-	-	1	5	35	97	70	102
	MALE	156	-	-	-	-	-	-	1	18	47	40	50
	FEMALE	154	-	-	-	-	-	1	4	17	50	30	52
493	ASTHMA	86	-	-	1	-	4	4	13	10	19	10	25
	MALE	31	-	-	-	-	2	2	5	2	6	3	11
	FEMALE	55	-	-	1	-	2	2	8	8	13	7	14
494	BRONCHIECTASIS	16	-	-	-	-	-	1	1	-	5	3	6
	MALE	4	-	-	-	-	-	1	-	-	-	2	1
	FEMALE	12	-	-	-	-	-	-	1	-	5	1	5
496	CHRONIC AIRWAY OBSTRUCTION NOT ELSEWHERE CLASSIFIED (COPD)	991	-	-	-	-	-	1	19	80	316	213	362
	MALE	523	-	-	-	-	-	1	10	36	155	120	201
	FEMALE	468	-	-	-	-	-	-	9	44	161	93	161
RESIDUAL OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	302	2	2	-	-	1	2	7	25	51	39	173
	MALE	143	2	1	-	-	-	1	4	16	22	24	73
	FEMALE	159	-	1	-	-	1	1	3	9	29	15	100
IX.	DISEASES OF THE DIGESTIVE SYSTEM	929	6	2	2	2	11	64	86	125	174	123	334
	MALE	444	3	2	1	-	6	46	52	67	89	55	123
	FEMALE	485	3	-	1	2	5	18	34	58	85	68	211
531	ULCER OF THE STOMACH	20	-	-	-	-	-	-	-	1	4	3	12
	MALE	7	-	-	-	-	-	-	-	-	2	-	5
	FEMALE	13	-	-	-	-	-	-	-	1	2	3	7
532	ULCER OF THE DUODENUM	15	-	-	-	-	-	-	-	5	4	3	3
	MALE	12	-	-	-	-	-	-	-	5	4	2	1
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	2

TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
533	PEPTIC ULCER	33	-	-	-	-	-	1	1	7	3	5	16
	MALE	13	-	-	-	-	-	-	-	3	1	3	6
	FEMALE	20	-	-	-	-	-	1	1	4	2	2	10
550-553, 560	HERNIA & INTESTINAL OBSTRUCTION	81	3	-	1	-	-	1	2	5	9	12	48
	MALE	31	2	-	1	-	-	1	2	-	4	4	17
	FEMALE	50	1	-	-	-	-	-	-	5	5	8	31
571	CIRRHOSIS OF THE LIVER	301	-	-	-	-	7	50	62	66	66	19	31
	MALE	188	-	-	-	-	5	38	39	40	39	13	14
	FEMALE	113	-	-	-	-	2	12	23	26	27	6	17
571.0-.3	ALCOHOLIC CIRRHOSIS OF THE LIVER	233	-	-	-	-	5	46	59	59	43	11	10
	MALE	165	-	-	-	-	4	35	39	39	33	9	6
	FEMALE	68	-	-	-	-	1	11	20	20	10	2	4
574-576	DISEASES OF THE GALLBLADDER	48	1	-	-	-	-	1	2	2	8	4	30
	MALE	19	1	-	-	-	-	1	1	-	3	2	11
	FEMALE	29	-	-	-	-	-	-	1	2	5	2	19
577	DISEASES OF THE PANCREAS	29	-	-	-	-	-	1	3	5	6	6	8
	MALE	17	-	-	-	-	-	1	2	3	4	3	4
	FEMALE	12	-	-	-	-	-	-	1	2	2	3	4
RESIDUAL OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	402	2	2	1	2	4	10	16	34	74	71	186
	MALE	157	-	2	-	-	1	5	8	16	32	28	65
	FEMALE	245	2	-	1	2	3	5	8	18	42	43	121
	X. DISEASES OF THE GENITOURINARY SYSTEM	316	1	-	-	-	-	1	14	13	46	52	189
	MALE	136	1	-	-	-	-	1	11	6	25	24	68
	FEMALE	180	-	-	-	-	-	-	3	7	21	28	121
580-589	NEPHRITIS & NEPHROSIS	137	-	-	-	-	-	1	10	6	30	29	61
	MALE	68	-	-	-	-	-	1	8	2	18	15	24
	FEMALE	69	-	-	-	-	-	-	2	4	12	14	37
590	INFECTIONS OF THE KIDNEY	18	-	-	-	-	-	-	1	1	2	3	11
	MALE	5	-	-	-	-	-	-	-	-	-	1	4
	FEMALE	13	-	-	-	-	-	-	1	1	2	2	7
599.0	URINARY TRACT INFECTION	117	-	-	-	-	-	-	2	2	11	14	88
	MALE	36	-	-	-	-	-	-	2	1	4	5	24
	FEMALE	81	-	-	-	-	-	-	-	1	7	9	64

TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
600-608	DISEASES OF MALE GENITAL ORGANS	13	-	-	-	-	-	-	-	1	-	3	9
	MALE	13	-	-	-	-	-	-	-	1	-	3	9
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
614-629	DISEASES OF THE UTERUS & OTHER FEMALE GENITAL ORGANS	2	-	-	-	-	-	-	-	-	-	-	2
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2
RESIDUAL OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	29	1	-	-	-	-	-	1	3	3	3	18
	MALE	14	1	-	-	-	-	-	1	2	3	-	7
	FEMALE	15	-	-	-	-	-	-	-	1	-	3	11
630-676	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
680-709	XII. DISEASES OF THE SKIN & SUBCUTANEOUS TISSUE	24	-	-	-	-	-	2	3	-	4	2	13
	MALE	11	-	-	-	-	-	2	3	-	3	-	3
	FEMALE	13	-	-	-	-	-	-	-	-	1	2	10
710-739	XIII. MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DISEASES	166	-	-	2	-	1	9	11	16	17	19	91
	MALE	43	-	-	-	-	1	1	3	6	4	6	22
	FEMALE	123	-	-	2	-	-	8	8	10	13	13	69
	XIV. CONGENITAL ANOMALIES	146	54	8	11	5	5	6	14	7	6	10	20
	MALE	82	27	6	7	4	2	4	9	4	3	6	10
	FEMALE	64	27	2	4	1	3	2	5	3	3	4	10
745-746	CONGENITAL ANOMALIES OF THE HEART	45	16	3	3	3	4	5	3	2	2	1	3
	MALE	27	10	2	2	2	2	3	3	1	1	-	1
	FEMALE	18	6	1	1	1	2	2	-	1	1	1	2
RESIDUAL OF 740-759	OTHER CONGENITAL ANOMALIES	101	38	5	8	2	1	1	11	5	4	9	17
	MALE	55	17	4	5	2	-	1	6	3	2	6	9
	FEMALE	46	21	1	3	-	1	-	5	2	2	3	8

**TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
760-779	XV. PERINATAL CONDITIONS	76	75	-	1	-	-	-	-	-	-	-	-
	MALE	42	42	-	-	-	-	-	-	-	-	-	-
	FEMALE	34	33	-	1	-	-	-	-	-	-	-	-
	XVI. SYMPTOMS & ILL-DEFINED CONDITIONS	572	78	-	-	1	4	7	20	48	89	54	271
	MALE	266	40	-	-	1	3	5	15	37	47	30	88
	FEMALE	306	38	-	-	-	1	2	5	11	42	24	183
797	SENILITY	42	-	-	-	-	-	-	-	-	1	-	41
	MALE	15	-	-	-	-	-	-	-	-	-	-	15
	FEMALE	27	-	-	-	-	-	-	-	-	1	-	26
798.0	SUDDEN INFANT DEATH SYNDROME	76	76	-	-	-	-	-	-	-	-	-	-
	MALE	39	39	-	-	-	-	-	-	-	-	-	-
	FEMALE	37	37	-	-	-	-	-	-	-	-	-	-
RESIDUAL OF 780-799	OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	454	2	-	-	1	4	7	20	48	88	54	230
	MALE	212	1	-	-	1	3	5	15	37	47	30	73
	FEMALE	242	1	-	-	-	1	2	5	11	41	24	157
	XVII. ACCIDENTS, POISONING, & VIOLENCE	2045	20	38	58	326	325	409	245	112	138	100	274
	MALE	1412	9	18	35	239	257	312	180	84	91	56	131
	FEMALE	633	11	20	23	87	68	97	65	28	47	44	143
800-949	ACCIDENTS	1293	11	32	48	189	177	238	134	73	86	72	233
	MALE	828	7	15	29	125	144	180	93	57	51	32	95
	FEMALE	465	4	17	19	64	33	58	41	16	35	40	138
810-825	MOTOR VEHICLE ACCIDENTS	582	3	14	29	136	106	94	66	36	35	23	40
	MALE	368	2	7	16	82	85	62	41	26	16	11	20
	FEMALE	214	1	7	13	54	21	32	25	10	19	12	20
830-838	WATER TRANSPORT ACCIDENTS	22	-	-	-	5	5	8	2	1	1	-	-
	MALE	17	-	-	-	3	4	6	2	1	1	-	-
	FEMALE	5	-	-	-	2	1	2	-	-	-	-	-
840-845	AIR TRANSPORT ACCIDENTS	20	-	-	-	2	1	3	8	2	2	2	-
	MALE	17	-	-	-	1	1	2	7	2	2	2	-
	FEMALE	3	-	-	-	1	-	1	1	-	-	-	-
850-869	POISONING ACCIDENTS	163	-	1	-	7	37	74	31	4	6	-	3
	MALE	124	-	1	-	4	29	62	22	3	2	-	1
	FEMALE	39	-	-	-	3	8	12	9	1	4	-	2

TABLE 6-6.
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	ACCIDENTAL FALLS		231	1	-	-	3	7	9	6	9	23	29	144
	MALE		103	1	-	-	2	6	7	4	8	16	9	50
	FEMALE		128	-	-	-	1	1	2	2	1	7	20	94
890-899	FIRE & FLAME ACCIDENTS		32	1	4	2	2	1	3	2	4	5	2	6
	MALE		20	-	3	1	2	1	2	2	3	3	2	1
	FEMALE		12	1	1	1	-	-	1	-	1	2	-	5
910	DROWNING & SUBMERSION		56	2	8	8	14	7	7	4	3	-	1	2
	MALE		43	2	4	6	12	7	5	3	3	-	-	1
	FEMALE		13	-	4	2	2	-	2	1	-	-	1	1
950-959	SUICIDES		526	-	-	5	85	97	115	84	31	48	25	36
	MALE		431	-	-	3	73	78	92	68	23	38	23	33
	FEMALE		95	-	-	2	12	19	23	16	8	10	2	3
960-978	HOMICIDES		158	4	3	4	46	39	33	18	4	3	2	2
	MALE		108	1	1	2	35	28	23	13	2	1	-	2
	FEMALE		50	3	2	2	11	11	10	5	2	2	2	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED		68	5	3	1	6	12	23	9	4	1	1	3
	MALE		45	1	2	1	6	7	17	6	2	1	1	1
	FEMALE		23	4	1	-	-	5	6	3	2	-	-	2
990-999	INJURY RESULTING FROM OPERATIONS OF WAR		-	-	-	-	-	-	-	-	-	-	-	-
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		-	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.