

**TABLE 6-7.
DEATH RATES FOR SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996**

ICD* 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
ALL CAUSES		908.5	559.1	36.3	24.2	87.9	131.1	201.3	365.5	1,037.4	2,399.4	4,646.2	11,245.3
	MALE	937.8	611.1	43.0	23.8	131.2	191.2	281.9	457.4	1,265.3	3,071.5	5,837.7	12,841.6
	FEMALE	880.1	504.9	29.3	24.6	42.4	69.5	122.2	273.9	822.1	1,839.5	3,778.8	10,376.4
I. INFECTIVE & PARASITIC DISEASE		14.9	11.5	1.6	1.3	1.4	16.9	24.7	12.5	15.5	21.0	37.4	67.7
	MALE	21.3	-	2.0	1.3	2.3	29.8	44.2	22.7	21.3	25.4	51.2	58.2
	FEMALE	8.7	23.4	1.1	1.4	0.5	3.8	5.7	2.4	10.1	17.3	27.4	72.9
010-018, 137	TUBERCULOSIS, ALL FORMS	0.4	-	-	-	0.2	-	-	0.2	0.8	2.1	-	4.5
	MALE	0.4	-	-	-	0.5	-	-	0.5	0.8	1.9	-	5.1
	FEMALE	0.4	-	-	-	-	-	-	-	0.8	2.4	-	4.1
038	SEPTICEMIA	3.3	-	0.5	0.2	0.2	0.7	1.0	0.7	3.6	6.0	23.8	42.8
	MALE	3.0	-	1.0	-	0.5	0.9	0.8	0.5	4.1	8.5	35.0	32.9
	FEMALE	3.7	-	-	0.5	-	0.5	1.1	0.9	3.1	3.9	15.7	48.2
042-044	AIDS	7.0	-	-	-	0.2	14.9	20.4	8.3	5.2	1.3	-	-
	MALE	13.5	-	-	-	0.5	27.1	38.8	16.5	10.7	2.8	-	-
	FEMALE	0.7	-	-	-	-	2.3	2.3	-	-	-	-	-
070	VIRAL HEPATITIS	1.6	-	-	-	-	0.5	2.7	1.9	2.8	5.6	3.4	2.7
	MALE	1.9	-	-	-	-	0.5	3.5	3.3	4.1	5.7	2.7	2.5
	FEMALE	1.2	-	-	-	-	0.5	1.9	0.5	1.5	5.5	3.9	2.8
RESIDUAL OF 001-139	OTHER INFECTIVE & PARASITIC DISEASES	2.5	11.5	1.1	1.1	0.7	0.9	0.8	1.4	3.2	6.0	10.2	17.8
	MALE	2.4	-	1.0	1.3	0.9	1.4	1.2	1.9	1.6	6.6	13.5	17.7
	FEMALE	2.7	23.4	1.1	0.9	0.5	0.5	0.4	0.9	4.6	5.5	7.8	17.9
II. NEOPLASMS		215.8	-	2.1	1.1	7.2	14.4	37.1	123.3	416.4	841.6	1,259.1	1,713.7
	MALE	231.5	-	3.1	0.9	7.2	16.5	34.6	124.3	463.0	1,060.6	1,615.6	2,343.8
	FEMALE	200.5	-	1.1	1.4	7.1	12.2	39.6	122.4	372.4	659.2	999.6	1,370.7
140-208	MALIGNANT NEOPLASMS	213.3	-	2.1	1.1	6.7	14.4	36.3	122.4	412.0	836.9	1,243.2	1,682.5
	MALE	229.5	-	3.1	0.9	6.3	16.5	33.4	122.9	457.3	1,055.8	1,604.8	2,323.6
	FEMALE	197.5	-	1.1	1.4	7.1	12.2	39.2	121.9	369.3	654.5	980.0	1,333.5
140-149	BUCCAL CAVITY & PHARYNX	2.7	-	-	-	0.2	-	0.6	1.9	5.6	10.3	12.5	22.3
	MALE	3.1	-	-	-	0.5	-	0.8	3.3	5.7	14.1	24.2	20.2
	FEMALE	2.3	-	-	-	-	-	0.4	0.5	5.4	7.1	3.9	23.4
150-159	DIGESTIVE ORGANS & PERITONEUM	47.1	-	-	0.2	0.7	2.6	6.7	27.4	85.6	184.1	275.6	396.6
	MALE	51.4	-	-	0.4	0.5	2.8	8.4	31.7	117.2	243.9	315.0	477.9
	FEMALE	43.0	-	-	-	1.0	2.3	4.9	23.1	55.7	134.2	247.0	352.3

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
Death Rates from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)**

ICD 9TH Rev.	Cause of Death	Age Groups												
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
150	ESOPHAGUS	4.5	-	-	-	-	-	0.4	3.5	11.9	21.4	27.2	20.5	
		MALE	6.4	-	-	-	-	-	0.8	6.6	18.8	32.0	43.1	30.3
		FEMALE	2.7	-	-	-	-	-	-	0.5	5.4	12.6	15.7	15.1
151	STOMACH	4.6	-	-	-	-	0.7	0.8	2.6	8.0	15.0	26.1	43.7	
		MALE	6.0	-	-	-	-	0.9	0.8	3.8	11.5	22.6	35.0	78.4
		FEMALE	3.2	-	-	-	-	0.5	0.8	1.4	4.6	8.6	19.6	24.8
153	LARGE INTESTINE (EXC. RECTUM)	17.5	-	-	-	-	0.7	2.5	10.4	29.1	64.2	99.8	164.9	
		MALE	17.7	-	-	-	-	0.9	2.7	9.0	39.3	83.8	110.4	179.5
		FEMALE	17.3	-	-	-	-	0.5	2.3	11.8	19.4	47.9	92.1	156.9
154	RECTUM	3.5	-	-	-	0.5	0.5	0.6	1.9	8.0	9.4	17.0	35.6	
		MALE	3.6	-	-	-	0.5	0.5	0.4	1.4	11.5	16.0	13.5	37.9
		FEMALE	3.4	-	-	-	0.5	0.5	0.8	2.4	4.6	3.9	19.6	34.4
157	PANCREAS	11.1	-	-	-	-	0.2	0.8	5.4	18.3	51.8	68.1	88.2	
		MALE	10.7	-	-	-	-	-	0.4	5.7	24.6	57.5	70.0	93.6
		FEMALE	11.6	-	-	-	-	0.5	1.1	5.2	12.4	47.1	66.6	85.3
160-165	RESPIRATORY/INTRATHORACIC ORGANS	65.1	-	-	-	-	1.2	4.8	31.4	163.2	311.2	382.3	385.9	
		MALE	77.2	-	-	-	-	2.3	6.5	35.0	189.3	408.8	541.2	627.0
		FEMALE	53.3	-	-	-	-	-	3.0	27.8	138.6	229.9	266.6	254.6
162.2-.9	BRONCHUS & LUNG	62.9	-	-	-	-	0.9	4.0	29.5	159.6	300.5	369.8	375.2	
		MALE	74.1	-	-	-	-	0.9	2.5	16.3	89.2	178.9	217.8	214.8
		FEMALE	52.0	-	-	-	-	-	3.1	26.5	145.1	267.5	360.8	455.1
170-175	BONE, CONNECTIVE TISSUE, SKIN, & BREAST	22.6	-	-	0.2	0.9	3.7	11.0	24.8	47.4	66.8	91.9	160.4	
		MALE	8.4	-	-	-	1.4	3.2	4.6	9.9	18.0	29.2	40.4	50.6
		FEMALE	36.5	-	-	0.5	0.5	4.2	17.4	39.5	75.1	98.1	129.4	220.2
172	MALIGNANT MELANOMA	3.2	-	-	-	-	1.4	1.9	4.5	6.8	9.0	13.6	16.0	
		MALE	4.3	-	-	-	-	1.8	1.9	4.7	10.7	14.1	24.2	27.8
		FEMALE	2.2	-	-	-	-	0.9	1.9	4.2	3.1	4.7	5.9	9.6
173	OTHER SKIN	1.0	-	-	-	-	0.2	-	1.2	0.8	2.1	5.7	11.6	
		MALE	1.3	-	-	-	-	0.5	-	1.9	0.8	4.7	8.1	17.7
		FEMALE	0.6	-	-	-	-	-	-	0.5	0.8	-	3.9	8.3
174-175	BREAST	16.3	-	-	-	-	0.9	7.6	16.7	35.4	48.8	68.1	124.8	
		MALE	0.1	-	-	-	-	-	-	-	0.8	-	-	-
		FEMALE	32.0	-	-	-	-	1.9	15.1	33.4	68.1	89.5	117.6	192.7

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
179-187	GENITAL ORGANS	25.7	-	-	-	0.2	1.9	3.8	9.4	28.3	80.9	175.8	297.6
	MALE	32.7	-	-	-	-	1.4	0.4	4.3	20.5	114.0	296.2	616.9
	FEMALE	18.9	-	-	-	0.5	2.3	7.2	14.6	35.6	53.4	88.2	123.9
179-182	CERVIX & UTERUS	4.0	-	-	-	-	0.7	2.7	3.1	7.2	12.8	15.9	31.2
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7.9	-	-	-	-	1.4	5.3	6.1	13.9	23.5	27.4	48.2
180	CERVIX UTERI	1.5	-	-	-	-	0.7	2.3	1.7	2.0	3.4	2.3	8.9
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2.9	-	-	-	-	1.4	4.5	3.3	3.9	6.3	3.9	13.8
182	UTERUS	1.7	-	-	-	-	-	0.4	0.9	2.0	8.1	9.1	14.3
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3.3	-	-	-	-	-	0.8	1.9	3.9	14.9	15.7	22.0
183.0	OVARY	5.0	-	-	-	0.2	0.5	0.8	3.5	10.0	14.6	30.6	46.3
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9.9	-	-	-	0.5	0.9	1.5	7.1	19.4	26.7	52.9	71.6
185	PROSTATE	15.9	-	-	-	-	-	-	1.9	10.0	51.4	123.6	216.5
	MALE	32.2	-	-	-	-	-	-	3.8	20.5	113.0	293.5	614.4
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
188-189	URINARY ORGANS	9.4	-	-	-	0.2	0.5	0.6	4.7	15.9	38.1	55.6	85.5
	MALE	12.6	-	-	-	-	0.2	0.6	3.5	13.5	24.8	35.2	49.9
	FEMALE	6.3	-	-	-	0.5	0.5	-	2.4	4.9	29.2	48.5	101.1
188	BLADDER	4.6	-	-	-	-	-	0.4	0.7	7.2	17.1	29.5	49.9
	MALE	6.4	-	-	-	-	-	0.8	1.4	12.3	28.3	48.5	80.9
	FEMALE	2.8	-	-	-	-	-	-	-	2.3	7.8	15.7	33.0
190-199	OTHER & UNSPECIFIED SITES	18.1	-	1.1	0.4	1.6	1.4	3.8	12.3	35.4	63.8	104.4	139.0
	MALE	18.4	-	2.0	0.4	1.8	1.8	5.0	15.1	39.3	80.1	113.1	146.6
	FEMALE	17.7	-	-	0.5	1.4	0.9	2.6	9.4	31.7	50.2	98.0	134.9
191	BRAIN	5.8	-	0.5	0.4	1.6	1.2	1.9	7.1	17.1	17.6	23.8	23.2
	MALE	6.8	-	1.0	0.4	1.8	1.8	3.1	10.4	17.2	22.6	29.6	27.8
	FEMALE	4.9	-	-	0.5	1.4	0.5	0.8	3.8	17.0	13.3	19.6	20.6
200-208	LYMPHATIC & HEMATOPOIETIC TISSUES	22.5	-	1.1	0.2	2.8	3.2	5.1	10.6	30.7	81.8	145.2	195.2
	MALE	25.6	-	1.0	-	2.3	4.6	6.5	16.5	39.3	111.1	191.2	242.7
	FEMALE	19.5	-	1.1	0.5	3.3	1.9	3.8	4.7	22.5	57.3	111.7	169.3
202	LYMPHOMA	8.1	-	0.5	-	0.5	0.7	3.6	4.7	11.9	29.5	55.6	57.9
	MALE	8.7	-	-	-	-	1.4	4.2	7.1	15.6	36.7	59.2	70.8
	FEMALE	7.5	-	1.1	-	1.0	-	3.0	2.4	8.5	23.5	52.9	50.9

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	MULTIPLE MYELOMA	4.2	-	-	-	-	0.2	-	0.2	6.4	17.6	28.4	43.7
	MALE	4.8	-	-	-	-	-	-	-	7.4	25.4	45.8	55.6
	FEMALE	3.6	-	-	-	-	0.5	-	0.5	5.4	11.0	15.7	37.2
204-208	LEUKEMIA	8.8	-	0.5	0.2	1.9	1.9	1.1	4.5	11.5	29.5	56.7	80.2
	MALE	10.6	-	1.0	-	1.8	2.8	1.9	7.6	14.8	44.3	80.8	98.6
	FEMALE	7.1	-	-	0.5	1.9	0.9	0.4	1.4	8.5	17.3	39.2	70.2
204	LYMPHATIC LEUKEMIA	2.9	-	-	0.2	0.9	0.9	0.2	0.9	3.2	9.0	15.9	31.2
	MALE	2.8	-	-	-	0.5	1.4	0.4	1.9	5.7	10.4	16.2	27.8
	FEMALE	3.0	-	-	0.5	1.4	0.5	-	-	0.8	7.8	15.7	33.0
205	MYELOID LEUKEMIA	4.3	-	-	-	0.7	0.7	1.0	2.6	6.4	13.3	29.5	38.3
	MALE	5.7	-	-	-	0.9	1.4	1.5	3.8	6.6	21.7	51.2	58.2
	FEMALE	3.0	-	-	-	0.5	-	0.4	1.4	6.2	6.3	13.7	27.5
210-229	BENIGN NEOPLASMS	0.7	-	-	-	-	-	0.2	0.2	1.2	1.3	3.4	9.8
	MALE	0.6	-	-	-	-	-	-	0.5	1.6	1.9	5.4	5.1
	FEMALE	0.8	-	-	-	-	-	0.4	-	0.8	0.8	2.0	12.4
230-239	IN SITU, UNCERTAIN BEHAVIOR & UNSPECIFIED NATURE NEOPLASMS	1.9	-	-	-	0.5	-	0.6	0.7	3.2	3.4	12.5	21.4
	MALE	1.5	-	-	-	0.9	-	1.2	0.9	4.1	2.8	5.4	15.2
	FEMALE	2.2	-	-	-	-	-	-	0.5	2.3	3.9	17.6	24.8
III.	ENDOCRINE, NUTRITIONAL, & METABOLIC DISEASES	30.3	4.6	-	1.1	1.4	3.5	4.9	13.9	47.0	89.9	169.0	332.4
	MALE	27.9	9.0	-	0.9	2.7	4.6	6.9	15.6	50.0	92.3	218.1	318.6
	FEMALE	32.6	-	-	1.4	-	2.3	3.0	12.2	44.1	87.9	133.3	339.9
250	DIABETES MELLITUS	23.2	-	-	-	0.2	2.6	3.8	10.6	36.2	74.9	131.6	249.5
	MALE	21.6	-	-	-	0.5	3.2	6.5	12.3	36.1	75.4	172.3	250.3
	FEMALE	24.8	-	-	-	-	1.9	1.1	8.9	36.4	74.6	101.9	249.1
RESIDUAL OF 240-279	OTHER ENDOCRINE, NUTRITIONAL, & METABOLIC DISEASES	7.0	4.6	-	1.1	1.2	0.9	1.1	3.3	10.7	15.0	37.4	82.9
	MALE	6.3	9.0	-	0.9	2.3	1.4	0.4	3.3	13.9	17.0	45.8	68.3
	FEMALE	7.7	-	-	1.4	-	0.5	1.9	3.3	7.7	13.3	31.4	90.8
IV.	DISEASES OF THE BLOOD-FORMING ORGANS	3.8	2.3	0.5	0.2	-	0.2	0.4	1.4	2.0	8.6	13.6	65.1
	MALE	4.0	-	-	0.4	-	-	0.4	0.5	2.5	11.3	18.8	96.1
	FEMALE	3.7	4.7	1.1	-	-	0.5	0.4	2.4	1.5	6.3	9.8	48.2

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	ANEMIAS	1.6	2.3	0.5	-	-	-	0.4	0.9	0.4	1.3	4.5	32.1
	MALE	1.3	-	-	-	-	-	0.4	-	0.8	0.9	2.7	43.0
	FEMALE	1.9	4.7	1.1	-	-	-	0.4	1.9	-	1.6	5.9	26.1
RESIDUAL OF 280-289	OTHER DISEASES OF THE BLOOD & BLOOD-FORMING ORGANS	2.2	-	-	0.2	-	0.2	-	0.5	1.6	7.3	9.1	33.0
	MALE	2.7	-	-	0.4	-	-	-	0.5	1.6	10.4	16.2	53.1
	FEMALE	1.7	-	-	-	-	0.5	-	0.5	1.5	4.7	3.9	22.0
	V. MENTAL DISORDERS	32.4	-	-	0.2	0.7	4.9	6.5	7.8	14.3	40.7	102.1	638.9
	MALE	27.3	-	-	-	1.4	6.0	8.4	13.2	22.9	57.5	115.8	579.0
	FEMALE	37.4	-	-	0.5	-	3.8	4.5	2.4	6.2	26.7	92.1	671.6
290.1	ALZHEIMER'S DEMENTIA	9.8	-	-	-	-	-	-	-	-	8.6	47.6	221.9
	MALE	6.7	-	-	-	-	-	-	-	-	9.4	53.9	189.6
	FEMALE	12.8	-	-	-	-	-	-	-	-	7.8	43.1	239.5
291	ALCOHOLIC PSYCHOSIS	0.3	-	-	-	-	-	-	-	1.2	0.4	4.5	2.7
	MALE	0.4	-	-	-	-	-	-	-	0.8	0.9	8.1	5.1
	FEMALE	0.2	-	-	-	-	-	-	-	1.5	-	2.0	1.4
303	ALCOHOLISM	3.4	-	-	-	-	0.9	2.3	5.0	11.1	12.0	7.9	7.1
	MALE	5.4	-	-	-	-	0.9	3.1	9.0	19.7	19.8	13.5	15.2
	FEMALE	1.4	-	-	-	-	0.9	1.5	0.9	3.1	5.5	3.9	2.8
304	DRUG DEPENDENCE	0.8	-	-	-	-	2.1	2.1	1.2	0.4	-	-	-
	MALE	1.2	-	-	-	-	2.8	3.1	1.9	0.8	-	-	-
	FEMALE	0.4	-	-	-	-	1.4	1.1	0.5	-	-	-	-
305	NON-DEPENDENT DRUG ABUSE	1.0	-	-	-	0.5	1.0	1.9	1.6	0.4	10.2	1.8	0.1
	MALE	1.3	-	-	-	0.9	1.2	1.9	2.5	0.9	16.2	2.5	-
	FEMALE	0.8	-	-	-	-	0.8	1.9	0.8	-	5.9	1.4	0.1
RESIDUAL OF 290-319	OTHER MENTAL DISORDERS	17.0	-	-	0.2	0.2	0.7	0.6	0.7	1.2	15.8	39.7	405.5
	MALE	12.2	-	-	-	0.5	0.9	0.8	0.9	0.8	21.7	37.7	369.1
	FEMALE	21.7	-	-	0.5	-	0.5	0.4	0.5	1.5	11.0	41.2	425.2
	VI. DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	29.0	11.5	2.1	0.9	0.7	1.4	2.3	8.0	17.9	52.7	158.8	488.3
	MALE	25.8	9.0	1.0	0.9	0.9	2.3	4.2	9.0	20.5	56.5	183.1	531.0
	FEMALE	32.2	14.0	3.3	0.9	0.5	0.5	0.4	7.1	15.5	49.4	141.1	465.1

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
320-322	MENINGITIS	0.2	2.3	-	0.2	-	0.2	-	0.2	0.4	-	-	-
	MALE	0.3	4.5	-	-	-	0.5	-	0.5	0.8	-	-	-
	FEMALE	0.1	-	-	0.5	-	-	-	-	-	-	-	-
331.0	ALZHEIMER'S DISEASE	13.5	-	-	-	-	-	-	0.5	2.0	15.8	63.5	293.2
	MALE	8.8	-	-	-	-	-	-	0.5	1.6	13.2	51.2	257.9
	FEMALE	18.0	-	-	-	-	-	-	0.5	2.3	18.0	72.5	312.4
332	PARKINSON'S DISEASE	7.4	-	-	-	-	-	-	0.2	1.6	12.8	53.3	137.2
	MALE	9.4	-	-	-	-	-	-	0.5	2.5	22.6	96.9	209.9
	FEMALE	5.5	-	-	-	-	-	-	-	0.8	4.7	21.6	97.7
345	EPILEPSY	0.4	-	-	0.2	0.2	0.9	0.8	0.2	-	-	-	0.9
	MALE	0.5	-	-	0.4	-	1.4	1.2	-	-	-	-	2.5
	FEMALE	0.2	-	-	-	0.5	0.5	0.4	0.5	-	-	-	-
RESIDUAL OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	7.6	9.2	2.1	0.4	0.5	0.2	1.5	6.8	13.9	24.0	42.0	57.0
	MALE	6.9	4.5	1.0	0.4	0.9	0.5	3.1	7.6	15.6	20.7	35.0	60.7
	FEMALE	8.3	14.0	3.3	0.5	-	-	-	6.1	12.4	26.7	47.0	55.0
VII.	DISEASES OF THE CIRCULATORY SYSTEM	351.2	25.2	1.1	0.9	1.6	6.5	30.1	91.0	304.1	840.8	1885.2	5513.5
	MALE	345.9	31.5	2.0	0.9	2.3	9.2	43.4	127.6	417.9	1144.4	2434.2	5997.3
	FEMALE	356.4	18.7	-	0.9	1.0	3.8	17.0	54.6	196.6	587.8	1485.7	5250.1
390-448	MAJOR CARDIOVASCULAR DISEASES	350.3	25.2	1.1	0.9	1.6	6.3	29.9	90.5	302.9	838.6	1878.4	5501.9
	MALE	344.9	31.5	2.0	0.9	2.3	8.7	43.0	127.1	416.3	1141.6	2428.8	5984.7
	FEMALE	355.4	18.7	-	0.9	1.0	3.8	17.0	54.1	195.9	586.2	1477.8	5239.1
390-398, 402, 404- 429	DISEASES OF THE HEART	241.7	22.9	1.1	0.7	1.2	4.4	24.4	73.1	242.8	606.2	1269.3	3623.4
	MALE	254.6	27.0	2.0	0.4	1.4	5.5	37.2	109.6	354.0	860.9	1739.5	4156.7
	FEMALE	229.2	18.7	-	0.9	1.0	3.3	11.7	36.7	137.8	394.0	927.1	3333.1
390-398	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE	2.8	-	-	-	-	0.5	0.2	0.9	1.6	3.9	20.4	44.6
	MALE	2.0	-	-	-	-	0.5	0.4	0.9	0.8	2.8	13.5	45.5
	FEMALE	3.5	-	-	-	-	0.5	-	0.9	2.3	4.7	25.5	44.0
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	7.7	-	-	-	-	-	0.4	2.8	6.8	12.8	27.2	142.6
	MALE	5.1	-	-	-	-	-	0.8	1.9	8.2	15.1	26.9	96.1
	FEMALE	10.2	-	-	-	-	-	-	3.8	5.4	11.0	27.4	167.9

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	ISCHEMIC HEART DISEASE	163.5	2.3	-	-	0.2	1.6	17.7	52.3	185.5	463.2	926.7	2238.5
	MALE	184.6	4.5	-	-	-	2.8	28.0	84.6	283.5	663.1	1319.4	2766.0
	FEMALE	143.0	-	-	-	0.5	0.5	7.5	20.2	92.9	296.6	640.9	1951.4
410	MYOCARDIAL INFARCTION	65.0	2.3	-	-	0.2	0.5	5.5	17.9	77.2	207.6	395.9	828.8
	MALE	74.1	4.5	-	-	-	0.9	8.4	28.4	118.8	292.9	541.2	1059.4
	FEMALE	56.1	-	-	-	0.5	-	2.6	7.5	37.9	136.5	290.1	703.2
411	OTHER ACUTE & SUBACUTE ISCHEMIC HEART DISEASE	0.3	-	-	-	-	-	-	0.2	0.8	-	2.3	5.3
	MALE	0.3	-	-	-	-	-	-	0.5	0.8	-	2.7	5.1
	FEMALE	0.4	-	-	-	-	-	-	-	0.8	-	2.0	5.5
412-414	CHRONIC ISCHEMIC HEART DISEASE	98.2	-	-	-	-	1.2	12.2	34.2	107.5	255.6	528.6	1404.4
	MALE	110.2	-	-	-	-	1.8	19.6	55.8	163.9	370.2	775.5	1701.6
	FEMALE	86.5	-	-	-	-	0.5	4.9	12.7	54.2	160.1	348.9	1242.7
415-429	ALL OTHER FORMS	67.7	20.6	1.1	0.7	0.9	2.3	6.1	17.0	49.0	126.3	294.9	1197.7
	MALE	62.9	22.5	2.0	0.4	1.4	2.3	8.1	22.2	61.5	179.9	379.7	1249.0
	FEMALE	72.4	18.7	-	0.9	0.5	2.3	4.1	11.8	37.2	81.6	233.2	1169.8
401, 403	HYPERTENSION	6.1	-	-	-	-	0.2	0.2	1.7	1.6	17.6	29.5	101.6
	MALE	4.5	-	-	-	-	0.5	0.4	2.8	0.8	22.6	26.9	68.3
	FEMALE	7.7	-	-	-	-	-	-	0.5	2.3	13.3	31.4	119.7
430-438	CEREBROVASCULAR DISEASE	82.7	2.3	-	0.2	0.2	1.4	4.6	12.0	42.6	160.5	456.0	1482.9
	MALE	64.6	4.5	-	0.4	0.5	2.3	4.6	10.4	39.3	182.7	487.4	1385.6
	FEMALE	100.3	-	-	-	-	0.5	4.5	13.6	45.7	142.0	433.2	1535.8
430	SUBARACHNOID HEMORRHAGE	3.2	-	-	-	0.2	0.2	1.3	5.2	7.2	10.3	12.5	16.0
	MALE	2.0	-	-	-	0.5	0.5	1.5	2.8	4.9	8.5	2.7	10.1
	FEMALE	4.3	-	-	-	-	-	1.1	7.5	9.3	11.8	19.6	19.3
431-432	INTRACEREBRAL & INTRACRANIAL HEMORRHAGES	10.2	-	-	0.2	-	0.9	2.5	2.8	12.7	32.5	63.5	116.7
	MALE	9.5	-	-	0.4	-	1.4	2.3	2.8	11.5	37.7	78.1	126.4
	FEMALE	10.9	-	-	-	-	0.5	2.6	2.8	13.9	28.3	52.9	111.5
434	CEREBRAL THROMBOSIS & EMBOLISM	9.8	-	-	-	-	-	0.4	0.7	2.4	13.3	51.0	200.5
	MALE	7.0	-	-	-	-	-	0.4	0.5	0.8	17.0	51.2	177.0
	FEMALE	12.5	-	-	-	-	-	0.4	0.9	3.9	10.2	51.0	213.3
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	47.3	-	-	-	-	0.2	0.2	2.1	13.9	82.2	267.7	919.7
	MALE	35.7	-	-	-	-	0.5	0.4	2.4	16.4	97.0	282.7	821.7
	FEMALE	58.6	-	-	-	-	-	-	1.9	11.6	69.8	256.8	973.0

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	5.8	2.3	-	-	-	-	-	0.2	3.2	9.4	28.4	114.1
	MALE	4.2	4.5	-	-	-	-	-	0.5	2.5	8.5	29.6	103.7
	FEMALE	7.4	-	-	-	-	-	-	-	3.9	10.2	27.4	119.7
440	ARTERIOSCLEROSIS	8.0	-	-	-	-	-	-	0.5	2.8	11.6	39.7	164.9
	MALE	7.5	-	-	-	-	-	-	0.9	5.7	12.2	53.9	192.2
	FEMALE	8.5	-	-	-	-	-	-	-	-	11.0	29.4	150.0
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES	11.7	-	-	-	0.2	0.2	0.8	3.3	13.1	42.8	83.9	129.2
	MALE	13.7	-	-	-	0.5	0.5	0.8	3.3	16.4	63.1	121.2	182.0
	FEMALE	9.7	-	-	-	-	-	0.8	3.3	10.1	25.9	56.8	100.5
441	AORTIC ANEURYSM	7.1	-	-	-	0.2	-	0.4	1.4	8.0	27.8	54.4	74.9
	MALE	9.9	-	-	-	0.5	-	0.4	2.8	11.5	49.0	94.2	116.3
	FEMALE	4.4	-	-	-	-	-	0.4	-	4.6	10.2	25.5	52.3
451-453	VENOUS THROMBOSIS & EMBOLISM	0.4	-	-	-	-	0.2	0.2	0.5	0.4	0.9	2.3	3.6
	MALE	0.4	-	-	-	-	0.5	0.4	0.5	0.8	0.9	-	2.5
	FEMALE	0.4	-	-	-	-	-	-	0.5	-	0.8	3.9	4.1
RESIDUAL OF 390-459	OTHER DISEASES OF THE CIRCULATORY SYSTEM	0.6	-	-	-	-	-	-	-	0.8	1.3	4.5	8.0
	MALE	0.6	-	-	-	-	-	-	-	0.8	1.9	5.4	10.1
	FEMALE	0.6	-	-	-	-	-	-	-	0.8	0.8	3.9	6.9
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	92.2	9.2	0.5	0.2	0.9	2.1	4.4	13.7	82.0	281.7	595.5	1286.8
	MALE	92.3	13.5	1.0	0.4	1.4	1.8	5.8	15.6	85.2	330.6	743.2	1658.6
	FEMALE	92.1	4.7	-	-	0.5	2.3	3.0	11.8	79.0	240.9	488.0	1084.4
480-487	PNEUMONIA & INFLUENZA	29.7	6.9	-	0.2	0.2	0.5	2.3	5.0	11.9	44.9	121.4	591.7
	MALE	27.5	9.0	-	0.4	0.5	0.9	3.5	5.7	13.9	61.2	158.9	665.0
	FEMALE	31.9	4.7	-	-	-	-	1.1	4.2	10.1	31.4	94.1	551.8
480-486	PNEUMONIA	29.4	6.9	-	0.2	0.2	0.5	2.1	5.0	11.5	44.9	118.0	587.3
	MALE	27.2	9.0	-	0.4	0.5	0.9	3.1	5.7	13.1	61.2	156.2	659.9
	FEMALE	31.6	4.7	-	-	-	-	1.1	4.2	10.1	31.4	90.2	547.7
487	INFLUENZA	0.3	-	-	-	-	-	0.2	-	0.4	-	3.4	4.5
	MALE	0.3	-	-	-	-	-	0.4	-	0.8	-	2.7	5.1
	FEMALE	0.3	-	-	-	-	-	-	-	-	-	3.9	4.1

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE & ALLIED CONDITIONS	52.7	-	-	-	0.5	0.9	1.7	7.3	62.9	211.0	401.5	557.0
	MALE	54.3	-	-	-	0.5	0.5	1.5	9.0	63.1	236.4	479.3	809.1
	FEMALE	51.1	-	-	-	0.5	1.4	1.9	5.6	62.7	189.9	345.0	419.7
490-491	CHRONIC & UNSPECIFIED BRONCHITIS	1.6	-	-	-	-	-	0.2	-	3.6	5.1	7.9	19.6
	MALE	2.3	-	-	-	-	-	-	-	4.9	9.4	10.8	40.5
	FEMALE	0.9	-	-	-	-	-	0.4	-	2.3	1.6	5.9	8.3
492	EMPHYSEMA	12.8	-	-	-	-	-	0.4	3.3	17.9	59.1	91.9	112.3
	MALE	13.6	-	-	-	-	-	0.8	5.2	18.8	65.9	88.9	187.1
	FEMALE	12.0	-	-	-	-	-	-	1.4	17.0	53.4	94.1	71.6
493	ASTHMA	2.8	-	-	-	0.5	0.9	1.0	0.9	2.8	6.0	19.3	32.1
	MALE	2.4	-	-	-	0.5	0.5	0.4	0.9	2.5	8.5	24.2	30.3
	FEMALE	3.2	-	-	-	0.5	1.4	1.5	0.9	3.1	3.9	15.7	33.0
494	BRONCHIECTASIS	0.8	-	-	-	-	-	-	0.2	0.8	1.7	4.5	13.4
	MALE	0.4	-	-	-	-	-	-	-	0.8	-	5.4	7.6
	FEMALE	1.2	-	-	-	-	-	-	0.5	0.8	3.1	3.9	16.5
496	CHRONIC AIRWAY OBSTRUCTION NOT ELSEWHERE CLASSIFIED (COPD)	34.7	-	-	-	-	-	0.2	2.8	37.8	139.1	277.9	379.6
	MALE	35.6	-	-	-	-	-	0.4	2.8	36.1	152.6	350.0	543.6
	FEMALE	33.8	-	-	-	-	-	-	2.8	39.5	127.9	225.4	290.4
RESIDUAL OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	9.8	2.3	0.5	-	0.2	0.7	0.4	1.4	7.2	25.7	72.6	138.1
	MALE	10.5	4.5	1.0	-	0.5	0.5	0.8	0.9	8.2	33.0	105.0	184.6
	FEMALE	9.0	-	-	-	-	0.9	-	1.9	6.2	19.6	49.0	112.8
IX.	DISEASES OF THE DIGESTIVE SYSTEM	31.8	2.3	1.1	1.1	0.9	1.6	13.3	22.9	45.8	79.6	157.7	344.9
	MALE	31.3	4.5	2.0	0.4	0.9	2.3	16.9	28.8	59.0	101.7	142.7	359.0
	FEMALE	32.3	-	-	1.8	1.0	0.9	9.8	16.9	33.3	61.2	168.6	337.2
531	ULCER OF THE STOMACH	0.4	-	-	-	-	0.2	-	0.2	-	0.4	3.4	5.3
	MALE	0.3	-	-	-	-	-	-	0.5	-	0.9	2.7	2.5
	FEMALE	0.5	-	-	-	-	0.5	-	-	-	-	3.9	6.9
532	ULCER OF THE DUODENUM	0.5	-	-	-	0.2	-	-	-	0.8	0.9	3.4	8.0
	MALE	0.4	-	-	-	-	-	-	-	1.6	0.9	-	10.1
	FEMALE	0.6	-	-	-	0.5	-	-	-	-	0.8	5.9	6.9

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
533	PEPTIC ULCER	0.6	-	-	-	-	-	-	-	-	0.4	6.8	11.6
	MALE	0.5	-	-	-	-	-	-	-	-	-	10.8	10.1
	FEMALE	0.7	-	-	-	-	-	-	-	-	0.8	3.9	12.4
550-553, 560	HERNIA & INTESTINAL OBSTRUCTION	2.6	-	-	0.4	-	0.2	0.2	0.9	1.2	4.7	11.3	45.4
	MALE	2.4	-	-	0.4	-	-	0.4	0.9	0.8	4.7	10.8	60.7
	FEMALE	2.8	-	-	0.5	-	0.5	-	0.9	1.5	4.7	11.8	37.2
571	CIRRHOSIS OF THE LIVER	10.3	-	-	-	-	0.9	10.5	16.0	31.8	29.1	31.8	22.3
	MALE	12.6	-	-	-	-	1.8	12.7	21.7	40.2	40.5	29.6	30.3
	FEMALE	8.1	-	-	-	-	-	8.3	10.4	24.0	19.6	33.3	17.9
571.0-.3	ALCOHOLIC CIRRHOSIS OF THE LIVER	8.7	-	-	-	-	0.9	10.3	15.3	28.7	22.3	17.0	12.5
	MALE	11.7	-	-	-	-	1.8	12.7	20.3	39.3	35.8	18.8	25.3
	FEMALE	5.8	-	-	-	-	-	7.9	10.4	18.6	11.0	15.7	5.5
574-576	DISEASES OF THE GALLBLADDER	1.8	-	0.5	-	-	-	0.2	0.5	0.4	3.9	11.3	29.4
	MALE	1.8	-	1.0	-	-	-	0.4	0.9	0.8	5.7	8.1	35.4
	FEMALE	1.8	-	-	-	-	-	-	-	-	2.4	13.7	26.1
577	DISEASES OF THE PANCREAS	1.0	-	-	-	-	-	1.0	0.5	2.0	3.0	3.4	8.0
	MALE	1.1	-	-	-	-	-	1.5	-	4.1	3.8	2.7	10.1
	FEMALE	0.8	-	-	-	-	-	0.4	0.9	-	2.4	3.9	6.9
RESIDUAL OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	14.6	2.3	0.5	0.7	0.7	0.2	1.5	4.7	9.6	37.2	86.2	214.8
	MALE	12.1	4.5	1.0	-	0.9	0.5	1.9	4.7	11.5	45.2	78.1	199.7
	FEMALE	17.0	-	-	1.4	0.5	-	1.1	4.7	7.7	30.6	92.1	222.9
X.	DISEASES OF THE GENITOURINARY SYSTEM	11.3	-	-	-	0.2	0.2	1.3	1.9	6.4	18.8	66.9	199.6
	MALE	9.5	-	-	-	0.5	-	1.5	2.8	4.9	17.0	64.6	227.6
	FEMALE	13.1	-	-	-	-	0.5	1.1	0.9	7.7	20.4	68.6	184.4
580-589	NEPHRITIS & NEPHROSIS	4.8	-	-	-	-	0.2	0.6	1.4	3.2	10.3	34.0	72.2
	MALE	4.0	-	-	-	-	-	0.8	2.4	2.5	10.4	32.3	75.9
	FEMALE	5.6	-	-	-	-	0.5	0.4	0.5	3.9	10.2	35.3	70.2
590	INFECTIONS OF THE KIDNEY	0.4	-	-	-	0.2	-	-	0.2	0.4	0.4	3.4	6.2
	MALE	0.2	-	-	-	0.5	-	-	-	-	-	-	5.1
	FEMALE	0.7	-	-	-	-	-	-	0.5	0.8	0.8	5.9	6.9
599.0	URINARY TRACT INFECTION	4.4	-	-	-	-	-	0.4	0.2	1.6	5.6	19.3	92.7
	MALE	3.1	-	-	-	-	-	0.4	0.5	1.6	2.8	18.8	86.0
	FEMALE	5.8	-	-	-	-	-	0.4	-	1.5	7.8	19.6	96.3

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
600-608	DISEASES OF MALE GENITAL ORGANS	0.6	-	-	-	-	-	-	-	-	0.4	3.4	12.5
	MALE	1.1	-	-	-	-	-	-	-	-	0.9	8.1	35.4
	FEMALE	0.0	-	-	-	-	-	-	-	-	-	-	-
614-629	DISEASES OF THE UTERUS & OTHER FEMALE GENITAL ORGANS	0.1	-	-	-	-	-	0.2	-	0.4	0.4	1.1	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	0.2	-	-	-	-	-	0.4	-	0.8	0.8	2.0	-
RESIDUAL OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	0.9	-	-	-	-	-	0.2	-	0.8	1.7	5.7	16.0
	MALE	1.1	-	-	-	-	-	0.4	-	0.8	2.8	5.4	25.3
	FEMALE	0.8	-	-	-	-	-	-	-	0.8	0.8	5.9	11.0
XI.	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	0.1	-	-	-	-	-	0.4	-	-	-	-	-
630-676													
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	0.1	-	-	-	-	-	0.8	-	-	-	-	-
XII.	DISEASES OF THE SKIN & SUBCUTANEOUS TISSUE	1.1	-	-	-	-	-	-	0.2	1.2	4.3	4.5	15.1
680-709													
	MALE	1.1	-	-	-	-	-	-	0.5	0.8	5.7	5.4	17.7
	FEMALE	1.1	-	-	-	-	-	-	-	1.5	3.1	3.9	13.8
XIII.	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DISEASES	5.2	-	-	0.4	0.2	0.5	-	3.3	2.0	12.0	27.2	78.4
710-739													
	MALE	2.6	-	-	-	0.5	-	-	1.9	0.8	8.5	24.2	43.0
	FEMALE	7.6	-	-	0.9	-	0.9	-	4.7	3.1	14.9	29.4	97.7
XIV.	CONGENITAL ANOMALIES	4.5	119.1	4.7	0.9	1.6	3.0	1.7	0.5	2.8	4.3	6.8	21.4
	MALE	4.3	107.8	5.1	1.3	2.3	3.7	1.9	-	2.5	1.9	10.8	22.8
	FEMALE	4.6	130.9	4.3	0.5	1.0	2.3	1.5	0.9	3.1	6.3	3.9	20.6
745-746	CONGENITAL ANOMALIES OF THE HEART	1.5	41.2	2.6	-	0.9	2.1	0.4	0.2	0.8	0.9	-	4.5
	MALE	1.5	40.4	4.1	-	1.4	2.8	0.4	-	0.8	-	-	-
	FEMALE	1.5	42.1	1.1	-	0.5	1.4	0.4	0.5	0.8	1.6	-	6.9
RESIDUAL OF 740-759	OTHER CONGENITAL ANOMALIES	3.0	77.9	2.1	0.9	0.7	0.9	1.3	0.2	2.0	3.4	6.8	16.9
	MALE	2.8	67.4	1.0	1.3	0.9	0.9	1.5	-	1.6	1.9	10.8	22.8
	FEMALE	3.2	88.8	3.3	0.5	0.5	0.9	1.1	0.5	2.3	4.7	3.9	13.8

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
760-779	XV. PERINATAL CONDITIONS	3.0	206.2	2.1	0.2	-	-	-	-	-	-	-	-
	MALE	3.6	247.1	2.0	-	-	-	-	-	-	-	-	-
	FEMALE	2.4	163.6	2.2	0.5	-	-	-	-	-	-	-	-
	XVI. SYMPTOMS & ILL-DEFINED CONDITIONS	17.4	110.0	1.1	0.4	0.9	0.5	1.9	7.3	20.7	37.2	72.6	222.8
	MALE	17.6	107.8	1.0	0.9	0.5	0.5	3.5	12.3	29.5	55.6	78.1	222.5
	FEMALE	17.1	112.2	1.1	-	1.4	0.5	0.4	2.4	12.4	22.0	68.6	222.9
797	SENILITY	1.0	-	-	-	-	-	-	-	-	0.4	-	28.5
	MALE	0.5	-	-	-	-	-	-	-	-	-	-	20.2
	FEMALE	1.5	-	-	-	-	-	-	-	-	0.8	-	33.0
798.0	SUDDEN INFANT DEATH SYNDROME	1.5	107.7	-	-	-	-	-	-	-	-	-	-
	MALE	1.5	103.4	-	-	-	-	-	-	-	-	-	-
	FEMALE	1.5	112.2	-	-	-	-	-	-	-	-	-	-
RESIDUAL OF 780-799	OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	14.8	2.3	1.1	0.4	0.9	0.5	1.9	7.3	20.7	36.8	72.6	194.3
	MALE	15.6	4.5	1.0	0.9	0.5	0.5	3.5	12.3	29.5	55.6	78.1	202.3
	FEMALE	14.1	-	1.1	-	1.4	0.5	0.4	2.4	12.4	21.2	68.6	189.9
	XVII. ACCIDENTS, POISONING, & VIOLENCE	64.5	57.3	19.5	15.1	70.0	75.4	72.3	57.8	59.3	66.4	89.6	256.6
	MALE	91.6	80.9	23.6	15.6	108.6	114.6	110.2	82.7	84.4	102.7	131.9	366.6
	FEMALE	38.3	32.7	15.2	14.6	29.5	35.2	35.1	32.9	35.6	36.1	58.8	196.8
800-949	ACCIDENTS	40.7	18.3	14.7	11.1	44.8	43.2	40.7	34.2	33.0	42.0	62.4	209.4
	MALE	54.1	27.0	16.4	10.4	66.1	65.1	62.2	50.1	41.8	58.4	86.2	255.4
	FEMALE	27.7	9.3	13.0	11.8	22.4	20.7	19.6	18.4	24.8	28.3	45.1	184.4
810-825	MOTOR VEHICLE ACCIDENTS	16.7	9.2	4.7	5.8	32.2	22.3	15.0	13.7	10.7	18.4	20.4	28.5
	MALE	22.1	13.5	3.1	6.1	44.3	31.2	19.6	18.9	10.7	24.5	26.9	53.1
	FEMALE	11.4	4.7	6.5	5.5	19.5	13.2	10.6	8.5	10.8	13.3	15.7	15.1
830-838	WATER TRANSPORT ACCIDENTS	0.4	-	0.5	0.2	0.2	-	0.8	0.9	0.4	-	-	-
	MALE	0.7	-	1.0	-	0.5	-	1.5	1.9	0.8	-	-	-
	FEMALE	0.1	-	-	0.5	-	-	-	-	-	-	-	-
840-845	AIR TRANSPORT ACCIDENTS	0.8	-	-	-	0.2	1.9	1.0	2.1	0.4	-	-	-
	MALE	1.4	-	-	-	0.5	3.7	1.9	3.3	0.8	-	-	-
	FEMALE	0.1	-	-	-	-	-	-	0.9	-	-	-	-
850-869	POISONING ACCIDENTS	5.7	-	-	0.2	2.3	10.2	15.6	7.8	2.4	0.4	1.1	1.8
	MALE	8.9	-	-	0.4	3.6	14.7	26.5	11.8	4.1	-	-	-
	FEMALE	2.5	-	-	-	1.0	5.6	4.9	3.8	0.8	0.8	2.0	2.8

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	ACCIDENTAL FALLS	8.2	-	-	0.2	0.9	1.4	1.5	2.8	6.8	7.3	26.1	153.3
	MALE	7.9	-	-	0.4	1.4	2.8	1.9	4.3	9.0	9.4	32.3	169.4
	FEMALE	8.4	-	-	-	0.5	-	1.1	1.4	4.6	5.5	21.6	144.5
890-899	FIRE & FLAME ACCIDENTS	1.3	-	3.7	1.1	1.9	-	1.0	1.2	2.0	2.1	-	0.9
	MALE	1.5	-	4.1	1.3	2.7	-	1.5	0.9	0.8	1.9	-	2.5
	FEMALE	1.1	-	3.3	0.9	1.0	-	0.4	1.4	3.1	2.4	-	-
910	DROWNING & SUBMERSION	1.5	-	2.6	2.4	2.8	1.2	1.1	0.9	1.2	0.4	-	-
	MALE	2.3	-	5.1	1.7	5.4	2.3	1.9	1.9	0.8	-	-	-
	FEMALE	0.7	-	-	3.2	-	-	0.4	-	1.5	0.8	-	-
950-959	SUICIDES	16.8	-	-	2.2	16.0	20.2	22.6	18.4	20.3	22.7	25.0	39.2
	MALE	27.8	-	-	3.9	27.6	33.5	34.9	26.5	35.2	41.4	45.8	103.7
	FEMALE	6.1	-	-	0.5	3.8	6.6	10.6	10.4	6.2	7.1	9.8	4.1
960-978	HOMICIDES	4.8	13.7	4.7	1.6	7.9	9.3	4.4	2.8	4.4	0.4	1.1	7.1
	MALE	6.4	22.5	7.2	0.9	12.2	12.4	6.9	2.4	6.6	-	-	5.1
	FEMALE	3.2	4.7	2.2	2.3	3.3	6.1	1.9	3.3	2.3	0.8	2.0	8.3
980-989	INJURY UNDETERMINED WHETHER ACCIDENTIALLY OR PURPOSELY INFLECTED	2.3	25.2	-	0.2	1.4	2.8	4.6	2.4	1.6	1.3	1.1	0.9
	MALE	3.3	31.5	-	0.4	2.7	3.7	6.1	3.8	0.8	2.8	-	2.5
	FEMALE	1.4	18.7	-	-	-	1.9	3.0	0.9	2.3	-	2.0	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD-9 is an acronym for "International Classification of Disease, 9th Revision" as established by the World Health Organization and published in the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 9th Revision, World Health Organization, 1977, Geneva Switzerland.