

**TABLE 6-17. Tobacco-linked Deaths by Sex, Age, and Education,  
Oregon Residents, 1999**

Sex, Age, and Education	Total	Linked		Not Linked		Unknown	
		Number	Percent	Number	Percent	Number	Percent
<b>Both Sexes</b>							
Total .....	29,356	6,522	22.2	15,924	54.2	6,910	23.5
< 1 <sup>1</sup> .....	261	3	1.1	224	85.8	34	13.0
1-24 .....	431	4	0.9	384	89.1	43	10.0
25-34 .....	423	10	2.4	351	83.0	62	14.7
35-44 .....	924	61	6.6	640	69.3	223	24.1
45-54 .....	1,848	410	22.2	1,019	55.1	419	22.7
55-64 .....	2,639	925	35.1	1,098	41.6	616	23.3
65-74 .....	5,190	1,911	36.8	2,070	39.9	1,209	23.3
75-84 .....	9,052	2,336	25.8	4,512	49.8	2,204	24.3
85-94 .....	7,281	822	11.3	4,649	63.9	1,810	24.9
95+ .....	1,307	40	3.1	977	74.8	290	22.2
<b>Male</b>							
Total .....	14,430	3,878	26.9	6,880	47.7	3,672	25.4
< 1 <sup>1</sup> .....	142	2	1.4	127	89.4	13	9.2
1-24 .....	298	2	0.7	263	88.3	33	11.1
25-34 .....	304	9	3.0	252	82.9	43	14.1
35-44 .....	608	36	5.9	423	69.6	149	24.5
45-54 .....	1,177	277	23.5	621	52.8	279	23.7
55-64 .....	1,540	555	36.0	578	37.5	407	26.4
65-74 .....	2,897	1,112	38.4	1,044	36.0	741	25.6
75-84 .....	4,571	1,407	30.8	1,941	42.5	1,223	26.8
85-94 .....	2,610	462	17.7	1,445	55.4	703	26.9
95+ .....	283	16	5.7	186	65.7	81	28.6
<b>Female</b>							
Total .....	14,926	2,644	17.7	9,044	60.6	3,238	21.7
< 1 <sup>1</sup> .....	119	1	0.8	97	81.5	21	17.6
1-24 .....	133	2	1.5	121	91.0	10	7.5
25-34 .....	119	1	0.8	99	83.2	19	16.0
35-44 .....	316	25	7.9	217	68.7	74	23.4
45-54 .....	671	133	19.8	398	59.3	140	20.9
55-64 .....	1,099	370	33.7	520	47.3	209	19.0
65-74 .....	2,293	799	34.8	1,026	44.7	468	20.4
75-84 .....	4,481	929	20.7	2,571	57.4	981	21.9
85-94 .....	4,671	360	7.7	3,204	68.6	1,107	23.7
95+ .....	1,024	24	2.3	791	77.2	209	20.4
<b>Years of Education</b>							
<9 .....	4,728	957	20.2	2,647	56.0	1,124	23.8
9-11 .....	3,355	894	26.6	1,673	49.9	788	23.5
12 .....	12,181	2,948	24.2	6,299	51.7	2,934	24.1
13-15 .....	4,885	1,004	20.6	2,770	56.7	1,111	22.7
16 .....	2,284	377	16.5	1,385	60.6	522	22.9
17+ .....	1,475	245	16.6	924	62.6	306	20.7
Not Stated .....	448	97	21.7	226	50.4	125	27.9

<sup>1</sup> The number of infant deaths due to exposure to tobacco combustion products is underreported. Based on a multiple logistic regression model that included 20 health and demographic variables, an estimated 11.2 percent of infant deaths were attributable to maternal smoking during pregnancy.