

**TABLE 6-11. Years of Potential Life Lost before Age 65 from the Leading Causes of Death, by Year, Oregon Residents, 1986-2001**

Year	Total	Unintentional Injury	Cancer	Heart Disease <sup>1</sup>	Suicide	Perinatal Conditions	Congenital Anomalies	Homicide <sup>2</sup>	Alcohol-induced Deaths <sup>3</sup>
1986 .....	119,185	29,922	17,928	12,309	9,447	7,710	6,897	5,369	2,559
1987 .....	120,949	30,110	18,723	12,736	8,203	10,387	7,257	4,827	2,412
1988 .....	119,533	29,720	18,838	12,256	9,745	8,309	6,402	4,038	2,433
1989 .....	116,878	26,633	17,924	11,489	9,714	10,989	6,149	4,047	2,985
1990 .....	117,310	26,397	19,097	10,260	9,609	7,586	6,602	3,505	2,647
1991 .....	113,112	23,842	19,215	11,005	9,801	6,291	6,710	4,152	2,582
1992 .....	114,350	21,758	18,655	10,670	10,492	7,069	6,220	4,973	2,845
1993 .....	123,280	25,797	19,747	12,169	9,772	5,391	7,125	4,475	3,334
1994 .....	126,313	25,604	21,242	11,189	11,467	6,809	5,848	5,568	3,491
1995 .....	128,177	28,912	20,505	12,226	12,029	4,932	5,394	5,139	3,856
1996 .....	126,458	28,627	21,610	12,764	11,304	6,155	5,238	4,884	4,086
1997 .....	120,508	27,322	21,233	12,748	10,937	6,596	5,867	4,081	3,783
1998 .....	122,992	27,500	22,356	12,404	11,771	5,128	6,310	4,224	4,011
1999 .....	117,350	21,710	21,254	13,390	9,807	7,276	6,523	3,724	3,142
2000.....	116,864	23,208	21,568	11,693	10,242	6,806	5,442	2,918	3,734
2001.....	118,229	22,052	22,574	11,589	10,566	7,276	5,651	2,938	4,454

  

Year	Diabetes	Cerebrovascular Disease	Chronic Lower Respiratory Disease	Acquired Immune Deficiency Syndrome	Sudden Infant Death Syndrome	Undetermined External Cause	Pneumonia and Influenza	Aortic Aneurysm	Septicemia
1985 .....	1,287	1,960	1,342	271	6,907	1,672	768	283	200
1986 .....	1,038	1,540	1,438	825	7,805	1,925	955	406	566
1987 .....	1,224	1,794	1,126	2,135	7,420	1,783	784	298	550
1988 .....	1,631	1,783	1,197	3,076	6,387	1,176	1,220	240	225
1989 .....	1,171	1,533	1,467	3,304	5,999	1,606	1,070	529	190
1990 .....	1,181	1,770	1,341	4,778	7,098	1,427	1,494	404	332
1991 .....	1,388	1,801	1,309	5,796	5,484	1,112	900	428	113
1992 .....	1,916	2,087	1,213	6,479	5,423	1,706	1,224	575	423
1993 .....	1,594	2,399	1,424	7,884	5,873	1,746	1,469	373	302
1994 .....	1,890	2,799	1,309	8,419	4,064	1,747	1,434	515	374
1995 .....	1,811	2,052	1,509	8,214	4,906	2,021	901	595	205
1996 .....	2,019	2,277	1,625	5,559	3,033	2,265	1,115	368	501
1997 .....	2,036	2,432	1,660	2,286	2,323	1,413	1,313	483	185
1998 .....	2,447	2,520	1,392	1,668	2,903	1,342	1,177	435	615
1999 .....	2,441	2,226	1,720	1,700	1,679	1,596	768	291	975
2000.....	2,050	2,036	1,517	1,432	3,292	1,472	588	368	869
2001.....	2,422	2,583	1,485	1,417	1,872	1,910	968	283	684

<sup>1</sup> Includes alcoholic cardiomyopathy.

<sup>2</sup> Excludes legal intervention.

<sup>3</sup> Includes the alcohol-linked disorders represented by ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, 035.4, P04.3, R78.0, X45, X65, and Y15.