

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2003

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	870.1	557.3	37.2	15.2	69.7	84.0	169.6	397.9	1,041.7	2,190.7	5,374.6	15,964.7
Infections & Parasitic Disease (A00-B99)	14.9	2.2	1.6	0.4	1.0	2.5	12.1	22.1	24.4	26.5	65.5	131.7
Tuberculosis (A16-A19)	0.2	-	-	-	-	-	-	0.2	1.0	-	1.2	1.7
Meningococcal infection (A39)	0.1	-	-	-	0.4	-	0.2	-	-	-	-	-
Septicemia (A40-A41)	4.9	-	0.5	0.2	-	-	1.6	2.9	5.7	15.0	33.6	69.2
Creutzfeldt-Jacob disease (A81.0)	<0.05	-	-	-	-	-	-	-	-	0.4	-	-
Viral hepatitis (B15-B19)	2.7	-	-	-	-	0.2	1.6	9.5	7.3	2.6	3.0	1.7
HIV/AIDS (B20-B24) ³	2.6	-	-	-	0.2	1.8	6.2	5.5	4.8	1.3	-	-
Malignant Neoplasms (C00-C97)	203.8	-	3.3	3.2	3.9	9.0	27.3	105.4	386.2	795.3	1,326.4	2,031.7
Lip, oral cavity & pharynx (C00-C14)	2.6	-	-	-	-	0.2	0.2	1.9	5.1	11.5	11.4	33.8
Digestive organs (C15-26)	46.3	-	0.5	-	0.8	1.8	4.9	25.9	89.5	184.1	288.3	479.6
Esophagus (C15)	5.0	-	-	-	-	-	0.7	2.5	13.6	22.1	28.8	32.1
Stomach (C16)	3.4	-	-	-	-	0.2	0.5	2.7	7.0	15.9	18.0	27.0
Colon, rectum & anus (C18-C21)	19.4	-	-	-	0.4	1.0	1.6	8.9	30.8	72.0	123.1	266.8
Colon (C18)	15.6	-	-	-	0.4	0.8	0.9	6.5	24.8	57.8	101.5	221.2
Rectosigmoid junction (C19)	0.9	-	-	-	-	0.2	-	0.8	1.3	4.9	4.8	8.4
Rectum (C20)	2.5	-	-	-	-	-	0.7	1.3	4.1	7.9	16.2	32.1
Liver & intrahepatic bile ducts (C22)	4.9	-	0.5	-	0.4	-	0.9	6.9	13.0	16.3	23.4	18.6
Pancreas (C25)	10.6	-	-	-	-	0.4	1.1	3.8	20.9	46.8	74.5	89.5
Respiratory, intrathoracic org'ns (C30-C39)	59.9	-	-	-	0.2	0.4	3.8	25.1	128.5	281.3	419.3	383.4
Larynx (C32)	1.0	-	-	-	-	-	-	0.6	2.5	4.4	7.2	3.4
Trachea, bronchus & lung (C33-C34)	58.5	-	-	-	0.2	0.4	3.7	24.2	125.0	275.1	410.3	374.9
Bronchus & lung (C34)	58.4	-	-	-	0.2	0.4	3.7	24.0	124.7	275.1	409.7	374.9
Skin (C43-C44)	4.5	-	-	-	-	0.8	1.5	5.3	11.4	15.5	17.4	32.1
Melanoma of skin (C43)	3.6	-	-	-	-	0.8	1.1	4.9	10.8	11.5	12.0	18.6
Mesothelioma (C45)	1.4	-	-	-	-	-	0.2	0.6	2.5	4.0	11.4	16.9
Breast (C50)	15.5	-	-	-	0.2	0.2	4.9	12.2	34.3	52.1	75.7	177.3
Female genital organs (C51-58)	9.3	-	-	-	0.2	0.4	2.7	6.1	19.0	30.0	54.7	99.6
Cervix uteri (C53)	1.2	-	-	-	-	-	1.8	1.1	1.6	3.1	5.4	10.1
Corpus uteri (C54-C55) ⁴	2.2	-	-	-	-	-	0.2	1.3	4.8	8.8	12.0	23.6
Ovary (C56)	5.3	-	-	-	0.2	0.4	0.7	3.4	12.1	17.2	33.0	49.0
Male genital organs (C60-C63)	11.9	-	-	-	0.2	0.4	0.4	1.3	9.8	30.9	98.5	244.9

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Prostate (C61)	11.7	-	-	-	-	-	-	1.1	9.8	30.9	97.9	244.9
Kidney & renal pelvis (C64-C65)	4.0	-	-	0.2	-	0.2	0.4	2.7	7.9	15.5	24.6	40.5
Bladder (C67)	5.4	-	-	-	-	-	-	1.1	7.9	19.4	42.1	76.0
Brain, etc. (C70-C72) ⁵	5.5	-	1.1	0.8	0.4	1.8	2.2	5.1	13.3	23.8	18.6	20.3
Thyroid/endocrine gland (C73-C75)	0.6	-	-	0.2	-	-	-	0.8	1.0	0.4	6.0	6.8
Lymphoid & hematopoietic (C81-C96)	21.9	-	1.1	1.0	1.2	1.6	3.5	9.9	34.9	75.1	155.0	243.2
Hodgkin's disease (C81)	0.5	-	-	-	-	0.4	0.4	-	0.6	0.4	3.0	8.4
Non-Hodgkin's lymphoma (C82-C85)	9.1	-	-	-	0.2	0.8	1.8	4.6	17.8	31.4	61.9	91.2
Leukemia (C91-C95)	7.5	-	1.1	1.0	1.0	0.4	1.1	3.4	7.9	23.0	57.1	94.6
Lymphoid leukemia (C91)	3.0	-	0.5	0.6	0.2	0.2	0.4	1.3	3.5	6.2	24.0	43.9
Myeloid leukemia (C92)	3.3	-	-	0.4	0.6	0.2	0.4	1.5	3.8	13.2	23.4	35.5
Multiple myeloma (C88, C90) ⁶	4.7	-	-	-	-	-	0.2	1.9	8.6	19.9	33.0	49.0
Neopla. Not Specif. As Malign. (D00-D48)⁷	5.1	-	0.5	0.2	-	-	0.4	1.3	5.4	11.9	40.2	99.6
Myelodysplastic syndromes (D46)	2.4	-	-	-	-	-	-	0.4	2.2	4.0	20.4	55.7
Diseases of the Blood (D50-89)⁸	3.3	2.2	-	0.2	-	1.0	0.9	1.7	3.8	5.7	16.2	72.6
Anemias (D50-D64)	1.8	-	-	-	-	0.6	0.2	0.2	1.0	3.5	10.2	49.0
Endocrine & Nutritional Dis. (E00-E88)⁹	37.7	10.9	3.3	0.8	1.4	4.7	5.3	23.8	60.6	107.3	242.1	506.7
Diabetes mellitus (E10-E14)	29.1	-	-	0.2	1.2	2.9	3.1	17.9	48.9	86.6	203.0	358.0
Nutritional deficiencies (E40-E64)	0.7	-	-	-	-	-	-	0.2	0.3	2.2	2.4	25.3
Malnutrition (E40-E46)	0.6	-	-	-	-	-	-	0.2	0.3	1.8	1.2	22.0
Mental Disorders (F01-F99)¹⁰	32.8	-	0.5	-	1.0	3.9	10.1	16.7	23.8	37.1	161.0	959.3
Organic dementia (F01, F03)	21.9	-	-	-	-	-	-	-	1.6	14.6	130.4	881.6
Due to alcohol (F10) ¹¹	5.4	-	-	-	0.2	0.4	4.6	12.0	16.5	12.4	10.8	3.4
Due to psychoactive substance (F11-F19)	3.1	-	-	-	0.8	3.5	4.6	4.0	4.4	5.3	4.2	15.2
Nervous System Dis. (G00-G99)	53.4	6.5	1.1	0.8	2.0	1.8	5.5	11.6	33.0	77.7	369.4	1,479.4
Meningitis (G00, G03)	0.2	-	-	-	-	-	-	0.2	1.0	0.4	0.6	3.4
Amyotrophic lateral sclerosis (G12.2)	3.2	-	-	-	-	0.2	0.5	1.7	9.5	10.2	21.0	20.3
Parkinson's disease (G20-G21)	8.8	-	-	-	-	-	-	0.2	3.2	14.6	93.1	187.5
Alzheimer's disease (G30)	32.4	-	-	-	-	-	0.2	0.2	1.9	26.1	218.7	1,212.6
Multiple sclerosis (G35)	1.8	-	-	-	-	0.2	0.5	3.0	5.7	6.6	4.8	3.4
Epilepsy (G40-G41)	0.6	-	-	0.2	0.8	0.2	1.3	0.6	0.3	-	0.6	5.1
Circulatory System Diseases (I00-I99)	295.5	17.4	2.7	0.8	2.4	6.1	23.3	80.9	263.4	647.8	1,960.1	7,251.9
Major cardiovascular disease (I00-I78)	294.1	17.4	2.7	0.8	2.4	5.9	23.1	80.1	260.8	643.4	1,951.1	7,231.6

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart disease (I00-I09, I11, I13, I20-I51)	197.9	15.2	2.7	0.6	2.0	4.5	18.7	60.1	206.3	454.4	1,266.3	4,654.5
Rheumatic heart disease (I00-I09) ¹² ..	1.8	-	-	-	-	-	-	0.6	1.9	3.5	13.2	38.8
Hypertensive heart disease (I11)	5.8	-	-	-	-	0.2	0.7	1.1	2.2	6.6	40.8	174.0
Hypertensive heart & renal dis. (I13) ..	1.0	-	-	-	-	-	-	-	0.6	2.2	5.4	35.5
Ischemic heart disease (I20-I25)	129.5	-	-	-	0.8	1.4	11.9	44.1	163.4	336.0	841.6	2,703.8
Myocardial infarction (I21-I22)	46.9	-	-	-	0.4	0.4	4.2	13.7	61.6	129.4	324.4	903.5
Other acute ischemic hrt. dis. (I24) ..	0.4	-	-	-	-	-	0.2	0.4	0.3	1.3	2.4	3.4
Chronic isch. heart dis. (I20, I25)	82.2	-	-	-	0.4	1.0	7.5	30.1	101.5	205.3	514.8	1,796.9
Atheroscler. cardiovascular dis. ¹³	9.7	-	-	-	0.4	-	0.9	1.9	8.9	17.2	57.7	277.0
Other chr. ischemic heart dis. ¹⁴ ..	72.6	-	-	-	0.4	1.0	6.6	28.2	92.7	188.1	457.1	1,520.0
Nonrheumatic mitral valve dis. (I34) ...	1.4	-	-	-	-	-	0.2	0.6	1.0	4.4	5.4	37.2
Nonrheumatic aortic valve dis. (I35) ...	8.0	-	-	-	-	-	0.2	1.1	3.5	8.8	53.5	266.8
Cardiomyopathy (I42)	7.4	2.2	2.2	-	0.2	1.0	2.0	4.9	11.1	20.8	42.1	104.7
Heart failure (I50)	21.5	-	-	-	-	-	0.2	1.0	7.3	22.1	115.3	830.9
Congestive heart failure (I50.0)	20.8	-	-	-	-	-	0.2	1.0	6.7	21.2	111.7	803.9
Left ventricular heart failure (I50.1)	0.1	-	-	-	-	-	-	-	0.3	-	-	1.7
Heart failure, unspecified (I50.9)	0.7	-	-	-	-	-	-	-	0.3	0.9	3.6	25.3
Hypertension & hyp. renal dis. (I10, I12)	9.7	-	-	-	-	-	0.4	2.3	10.2	16.8	60.7	270.2
Cerebrovascular disease (I60-I69)	71.9	2.2	-	0.2	0.4	1.0	3.1	14.5	34.6	138.7	520.2	1,954.0
Subarachnoid hemorrhage (I60)	2.1	-	-	-	0.2	0.6	0.5	3.4	4.1	9.3	7.8	6.8
Intracerebral hemorrhage (I61-I62) ¹⁵	9.6	-	-	0.2	0.2	0.4	1.3	4.8	9.5	26.9	80.5	135.1
Cerebral infarction (I63)	6.0	2.2	-	-	-	-	-	0.6	1.3	10.2	39.6	192.5
Stroke (type not specified) (I64)	38.2	-	-	-	-	-	1.3	5.1	16.5	66.7	276.3	1,109.6
Atherosclerosis (I70)	5.8	-	-	-	-	-	0.2	0.4	3.2	8.8	37.2	185.8
Aortic aneurysm & dissection (I71)	5.5	-	-	-	-	0.2	0.5	1.9	4.8	15.5	44.5	96.3
Diseases of arteries (I72-I78) ¹⁶	3.2	-	-	-	-	0.2	0.2	1.0	1.9	9.3	22.2	70.9
Respiratory System Diseases (J00-J99)	82.5	17.4	2.2	0.8	1.2	2.5	3.7	15.4	80.0	252.6	633.2	1,536.9
Influenza & pneumonia (J10-J18)	17.9	6.5	-	0.4	0.2	0.8	1.5	2.9	10.8	22.5	102.7	581.0
Influenza (J10-J11)	0.5	-	-	-	0.2	-	0.2	-	0.3	0.9	4.2	8.4
Pneumonia (J12-J18)	17.4	6.5	0.4	-	-	0.8	1.3	2.9	10.5	21.6	98.5	572.5
Other acute lower resp. infect'ns (J20-J22)	0.2	2.2	-	-	-	-	-	0.2	0.6	0.4	1.8	-
Acute bronchitis (J20-J21) ¹⁷	0.2	-	-	-	-	-	-	0.2	0.6	0.4	1.2	-
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	51.3	-	0.5	-	-	0.4	1.3	9.3	58.1	195.6	430.7	702.6

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchitis, chronic & unspec. (J40-J42)	0.3	—	0.5	—	—	—	—	0.2	0.3	0.9	2.4	—
Emphysema (J43)	8.1	—	—	—	—	—	1.3	8.3	39.7	67.3	87.8	—
Asthma (J45-J46)	1.6	—	—	—	—	0.4	1.3	4.1	2.2	9.0	16.9	—
Other CLRD (J44, J47)	41.4	—	—	—	—	—	6.5	45.4	152.8	352.0	597.9	—
Bronchiectasis (J47)	0.6	—	—	—	—	—	0.2	0.6	1.3	6.0	10.1	—
Pneumoconioses (J60-J66, J68) ¹⁹	0.4	—	—	—	—	—	0.2	0.6	0.4	4.8	5.1	—
Pneumonitis due to solids & liquids (J69)	4.6	2.2	0.5	0.2	0.6	0.4	0.6	1.6	9.3	31.8	125.0	—
Digestive System Diseases (K00-K92)	32.3	6.5	0.5	0.2	0.4	2.7	11.9	55.2	75.5	173.6	464.4	—
Peptic ulcer (K25-K28)	1.4	—	—	—	—	—	0.4	0.6	4.0	8.4	30.4	—
Diseases of the appendix (K35-K38)	0.2	—	—	—	—	—	0.2	0.3	0.4	1.8	1.7	—
Appendicitis (K35-K37)	0.2	—	—	—	—	—	0.2	0.3	0.4	1.8	1.7	—
Hernia (K40-K46)	0.7	—	0.5	—	—	—	0.2	0.3	2.6	4.8	13.5	—
Vascular disorders of the intestine (K55)	3.5	6.5	0.2	—	—	—	0.4	1.9	10.2	28.2	67.6	—
Chronic liver disease (K70, K73-K74) ²⁰	10.6	—	—	—	—	1.4	9.2	34.3	24.3	24.0	11.8	—
Alcoholic liver disease (K70) ²¹	8.6	—	—	—	—	1.0	8.6	28.6	19.4	11.4	1.7	—
Cholelithiasis (K80-K82) ²²	1.3	—	—	—	—	—	0.2	1.9	3.5	9.6	23.6	—
Diseases of the Skin (L00-L98)²³	1.3	—	—	—	—	—	0.2	0.8	3.1	6.6	32.1	—
Musculoskeletal Disease (M00-M99)²⁴	7.4	—	—	—	—	0.2	1.1	2.9	21.2	48.7	136.8	—
Genitourinary System Dis. (N00-N99)	14.8	2.2	—	—	0.2	0.4	0.5	10.2	30.5	116.5	336.1	—
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	8.6	2.2	—	—	—	0.4	0.4	7.6	19.9	72.1	153.7	—
Acute nephrotic syndrome ²⁶	0.2	—	—	—	—	—	0.2	0.3	0.9	1.2	1.7	—
Chronic nephritis ²⁷	0.4	—	—	—	—	—	0.2	0.4	0.4	3.6	—	—
Renal failure (N17-N19)	8.0	2.2	—	—	—	0.4	0.2	6.3	18.5	67.3	152.0	—
Kidney infect'ns (N10-N12, N13.6, N15.1)	0.5	—	—	—	0.2	—	—	0.6	0.4	3.6	15.2	—
Urinary tract infection (N59.0)	4.7	—	—	—	—	—	0.2	0.6	8.4	31.8	148.6	—
Hyperplasia of prostate (N40)	0.2	—	—	—	—	—	1.0	—	—	1.2	8.4	—
Female pelvic inflam. dis. (N70-N76) ²⁸	0.1	—	—	—	—	—	—	—	0.4	0.6	—	—
Pregnancy & Childbirth (O00-O99)²⁹	<0.05	—	—	—	—	0.2	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.2	243.8	1.1	0.2	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰	3.5	137.2	2.7	0.4	0.6	0.6	2.0	4.1	3.1	3.6	10.1	—
Malformation of the heart (Q20-Q24)	1.1	41.4	1.1	0.2	0.2	0.4	0.9	0.3	1.3	1.2	3.4	—
Other malf. of the circul. sys. (Q25-Q28)	0.3	2.2	—	—	—	—	0.2	1.0	—	—	5.1	—
Malf. of the respiratory system (Q30-Q34)	0.3	17.4	—	—	—	—	—	0.3	—	—	—	—

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Symptoms & Signs (R00-R99)³¹	16.3	61.0	1.1	0.2	0.2	1.2	3.1	5.9	12.7	34.4	64.9	447.5
Senility (R54)	2.7	—	—	—	—	—	—	—	0.3	1.8	6.0	136.8
Sudden infant death syndrome (R95)	0.6	50.1	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	62.1	50.1	16.4	7.1	55.1	62.3	75.2	68.5	60.9	60.9	146.6	467.8
Accidents (V01-X59, Y85-Y86)	39.2	28.3	14.8	6.7	35.8	32.4	39.4	37.1	40.2	105.7	105.7	413.8
Transport accidents (V01-V99, Y85)	16.7	2.2	5.5	4.9	26.6	16.3	18.3	18.4	15.9	29.4	29.4	37.2
Motor vehicle acc. (Many codes) ³²	14.9	2.2	5.5	4.7	25.6	14.8	15.0	14.3	14.6	24.6	24.6	35.5
Water transport accidents (V90-V94)	0.5	—	—	—	0.6	0.4	0.5	0.8	1.0	0.9	1.2	—
Air transport accidents (V95-V97)	0.4	—	—	—	—	—	0.2	1.3	1.0	—	2.4	—
Nontransport accidents (W00-X59, Y86)	22.5	26.1	9.3	1.8	9.2	16.1	21.1	18.7	24.3	76.3	76.3	376.6
Falls (W00-W19)	9.3	—	0.5	0.4	1.0	1.6	1.3	6.7	11.0	57.1	57.1	275.3
Firearms (W32-W34)	0.1	—	—	—	0.2	0.2	0.2	—	—	—	—	—
Drowning & submersion (W65-W74) ..	1.3	4.4	3.8	0.4	2.6	1.0	1.3	0.8	1.0	0.9	—	1.7
Exposure to smoke & fire (X00-X09) ..	0.8	—	2.2	0.2	—	0.2	0.2	0.8	1.3	1.8	2.4	8.4
Poisoning (X40-X49) ³³	6.6	2.2	—	0.2	4.1	10.6	16.6	7.9	0.9	0.9	0.6	3.4
Suicide (X60-X84, Y87.0)	16.6	—	—	—	12.6	20.9	25.5	27.3	19.0	34.8	34.8	38.8
Poisoning (X60-X69)	3.3	—	—	—	1.2	6.4	6.9	6.0	2.2	3.0	3.0	3.4
Hanging/suffocation (X70)	2.8	—	—	—	4.5	3.8	3.2	2.2	1.3	1.2	1.2	6.8
Firearm discharge (X72-X74)	9.3	—	—	—	5.9	8.2	13.3	16.5	14.6	28.2	28.2	28.7
Homicide (X85-Y09, Y87.1)	2.6	2.2	1.6	—	4.5	2.9	3.2	1.9	—	1.8	1.8	3.4
Firearm discharge (X93-X95)	1.4	—	—	—	3.1	1.3	1.9	1.3	—	1.2	1.2	1.7
Legal intervention (Y35, Y89.0)	0.2	—	—	—	0.2	0.4	0.5	0.2	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.7	19.6	—	0.2	1.8	2.5	6.3	1.6	0.4	—	—	—
War and its sequelae (Y36, Y89.1) ³⁴	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complications (Y40-Y84, Y88) ..	0.8	—	—	0.2	0.2	0.9	0.6	0.6	1.3	4.2	4.2	11.8
<i>Injury by firearms (Many codes)³⁵</i>	11.1	—	—	—	9.8	10.7	10.3	15.4	17.8	14.6	29.4	30.4
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	14.6	—	—	—	0.2	1.6	13.7	32.4	46.3	33.6	23.4	5.1
<i>Drug-induced deaths (Many codes)^{38,39}</i>	13.1	—	—	—	5.9	13.3	22.7	30.1	17.1	6.6	5.4	16.9
<i>Injury at work⁴⁰</i>	1.9	—	—	—	3.1	1.0	2.9	2.7	4.1	1.8	1.2	—

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

- 6 Including immunoproliferative neoplasms.
- 7 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 8 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 9 Including metabolic diseases.
- 10 Including behavioral disorders.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis, etc.
- 26 The ICD-10 codes are N00-N01, and N04. This category also includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 The ICD-10 codes are N02-N03, N05-N07, and N26. This category also includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to the Center for Health Statistics.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, K86.0, O35.4, P04.3, R78.0, X45, X65, and Y15, respectively.
- 38 Including: mental and behavioral disorders (except amnesia) due to psychoactive substance use; accidental poisoning with drugs; intentional self-poisoning with drugs; assault with drugs; poisoning of undetermined intent with drugs.
- 39 The ICD 10 codes for the above categories are: F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14.
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.