

**TABLE 6-50. Crude Death Rates for Selected Leading Causes of Mortality, United States, 1991-2005**

Year	Total	Heart Disease	Cancer	Cerebro-vascular Disease	CLRD <sup>1</sup>	Unintended Injury	Pneu-monia and Influenza	Suicide	Diabetes
1991 .....	860.3	281.6	206.0	59.8	37.4	36.3	21.5	12.2	19.8
1992 .....	852.9	277.2	206.0	59.2	37.5	34.9	20.7	12.0	20.0
1993 .....	880.0	284.1	207.5	61.1	40.8	36.0	22.4	12.1	21.3
1994 .....	875.4	277.1	207.1	61.9	40.6	36.0	21.8	12.0	22.2
1995 .....	880.0	276.5	206.8	63.1	40.8	36.4	22.3	11.9	23.0
1996 .....	872.5	272.4	205.3	63.3	41.6	36.7	22.3	11.6	23.7
1997 .....	864.7	267.6	203.5	62.7	42.4	36.6	22.5	11.4	23.9
1998 .....	864.2	263.7	202.1	58.9	43.1	37.1	23.7	11.3	24.4
1999 .....	877.0	265.9	201.6	61.4	45.5	35.9	23.4	10.7	25.1
2000 .....	873.6	257.9	200.5	60.3	44.9	34.0	24.3	10.3	24.9
2001 .....	848.5	245.8	196.0	57.9	43.7	35.7	22.0	10.8	25.1
2002 .....	847.3	241.7	193.2	56.4	43.3	37.0	22.8	11.0	25.4
2003 .....	841.9	235.6	191.5	54.2	43.5	37.6	22.4	10.8	25.5
2004 .....	816.5	222.2	188.6	51.1	41.5	38.1	20.3	11.0	24.9
2005 .....	825.9	219.1	188.7	48.4	44.2	38.1	21.2	10.7	25.2

Year	Arterio-sclerosis	Alzhei-mer's Disease	Alcohol-induced <sup>2</sup>	Homicide (excluding legal inter-vention)	Hyper-tension	Acquired Immune Deficiency Syndrome	Parkin-son's Disease	Congenital Anomalies	Amyo-trophic Lateral Sclerosis
1991 .....	6.7	10.2	7.5	10.4	4.2	12.7	3.0	4.5	1.5
1992 .....	6.4	10.2	7.5	9.9	4.5	14.3	3.0	4.4	1.5
1993 .....	6.5	11.4	7.5	9.9	4.9	15.7	3.5	4.3	1.4
1994 .....	6.4	12.3	7.6	9.4	5.0	17.5	3.8	4.1	1.5
1995 .....	6.2	13.3	7.6	8.6	5.2	17.7	4.1	4.1	1.5
1996 .....	6.1	13.4	7.3	7.8	5.5	12.7	4.5	4.0	1.6
1997 .....	5.8	13.8	7.2	7.3	5.7	6.7	4.6	3.9	1.6
1998 .....	5.5	13.8	7.1	6.6	5.9	5.4	4.9	3.9	1.6
1999 .....	5.5	16.3	7.1	6.2	6.2	5.4	5.4	3.8	1.9
2000 .....	5.2	17.8	7.0	5.9	6.5	5.2	5.7	3.8	1.9
2001 .....	4.9	18.9	7.0	7.1	6.8	5.0	5.8	3.7	1.9
2002 .....	4.8	20.4	6.9	6.1	7.0	4.9	5.9	3.7	2.0
2003 .....	4.5	21.8	7.0	6.1	7.5	4.7	6.2	3.6	2.0
2004 .....	4.0	22.5	7.2	5.9	7.9	4.4	6.1	3.6	1.9
2005 .....	4.0	22.9	7.2	6.0	8.4	4.2	6.6	3.5	-

All rates per 100,000 population. A "-" indicates that the data are not available. Rates for 2005 are preliminary.

1. CLRD consists principally of bronchitis, emphysema, asthma, and chronic airways obstruction.

2. Includes the alcohol-linked disorders represented by ICD-9 codes 291.0-291.9, 303, 305.0, 357.5, 425.5, 535.5 and 571.0-571.3, prior to 1999. For current ICD-10 components, see Table 6-6, footnotes 38-39.

NOTE: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Disease (which supplanted the ninth revision). Final ICD-9/ICD-10 comparability ratios have been applied to all rates prior to 1999, except ALS and alcohol-induced deaths, where ratios were not calculated. See Appendix B.