

**TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2006**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Rate <sup>2</sup>	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Total</b> .....	839.1	579.6	33.0	18.0	99.7	113.0	204.2	496.7	981.2	2,404.8	6,219.2	15,640.9
<b>Infections &amp; Parasitic Disease (A00-B99)</b>	15.4	8.0	2.1	0.4	0.8	2.7	13.0	22.2	24.9	25.6	70.1	186.0
Tuberculosis (A16-A19) .....	0.2	—	—	—	—	0.4	—	0.4	—	—	—	4.1
Meningococcal infection (A39) .....	0.1	—	1.1	—	0.4	—	—	—	—	—	—	—
Septicemia (A40-A41) .....	4.9	—	—	0.4	—	—	1.1	1.8	5.6	12.8	38.0	119.9
Creutzfeldt-Jacob disease (A81.0) .....	0.2	—	—	—	—	—	—	—	0.5	—	4.4	—
Viral hepatitis (B15-B19) .....	3.3	—	—	—	—	0.4	1.9	9.8	9.9	4.6	1.5	4.1
HIV/AIDS (B20-B24) <sup>3</sup> .....	2.5	—	—	—	—	1.9	8.0	3.6	3.3	2.7	—	—
<b>Malignant Neoplasms (C00-C97)</b> .....	201.2	—	3.2	1.6	5.0	8.9	24.9	99.8	327.8	805.2	1,665.5	2,475.9
Lip, oral cavity & pharynx (C00-C14) .....	3.7	—	—	—	—	—	0.4	4.4	9.4	8.2	27.8	28.9
Digestive organs (C15-26) .....	50.4	—	—	—	0.4	1.9	7.7	34.6	102.1	183.9	391.5	496.0
Esophagus (C15) .....	8.8	—	—	—	—	0.8	0.4	5.5	19.3	26.5	74.5	95.1
Stomach (C16) .....	3.3	—	—	—	—	—	0.8	1.5	4.2	8.2	35.1	49.6
Colon, rectum & anus (C18-C21) .....	16.9	—	—	—	0.4	0.8	3.1	10.9	33.4	53.1	134.4	202.5
Colon (C18) .....	12.9	—	—	—	0.4	0.8	1.9	8.0	23.0	43.0	105.2	165.3
Rectosigmoid junction (C19) .....	1.0	—	—	—	—	—	0.4	0.7	3.8	0.9	7.3	4.1
Rectum (C20) .....	2.7	—	—	—	—	—	0.4	2.2	5.6	8.2	21.9	28.9
Liver & intrahepatic bile ducts (C22) .....	6.6	—	—	—	—	—	1.9	8.7	18.3	24.7	29.2	24.8
Pancreas (C25) .....	12.4	—	—	—	—	—	0.8	6.9	22.1	60.4	97.9	111.6
Respiratory, intrathoracic org'ns (C30-C39)	61.3	—	—	—	—	0.4	3.1	26.2	100.2	312.0	540.5	504.3
Larynx (C32) .....	1.1	—	—	—	—	—	—	0.4	3.3	4.6	8.8	4.1
Trachea, bronchus & lung (C33-C34) .....	59.8	—	—	—	—	0.4	3.1	25.5	96.9	305.6	527.4	496.0
Bronchus & lung (C34) .....	59.8	—	—	—	—	0.4	3.1	25.5	96.9	305.6	527.4	496.0
Skin (C43-C44) .....	6.0	—	—	—	—	0.8	1.9	3.6	11.3	22.9	35.1	86.8
Melanoma of skin (C43) .....	4.2	—	—	—	—	0.8	1.5	2.9	8.5	15.6	26.3	41.3
Mesothelioma (C45) .....	2.0	—	—	—	—	—	—	0.4	1.9	11.0	19.0	24.8
Breast (C50) .....	0.2	—	—	—	—	—	—	—	—	—	2.9	4.1
Female genital organs (C51-58) .....	—	—	—	—	—	—	—	—	—	—	—	—
Cervix uteri (C53) .....	—	—	—	—	—	—	—	—	—	—	—	—
Corpus uteri (C54-C55) <sup>4</sup> .....	—	—	—	—	—	—	—	—	—	—	—	—
Ovary (C56) .....	—	—	—	—	—	—	—	—	—	—	—	—
Male genital organs (C60-C63) .....	23.2	—	—	—	—	—	1.1	4.0	16.5	75.9	214.8	607.6
Prostate (C61) .....	22.9	—	—	—	—	—	0.4	3.3	16.0	75.9	214.8	607.6
Kidney & renal pelvis (C64-C65) .....	5.8	—	—	—	—	0.4	0.4	3.3	11.3	24.7	43.8	57.9

See footnotes at end of table.

**TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Rate <sup>2</sup>	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67) .....	6.1	—	—	—	—	—	—	1.8	5.2	22.9	64.3	115.7
Brain, etc. (C70-C72) <sup>5</sup> .....	5.2	—	—	0.4	0.4	0.8	1.9	5.8	13.6	19.2	24.8	12.4
Thyroid/endocrine gland (C73-C75) .....	0.5	—	1.1	0.4	—	—	—	1.1	0.5	—	4.4	4.1
Lymphoid & hematopoietic (C81-C96) .....	21.8	—	1.1	0.8	3.1	2.7	5.0	7.7	31.5	69.5	198.7	285.2
Hodgkin's disease (C81) .....	0.4	—	—	—	0.4	—	—	0.4	1.4	0.9	1.5	—
Non-Hodgkin's lymphoma (C82-C85) .....	7.6	—	—	0.4	0.8	0.8	1.1	2.9	14.1	18.3	70.1	103.3
Leukemia (C91-C95) .....	9.9	—	1.1	0.4	1.9	1.9	2.7	2.6	11.3	33.9	92.0	132.3
Lymphoid leukemia (C91) .....	3.5	—	—	0.4	0.8	0.8	1.1	0.7	3.3	10.1	29.2	66.1
Myeloid leukemia (C92) .....	4.6	—	1.1	—	1.1	0.8	0.8	1.8	5.6	12.8	46.8	53.7
Multiple myeloma (C88, C90) <sup>6</sup> .....	3.9	—	—	—	—	—	1.1	1.8	4.2	16.5	35.1	49.6
<b>Neopla. Not Specif. As Malign. (D00-D48)<sup>7</sup></b>	<b>5.7</b>	—	<b>1.1</b>	—	—	1.2	1.5	1.8	2.8	16.5	43.8	152.9
Myelodysplastic syndromes (D46) .....	2.7	—	—	—	—	0.4	—	—	0.5	8.2	23.4	95.1
<b>Diseases of the Blood (D50-89)<sup>8</sup></b>	<b>2.1</b>	—	—	—	—	—	0.4	1.1	1.4	6.4	11.7	70.3
Anemias (D50-D64) .....	1.1	—	—	—	—	—	0.4	0.4	0.9	1.8	4.4	49.6
<b>Endocrine &amp; Nutritional Dis. (E00-E88)<sup>9</sup></b>	<b>42.1</b>	—	<b>1.1</b>	<b>1.6</b>	<b>1.1</b>	<b>2.7</b>	<b>11.9</b>	<b>26.6</b>	<b>58.8</b>	<b>170.2</b>	<b>296.6</b>	<b>582.8</b>
Diabetes mellitus (E10-E14) .....	30.7	—	—	—	1.1	0.4	9.2	16.4	44.2	124.4	220.6	458.8
Nutritional deficiencies (E40-E64) .....	0.8	—	—	0.4	—	—	—	0.7	0.5	2.7	7.3	8.3
Malnutrition (E40-E46) .....	0.7	—	—	—	—	—	—	0.7	0.5	2.7	5.8	8.3
<b>Mental Disorders (F01-F99)<sup>10</sup></b>	<b>34.0</b>	—	—	—	<b>2.7</b>	<b>4.3</b>	<b>8.8</b>	<b>23.7</b>	<b>32.0</b>	<b>39.3</b>	<b>248.4</b>	<b>979.6</b>
Organic dementia (F01, F03) <sup>11</sup> .....	22.3	—	—	—	—	—	—	0.4	5.2	22.0	214.8	938.3
Due to alcohol (F10) <sup>12</sup> .....	7.1	—	—	—	0.8	1.6	4.6	16.4	19.8	15.6	8.8	4.1
Due to psychoactive substance (F11-F19)	3.4	—	—	—	1.9	2.7	4.2	5.1	4.7	0.9	13.1	24.8
<b>Nervous System Dis. (G00-G99)</b>	<b>43.6</b>	<b>12.0</b>	<b>2.1</b>	<b>2.0</b>	<b>1.5</b>	<b>1.2</b>	<b>3.1</b>	<b>12.8</b>	<b>29.6</b>	<b>83.3</b>	<b>400.3</b>	<b>1,297.9</b>
Meningitis (G00, G03) .....	0.2	—	—	—	—	—	—	—	0.9	—	—	4.1
Amyotrophic lateral sclerosis (G12.2) .....	3.0	—	—	—	0.4	—	—	2.6	8.5	14.6	13.1	20.7
Parkinson's disease (G20-G21) .....	10.2	—	—	—	—	—	—	0.7	2.8	15.6	135.9	285.2
Alzheimer's disease (G30) .....	20.9	—	—	—	—	—	—	—	2.4	19.2	204.5	901.1
Multiple sclerosis (G35) .....	1.5	—	—	—	—	—	—	1.5	5.2	5.5	8.8	—
Epilepsy (G40-G41) .....	0.5	—	1.1	—	0.4	0.8	0.4	0.4	0.5	1.8	—	—
<b>Circulatory System Diseases (I00-I99)</b>	<b>254.9</b>	<b>4.0</b>	—	<b>1.2</b>	<b>2.3</b>	<b>6.6</b>	<b>29.9</b>	<b>117.3</b>	<b>262.9</b>	<b>727.5</b>	<b>2,064.3</b>	<b>6,167.1</b>
Major cardiovascular disease (I00-I78) .....	253.7	4.0	—	1.2	2.3	6.2	29.5	116.6	262.0	724.7	2,054.1	6,138.1
Heart disease (I00-I09, I11, I13, I20-I51)	189.3	4.0	—	0.8	1.5	5.4	23.0	94.4	205.1	549.9	1,474.1	4,522.0
Rheumatic heart disease (I00-I09) <sup>13</sup> ..	0.9	—	—	—	—	—	—	—	1.4	1.8	7.3	24.8
Hypertensive heart disease (I11) .....	4.7	—	—	—	—	0.8	1.5	4.0	6.6	5.5	35.1	107.5
Hypertensive heart & renal dis. (I13) ..	0.8	—	—	—	—	—	—	—	—	0.9	8.8	33.1

See footnotes at end of table.

**TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Rate <sup>2</sup>	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25) .....	131.9	4.0	—	—	0.8	0.8	14.2	70.7	159.0	432.8	1,047.5	2,732.2
Myocardial infarction (I21-I22) .....	41.1	4.0	—	—	—	0.4	1.9	17.9	52.7	158.3	344.8	739.9
Other acute ischemic hrt. dis. (I24) ..	0.7	—	—	—	0.4	—	0.4	0.4	0.5	3.7	2.9	12.4
Chronic isch. heart dis. (I20, I25) ....	90.1	—	—	—	0.4	0.4	11.9	52.5	105.8	270.9	699.8	1,979.9
Atheroscler. cardiovascular dis. <sup>14</sup>	8.5	—	—	—	—	—	1.9	8.0	13.2	27.5	51.1	148.8
Other chr. ischemic heart dis. <sup>15</sup> ...	81.6	—	—	—	0.4	0.4	10.0	44.5	92.7	243.4	648.7	1,831.1
Nonrheumatic mitral valve dis. (I34) ...	1.3	—	—	—	—	—	—	1.1	0.5	—	11.7	45.5
Nonrheumatic aortic valve dis. (I35) ...	7.1	—	—	—	—	—	0.8	0.7	2.8	10.1	55.5	293.5
Cardiomyopathy (I42) .....	6.5	—	—	—	—	1.9	3.1	5.1	8.0	18.3	46.8	99.2
Heart failure (I50) .....	18.6	—	—	—	—	—	0.4	2.9	8.0	26.5	134.4	806.0
Congestive heart failure (I50.0) .....	17.6	—	—	—	—	—	0.4	1.8	7.1	23.8	130.0	777.1
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	—	4.1
Heart failure, unspecified (I50.9) .....	0.9	—	—	—	—	—	—	1.1	0.9	2.7	4.4	24.8
Hypertension & hyp. renal dis. (I10, I12)	7.6	—	—	—	0.4	—	1.1	4.7	8.9	21.0	52.6	186.0
Cerebrovascular disease (I60-I69) <sup>11</sup> .....	45.0	—	—	0.4	0.4	0.8	5.0	13.8	35.3	109.8	426.6	1,178.0
Subarachnoid hemorrhage (I60) .....	1.3	—	—	—	—	0.4	1.9	1.8	1.9	2.7	2.9	12.4
Intracerebral hemorrhage (I61-I62) <sup>16</sup>	8.2	—	—	—	0.4	0.4	1.9	5.8	8.5	26.5	78.9	107.5
Cerebral infarction (I63) .....	2.0	—	—	—	—	—	0.4	0.4	1.9	4.6	26.3	33.1
Stroke (type not specified) (I64) .....	24.6	—	—	—	—	—	0.8	4.4	20.2	58.6	232.3	715.1
Atherosclerosis (I70) .....	2.9	—	—	—	—	—	—	0.7	3.3	7.3	19.0	99.2
Aortic aneurysm & dissection (I71) .....	6.3	—	—	—	—	—	0.4	2.9	6.6	22.9	57.0	115.7
Diseases of arteries (I72-I78) <sup>17</sup> .....	2.6	—	—	—	—	—	—	—	2.8	13.7	24.8	37.2
<b>Respiratory System Diseases (J00-J99)</b>	<b>76.4</b>	<b>12.0</b>	<b>1.1</b>	<b>—</b>	<b>1.1</b>	<b>1.6</b>	<b>3.8</b>	<b>20.8</b>	<b>61.1</b>	<b>257.1</b>	<b>750.9</b>	<b>1,657.5</b>
Influenza & pneumonia (J10-J18) .....	14.0	4.0	—	—	0.4	0.8	1.5	2.9	7.1	27.5	108.1	504.3
Influenza (J10-J11) .....	0.1	—	—	—	—	—	—	—	—	—	—	8.3
Pneumonia (J12-J18) .....	13.9	4.0	—	—	0.4	0.8	1.5	2.9	7.1	27.5	108.1	496.0
Other acute lower resp. infect'ns (J20-J22)	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) <sup>18</sup> ..	47.5	—	—	—	0.4	0.4	2.3	12.8	45.6	184.8	490.9	810.2
Bronchitis, chronic & unspec. (J40-J42)	—	—	—	—	—	—	—	—	—	—	—	—
Emphysema (J43) .....	5.5	—	—	—	—	—	—	1.1	6.1	22.9	68.7	57.9
Asthma (J45-J46) .....	1.8	—	—	—	0.4	0.4	2.3	1.8	1.4	4.6	8.8	24.8
Other CLRD (J44, J47) .....	40.2	—	—	—	—	—	—	9.8	38.1	157.4	413.4	727.5
Bronchiectasis (J47) .....	0.4	—	—	—	—	—	—	—	—	0.9	5.8	8.3
Pneumoconioses (J60-J66, J68) <sup>19</sup> .....	0.7	—	—	—	—	—	—	—	—	0.9	13.1	8.3
Pneumonitis due to solids & liquids (J69) ...	4.5	—	—	—	0.4	—	—	2.2	0.9	9.2	32.1	173.6

See footnotes at end of table.

**TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Rate <sup>2</sup>	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Digestive System Diseases (K00-K92) ....</b>	35.0	4.0	—	—	0.4	1.6	15.3	44.8	56.4	97.9	172.4	533.2
Peptic ulcer (K25-K28) .....	1.3	—	—	—	—	—	—	0.4	1.9	3.7	5.8	45.5
Diseases of the appendix (K35-K38) .....	0.3	—	—	—	—	—	—	—	—	0.9	1.5	12.4
Appendicitis (K35-K37) .....	0.3	—	—	—	—	—	—	—	—	0.9	1.5	12.4
Hernia (K40-K46) .....	0.8	—	—	—	—	—	—	—	—	0.9	5.8	37.2
Vascular disorders of the intestine (K55) ....	2.3	—	—	—	0.4	—	—	1.1	3.8	8.2	16.1	45.5
Chronic liver disease (K70, K73-K74) <sup>20</sup> .....	14.6	—	—	—	—	1.2	10.7	32.1	35.7	42.1	33.6	20.7
Alcoholic liver disease (K70) <sup>21</sup> .....	11.2	—	—	—	—	0.8	10.0	25.5	27.8	32.0	17.5	4.1
Cholelithiasis (K80-K82) <sup>22</sup> .....	1.1	—	—	—	—	—	—	—	0.9	3.7	7.3	37.2
<b>Diseases of the Skin (L00-L98)<sup>23</sup> .....</b>	1.3	—	—	—	—	—	—	1.5	1.9	1.8	10.2	28.9
<b>Musculoskeletal Disease (M00-M99)<sup>24</sup> ....</b>	4.8	—	—	—	—	1.2	1.1	3.3	1.9	9.2	36.5	144.7
<b>Genitourinary System Dis. (N00-N99) .....</b>	14.5	4.0	—	0.4	0.4	0.8	3.1	4.0	8.0	29.3	141.7	396.8
Nephritis (N00-N07, N17-N19, N25-N27) <sup>25</sup>	9.7	4.0	—	0.4	0.4	0.8	3.1	2.2	7.1	26.5	87.7	227.3
Acute nephrotic syndrome <sup>26</sup> .....	0.1	—	—	—	—	0.4	—	—	—	—	1.5	—
Chronic nephritis <sup>27</sup> .....	0.8	—	—	0.4	—	—	0.4	—	1.4	0.9	4.4	24.8
Renal failure (N17-N19) .....	8.8	4.0	—	—	0.4	0.4	2.7	2.2	5.6	25.6	81.8	202.5
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.2	—	—	—	—	—	—	—	—	—	1.5	8.3
Urinary tract infection (N39.0) .....	2.9	—	—	—	—	—	—	1.1	0.9	0.9	27.8	115.7
Hyperplasia of prostate (N40) .....	0.8	—	—	—	—	—	—	—	—	0.9	7.3	33.1
Female pelvic inflam. dis. (N70-N76) <sup>28</sup> .....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Pregnancy &amp; Childbirth (O00-O99)<sup>29</sup> .....</b>	—	—	—	—	—	—	—	—	—	—	—	—
<b>Perinatal Conditions (P00-P96) .....</b>	3.7	267.8	1.1	—	—	—	—	—	—	—	—	—
<b>Congenital Malformations (Q00-Q99)<sup>30</sup> ..</b>	3.6	123.9	3.2	1.2	1.1	2.3	1.1	1.1	2.8	2.7	4.4	12.4
Malformation of the heart (Q20-Q24) .....	1.3	28.0	1.1	—	0.8	1.6	0.8	0.7	0.9	0.9	1.5	8.3
Other malf. of the circul. sys. (Q25-Q28) ....	0.2	4.0	—	0.4	—	—	—	—	—	—	1.5	4.1
Malf. of the respiratory system (Q30-Q34)	0.1	4.0	—	—	—	—	—	—	—	—	—	—
<b>Symptoms &amp; Signs (R00-R99)<sup>31</sup> .....</b>	13.9	87.9	1.1	0.4	—	1.6	2.7	6.9	16.0	34.8	67.2	343.1
Senility (R54) .....	1.9	—	—	—	—	—	—	—	—	0.9	10.2	111.6
Sudden infant death syndrome (R95) .....	1.1	79.9	—	—	—	—	—	—	—	—	—	—
<b>External Causes of Death (V01-Y89) .....</b>	86.8	56.0	17.1	9.2	83.3	76.5	83.5	109.0	92.7	97.9	235.2	603.5
Accidents (V01-X59, Y85-Y86) .....	53.6	20.0	11.7	7.2	50.4	41.2	42.9	63.4	55.5	62.2	163.6	533.2
Transport accidents (V01-V99, Y85) .....	21.3	4.0	5.3	2.8	32.5	20.2	19.5	28.4	25.9	28.4	24.8	41.3
Motor vehicle acc. (Many codes) <sup>32</sup> .....	19.3	4.0	5.3	2.4	31.3	18.6	16.5	24.8	21.6	25.6	24.8	41.3
Motor veh. traf. (Many codes) <sup>33</sup> .....	17.9	4.0	4.3	2.0	29.0	17.9	16.1	24.4	17.9	22.9	24.8	33.1
Water transport accidents (V90-V94)	1.0	—	—	—	0.4	1.6	1.5	0.7	2.8	1.8	—	—

See footnotes at end of table.

**TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Rate <sup>2</sup>	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Air transport accidents (V95-V97) .....	0.4	—	—	—	—	—	0.8	0.7	0.9	0.9	—	—
Nontransport accidents (W00-X59,Y86)	32.3	16.0	6.4	4.4	18.0	21.0	23.4	35.0	29.6	33.9	138.8	491.9
Falls (W00-W19) .....	9.6	—	—	0.4	1.9	—	1.9	3.6	7.5	16.5	86.2	256.3
Firearms (W32-W34) .....	0.1	—	—	—	—	—	0.4	—	—	—	—	—
Drowning & submersion (W65-W74) ..	2.7	—	1.1	2.0	5.3	2.3	2.3	1.8	2.8	1.8	4.4	8.3
Exposure to smoke & fire (X00-X09) ..	0.9	—	2.1	0.8	0.8	—	0.4	0.4	1.9	—	—	16.5
Poisoning (X40-X49) <sup>34</sup> .....	10.4	—	—	—	7.3	17.1	12.6	23.3	11.8	3.7	2.9	4.1
Suicide (X60-X84, Y87.0) .....	23.8	—	—	0.8	22.5	25.2	29.5	34.3	26.3	27.5	61.4	53.7
Poisoning (X60-X69) .....	3.2	—	—	—	2.3	2.3	5.4	8.0	3.8	0.9	—	4.1
Hanging/suffocation (X70) .....	4.2	—	—	0.4	5.7	7.0	6.9	5.5	3.8	0.9	1.5	—
Firearm discharge (X72-X74) .....	14.6	—	—	0.4	13.0	14.4	13.4	17.9	16.0	24.7	59.9	45.5
Homicide (X85-Y09, Y87.1) .....	4.2	16.0	3.2	1.2	7.6	4.7	6.1	2.9	3.8	2.7	—	4.1
Firearm discharge (X93-X95) .....	2.4	—	—	0.8	6.1	3.9	3.4	1.5	0.9	0.9	—	—
Legal intervention (Y35, Y89.0) <sup>35</sup> .....	0.7	—	—	—	1.5	1.6	0.8	1.1	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	3.4	16.0	1.1	—	1.1	3.5	4.2	7.3	4.7	2.7	2.9	—
Medical care complica'ns (Y40-Y84, Y88) ..	1.0	4.0	1.1	—	—	0.4	—	—	2.4	2.7	7.3	12.4
<i>Injury by firearms (Many codes)</i> <sup>36</sup> .....	17.7	—	—	1.2	20.2	19.8	18.0	20.0	16.9	25.6	59.9	45.5
<i>Alcohol-induced deaths (Many codes)</i> <sup>37,38</sup>	19.0	—	—	—	0.8	2.3	14.9	43.4	48.9	51.2	30.7	8.3
<i>Drug-induced deaths (Many codes)</i> <sup>39,40</sup> .....	18.1	—	—	—	11.5	22.5	22.6	40.8	23.0	6.4	17.5	24.8
<i>Injury at work</i> <sup>41</sup> .....	3.7	—	—	—	2.7	3.9	6.1	6.6	4.7	3.7	1.5	8.3

<sup>1</sup> International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

<sup>2</sup> Rates per 100,000 population.

<sup>3</sup> Human immunodeficiency virus/Acquired immune deficiency syndrome.

<sup>4</sup> Including uterus, part unspecified.

<sup>5</sup> Including meninges and other parts of the central nervous system.

<sup>6</sup> Including immunoproliferative neoplasms.

<sup>7</sup> Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

<sup>8</sup> Including diseases of the blood forming-organs and disorders involving the immune mechanism.

<sup>9</sup> Including metabolic diseases.

<sup>10</sup> Including behavioral disorders.

<sup>11</sup> In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.

<sup>12</sup> For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

<sup>13</sup> Including acute rheumatic fever.

- 14 The ICD-10 code is I25.0.
- 15 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Including other intracranial hemorrhages.
- 17 Including diseases of the arterioles and capillaries.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 34 Including exposure to noxious substances.
- 35 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 36 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 37 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 38 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively.
- 39 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 41 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.