

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	32,020	252	51	64	335	421	858	2,169	3,780	5,025	8,361	10,704
Male	16,052	139	27	38	247	309	523	1,328	2,325	2,928	4,211	3,977
Female	15,968	113	24	26	88	112	335	841	1,455	2,097	4,150	6,727
Infections & Parasitic Disease (A00-B99)	571	4	1	1	1	8	27	96	136	77	122	98
Male	318	2	–	1	–	5	21	65	85	50	54	35
Female	253	2	1	–	1	3	6	31	51	27	68	63
Tuberculosis (A16-A19)	8	–	–	–	–	–	1	–	–	1	4	2
Male	3	–	–	–	–	–	1	–	–	–	2	–
Female	5	–	–	–	–	–	–	–	–	1	2	2
Meningococcal infection (A39)	1	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (A40-A41)	222	2	1	–	1	2	5	21	34	40	65	51
Male	107	1	–	–	–	1	3	8	19	24	28	23
Female	115	1	1	–	1	1	2	13	15	16	37	28
Syphilis (A50-A53)	1	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Creutzfeldt-Jacob disease (A81.0)	6	–	–	–	–	–	–	–	–	4	1	1
Male	4	–	–	–	–	–	–	–	–	3	–	1
Female	2	–	–	–	–	–	–	–	–	1	1	–
Viral hepatitis (B15-B19)	169	–	–	–	–	–	4	55	81	13	13	3
Male	106	–	–	–	–	–	3	40	51	8	3	1
Female	63	–	–	–	–	–	1	15	30	5	10	2
HIV/AIDS (B20-B24) ²	39	–	–	–	–	3	11	14	8	3	–	–
Male	36	–	–	–	–	3	10	13	7	3	–	–
Female	3	–	–	–	–	–	1	1	1	–	–	–
Malignant Neoplasms (C00-C97)	7,484	–	2	8	17	29	139	554	1,330	1,852	2,187	1,366
Male	3,871	–	–	5	9	12	67	274	739	1,023	1,124	618
Female	3,613	–	2	3	8	17	72	280	591	829	1,063	748
Lip, oral cavity & pharynx (C00-C14)	104	–	–	–	–	–	4	11	17	38	22	12
Male	75	–	–	–	–	–	3	9	16	28	13	6
Female	29	–	–	–	–	–	1	2	1	10	9	6
Digestive Organs (C15-C26)	1,745	–	–	–	3	4	31	129	344	441	470	323
Male	957	–	–	–	3	2	18	84	229	263	245	113
Female	788	–	–	–	–	2	13	45	115	178	225	210

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Esophagus (C15)	192	—	—	—	1	—	1	11	51	53	45	30
Male	152	—	—	—	1	—	1	9	49	42	31	19
Female	40	—	—	—	—	—	—	2	2	11	14	11
Stomach (C16)	104	—	—	—	—	—	3	8	17	23	32	21
Male	61	—	—	—	—	—	1	6	11	13	18	12
Female	43	—	—	—	—	—	2	2	6	10	14	9
Colon, rectum & anus (C18-C21)	669	—	—	—	—	2	16	45	112	160	192	142
Male	329	—	—	—	—	—	6	26	60	93	104	40
Female	340	—	—	—	—	2	10	19	52	67	88	102
Colon (C18)	507	—	—	—	—	2	9	30	76	114	156	120
Male	239	—	—	—	—	—	3	18	38	63	83	34
Female	268	—	—	—	—	2	6	12	38	51	73	86
Rectosigmoid junction (C19)	44	—	—	—	—	—	1	2	13	15	10	3
Male	26	—	—	—	—	—	1	1	10	9	5	—
Female	18	—	—	—	—	—	—	1	3	6	5	3
Rectum (C20)	106	—	—	—	—	—	6	11	19	28	25	17
Male	61	—	—	—	—	—	2	5	12	20	16	6
Female	45	—	—	—	—	—	4	6	7	8	9	11
Liver & intrahepatic bile ducts (C22)	236	—	—	—	2	2	5	27	64	65	44	27
Male	162	—	—	—	2	2	5	23	52	40	27	11
Female	74	—	—	—	—	—	—	4	12	25	17	16
Pancreas (C25)	475	—	—	—	—	—	5	34	92	123	129	92
Male	226	—	—	—	—	—	4	18	54	66	55	29
Female	249	—	—	—	—	—	1	16	38	57	74	63
Respiratory, intrathoracic organs (C30-C39) ...	2,130	—	—	—	—	1	18	133	381	641	685	271
Male	1,150	—	—	—	—	1	13	85	219	364	338	130
Female	980	—	—	—	—	—	5	48	162	277	347	141
Larynx (C32)	35	—	—	—	—	—	1	2	9	9	10	4
Male	21	—	—	—	—	—	—	1	7	5	5	3
Female	14	—	—	—	—	—	1	1	2	4	5	1
Trachea, bronchus & lung (C33-C34)	2,081	—	—	—	—	—	17	127	371	627	675	264
Male	1,120	—	—	—	—	—	13	82	211	356	333	125
Female	961	—	—	—	—	—	4	45	160	271	342	139
Bronchus & lung (C34)	2,081	—	—	—	—	—	17	127	371	627	675	264
Male	1,120	—	—	—	—	—	13	82	211	356	333	125
Female	961	—	—	—	—	—	4	45	160	271	342	139

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Skin (C43-C44)	158	—	—	—	1	—	11	19	34	27	34	32
Male	98	—	—	—	—	—	5	10	27	18	23	15
Female	60	—	—	—	1	—	6	9	7	9	11	17
Melanoma of skin (C43)	129	—	—	—	1	—	11	16	28	22	29	22
Male	78	—	—	—	—	—	5	9	21	14	18	11
Female	51	—	—	—	1	—	6	7	7	8	11	11
Mesothelioma (C45)	32	—	—	—	1	—	—	1	3	11	11	5
Male	23	—	—	—	—	—	—	1	2	9	7	4
Female	9	—	—	—	1	—	—	—	1	2	4	1
Breast (C50)	531	—	—	—	—	1	21	65	118	105	109	112
Male	6	—	—	—	—	—	—	—	1	1	2	2
Female	525	—	—	—	—	1	21	65	117	104	107	110
Female genital organs (C51-C58)	369	—	—	—	1	5	13	49	71	72	99	59
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	369	—	—	—	1	5	13	49	71	72	99	59
Cervix uteri (C53)	50	—	—	—	—	2	7	15	10	7	5	4
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	50	—	—	—	—	2	7	15	10	7	5	4
Corpus uteri (C54-C55) ³	90	—	—	—	1	—	1	8	22	15	31	12
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	90	—	—	—	1	—	1	8	22	15	31	12
Ovary (C56)	206	—	—	—	—	3	4	25	35	46	58	35
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	206	—	—	—	—	3	4	25	35	46	58	35
Male genital organs (C60-C63)	446	—	—	—	2	—	2	7	38	87	169	141
Male	446	—	—	—	2	—	2	7	38	87	169	141
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	436	—	—	—	—	—	—	6	37	86	169	138
Male	436	—	—	—	—	—	—	6	37	86	169	138
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	169	—	—	—	1	—	1	16	39	45	42	25
Male	114	—	—	—	1	—	—	13	32	27	27	14
Female	55	—	—	—	—	—	1	3	7	18	15	11
Bladder (C67)	200	—	—	—	—	—	1	5	21	41	63	69
Male	142	—	—	—	—	—	1	4	17	32	43	45
Female	58	—	—	—	—	—	—	1	4	9	20	24

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Brain, etc. (C70-C72) ⁴	204	—	1	3	1	8	7	35	51	50	33	15
Male	113	—	—	3	1	5	5	19	30	23	18	9
Female	91	—	1	—	—	3	2	16	21	27	15	6
Thyroid/endocrine gland (C73-C75)	27	—	1	—	—	1	1	—	6	4	9	5
Male	9	—	—	—	—	—	1	—	3	3	1	1
Female	18	—	1	—	—	1	—	—	3	1	8	4
Lymphoid & hematopoietic (C81-C96)	759	—	—	3	5	5	12	43	102	152	270	167
Male	426	—	—	1	1	1	10	22	63	90	152	86
Female	333	—	—	2	4	4	2	21	39	62	118	81
Hodgkin's disease (C81)	20	—	—	—	—	2	—	6	6	2	3	1
Male	12	—	—	—	—	—	—	4	4	2	2	—
Female	8	—	—	—	—	2	—	2	2	—	1	1
Non-Hodgkin's lymphoma (C82-C85)	284	—	—	—	1	1	4	17	39	50	106	66
Male	151	—	—	—	1	1	4	8	27	25	54	31
Female	133	—	—	—	—	—	—	9	12	25	52	35
Leukemia (C91-C95)	300	—	—	3	4	2	6	12	33	65	102	73
Male	169	—	—	1	—	—	4	5	16	39	61	43
Female	131	—	—	2	4	2	2	7	17	26	41	30
Lymphoid leukemia (C91)	85	—	—	—	1	1	1	1	12	13	33	23
Male	49	—	—	—	—	—	1	1	8	5	19	15
Female	36	—	—	—	1	1	—	—	4	8	14	8
Myeloid leukemia (C92)	163	—	—	1	2	1	4	10	17	44	54	30
Male	90	—	—	—	—	—	2	3	6	28	33	18
Female	73	—	—	1	2	1	2	7	11	16	21	12
Multiple myeloma (C88, C90) ⁵	155	—	—	—	—	—	2	8	24	35	59	27
Male	94	—	—	—	—	—	2	5	16	24	35	12
Female	61	—	—	—	—	—	—	3	8	11	24	15
Neoplas. Not Specif. as Malig. (D00-D48)⁶	263	—	1	2	1	1	7	10	25	39	72	105
Male	149	—	—	1	1	1	4	5	15	24	46	52
Female	114	—	1	1	—	—	3	5	10	15	26	53
Myelodysplastic syndromes (D46)	100	—	—	—	—	—	1	1	3	13	40	42
Male	62	—	—	—	—	—	1	—	2	9	25	25
Female	38	—	—	—	—	—	—	1	1	4	15	17
Diseases of the Blood (D50-89)⁷	123	2	2	1	1	—	7	12	18	11	27	42
Male	59	—	1	—	—	—	3	6	13	4	13	19
Female	64	2	1	1	1	—	4	6	5	7	14	23

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Anemias (D50-D64)	71	1	1	1	1	—	2	5	3	5	20	32
Male	28	—	—	—	—	—	—	1	2	1	9	15
Female	43	1	1	1	1	—	2	4	1	4	11	17
Endocrine & Nutritional Dis. (E00-E88)⁸	1,498	3	1	1	4	12	33	122	239	307	383	393
Male	786	1	1	1	2	5	21	74	136	178	207	160
Female	712	2	—	—	2	7	12	48	103	129	176	233
Diabetes mellitus (E10-E14)	1,030	—	—	1	—	5	20	78	167	230	264	265
Male	558	—	—	1	—	2	14	46	93	140	155	107
Female	472	—	—	—	—	3	6	32	74	90	109	158
Nutritional deficiencies (E40-E64)	30	—	—	—	—	1	—	1	4	6	9	9
Male	11	—	—	—	—	—	—	1	1	3	4	2
Female	19	—	—	—	—	1	—	—	3	3	5	7
Malnutrition (E40-E46)	26	—	—	—	—	1	—	1	4	6	7	7
Male	10	—	—	—	—	—	—	1	1	3	3	2
Female	16	—	—	—	—	1	—	—	3	3	4	5
Mental Disorders (F01-F99)⁹	1,968	—	—	—	1	10	32	76	78	132	469	1,170
Male	692	—	—	—	—	8	18	46	56	71	187	306
Female	1,276	—	—	—	1	2	14	30	22	61	282	864
Organic dementia (F01, F03) ¹⁰	1,654	—	—	—	—	—	—	6	11	77	435	1,125
Male	502	—	—	—	—	—	—	4	1	38	169	290
Female	1,152	—	—	—	—	—	—	2	10	39	266	835
Due to alcohol (F10) ¹¹	165	—	—	—	—	5	19	48	46	29	10	8
Male	121	—	—	—	—	5	13	31	37	22	7	6
Female	44	—	—	—	—	—	6	17	9	7	3	2
Due to psychoactive substance (F11-F19)	68	—	—	—	—	2	7	12	17	15	8	7
Male	36	—	—	—	—	1	3	5	14	4	5	4
Female	32	—	—	—	—	1	4	7	3	11	3	3
Nervous System Disease (G00-G99)	2,175	6	3	7	11	10	28	71	117	196	687	1,039
Male	877	4	1	3	6	7	16	47	69	99	303	322
Female	1,298	2	2	4	5	3	12	24	48	97	384	717
Meningitis (G00, G03)	8	—	—	1	—	—	—	1	2	1	1	2
Male	3	—	—	—	—	—	—	—	2	1	—	—
Female	5	—	—	1	—	—	—	1	—	—	1	2
Amyotrophic lateral sclerosis (G12.2)	119	—	—	—	—	1	5	19	20	34	32	8
Male	65	—	—	—	—	1	5	14	7	17	18	3
Female	54	—	—	—	—	—	—	5	13	17	14	5

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Parkinson's disease (G20-G21)	352	—	—	—	—	1	—	—	8	46	152	145
Male	202	—	—	—	—	1	—	—	7	30	92	72
Female	150	—	—	—	—	—	—	—	1	16	60	73
Alzheimer's disease (G30)	1,299	—	—	—	—	—	—	3	13	46	406	831
Male	392	—	—	—	—	—	—	1	9	18	140	224
Female	907	—	—	—	—	—	—	2	4	28	266	607
Multiple sclerosis (G35)	80	—	—	—	—	—	2	17	20	19	17	5
Male	30	—	—	—	—	—	—	8	11	1	8	2
Female	50	—	—	—	—	—	2	9	9	18	9	3
Epilepsy (G40-G41)	16	—	—	—	3	1	4	1	1	3	3	—
Male	9	—	—	—	1	1	2	1	—	2	2	—
Female	7	—	—	—	2	—	2	—	1	1	1	—
Diseases of the Eye & Adnexa (H00-H59) ..	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Ear & Mastoid Process Dis. (H60-H95)	1	—	—	—	—	—	—	1	—	—	—	—
Male	1	—	—	—	—	—	—	1	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory System Diseases (I00-I99)	9,246	—	6	4	18	32	119	411	826	1,268	2,473	4,089
Male	4,627	—	2	3	12	24	79	279	579	816	1,305	1,528
Female	4,619	—	4	1	6	8	40	132	247	452	1,168	2,561
Major cardiovascular disease (I00-I78)	9,191	—	6	4	18	32	117	405	821	1,258	2,459	4,071
Male	4,603	—	2	3	12	24	79	275	576	814	1,296	1,522
Female	4,588	—	4	1	6	8	38	130	245	444	1,163	2,549
Heart disease (I00-I09, I11, I13, I20-I51)	6,516	—	6	2	15	28	96	315	629	904	1,673	2,848
Male	3,442	—	2	1	10	20	67	217	449	605	933	1,138
Female	3,074	—	4	1	5	8	29	98	180	299	740	1,710
Rheumatic heart disease (I00-I09) ¹²	63	—	—	—	—	—	1	3	1	14	13	31
Male	19	—	—	—	—	—	—	1	1	7	4	6
Female	44	—	—	—	—	—	1	2	—	7	9	25
Hypertensive heart disease (I11)	259	—	—	—	1	1	9	17	15	23	57	136
Male	99	—	—	—	1	—	8	10	11	14	20	35
Female	160	—	—	—	—	1	1	7	4	9	37	101
Hypertensive heart & renal dis. (I13)	31	—	—	—	—	—	—	—	2	2	6	21
Male	12	—	—	—	—	—	—	—	1	1	3	7
Female	19	—	—	—	—	—	—	—	1	1	3	14

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	3,886	—	—	—	1	12	52	214	458	623	1,048	1,478
Male	2,320	—	—	—	1	10	40	153	348	442	653	673
Female	1,566	—	—	—	—	2	12	61	110	181	395	805
Myocardial infarction (I21-I22)	1,300	—	—	—	1	5	14	63	176	217	356	468
Male	744	—	—	—	1	4	10	43	133	148	198	207
Female	556	—	—	—	—	1	4	20	43	69	158	261
Other acute ischemic hrt. dis. (I24)	27	—	—	—	—	—	—	3	6	7	7	4
Male	19	—	—	—	—	—	—	3	5	5	6	—
Female	8	—	—	—	—	—	—	—	1	2	1	4
Chronic isch. heart dis. (I20, I25)	2,559	—	—	—	—	7	38	148	276	399	685	1,006
Male	1,557	—	—	—	—	6	30	107	210	289	449	466
Female	1,002	—	—	—	—	1	8	41	66	110	236	540
Atheroscler. cardiovascular dis. ¹³ ...	232	—	—	—	—	1	3	17	26	42	56	87
Male	138	—	—	—	—	1	2	13	23	31	31	37
Female	94	—	—	—	—	—	1	4	3	11	25	50
Other chr. ischemic heart dis. ¹⁴	2,327	—	—	—	—	6	35	131	250	357	629	919
Male	1,419	—	—	—	—	5	28	94	187	258	418	429
Female	908	—	—	—	—	1	7	37	63	99	211	490
Nonrheumatic mitral valve dis. (I34)	57	—	—	—	—	—	2	1	2	5	14	33
Male	17	—	—	—	—	—	1	1	1	—	5	9
Female	40	—	—	—	—	—	1	—	1	5	9	24
Nonrheumatic aortic valve dis. (I35)	365	—	—	—	—	—	1	1	7	22	81	253
Male	149	—	—	—	—	—	—	1	4	14	39	91
Female	216	—	—	—	—	—	1	—	3	8	42	162
Cardiomyopathy (I42)	204	—	1	—	4	6	9	29	35	32	37	51
Male	129	—	—	—	4	5	9	23	22	24	20	22
Female	75	—	1	—	—	1	—	6	13	8	17	29
Heart failure (I50)	729	—	1	—	—	—	1	11	31	74	176	435
Male	320	—	—	—	—	—	1	9	13	43	85	169
Female	409	—	1	—	—	—	—	2	18	31	91	266
Congestive heart failure (I50.0)	669	—	1	—	—	—	1	10	28	64	160	405
Male	298	—	—	—	—	—	1	8	12	36	79	162
Female	371	—	1	—	—	—	—	2	16	28	81	243
Left ventricular heart failure (I50.1)	5	—	—	—	—	—	—	—	—	1	2	2
Male	1	—	—	—	—	—	—	—	—	—	1	—
Female	4	—	—	—	—	—	—	—	—	1	1	2

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure, unspecified (I50.9)	55	—	—	—	—	—	—	1	3	9	14	28
Male	21	—	—	—	—	—	—	1	1	7	5	7
Female	34	—	—	—	—	—	—	—	2	2	9	21
HBP (I10, I12, I15) ¹⁵	406	—	—	—	—	—	5	20	45	53	93	190
Male	185	—	—	—	—	—	4	17	37	30	42	55
Female	221	—	—	—	—	—	1	3	8	23	51	135
Cerebrovascular disease (I60-I69) ¹⁰	1,909	—	—	1	2	3	12	60	120	239	575	897
Male	779	—	—	1	1	3	6	35	69	131	258	275
Female	1,130	—	—	—	1	—	6	25	51	108	317	622
Subarachnoid hemorrhage (I60)	61	—	—	—	1	—	5	6	11	13	15	10
Male	19	—	—	—	1	—	1	2	5	4	4	2
Female	42	—	—	—	—	—	4	4	6	9	11	8
Intracerebral hemorrhage (I61-I62) ¹⁶	370	—	—	—	—	2	4	30	45	62	125	102
Male	184	—	—	—	—	2	3	17	30	33	58	41
Female	186	—	—	—	—	—	1	13	15	29	67	61
Cerebral infarction (I63)	68	—	—	—	—	—	—	2	8	6	22	30
Male	30	—	—	—	—	—	—	1	2	2	13	12
Female	38	—	—	—	—	—	—	1	6	4	9	18
Stroke (type not specified) (I64)	1,006	—	—	—	—	1	2	14	46	116	292	535
Male	377	—	—	—	—	1	2	9	24	66	132	143
Female	629	—	—	—	—	—	—	5	22	50	160	392
Atherosclerosis (I70)	92	—	—	—	—	—	—	1	3	16	26	46
Male	46	—	—	—	—	—	—	—	3	13	14	16
Female	46	—	—	—	—	—	—	1	—	3	12	30
Aortic aneurysm & dissection (I71)	148	—	—	—	1	1	3	5	13	23	53	49
Male	91	—	—	—	1	1	2	4	11	16	32	24
Female	57	—	—	—	—	—	1	1	2	7	21	25
Diseases of arteries (I72-I78) ¹⁷	119	—	—	1	—	—	1	4	10	23	39	41
Male	59	—	—	1	—	—	—	2	6	19	17	14
Female	60	—	—	—	—	—	1	2	4	4	22	27
Respiratory System Diseases (J00-J99)	3,032	4	1	3	6	11	28	112	297	593	1,031	946
Male	1,534	3	1	2	4	7	15	64	157	326	525	430
Female	1,498	1	—	1	2	4	13	48	140	267	506	516
Influenza & pneumonia (J10-J18)	519	1	—	2	4	5	10	21	27	60	126	263
Male	256	1	—	2	2	5	5	9	11	35	69	117
Female	263	—	—	—	2	—	5	12	16	25	57	146

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Influenza (J10-J11)	19	1	–	1	–	1	–	3	3	2	3	5
Male	10	1	–	1	–	1	–	2	1	–	1	3
Female	9	–	–	–	–	–	–	1	2	2	2	2
Pneumonia (J12-J18)	500	–	–	1	4	4	10	18	24	58	123	258
Male	246	–	–	1	2	4	5	7	10	35	68	114
Female	254	–	–	–	2	–	5	11	14	23	55	144
Other acute lower resp. infect'ns (J20-J22)	1	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1
Acute bronchitis (J20-J21) ¹⁸	1	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1
Chronic lower respiratory dis. (J40-J47) ¹⁹	1,950	–	–	1	2	2	11	63	222	457	704	488
Male	976	–	–	–	2	–	7	39	114	242	346	226
Female	974	–	–	1	–	2	4	24	108	215	358	262
Bronchitis, chronic & unspec. (J40-J42)	13	–	–	–	–	–	1	–	2	1	3	6
Male	7	–	–	–	–	–	1	–	1	1	1	3
Female	6	–	–	–	–	–	–	–	1	–	2	3
Emphysema (J43)	235	–	–	–	–	–	1	9	32	55	87	51
Male	132	–	–	–	–	–	1	7	15	35	47	27
Female	103	–	–	–	–	–	–	2	17	20	40	24
Asthma (J45-J46)	62	–	–	1	2	2	5	10	7	8	15	12
Male	22	–	–	–	2	–	2	7	3	1	6	1
Female	40	–	–	1	–	2	3	3	4	7	9	11
Other CLRD (J44, J47)	1,640	–	–	–	–	–	4	44	181	393	599	419
Male	815	–	–	–	–	–	3	25	95	205	292	195
Female	825	–	–	–	–	–	1	19	86	188	307	224
Bronchiectasis (J47)	20	–	–	–	–	–	1	1	2	4	9	3
Male	6	–	–	–	–	–	1	–	–	1	4	–
Female	14	–	–	–	–	–	–	1	2	3	5	3
Pneumoconioses (J60-J66, J68) ²⁰	18	–	–	–	–	–	–	–	–	1	13	4
Male	18	–	–	–	–	–	–	–	–	1	13	4
Female	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonitis due to solids & liquids (J69)	161	–	–	–	–	2	2	6	13	18	44	76
Male	84	–	–	–	–	1	–	4	8	12	24	35
Female	77	–	–	–	–	1	2	2	5	6	20	41

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Digestive System Diseases (K00-K92)	1,362	6	5	1	2	10	65	172	255	221	276	349
Male	681	2	3	1	2	7	37	105	162	125	125	112
Female	681	4	2	—	—	3	28	67	93	96	151	237
Peptic ulcer (K25-K28)	42	—	—	—	—	—	1	1	4	8	15	13
Male	22	—	—	—	—	—	1	1	3	6	8	3
Female	20	—	—	—	—	—	—	—	1	2	7	10
Diseases of the appendix (K35-K38)	6	—	1	—	—	—	—	1	1	1	2	—
Male	2	—	—	—	—	—	—	1	1	—	—	—
Female	4	—	1	—	—	—	—	—	—	1	2	—
Appendicitis (K35-K37)	6	—	1	—	—	—	—	1	1	1	2	—
Male	2	—	—	—	—	—	—	1	1	—	—	—
Female	4	—	1	—	—	—	—	—	—	1	2	—
Hernia (K40-K46)	25	—	—	—	—	—	—	2	2	1	9	11
Male	14	—	—	—	—	—	—	2	1	1	4	6
Female	11	—	—	—	—	—	—	—	1	—	5	5
Vascular disorders of the intestine (K55)	125	—	1	—	—	—	3	2	17	22	40	40
Male	37	—	—	—	—	—	3	—	7	9	11	7
Female	88	—	1	—	—	—	—	2	10	13	29	33
Chronic liver disease (K70, K73-K74) ²¹	465	—	1	—	1	6	39	125	145	84	52	12
Male	296	—	1	—	1	4	22	76	109	53	26	4
Female	169	—	—	—	—	2	17	49	36	31	26	8
Alcoholic liver disease (K70) ²²	308	—	—	—	1	6	30	98	105	47	20	1
Male	206	—	—	—	1	4	19	57	81	29	14	1
Female	102	—	—	—	—	2	11	41	24	18	6	—
Cholelithiasis (K80-K82) ²³	57	—	—	—	—	—	2	3	4	10	11	27
Male	24	—	—	—	—	—	—	2	3	6	4	9
Female	33	—	—	—	—	—	2	1	1	4	7	18
Diseases of the Skin (L00-L98) ²⁴	57	—	—	—	1	1	4	1	6	8	18	18
Male	23	—	—	—	—	1	2	—	3	6	6	5
Female	34	—	—	—	1	—	2	1	3	2	12	13
Musculoskeletal Disease (M00-M99) ²⁵	226	1	—	—	1	2	3	16	21	28	63	91
Male	80	—	—	—	1	1	1	6	12	12	27	20
Female	146	1	—	—	—	1	2	10	9	16	36	71
Genitourinary System Dis. (N00-N99)	577	3	—	—	2	1	2	17	36	73	187	256
Male	277	—	—	—	2	1	1	10	19	41	99	104
Female	300	3	—	—	—	—	1	7	17	32	88	152

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	399	3	—	—	1	1	2	13	28	51	137	163
Male	202	—	—	—	1	1	1	10	16	28	77	68
Female	197	3	—	—	—	—	1	3	12	23	60	95
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	1	1	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	1	—	—	—	—	—	—	—	—	—	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸	56	—	—	—	—	—	1	1	4	5	16	29
Male	26	—	—	—	—	—	—	1	3	5	8	9
Female	30	—	—	—	—	—	1	—	1	—	8	20
Renal failure (N17-N19)	341	2	—	—	1	1	1	12	24	46	121	133
Male	175	—	—	—	1	1	1	9	13	23	69	58
Female	166	2	—	—	—	—	—	3	11	23	52	75
Other disorders of kidney (N25, N27)	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1)	9	—	—	—	—	—	—	—	1	2	1	5
Male	2	—	—	—	—	—	—	—	—	1	1	—
Female	7	—	—	—	—	—	—	—	1	1	—	5
Urinary tract infection (N39.0)	113	—	—	—	—	—	—	3	3	13	31	63
Male	39	—	—	—	—	—	—	—	1	7	9	22
Female	74	—	—	—	—	—	—	3	2	6	22	41
Hyperplasia of prostate (N40)	8	—	—	—	—	—	—	—	—	—	3	5
Male	8	—	—	—	—	—	—	—	—	—	3	5
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁹	2	—	—	—	—	—	—	—	—	—	1	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	2	—	—	—	—	—	—	—	—	—	1	1
Pregnancy & Childbirth (O00-O99)³⁰	5	—	—	—	—	4	1	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	5	—	—	—	—	4	1	—	—	—	—	—
Perinatal Conditions (P00-P96)	120	120	—	—	—	—	—	—	—	—	—	—
Male	66	66	—	—	—	—	—	—	—	—	—	—
Female	54	54	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³¹	135	56	6	4	4	7	8	13	13	8	9	7
Male	68	33	3	3	2	2	4	8	4	6	2	1
Female	67	23	3	1	2	5	4	5	9	2	7	6

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malformation of the heart (Q20-Q24)	40	20	2	—	1	3	5	2	1	2	2	2
Male	20	11	1	—	1	1	2	2	—	2	—	—
Female	20	9	1	—	—	2	3	—	1	—	2	2
Other malf. of the circul. sys. (Q25-Q28)	18	4	1	—	2	1	1	2	1	1	4	1
Male	7	2	—	—	—	1	1	—	—	1	1	1
Female	11	2	1	—	2	—	—	2	1	—	3	—
Malf. of the respiratory system (Q30-Q34)	7	4	—	—	—	—	—	1	1	1	—	—
Male	4	3	—	—	—	—	—	1	—	—	—	—
Female	3	1	—	—	—	—	—	—	1	1	—	—
Symptoms & Signs (R00-R99)³²	677	23	—	1	5	10	12	30	51	58	119	368
Male	275	13	—	1	4	7	9	15	36	37	53	100
Female	402	10	—	—	1	3	3	15	15	21	66	268
Senility (R54)	102	—	—	—	—	—	—	—	—	2	11	89
Male	26	—	—	—	—	—	—	—	—	1	6	19
Female	76	—	—	—	—	—	—	—	—	1	5	70
Sudden infant death syndrome (R95)	20	20	—	—	—	—	—	—	—	—	—	—
Male	11	11	—	—	—	—	—	—	—	—	—	—
Female	9	9	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,494	24	23	31	260	273	343	455	331	153	237	364
Male	1,667	15	15	17	202	221	225	323	240	110	135	164
Female	827	9	8	14	58	52	118	132	91	43	102	200
Accidents (V01-X59, Y85-Y86)	1,694	20	19	27	169	159	198	262	198	105	200	337
Male	1,064	12	14	14	128	127	129	185	136	70	106	143
Female	630	8	5	13	41	32	69	77	62	35	94	194
Transport accidents (V01-V99, Y85)	502	4	6	16	103	64	61	90	76	33	34	15
Male	351	1	4	6	69	48	37	71	57	25	25	8
Female	151	3	2	10	34	16	24	19	19	8	9	7
Motor vehicle acc. (Many codes) ³³	447	4	5	14	98	54	53	76	67	29	33	14
Male	302	1	3	5	64	39	31	58	49	21	24	7
Female	145	3	2	9	34	15	22	18	18	8	9	7
Motor veh. traf. acc. (Many codes) ³⁴ ...	414	4	4	11	95	54	49	69	60	27	28	13
Male	277	1	2	4	62	39	28	53	43	19	19	7
Female	137	3	2	7	33	15	21	16	17	8	9	6
Water transport accidents (V90-V94)	9	—	—	1	—	1	2	2	1	1	1	—
Male	9	—	—	1	—	1	2	2	1	1	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Air transport accidents (V95-V97)	20	—	—	1	4	6	2	4	2	1	—	—
Male	19	—	—	—	4	6	2	4	2	1	—	—
Female	1	—	—	1	—	—	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	1,192	16	13	11	66	95	137	172	122	72	166	322
Male	713	11	10	8	59	79	92	114	79	45	81	135
Female	479	5	3	3	7	16	45	58	43	27	85	187
Falls (W00-W19)	457	—	1	1	6	3	6	11	31	31	111	256
Male	223	—	1	1	5	2	6	9	20	21	51	107
Female	234	—	—	—	1	1	—	2	11	10	60	149
Firearms (W32-W34)	3	—	—	—	1	2	—	—	—	—	—	—
Male	3	—	—	—	1	2	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	74	1	8	8	14	10	14	6	5	2	3	3
Male	64	1	5	5	13	10	14	4	4	2	3	3
Female	10	—	3	3	1	—	—	2	1	—	—	—
Exposure to smoke & fire (X00-X09)	35	—	—	—	—	1	4	4	13	4	8	1
Male	23	—	—	—	—	1	2	4	8	—	8	—
Female	12	—	—	—	—	—	2	—	5	4	—	1
Poisoning (X40-X49) ³⁵	413	—	—	—	40	72	101	126	53	14	6	1
Male	282	—	—	—	35	57	63	79	34	10	3	1
Female	131	—	—	—	5	15	38	47	19	4	3	—
Suicide (X60-X84, Y87.0)	581	—	—	2	63	76	103	147	101	43	26	20
Male	458	—	—	2	52	61	69	112	82	37	24	19
Female	123	—	—	—	11	15	34	35	19	6	2	1
Poisoning (X60-X69)	98	—	—	—	5	15	21	25	22	6	2	2
Male	55	—	—	—	3	7	13	12	13	3	2	2
Female	43	—	—	—	2	8	8	13	9	3	—	—
Hanging/suffocation (X70)	114	—	—	2	19	18	27	34	11	2	1	—
Male	91	—	—	2	14	16	20	28	9	2	—	—
Female	23	—	—	—	5	2	7	6	2	—	1	—
Firearm discharge (X72-X74)	324	—	—	—	33	37	48	73	60	34	23	16
Male	283	—	—	—	29	33	34	63	55	31	22	16
Female	41	—	—	—	4	4	14	10	5	3	1	—
Homicide (X85-Y09, Y87.1)	99	4	3	1	19	21	21	16	11	2	—	1
Male	79	3	1	1	15	20	16	12	10	1	—	—
Female	20	1	2	—	4	1	5	4	1	1	—	1

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2008 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Firearm discharge (X93-X95)	47	—	—	—	13	15	7	8	4	—	—	—
Male	39	—	—	—	10	14	5	6	4	—	—	—
Female	8	—	—	—	3	1	2	2	—	—	—	—
Legal intervention (Y35, Y89.0) ³⁶	10	—	—	—	1	4	2	3	—	—	—	—
Male	10	—	—	—	1	4	2	3	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	83	—	1	1	7	13	18	26	16	—	1	—
Male	45	—	—	—	5	9	9	11	10	—	1	—
Female	38	—	1	1	2	4	9	15	6	—	—	—
War and its sequelae (Y36, Y89.1) ³⁷	1	—	—	—	1	—	—	—	—	—	—	—
Male	1	—	—	—	1	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	26	—	—	—	—	—	1	1	5	3	10	6
Male	10	—	—	—	—	—	—	—	2	2	4	2
Female	16	—	—	—	—	—	1	1	3	1	6	4
Injury by firearms (Many codes) ³⁸	387	—	—	—	49	57	57	86	65	34	23	16
Male	337	—	—	—	42	52	41	73	60	31	22	16
Female	50	—	—	—	7	5	16	13	5	3	1	—
Alcohol-induced deaths (Many codes) ^{39,40}	540	—	—	—	3	15	62	164	168	87	32	9
Male	379	—	—	—	3	12	41	104	130	60	22	7
Female	161	—	—	—	—	3	21	60	38	27	10	2
Drug-induced deaths (Many codes) ^{41,42}	545	—	—	—	45	87	124	154	86	26	14	9
Male	330	—	—	—	37	64	71	82	52	9	9	6
Female	215	—	—	—	8	23	53	72	34	17	5	3
Injury at work ⁴³	68	—	—	—	7	11	10	23	14	—	3	—
Male	64	—	—	—	7	11	9	22	12	—	3	—
Female	4	—	—	—	—	—	1	1	2	—	—	—

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Including uterus, part unspecified.

⁴ Including meninges and other parts of the central nervous system.

⁵ Including immunoproliferative neoplasms.

⁶ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Including metabolic diseases.

⁹ Including behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005,

- "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 12 Including acute rheumatic fever.
 - 13 The ICD-10 code is I25.0.
 - 14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 15 Hypertension with/without Renal Disease.
 - 16 Including other intracranial hemorrhages.
 - 17 Including diseases of the arterioles and capillaries.
 - 18 Including acute bronchiolitis.
 - 19 Formerly chronic obstructive pulmonary disease (COPD).
 - 20 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
 - 21 Including liver cirrhosis.
 - 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 23 Including other diseases of the gallbladder.
 - 24 Including subcutaneous tissues.
 - 25 Including connective tissue.
 - 26 Including nephrotic syndrome and nephrosis.
 - 27 Including acute and rapidly progressive nephritic and nephrotic syndrome.
 - 28 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 29 Inflammatory diseases of female pelvic organs.
 - 30 Including the puerperium.
 - 31 Including congenital deformations and chromosomal abnormalities.
 - 32 Including abnormal clinical and laboratory findings not elsewhere classified.
 - 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 34 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 35 Including exposure to noxious substances.
 - 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 38 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
 - 39 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
 - 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
 - 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
 - 43 Recorded as a separate item on the death certificate by the Medical Examiner.
 - * Including unknown age.
 - Quantity is 0.