

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2009

| Causes of Death (and their ICD-10 codes) ¹ | Rate ² | Age Groups | | | | | | | | | | |
|---|-------------------|------------|------|------|-------|-------|-------|-------|-------|---------|---------|----------|
| | | < 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Total | 825.1 | 483.2 | 19.2 | 12.5 | 57.0 | 85.2 | 154.8 | 402.6 | 834.7 | 1,839.0 | 4,970.9 | 13,802.7 |
| Infections & Parasitic Disease (A00-B99) | 16.3 | 12.7 | 1.6 | 0.4 | 0.4 | 1.0 | 4.8 | 22.8 | 32.3 | 28.8 | 65.1 | 156.1 |
| Tuberculosis (A16-A19) | 0.1 | — | — | — | 0.2 | — | — | 0.2 | — | — | — | — |
| Meningococcal infection (A39) | 0.1 | — | — | — | — | — | — | — | 0.2 | — | — | 1.3 |
| Septicemia (A40-A41) | 5.9 | 2.1 | 1.1 | 0.2 | — | 0.6 | 1.4 | 3.5 | 10.4 | 14.4 | 35.4 | 63.7 |
| Creutzfeldt-Jacob disease (A81.0) | 0.1 | — | — | — | — | — | — | — | 0.4 | 0.4 | — | 1.3 |
| Viral hepatitis (B15-B19) | 4.6 | — | — | — | — | — | 1.2 | 13.2 | 15.1 | 6.3 | 3.8 | 1.3 |
| HIV/AIDS (B20-B24) ³ | 1.2 | — | — | — | — | 0.2 | 1.2 | 4.6 | 2.1 | 0.7 | 1.3 | — |
| Malignant Neoplasms (C00-C97) | 195.4 | — | 3.2 | 1.6 | 3.7 | 7.6 | 25.9 | 103.2 | 296.1 | 670.9 | 1,302.3 | 1,814.8 |
| Lip, oral cavity & pharynx (C00-C14) | 2.7 | — | — | — | — | 0.4 | 0.8 | 1.5 | 4.8 | 10.0 | 12.0 | 26.0 |
| Digestive organs (C15-26) | 45.1 | — | — | — | 0.2 | 1.1 | 6.4 | 30.3 | 80.0 | 144.4 | 274.9 | 400.7 |
| Esophagus (C15) | 5.0 | — | — | — | — | 0.2 | — | 4.8 | 8.3 | 20.7 | 30.3 | 28.6 |
| Stomach (C16) | 2.3 | — | — | — | — | 0.2 | 1.4 | 1.8 | 3.5 | 7.4 | 12.6 | 16.9 |
| Colon, rectum & anus (C18-C21) | 17.1 | — | — | — | — | 0.2 | 2.1 | 10.1 | 24.9 | 47.7 | 117.5 | 196.4 |
| Colon (C18) | 13.3 | — | — | — | — | — | 1.5 | 7.2 | 17.4 | 37.7 | 93.5 | 165.2 |
| Rectosigmoid junction (C19) | 1.0 | — | — | — | — | — | 0.2 | 0.2 | 1.9 | 3.7 | 7.6 | 6.5 |
| Rectum (C20) | 2.5 | — | — | — | — | 0.2 | 0.4 | 2.0 | 5.0 | 5.2 | 15.8 | 22.1 |
| Liver & intrahepatic bile ducts (C22) | 7.2 | — | — | — | 0.2 | 0.4 | 1.2 | 6.8 | 19.3 | 24.8 | 29.1 | 28.6 |
| Pancreas (C25) | 11.5 | — | — | — | — | 0.2 | 1.0 | 6.1 | 21.5 | 36.2 | 73.9 | 104.1 |
| Respiratory, intrathoracic org'ns (C30-C39) | 55.3 | — | — | 0.2 | 0.2 | — | 2.5 | 22.6 | 79.4 | 230.9 | 431.6 | 372.1 |
| Larynx (C32) | 1.1 | — | — | — | — | — | — | 0.2 | 1.7 | 4.4 | 9.5 | 6.5 |
| Trachea, bronchus & lung (C33-C34) | 54.0 | — | — | 0.2 | 0.2 | — | 2.5 | 22.4 | 77.5 | 225.0 | 420.2 | 361.7 |
| Bronchus & lung (C34) | 53.9 | — | — | 0.2 | 0.2 | — | 2.3 | 22.4 | 77.5 | 225.0 | 420.2 | 361.7 |
| Skin (C43-C44) | 5.0 | — | — | — | 0.2 | 0.6 | 2.3 | 4.4 | 8.9 | 12.9 | 24.0 | 45.5 |
| Melanoma of skin (C43) | 3.9 | — | — | — | 0.2 | 0.6 | 1.9 | 4.2 | 7.5 | 11.5 | 17.7 | 24.7 |
| Mesothelioma (C45) | 1.3 | — | — | — | — | — | 0.2 | 0.4 | 1.0 | 5.9 | 11.4 | 10.4 |
| Breast (C50) | 12.0 | — | — | — | — | 0.6 | 3.3 | 9.2 | 22.6 | 39.9 | 53.7 | 110.6 |
| Female genital organs (C51-58) | 9.5 | — | — | — | 0.2 | 0.6 | 2.1 | 9.0 | 15.7 | 29.2 | 54.3 | 78.1 |
| Cervix uteri (C53) | 1.0 | — | — | — | — | 0.2 | 1.7 | 2.0 | 1.7 | 2.2 | 1.3 | 3.9 |
| Corpus uteri (C54-C55) ⁴ | 2.3 | — | — | — | — | — | — | 1.8 | 3.9 | 6.6 | 13.3 | 24.7 |
| Ovary (C56) | 5.6 | — | — | — | 0.2 | 0.4 | 0.4 | 4.8 | 8.9 | 18.1 | 36.0 | 42.9 |
| Male genital organs (C60-C63) | 11.6 | — | — | — | — | 0.2 | — | 1.5 | 9.1 | 30.3 | 99.2 | 195.1 |
| Prostate (C61) | 11.4 | — | — | — | — | — | — | 1.1 | 8.7 | 30.3 | 99.2 | 193.8 |
| Kidney & renal pelvis (C64-C65) | 4.6 | — | 0.5 | 0.2 | — | — | 0.8 | 2.4 | 8.5 | 16.3 | 23.4 | 45.5 |

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2009 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Rate ² | Age Groups | | | | | | | | | | |
|---|-------------------|------------|-----|------|-------|-------|-------|-------|-------|-------|---------|---------|
| | | < 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Bladder (C67) | 5.3 | — | — | — | — | — | 0.9 | 5.0 | 19.2 | 39.8 | 78.1 | |
| Brain, etc. (C70-C72) ⁵ | 6.0 | — | 0.5 | 0.4 | 0.8 | 1.7 | 2.5 | 7.3 | 11.2 | 18.5 | 31.6 | 9.1 |
| Thyroid/endocrine gland (C73-C75) | 0.7 | — | 0.5 | — | — | 0.2 | 0.2 | 0.7 | 1.2 | 2.2 | 3.8 | 3.9 |
| Lymphoid & hematopoietic (C81-C96) | 19.5 | — | 1.1 | 0.6 | 1.2 | 2.3 | 2.1 | 5.9 | 23.0 | 58.7 | 142.2 | 242.0 |
| Hodgkin's disease (C81) | 0.5 | — | — | — | — | — | 0.4 | 0.2 | 0.8 | 1.1 | 3.2 | 3.9 |
| Non-Hodgkin's lymphoma (C82-C85) | 7.2 | — | — | — | 0.2 | 0.4 | 0.6 | 1.8 | 8.7 | 24.0 | 50.5 | 96.3 |
| Leukemia (C91-C95) | 8.0 | — | 1.1 | 0.6 | 1.0 | 1.7 | 1.0 | 2.9 | 9.5 | 22.2 | 49.3 | 108.0 |
| Lymphoid leukemia (C91) | 2.8 | — | 0.5 | 0.2 | 0.4 | 1.5 | 0.4 | 0.9 | 2.3 | 7.0 | 17.1 | 40.3 |
| Myeloid leukemia (C92) | 3.8 | — | — | 0.2 | 0.4 | 0.2 | 0.2 | 1.5 | 6.2 | 11.8 | 23.4 | 44.2 |
| Multiple myeloma (C88, C90) ⁶ | 3.8 | — | — | — | — | — | 0.2 | 0.9 | 3.9 | 11.5 | 39.2 | 33.8 |
| Neopla. Not Specif. As Malig. (D00-D48)⁷ | 6.4 | — | — | 0.2 | — | 0.6 | 0.8 | 2.4 | 4.8 | 14.8 | 51.8 | 100.2 |
| Myelodysplastic syndromes (D46) | 2.2 | — | — | — | — | — | — | 0.4 | 1.0 | 5.2 | 22.7 | 36.4 |
| Diseases of the Blood (D50-89)⁸ | 2.7 | 4.2 | 0.5 | — | 0.6 | 0.4 | 1.4 | 0.7 | 2.9 | 5.5 | 13.3 | 44.2 |
| Anemias (D50-D64) | 1.4 | — | — | — | — | 0.4 | 0.2 | — | 1.0 | 3.0 | 8.2 | 32.5 |
| Endocrine & Nutritional Dis. (E00-E88)⁹ | 39.8 | 8.5 | 0.5 | 1.0 | 1.6 | 2.3 | 9.1 | 21.9 | 53.2 | 107.1 | 250.8 | 498.3 |
| Diabetes mellitus (E10-E14) | 28.0 | — | — | — | 0.2 | 1.1 | 5.4 | 18.2 | 35.4 | 80.9 | 180.7 | 336.9 |
| Nutritional deficiencies (E40-E64) | 0.6 | — | — | — | — | — | — | 0.2 | 0.4 | 0.4 | 3.8 | 15.6 |
| Malnutrition (E40-E46) | 0.5 | — | — | — | — | — | — | 0.2 | 0.4 | — | 3.8 | 13.0 |
| Mental Disorders (F01-F99)¹⁰ | 52.0 | — | 0.5 | — | 0.2 | 1.3 | 4.1 | 12.3 | 21.5 | 46.2 | 288.8 | 1,566.3 |
| Organic dementia (F01, F03) ¹¹ | 44.2 | — | 0.5 | — | — | — | — | 0.6 | 5.0 | 25.9 | 266.0 | 1,523.4 |
| Due to alcohol (F10) ¹² | 3.9 | — | — | — | — | 0.2 | 2.7 | 8.1 | 9.5 | 11.5 | 7.0 | 1.3 |
| Due to psychoactive substance (F11-F19) | 2.0 | — | — | — | 0.2 | 1.0 | 0.6 | 2.4 | 5.2 | 5.9 | 7.0 | 5.2 |
| Nervous System Dis. (G00-G99) | 54.7 | 4.2 | 1.1 | 0.6 | 2.5 | 3.4 | 4.8 | 11.6 | 28.4 | 79.8 | 394.9 | 1,286.6 |
| Meningitis (G00, G03) | 0.3 | — | 0.5 | — | — | 0.2 | — | 0.6 | 0.4 | 0.7 | 0.6 | — |
| Amyotrophic lateral sclerosis (G12.2) | 3.1 | — | — | — | — | 0.2 | — | 1.1 | 8.1 | 16.3 | 10.7 | 14.3 |
| Parkinson's disease (G20-G21) | 9.0 | — | — | — | — | — | — | — | 1.0 | 14.4 | 93.5 | 197.7 |
| Alzheimer's disease (G30) | 31.7 | — | — | — | — | — | — | 0.9 | 2.5 | 20.3 | 231.9 | 1,005.6 |
| Multiple sclerosis (G35) | 1.8 | — | — | — | 0.2 | — | 0.4 | 2.0 | 4.4 | 7.0 | 5.7 | 7.8 |
| Epilepsy (G40-G41) | 0.5 | — | — | — | 0.4 | 0.8 | 0.4 | 1.1 | 0.2 | — | 0.6 | 2.6 |
| Circulatory System Diseases (I00-I99) | 233.6 | 12.7 | 1.1 | 0.4 | 1.0 | 6.8 | 18.3 | 72.7 | 177.6 | 447.0 | 1,452.0 | 5,234.9 |
| Major cardiovascular disease (I00-I78) | 232.6 | 12.7 | 1.1 | 0.4 | 1.0 | 6.8 | 18.3 | 71.6 | 175.5 | 445.9 | 1,447.0 | 5,220.6 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 162.8 | 4.2 | 0.5 | 0.4 | 1.0 | 4.8 | 13.3 | 53.3 | 131.4 | 327.3 | 978.1 | 3,595.7 |
| Rheumatic heart disease (I00-I09) ¹³ .. | 1.8 | — | — | — | — | — | — | 0.7 | 1.5 | 3.3 | 13.3 | 36.4 |
| Hypertensive heart disease (I11) | 6.7 | — | — | — | — | — | 1.0 | 1.7 | 2.9 | 5.2 | 39.2 | 197.7 |
| Hypertensive heart & renal dis. (I13) .. | 1.0 | — | — | — | — | — | — | 0.2 | 0.2 | 1.8 | 7.6 | 26.0 |

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2009 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Rate ² | Age Groups | | | | | | | | | | |
|---|-------------------|------------|-----|------|-------|-------|-------|-------|-------|-------|-------|---------|
| | | < 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Ischemic heart disease (I20-I25) | 95.6 | — | — | — | 0.2 | 1.3 | 8.5 | 38.0 | 96.5 | 226.8 | 592.7 | 1,794.0 |
| Myocardial infarction (I21-I22) | 30.6 | — | — | — | — | 0.4 | 2.9 | 12.5 | 32.9 | 78.7 | 200.3 | 513.9 |
| Other acute ischemic hrt. dis. (I24) .. | 0.7 | — | — | — | — | — | — | 0.2 | 0.4 | 1.8 | 5.7 | 14.3 |
| Chronic isch. heart dis. (I20, I25) | 64.3 | — | — | — | 0.2 | 1.0 | 5.6 | 25.3 | 63.2 | 146.3 | 386.7 | 1,265.8 |
| Atheroscler. cardiovascular dis. ¹⁴ | 4.8 | — | — | — | — | 0.2 | 0.4 | 1.8 | 5.0 | 14.4 | 22.7 | 93.7 |
| Other chr. ischemic heart dis. ¹⁵ ... | 59.5 | — | — | — | 0.2 | 0.8 | 5.2 | 23.5 | 58.2 | 131.9 | 364.0 | 1,172.1 |
| Nonrheumatic mitral valve dis. (I34) ... | 1.3 | — | — | — | — | — | — | 0.2 | 0.4 | 1.5 | 8.8 | 36.4 |
| Nonrheumatic aortic valve dis. (I35) ... | 9.7 | — | — | — | — | — | 0.2 | 0.2 | 2.3 | 8.1 | 59.4 | 316.1 |
| Cardiomyopathy (I42) | 5.3 | — | 0.5 | 0.4 | 0.6 | 1.7 | 1.0 | 3.9 | 6.6 | 10.7 | 28.4 | 74.2 |
| Heart failure (I50) | 17.3 | 2.1 | — | — | — | 0.6 | 0.6 | 1.5 | 5.4 | 23.6 | 86.6 | 547.7 |
| Congestive heart failure (I50.0) | 15.6 | — | — | — | — | 0.4 | 0.6 | 0.9 | 4.6 | 19.9 | 79.6 | 500.9 |
| Left ventricular heart failure (I50.1) | 0.1 | — | — | — | — | — | — | — | — | 0.4 | 0.6 | 1.3 |
| Heart failure, unspecified (I50.9) | 1.6 | 2.1 | — | — | — | 0.2 | — | 0.6 | 0.8 | 3.3 | 6.3 | 45.5 |
| HBP (I10, I12, I15) ¹⁶ | 11.1 | — | — | — | — | 0.4 | 1.0 | 3.9 | 11.2 | 18.8 | 51.2 | 273.2 |
| Cerebrovascular disease (I60-I69) ¹¹ | 49.7 | 8.5 | 0.5 | — | — | 0.4 | 3.3 | 12.7 | 27.1 | 80.5 | 346.9 | 1,182.5 |
| Subarachnoid hemorrhage (I60) | 1.6 | — | — | — | — | 0.2 | 0.6 | 2.6 | 2.1 | 4.4 | 7.0 | 11.7 |
| Intracerebral hemorrhage (I61-I62) ¹⁷ | 9.7 | — | — | — | — | 0.2 | 1.9 | 5.0 | 10.6 | 22.2 | 72.7 | 139.2 |
| Cerebral infarction (I63) | 1.8 | 2.1 | — | — | — | — | 0.4 | 1.1 | 1.2 | 2.2 | 11.4 | 36.4 |
| Stroke (type not specified) (I64) | 27.5 | 2.1 | — | — | — | — | 0.2 | 2.8 | 10.6 | 38.4 | 184.5 | 764.9 |
| Atherosclerosis (I70) | 2.1 | — | — | — | — | — | — | 0.2 | 1.2 | 2.2 | 13.3 | 58.5 |
| Aortic aneurysm & dissection (I71) | 3.9 | — | — | — | — | 1.3 | 0.8 | 0.9 | 3.1 | 8.1 | 37.3 | 48.1 |
| Diseases of arteries (I72-I78) ¹⁸ | 3.0 | — | — | — | — | — | — | 0.7 | 1.5 | 8.5 | 20.2 | 62.4 |
| Respiratory System Diseases (J00-J99) | 79.1 | 6.4 | 1.6 | 1.4 | 1.6 | 3.8 | 7.5 | 19.3 | 64.6 | 219.1 | 610.4 | 1,258.0 |
| Influenza & pneumonia (J09-J18) | 13.3 | 6.4 | 1.6 | 1.0 | 0.6 | 2.7 | 3.1 | 5.7 | 8.1 | 21.4 | 77.7 | 278.4 |
| Influenza (J09-J11) | 1.6 | — | 0.5 | 0.4 | 0.4 | 1.7 | 1.9 | 2.8 | 2.1 | 1.8 | 3.2 | 2.6 |
| Pneumonia (J12-J18) | 11.7 | 6.4 | 1.1 | 0.6 | 0.2 | 1.0 | 1.2 | 2.9 | 6.0 | 19.6 | 74.6 | 275.8 |
| Other acute lower resp. infect'ns (J20-J22) | 0.1 | — | — | — | — | 0.2 | — | — | — | — | — | 3.9 |
| Acute bronchitis (J20-J21) ¹⁹ | 0.1 | — | — | — | — | 0.2 | — | — | — | — | — | 3.9 |
| Chronic lower respiratory dis. (J40-J47) ²⁰ .. | 50.6 | — | — | 0.2 | 0.2 | 0.4 | 2.7 | 9.4 | 44.8 | 166.6 | 424.0 | 686.9 |
| Bronchitis, chronic & unspec. (J40-J42) | 0.2 | — | — | — | — | 0.2 | 0.2 | — | — | — | — | 6.5 |
| Emphysema (J43) | 6.0 | — | — | — | — | — | — | 1.1 | 5.2 | 21.4 | 57.5 | 63.7 |
| Asthma (J45-J46) | 1.8 | — | — | 0.2 | — | 0.2 | 1.4 | 2.8 | 2.3 | 4.1 | 6.3 | 18.2 |
| Other CLRD (J44, J47) | 42.6 | — | — | — | 0.2 | — | 1.2 | 5.5 | 37.3 | 141.1 | 360.2 | 598.4 |
| Bronchiectasis (J47) | 0.7 | — | — | — | — | — | — | — | 0.2 | 1.8 | 5.1 | 14.3 |
| Pneumoconioses (J60-J66, J68) ²¹ | 0.2 | — | — | — | — | — | — | — | — | 0.7 | 1.9 | 3.9 |

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2009 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Rate ² | Age Groups | | | | | | | | | | |
|---|-------------------|--------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|
| | | < 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Pneumonitis due to solids & liquids (J69) | 4.0 | — | — | — | 0.4 | 0.2 | 0.4 | 0.7 | 1.9 | 3.3 | 27.8 | 108.0 |
| Digestive System Diseases (K00-K92) | 34.7 | 2.1 | — | 0.2 | 0.8 | 2.1 | 10.8 | 38.4 | 50.6 | 80.9 | 164.3 | 418.9 |
| Peptic ulcer (K25-K28) | 1.2 | — | — | — | 0.2 | — | — | 0.9 | 1.2 | 3.3 | 6.3 | 16.9 |
| Diseases of the appendix (K35-K38) | 0.2 | — | — | 0.2 | — | — | — | 0.2 | 0.2 | — | 1.3 | 1.3 |
| Appendicitis (K35-K37) | 0.2 | — | — | 0.2 | — | — | — | 0.2 | 0.2 | — | 1.3 | 1.3 |
| Hernia (K40-K46) | 0.9 | 2.1 | — | — | — | — | — | 0.6 | 0.8 | 1.8 | 3.8 | 20.8 |
| Vascular disorders of the intestine (K55) | 2.9 | — | — | — | — | — | — | 0.7 | 2.3 | 7.0 | 24.6 | 48.1 |
| Chronic liver disease (K70, K73-K74) ²² | 13.2 | — | — | — | — | 1.5 | 8.3 | 27.4 | 30.9 | 34.0 | 25.9 | 28.6 |
| Alcoholic liver disease (K70) ²³ | 9.6 | — | — | — | — | 1.5 | 7.1 | 22.4 | 24.7 | 22.5 | 11.4 | 2.6 |
| Cholelithiasis (K80-K82) ²⁴ | 1.4 | — | — | — | — | — | 0.2 | 0.2 | 0.6 | 2.2 | 12.6 | 28.6 |
| Diseases of the Skin (L00-L98)²⁵ | 1.4 | — | — | — | — | — | — | 0.9 | 2.1 | 2.6 | 8.2 | 23.4 |
| Musculoskeletal Disease (M00-M99)²⁶ | 6.0 | — | — | 0.4 | 0.2 | — | 0.8 | 3.5 | 5.4 | 15.1 | 26.5 | 121.0 |
| Genitourinary System Dis. (N00-N99) | 15.2 | 2.1 | 0.5 | 0.2 | — | 0.8 | 0.4 | 2.6 | 8.1 | 30.7 | 110.6 | 340.8 |
| Nephritis (N00-N07, N17-N19, N25-N27) ²⁷ | 10.1 | 2.1 | 0.5 | 0.2 | — | 0.8 | 0.2 | 2.2 | 5.4 | 22.2 | 77.7 | 206.8 |
| Acute nephrotic syndrome ²⁸ | <0.05 | — | — | — | — | — | — | — | — | — | — | 1.3 |
| Chronic nephritis ²⁹ | 1.8 | — | — | 0.2 | — | 0.2 | — | 0.4 | 0.6 | 3.0 | 11.4 | 45.5 |
| Renal failure (N17-N19) | 8.3 | 2.1 | 0.5 | — | — | 0.6 | 0.2 | 1.8 | 4.8 | 19.2 | 66.3 | 158.7 |
| Other disorders of kidney (N25, N27) | <0.05 | — | — | — | — | — | — | — | — | — | — | 1.3 |
| Kidney infect'ns (N10-N12, N13.6, N15.1) .. | 0.2 | — | — | — | — | — | — | — | — | 1.1 | — | 3.9 |
| Urinary tract infection (N39.0) | 3.4 | — | — | — | — | — | 0.2 | 0.2 | 2.1 | 4.1 | 17.1 | 102.8 |
| Hyperplasia of prostate (N40) | 0.2 | — | — | — | — | — | — | — | — | 0.7 | 1.9 | 3.9 |
| Female pelvic inflam. dis. (N70-N76) ³⁰ | <0.05 | — | — | — | — | — | — | — | — | — | 0.6 | — |
| Pregnancy & Childbirth (O00-O99)³¹ | 0.2 | — | — | — | 0.4 | 1.0 | — | — | — | — | — | — |
| Perinatal Conditions (P00-P96) | 2.9 | 235.2 | — | — | — | — | — | — | — | — | — | — |
| Congenital Malformations (Q00-Q99)³² .. | 2.6 | 84.8 | — | 1.0 | 0.6 | 1.0 | 0.6 | 1.5 | 2.5 | 1.8 | 4.4 | 14.3 |
| Malformation of the heart (Q20-Q24) | 0.7 | 8.5 | — | 0.2 | 0.2 | — | 0.6 | 0.6 | 0.6 | 1.5 | 1.9 | 5.2 |
| Other malf. of the circul. sys. (Q25-Q28) | 0.2 | 2.1 | — | 0.2 | — | 0.2 | — | — | 0.2 | — | 1.3 | 2.6 |
| Malf. of the respiratory system (Q30-Q34) | 0.2 | 14.8 | — | — | — | — | — | — | — | — | — | — |
| Symptoms & Signs (R00-R99)³³ | 18.0 | 67.8 | 1.1 | — | 0.4 | 1.0 | 2.1 | 6.4 | 13.3 | 19.6 | 82.1 | 459.2 |
| Senility (R54) | 2.8 | — | — | — | — | — | — | — | — | 0.4 | 5.1 | 128.8 |
| Sudden infant death syndrome (R95) | 0.8 | 61.5 | — | — | — | — | — | — | — | — | — | — |
| External Causes of Death (V01-Y89) | 64.2 | 42.4 | 7.5 | 5.0 | 43.2 | 52.3 | 63.5 | 82.5 | 71.5 | 69.1 | 144.7 | 465.7 |
| Accidents (V01-X59, Y85-Y86) | 41.2 | 29.7 | 5.3 | 2.8 | 27.1 | 31.0 | 35.7 | 44.6 | 38.1 | 44.3 | 111.8 | 425.4 |
| Transport accidents (V01-V99, Y85) | 11.3 | — | 1.6 | 1.8 | 15.3 | 12.4 | 13.1 | 13.0 | 12.8 | 12.6 | 17.7 | 18.2 |
| Motor vehicle acc. (Many codes) ³⁴ | 10.1 | — | 1.6 | 1.8 | 14.2 | 11.4 | 11.8 | 10.8 | 11.2 | 9.2 | 17.7 | 18.2 |

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2009 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Rate ² | Age Groups | | | | | | | | | | |
|--|-------------------|------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | < 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| Motor veh. traf. (Many codes) ³⁵ | 9.5 | — | 0.5 | 1.8 | 13.6 | 11.0 | 10.8 | 10.5 | 10.6 | 9.2 | 16.4 | 13.0 |
| Water transport accidents (V90-V94) | 0.3 | — | — | — | 0.2 | 0.2 | 0.4 | 0.2 | 0.8 | 0.4 | — | — |
| Air transport accidents (V95-V97) | 0.3 | — | — | — | — | 0.6 | 0.4 | 0.9 | — | 1.1 | — | — |
| Nontransport accidents (W00-X59,Y86) | 29.9 | 29.7 | 3.7 | 1.0 | 11.8 | 18.6 | 22.6 | 31.6 | 25.3 | 31.8 | 94.1 | 407.2 |
| Falls (W00-W19) | 12.3 | — | 0.5 | — | 1.0 | 1.3 | 1.2 | 2.9 | 5.2 | 13.3 | 73.3 | 335.6 |
| Firearms (W32-W34) | 0.1 | — | — | 0.2 | — | — | 0.4 | 0.2 | — | 0.4 | — | — |
| Drowning & submersion (W65-W74) .. | 1.5 | 2.1 | 2.7 | 0.6 | 3.3 | 0.4 | 1.5 | 1.5 | 1.9 | 1.5 | 0.6 | 1.3 |
| Exposure to smoke & fire (X00-X09) .. | 0.6 | — | 0.5 | — | 0.2 | 0.4 | 0.2 | 0.6 | 0.6 | 1.8 | 3.2 | 1.3 |
| Poisoning (X40-X49) ³⁶ | 10.3 | 2.1 | — | — | 6.2 | 14.3 | 17.0 | 22.2 | 12.2 | 3.3 | 3.8 | 3.9 |
| Suicide (X60-X84, Y87.0) | 16.7 | — | — | 1.0 | 10.7 | 15.0 | 21.8 | 29.0 | 24.7 | 19.9 | 25.9 | 20.8 |
| Poisoning (X60-X69) | 3.1 | — | — | — | 0.6 | 1.7 | 4.6 | 9.0 | 3.7 | 3.0 | 3.2 | 1.3 |
| Hanging/suffocation (X70) | 3.4 | — | — | 0.8 | 4.3 | 3.4 | 4.8 | 5.9 | 3.7 | 2.2 | 1.9 | 2.6 |
| Firearm discharge (X72-X74) | 8.9 | — | — | 0.2 | 5.2 | 9.1 | 10.4 | 10.7 | 14.7 | 14.4 | 19.0 | 16.9 |
| Homicide (X85-Y09, Y87.1) | 2.7 | 2.1 | 1.6 | 0.6 | 4.3 | 3.0 | 2.5 | 3.1 | 4.1 | 1.1 | 1.3 | 2.6 |
| Firearm discharge (X93-X95) | 1.4 | — | 0.5 | 0.6 | 2.1 | 1.9 | 1.0 | 1.8 | 2.5 | 0.7 | — | 1.3 |
| Legal intervention (Y35, Y89.0) ³⁷ | 0.2 | — | — | — | 0.2 | 0.4 | 0.2 | 0.4 | — | 0.7 | — | — |
| Undeterm. intent (Y10-Y34, Y87.2, Y89.9) | 2.5 | 8.5 | 0.5 | 0.6 | 0.8 | 2.9 | 2.9 | 5.0 | 3.7 | 1.5 | 1.3 | 1.3 |
| War and its sequelae (Y36, Y89.1) ³⁸ | <0.05 | — | — | — | — | — | — | — | — | 0.6 | — | — |
| Medical care complica'ns (Y40-Y84, Y88) .. | 0.8 | 2.1 | — | — | 0.2 | — | 0.4 | 0.4 | 0.8 | 1.5 | 3.8 | 15.6 |
| Injury by firearms (Many codes) ³⁹ | 10.8 | — | 0.5 | 1.2 | 7.6 | 11.4 | 12.0 | 13.2 | 17.6 | 16.3 | 19.0 | 18.2 |
| Alcohol-induced deaths (Many codes) ^{40,41} | 14.9 | — | — | — | 0.2 | 2.3 | 11.6 | 34.0 | 36.9 | 37.3 | 19.6 | 3.9 |
| Drug-induced deaths (Many codes) ^{42,43} | 15.0 | 4.2 | — | — | 7.2 | 17.3 | 21.6 | 32.5 | 21.1 | 10.7 | 10.7 | 9.1 |
| Injury at work ⁴⁴ | 1.4 | — | — | — | 1.2 | 0.8 | 2.3 | 3.1 | 2.5 | 1.1 | — | — |

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 13 Including acute rheumatic fever.
- 14 The ICD-10 code is I25.0.
- 15 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Hypertension with/without Renal Disease.
- 17 Including other intracranial hemorrhages.
- 18 Including diseases of the arterioles and capillaries.
- 19 Including acute bronchiolitis.
- 20 Formerly chronic obstructive pulmonary disease (COPD).
- 21 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 22 Including liver cirrhosis.
- 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 24 Including other diseases of the gallbladder.
- 25 Including subcutaneous tissues.
- 26 Including connective tissue.
- 27 Including nephrotic syndrome and nephrosis.
- 28 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 29 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 30 Inflammatory diseases of female pelvic organs.
- 31 Including the puerperium.
- 32 including congenital deformations and chromosomal abnormalities.
- 33 Including abnormal clinical and laboratory findings not elsewhere classified.
- 34 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 35 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 36 Including exposure to noxious substances.
- 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 39 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 40 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively.
- 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.