

TABLE 6-55. Age-adjusted death rates for residents of Oregon and the United States for leading causes of death, 2014¹

Cause	Age-adjusted rate ²		Percent difference	State rank ³	ICD-10 codes ⁴
	U.S.	Oregon			
All causes	724.6	706.7	-2.5	35	A00-Y89.9
Malignant neoplasms	161.2	160.2	-0.6	32	C00-C97
Heart disease	167.0	132.1	-20.9	49	I00-I09, I11, I13, I20-I51
Unintended injuries	40.5	41.0	1.2	35	V01-X59, Y85-Y86
Chronic lower respiratory disease	40.5	40.1	-1.0	32	J40-J47
Cerebrovascular disease	36.5	37.4	2.5	23	I60-I69
Alzheimer's disease	25.4	28.5	12.2	20	G30
Diabetes mellitus	20.9	22.4	7.2	18	E10-E14
Suicide	13.0	18.6	43.1	11	X60-X84, Y87.0
Alcohol-induced deaths	8.5	16.4	92.9	5	E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, Y15
Hypertension	8.2	9.8	19.5	9	I10, I12, I15
Influenza & pneumonia	15.1	9.1	-39.7	51	J09-J18
Parkinson's disease	7.4	8.2	10.8	14	G20-G21
Nephritis & nephrosis	13.2	7.7	-41.7	46	N00-N07, N17-N19, N25-N27
Septicemia	10.7	4.1	-61.7	49	A40-A41
Viral hepatitis	2.1	4.1	95.2	4	B15-B19
Perinatal conditions	4.2	3.9	-7.1	29	P00-P96
Aortic aneurysm & dissection	2.7	3.1	14.8	21	I71
Amyotrophic lateral sclerosis	2.0	2.6	30.0	9	G12.2
Congenital anomalies	3.1	2.5	-19.4	43	Q00-Q99
Homicide	5.1	2.4	-52.9	42	X85-Y09, Y87.1
HIV/AIDS	2.0	0.8	-60.0	44	B20-B24
Arteriosclerosis	1.7	0.8	-52.9	41	I70

¹ Most recent year for which final data are available.

² Rates are adjusted to the U.S. standard million population and are per 100,000. Age-adjusted death rates allow the comparison of Oregon and the U.S. as if the population structure of each were identical (Oregon's population is older than the U.S. as a whole). All rates in this table were calculated using the federal Centers for Disease Control and Prevention WONDER (Wide-ranging Online Data for Epidemiological Research) system (<http://wonder.cdc.gov>). These rates may vary slightly from rates published by the National Center for Health Statistics and the Oregon Center for Health Statistics due to different file closure dates and different population estimate methodologies.

³ Ranked from high (1) to low (51) among the 50 states and the District of Columbia. Rankings for some causes of death are not out of a total of 51 because states with unreliable data have been excluded.

⁴ From the World Health Organization's International Classification of Disease, 10th Edition.