

TABLE 7-8. Early neonatal deaths¹ by weeks of gestation and weight, Oregon residents, birth cohort 2014

Birthweight (in grams)	Total	Weeks of gestation ²									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total ³	132	8	67	28	7	5	1	9	1	4	2
001-349	19	7	12	–	–	–	–	–	–	–	–
350-499	30	1	25	4	–	–	–	–	–	–	–
<500	49	8	37	4	–	–	–	–	–	–	–
500-749	42	–	29	13	–	–	–	–	–	–	–
750-999	10	–	–	10	–	–	–	–	–	–	–
1000-1249	1	–	–	1	–	–	–	–	–	–	–
1250-1499	3	–	–	–	3	–	–	–	–	–	–
1500-1999	7	–	–	–	4	3	–	–	–	–	–
2000-2499	3	–	–	–	–	1	–	2	–	–	–
<2500	115	8	66	28	7	4	–	2	–	–	–
2500+	15	–	–	–	–	1	1	7	1	4	1
2500-2999	3	–	–	–	–	–	–	2	–	1	–
3000-3499	10	–	–	–	–	1	1	5	1	2	–
3500-3999	–	–	–	–	–	–	–	–	–	–	–
4000-4499	2	–	–	–	–	–	–	–	–	1	1
4500+	–	–	–	–	–	–	–	–	–	–	–

– Quantity is zero.

¹ Early neonatal deaths occur through day six after birth.

² Clinical estimate of gestation. If clinical estimate is unknown, gestation is calculated from reported date of last menses.

³ Total includes reports with unknown weight.