

Oregon PRAMS: 1998-99 Results

During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week? (A drink is: One glass of wine. One wine cooler. One can or bottle of beer. One shot of liquor. One mixed drink.)

	Percent
I didn't drink then	47.7%
Less than 1 drink a week	28.0%
1 to 3 drinks a week	14.9%
4 to 6 drinks a week	4.8%
7 to 13 drinks a week	1.8%
14 or more drinks a week	1.3%
I don't know	1.5%
(n = 1,825)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During the three months before you got pregnant, how many times did you drink 5 or more alcoholic drinks at one sitting?

	Percent
0	76.7%
1	6.5%
2	3.4%
3	2.6%
>3	3.1%
I don't know	7.7%
(n = 1,767) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During the last 3 months of your pregnancy, how many alcoholic drinks did you have in an average week?

	Percent
I didn't drink then	95.2%
Less than 1 drink a week	3.8%
1 to 3 drinks a week	.9%
7 to 13 drinks a week	.0%
I don't know	.1%
(n = 1,815) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During the last three months of your pregnancy, how many times did you drink 5 or more alcoholic drinks at one sitting?

	Percent
0	99.5%
1	.1%
2	.0%
3	.0%
>3	.0%
I don't know	.4%
(n = 1,742) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Oregon PRAMS: 1998-99 Results

For how many weeks did you breastfeed your new baby? (calculated)

		Percent
	Breastfed <= 10 wks	38.4%
	Breastfed > 10 wks	61.6%
(n = 1,718)		
Denominator is respondents whose new baby is alive and living with them now.		

For how many weeks did you breast-feed your new baby?

0/I didn't breastfeed my baby
1 breastfed for less than 1 week
1 - 2 wks
3 - 4 wks
5 - 6 wks
7 - 8 wks
9 - 10 wks
> 10 wks
(n = 1,718); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who c

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through O birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Oregon PRAMS: 1998-99 Results

How many weeks old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, or anything else.

	Percent
0/I didn't breastfeed my baby	.5%
My baby was less than 1 week old	9.6%
1 - 2	11.8%
3 - 4	15.2%
5 - 6	7.1%
7 - 8	8.3%
9 - 10	8.8%
11 - 12	7.0%
> 12	2.0%
I haven't fed my baby anything besides breast milk	29.8%

(n = 1,403); categorized variable

Denominator is respondents whose new baby is alive and living with them now and breastfed their new baby for a week or more and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff gave you information about breast feeding

		Percent
	Yes	95.8%
	No	4.2%

(n = 1,478)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

Your baby stayed in the same room with you at the hospital

		Percent
	Yes	93.6%
	No	6.4%

(n = 1,475)
Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

You breast-fed your baby at the hospital

		Percent
	Yes	97.5%
	No	2.5%

(n = 1,478)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff helped you learn how to breastfeed

		Percent
	Yes	84.1%
	No	15.9%

(n = 1,482)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

Your baby was fed only breast milk at the hospital

		Percent
	Yes	73.5%
	No	26.5%

(n = 1,479)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff told you to breast-feed whenever your baby wanted

		Percent
	Yes	88.1%
	No	11.9%

(n = 1,466)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question asks about things that may have happened at the hospital where your new baby was born:

The hospital gave you a gift pack with formula

		Percent
	Yes	72.7%
	No	27.3%

(n = 1,473)

Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**This question asks about things that may have happened at the hospital where your new baby was born:
The hospital gave you a telephone number to call for help about breast-feeding**

		Percent
	Yes	86.9%
	No	13.1%

(n = 1,467)
Denominator is respondents whose new baby was born in a hospital, is alive and living with them now, and who ever breastfed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During your most recent pregnancy, what did you think about breast-feeding your new baby?

Check one answer.

	Percent
I knew I would breastfeed.	77.0%
I thought I would breast-feed.	14.5%
I knew I would not breast-feed.	5.8%
I didn't know what to do about breast-feeding.	2.7%

(n = 1,780)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Did any of these things prevent you from breast-feeding or stop you after you had started?

Check all that apply.

	Percent
I am still breast-feeding	53.6%
I didn't want to breast-feed	7.2%
I was planning to go to work or school	17.3%
I tried, but my baby didn't breast-feed very well	18.1%
My baby was not with me	2.0%
I think it's better for my baby to be bottle fed	3.9%
I was taking medicine	4.1%
I felt it was the right time to stop	6.7%
My doctor told me not to breast-feed	2.7%
Other	17.7%

(n = 1,622)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Oregon PRAMS: 1998-99 Results

Your infant was brought home from the hospital in an infant car seat

		Percent
	Yes	99.5%
	No	.5%
	Don't know	.0%

(n = 1,785)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Your baby always rides in an infant car seat

		Percent
	Yes	99.2%
	No	.8%

(n = 1,789)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Your home has a working smoke alarm that has been tested in the last year

		Percent
	Yes	91.7%
	No	5.3%
	Don't know	3.0%

(n = 1,789)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Your hot water heater has been turned down or set to 120 degrees (Fahrenheit) or below

		Percent
	Yes	52.9%
	No	10.9%
	Don't know	36.1%

(n = 1,773)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Is your baby alive now?

	Percent
Yes	99.4%
No	.6%
(n = 1,328)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Is your baby
living with you
now?**

	Percent
Yes	99.0%
No	1.0%
(n = 1,275)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

What were the sources of your family income during the past 12 months? Check all that apply.

	Percent
Money from a job or business	90.5%
Aid such as TANF (formerly AFDC), welfare, public assistance, general assistance, food stamps, or SSI	14.5%
Unemployment benefits	6.1%
Child support or alimony	5.1%
Fees, rental income, commissions, interest, dividends	2.4%
Social security, worker's compensation, veteran benefits, or pensions	2.3%
Other	7.8%
(n = 1,812)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

N=CENTER> [Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Calculated Variable: Annual Family Income Before Pregnancy

	Percent
< \$15,000	25.1%
\$15,000 to \$29,999	26.6%
\$30,000 to \$49,999	25.6%
>= \$50,000	22.7%
(n = 1,760) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Calculated Variable: Annual Family Income Now

	Percent
< \$15,000	27.0%
\$15,000 to \$29,999	28.9%
\$30,000 to \$49,999	24.5%
>= \$50,000	19.6%
(n = 1,758) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**How many people does this income support? Count yourself.
Number of people before you got pregnant**

	Percent
1	6.6%
2	37.5%
3	31.5%
4	15.9%
5	6.5%
6	1.2%
7	.5%
8	.2%
9	.1%
12	.0%
(n = 1,796)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**How many people does this income support? Count yourself.
Number of people now**

	Percent
1	1.1%
2	7.1%
3	36.6%
4	32.0%
5	14.3%
6	6.9%
7	1.1%
8	.5%
9	.2%
10	.1%
11	.2%
(n = 1,807)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Body Mass Index

	Percent
Underweight (bmi < 18.5)	5.5%
Normal (18.5 <= bmi < 25.0)	53.1%
Overweight (25.0 <= bmi < 30.0)	22.1%
Obese (bmi >= 30.0)	19.3%
(n = 1,728)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Where did you have a pregnancy test? Check all that apply.

	Percent
Home	65.9%
Private doctor	50.3%
Planned Parenthood	4.3%
Health Department Clinic	11.6%
Community Health Clinic	4.4%
Crisis Pregnancy Center	4.8%
Did not take a pregnancy test	1.4%
Other	6.8%
(n = 1,846)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

How many weeks pregnant were you when you were sure you were pregnant?

	Percent
less than 5 weeks	42.7%
5 to 8 weeks	41.7%
9 to 12 weeks	4.5%
13 to 16 weeks	4.9%
more than 16 weeks	2.8%
I don't remember	3.4%
(n = 1,845); categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

When you got pregnant with your new baby, were you or your husband or partner using any kind of birth control?

	Percent
Yes	23.8%
No	76.2%
(n = 1,842)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Why were you or your husband or partner not using any birth control? Check all that apply.

	Percent
I wanted to get pregnant	64.2%
I didn't think I could get pregnant	13.1%
I had been having side effects from the birth control I used	10.3%
I didn't want to use birth control	9.7%
I didn't think I was going to have sex	3.9%
My husband or partner didn't want to use birth control	5.7%
Other	11.2%

(n = 1,372)
Denominator is respondents who were not using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

ALIGN=Center> [Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

When you got pregnant, what kinds of birth control were you or your partner using?

Check all that apply.

	Percent
Pill	36.5%
Condoms	44.6%
Foam, jelly cream	7.8%
Diaphragm	2.6%
Norplant	.0%
Shots (Depo-Provera)	5.1%
Withdrawal	16.4%
Other	15.6%
Don't know/Not sure	.2%

(n = 409)

Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Where were you or your partner getting your birth control method(s)?
Check all that apply.

	Percent
A family planning clinic	6.3%
A health department clinic	13.7%
A community health center	3.2%
A private gynecologist	13.7%
A general or family physician	14.9%
A drug store or other store	45.4%
Other	3.1%
No place	23.8%
Don't know/Not sure	.5%

(n = 392)

Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Did you know there was free or low cost birth control at health departments and Planned Parenthood clinics?

	Percent
Yes	74.1%
No	25.9%
(n = 1,834)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Had you ever read or heard about emergency birth control (the "morning-after" pill)?

	Percent
Yes	70.2%
No	29.8%
(n = 1,824)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Before you got pregnant, did your health insurance cover the cost of birth control?

Check the best answer.

	Percent
Yes, it covered all or part of the cost of my birth control	29.1%
Yes, it covered birth control, but not the method I wanted	2.5%
Yes, it covered birth control, but I didn't use a method	8.0%
No, it did not cover birth control	22.3%
I didn't have any health insurance	20.8%
Don't know/Not sure	17.3%
(n = 1,724)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

After your baby was born, did a doctor, nurse, or other health care worker talk with you about using birth control?

		Percent
	Yes	89.7%
	No	10.3%

(n = 1,787)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Are you or your husband or partner using any kind of birth control now?

	Percent
Yes	83.9%
No	16.1%
(n = 1,844)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**What are your reasons for not using any birth control now?
Check all that apply.**

	Percent
I am not having sex	44.3%
I want to get pregnant	4.5%
I don't want to use birth control	23.1%
My husband or partner doesn't want to use birth control	12.5%
I don't think I can get pregnant	6.2%
I can't pay for birth control	9.1%
I am pregnant now	2.8%
Other	25.8%

(n = 356)
Denominator is respondents who are not using any birth control now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**What kinds of birth control are you or your partner using now?
Check all that apply.**

	Percent
Tubes tied (sterilization)	10.6%
Vasectomy (sterilization)	6.9%
Pill	37.5%
Condoms	31.2%
Foam, jelly, cream	4.5%
Diaphragm	2.1%
Norplant	1.2%
Shots (Depo-Provera)	15.1%
Withdrawal	5.8%
Other	6.7%
Don't Know/Not sure	.3%

(n = 1,451)
Denominator is respondents who are using birth control now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Oregon PRAMS: 1998-99 Results

**Where are you or your partner getting your birth control method(s) now?
Check all that apply.**

	Percent
A family planning clinic	1.9%
A health department clinic	11.8%
11.8%	
A community health center	1.7%
A private gynecologist	29.2%
A general or family physician	14.9%
A drug store or other store	39.2%
Other	6.5%
No place	16.5%
Don't know/Not sure	.3%

(n = 1,347)

Denominator is respondents who are using birth control now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Does your health insurance cover the cost of birth control now?
Check the best answer.**

	Percent
Yes, it covers all or part of the cost of my birth control method	44.2%
Yes, it covers birth control, but not the method I want	4.0%
Yes, it covers birth control, but I don't use a method	3.2%
No, it does not cover birth control	20.5%
I don't have any health insurance	15.0%
Don't Know/Not sure	13.2%
(n = 1,790)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Have you ever heard or read that taking
the vitamin folic acid can help prevent some birth defects?**

	Percent
Yes	78.7%
No	21.3%
(n = 1,844)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Were you taking the vitamin folic acid most days in the month before you became pregnant?

	Percent
Yes	30.4%
No	64.2%
I don't know	5.3%
(n = 1,845)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Race

	Percent
Yes	1.2%
No	98.8%
(n = 1,813)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Culture

	Percent
Yes	1.5%
No	98.5%
(n = 1,815)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Ability to speak or understand English**

	Percent
Yes	1.8%
No	98.2%
(n = 1,821)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Age

	Percent
Yes	10.1%
No	89.9%
(n = 1,821)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Insurance status

	Percent
Yes	8.7%
No	91.3%
(n = 1,814)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Neighborhood you lived in**

	Percent
Yes	.7%
No	99.3%
(n = 1,816)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Religious beliefs

	Percent
Yes	1.3%
No	98.7%
(n = 1,814)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Sexual orientation or lifestyle**

	Percent
Yes	1.4%
No	98.6%
(n = 1,814)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Marital status

	Percent
Yes	4.8%
No	95.2%
(n = 1,810)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Desire to have out-of-hospital birth**

	Percent
Yes	2.3%
No	97.7%
(n = 1,780)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

At any time during your most recent pregnancy, did a doctor or midwife suggest that you get a blood test for HIV (the virus that causes AIDS)?

	Percent
Yes	58.2%
No	38.6%
I Don't know	3.2%
(n = 1,849)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

At any time during your recent pregnancy, did you have a blood test for HIV (the virus that causes AIDS)?

	Percent
Yes	57.3%
No	36.6%
I don't know	6.1%
(n = 1,851)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Before having your baby, who talked to you about immunizations for your newborn baby?

Check all that apply.

	Percent
Obstetrician/Gynecologist	30.7%
Pediatrician	35.8%
Midwife	11.4%
Health department employee	4.8%
Childbirth educator	8.5%
WIC	12.6%
Other	13.8%
No one talked to me about immunizations for my newborn baby	20.9%
(n = 1,835)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

How many times has your baby been to a doctor or nurse for routine well baby care? Don't count the times you took your baby for care when he or she was sick.

	Percent
My baby hasn't been for routine well baby care.	1.0%
One	8.2%
Two	48.7%
Three	29.7%
Four	7.1%
More than four	5.3%

(n = 1,738); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**When your baby goes for routine well baby care, where do you take him or her?
Check all the places that you use.**

	Percent
Hospital clinic	15.7%
Health department clinic	11.0%
Private doctor's office	72.0%
Other	5.1%

(n = 1,691)
Denominator is respondents whose new baby is alive and living with them now and has been for routine well baby care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**How do you put your new baby
down to sleep most of the time?
Check one answer.**

	Percent
On his or her side	24.2%
On his or her back	66.5%
On his or her stomach	9.3%

(n = 1,763)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**How often does your new baby sleep
in the same bed with you?
Check only one.**

		Percent
	Always	20.2%
	Almost always	14.7%
	Sometimes	41.7%
	Never	23.4%
(n = 1,786) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Just before you got pregnant,
did you have health insurance?**

Answer	Percent
Yes	71.7%
No	28.3%
(n = 1,854)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Births that occurred from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Just before you got pregnant, did you have health insurance through the Oregon Health Plan?

	Percent
Yes	16.9%
No	83.1%
(n = 1,727)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

At the time of your first pregnancy test, were you insured for prenatal care?

	Percent
Yes	70.1%
No	28.3%
Don't know/Not sure	1.6%
(n = 1,846)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

If you had insurance for prenatal care, was it an employee benefit?

	Percent
Yes	55.8%
No	41.8%
Don't know/Not sure	2.4%
(n = 1,700)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Did the Oregon Health plan pay for any portion of your prenatal care?

	Percent
Yes	38.8%
No	58.1%
Don't know/Not sure	3.1%
(n = 1,833)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

What type of insurance paid for your delivery?

	Percent
Insurance from my employer	28.9%
Insurance from someone else's employer	25.7%
Oregon Health Plan	39.1%
CHAMPUS (Military)	.3%
Indian Health Care Program	.3%
Other	3.5%
I don't know	.3%
I didn't have insurance for my delivery	1.8%
(n = 1,846)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

What is your health insurance coverage now?

	Percent
Insurance through my employer	24.9%
Insurance through someone else's employer	30.1%
Oregon Health Plan	26.1%
CHAMPUS (Military)	.1%
Indian Health Care Program	.2%
Other	4.2%
I don't know	.4%
I don't have any health insurance	14.1%
(n = 1,844)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Pregnancy Intendedness (Calculated based on question below)

	Percent
Intended	60.3%
Unintended	39.7%
(n = 1,746)	
Intended = wanted to be pregnant sooner or then.	
Unintended = wanted to be pregnant later or not at any time in the future.	

**Thinking back to just before you got pregnant, how did you feel about becoming pregnant?
Check the best answer.**

	Percent
I wanted to be pregnant sooner	15.2%
I wanted to be pregnant then	41.6%
I wanted to be pregnant later	27.4%
I didn't want to be pregnant then or at any time in the future	10.0%
I don't know	5.7%
(n = 1,845)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Oregon PRAMS: 1998-99 Results

Did you have to pay out-of-pocket for any of your prenatal care?

	Percent
Yes; misc comments	13.2%
No	30.7%
Yes; < \$500	43.3%
Yes; >= \$500	11.6%
Don't know/Not Sure	1.2%
(n = 1,401) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

About how many weeks pregnant were you when you had your first visit for prenatal care?

	Percent
< 5	11.0%
5 - 6	14.8%
7 - 8	31.0%
9 - 10	9.7%
11 - 12	8.2%
13 - 14	12.4%
15 - 16	.8%
17 - 18	5.4%
> 18	6.3%
I did not go for prenatal care	.4%
(n = 1,821)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
Yes	78.5%
No	21.4%
I did not want prenatal care	.1%
(n = 1,845)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Did any of these things keep you from getting prenatal care as early in your pregnancy as you wanted?
Check all that apply.**

	Percent
I couldn't get an appointment early in my pregnancy	29.1%
I didn't have enough money or insurance to pay for my visits	29.9%
I didn't know that I was pregnant	31.3%
I had no way to get to the clinic or doctor's office	4.2%
I couldn't find a doctor or a nurse who would take me as a patient	5.1%
I had no one to take care of my children	3.5%
I had too many other things going on	9.7%
Other	22.1%

(n = 385)

Denominator is respondents who did not get prenatal care as early in their pregnancy as they wanted and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

H5 ALIGN=CENTER> [Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**Where did you go most of the time for your prenatal visits?
Check one answer.**

	Percent
Hospital clinic	12.8%
Health department clinic	8.3%
Private doctor's clinic or HMO clinic	72.2%
Other	6.6%

(n = 1,764)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?

What you should eat during your pregnancy

		Percent
	Yes	87.4%
	No	12.1%
	Don't know	.4%
(n = 1,768) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
How smoking during pregnancy could affect your baby**

		Percent
	Yes	78.9%
	No	20.9%
	Don't know	.3%
(n = 1,764) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
How secondhand smoke could affect your baby after birth**

		Percent
	Yes	67.9%
	No	30.7%
	Don't know	1.4%

(n = 1,767)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?

Breast-feeding your baby

		Percent
	Yes	89.8%
	No	9.8%
	Don't know	.4%
(n = 1,755) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
How drinking alcohol during pregnancy could affect your baby**

		Percent
	Yes	80.7%
	No	18.9%
	Don't know	.4%
(n = 1,759) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Using a seat belt during your pregnancy**

		Percent
	Yes	53.4%
	No	44.9%
	Don't know	1.6%

(n = 1,756)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?

Birth control methods to use after your pregnancy

		Percent
	Yes	83.9%
	No	16.0%
	Don't know	.1%

(n = 1,765)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
How using illegal drugs could affect your baby**

		Percent
	Yes	67.8%
	No	31.1%
	Don't know	1.1%

(n = 1,753)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
How to keep from getting HIV (the virus that causes AIDS)**

		Percent
	Yes	41.3%
	No	56.4%
	Don't know	2.3%

(n = 1,756)
Denominator is respondents who had prenatal care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Oregon PRAMS: 1998-99 Results

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Getting your blood tested for HIV (the virus that causes AIDS)**

		Percent
	Yes	71.7%
	No	26.7%
	Don't know	1.6%
(n = 1,752) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Physical abuse to women by their husbands or partners

		Percent
	Yes	39.7%
	No	59.0%
	Don't know	1.3%
(n = 1,758) Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

A close family member was sick and had to go to the hospital

	Percent
Yes	26.2%
No	73.8%
(n = 1,843)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You got separated or divorced from your husband or partner

	Percent
Yes	13.0%
No	87.0%
(n = 1,841)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You moved to a new address

	Percent
Yes	43.7%
No	56.3%
(n = 1,851)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You were homeless

	Percent
Yes	4.5%
No	95.5%
(n = 1,845)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

Your husband or partner lost a job

	Percent
Yes	17.0%
No	83.0%
(n = 1,830)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You lost your job even though you wanted to go on working

	Percent
Yes	14.1%
No	85.9%
(n = 1,835)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You and your husband or partner argued more than usual

	Percent
Yes	26.3%
No	73.7%
(n = 1,840)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

Your husband or partner said he did not want you to be pregnant

	Percent
Yes	14.3%
No	85.7%
(n = 1,842)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You had a lot of bills you couldn't pay

	Percent
Yes	33.4%
No	66.6%
(n = 1,843)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You were involved in a physical fight

	Percent
Yes	5.4%
No	94.6%
(n = 1,839)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

You or your husband or partner went to jail

	Percent
Yes	6.4%
No	93.6%
(n = 1,846)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

Someone very close to you had a bad problem with drinking or drugs

	Percent
Yes	19.7%
No	80.3%
(n = 1,843)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

This question is about things that may have happened during the 12 months before you delivered your new baby.

This includes the months before you got pregnant.

Someone very close to you died

	Percent
Yes	19.1%
No	80.9%
(n = 1,847)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Have you smoked at least 100 cigarettes in your entire life?

	Percent
Yes	38.8%
No	61.2%
(n = 1,852)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Smoking Before Pregnancy (All Respondents)

	Percent
0/Did not smoke	71.6%
<1	1.9%
1 to 2	.7%
3 to 9	5.0%
10 to 19	7.2%
20 to 29	10.1%
30 to 39	1.2%
>39	1.0%
I don't know	1.3%
(n = 1,846)	

**In the 3 months before you got pregnant, how many cigarettes or packs of cigarettes did you smoke on an average day?
(A pack has 20 cigarettes)**

	Percent	
number of cigarettes	0/Did not smoke	26.6%
	<1	4.8%
	1 to 2	1.8%
	3 to 9	12.9%
	10 to 19	18.7%
	20 to 29	26.0%
	30 to 39	3.1%
	>39	2.7%
	Oregon Public Health Division 101 of 111	

Oregon PRAMS: 1998-99 Results

Smoking During Pregnancy (All Respondents)

	Percent
0/Did not smoke	86.7%
<1	1.7%
1 to 2	1.0%
3 to 9	4.7%
10 to 19	3.5%
20 to 29	.2%
30 to 39	.0%
>39	1.7%
I don't know	.3%
(n = 1,846)	

In the last 3 months of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day?

		Percent
number of cigarettes	0/Did not smoke	65.7%
	<1	4.5%
	1 to 2	2.6%
	3 to 9	12.1%
	10 to 19	9.1%
	20 to 29	.6%
	30 to 39	.1%
	>39	4.5%
	I don't know	.7%
	Oregon Public Health Division 102 of 111	

Oregon PRAMS: 1998-99 Results

Smoking After Pregnancy (All Respondents)

	Percent
0/Did not smoke	79.5%
<1	1.7%
1 to 2	1.5%
3 to 9	6.4%
10 to 19	5.7%
20 to 29	4.9%
30 to 39	.1%
>39	.1%
I don't know	.1%
(n = 1,846)	

How many cigarettes or packs of cigarettes do you smoke on an average day now?

	Percent	
number of cigarettes	0/Did not smoke	46.8%
	<1	4.5%
	1 to 2	4.0%
	3 to 9	16.5%
	10 to 19	14.8%
	20 to 29	12.7%
	30 to 39	.3%
	>39	.2%
	I don't know	.2%
	Oregon Public Health Division 103 of 111	

Oregon PRAMS: 1998-99 Results

During your visits to your doctor or midwife for prenatal care or after the baby was born, did someone ask if you smoked, either by questionnaire or in person?

	Percent
Yes, before my baby was born	33.0%
Yes, after my baby was born	1.7%
Yes, both times	56.7%
No	8.6%

(n = 626)
Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During your visits for prenatal care or after the baby was born, did your doctor or midwife ever advise you to quit smoking?

	Percent
Yes, before my baby was born	24.2%
Yes, after my baby was born	2.2%
Yes, both times	27.3%
No	46.3%

(n = 589)
Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

During your visits for prenatal care or after your baby was born, did your doctor or midwife offer advice or help on how to quit smoking?

	Percent
Yes, before my baby was born	13.9%
Yes, after my baby was born	3.0%
Yes, both times	16.7%
No	66.4%

(n = 586)
Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

About how many hours a day, on average is your new baby in the same room with someone who is smoking?

	Percent
My baby is never in the same room with someone who is smoking	96.4%
One	1.0%
Two or three	.7%
Four or five	.7%
More than five	1.2%

(n = 1,767); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Which of the following statements best represents your opinion on children's exposure to secondhand smoke?

	Percent
Secondhand smoke is not harmful to children	.8%
Secondhand smoke is not very harmful to children	.7%
Secondhand smoke is somewhat harmful to children	5.0%
Secondhand smoke is very harmful to children	92.3%
Don't know	1.3%

(n = 1,754)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Is there anyone (else) in your household who smokes cigarettes, cigars, or pipes?

		Percent
	Yes	28.0%
	No	72.0%

(n = 1,787)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

Which of the following statements best describes the rules about smoking inside your home:

	Percent
No one is allowed to smoke anywhere inside my home	92.7%
Smoking is permitted anywhere inside my home	1.3%
Smoking is not allowed in the baby's room but is allowed in other places in the house	5.2%
Don't know	.8%

(n = 1,781)
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 1998-99 Results

If you were on WIC (Women's Infants and Children nutrition program) during this pregnancy, how many weeks pregnant were you when you had your first visit for WIC?

	Percent
Less than 5.0	2.5%
5.0 to 6.9	2.7%
7.0 to 8.9	6.7%
9.0 to 10.9	1.6%
11.0 to 12.9	1.1%
13.0 to 14.9	6.3%
15.0 to 16.9	.4%
17.0 to 18.9	6.8%
19.0 or more	16.4%
I don't remember	6.3%
I was not on WIC	49.3%
(n = 1,688)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from November 1998 through October 1999. Child's dates of birth were from 8/1/98 through 8/9/99.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)