

**Drinking Before Pregnancy
(all respondents)**

	percent
I didn't drink then	48.8%
Less than 1 drink a week	29.6%
1 to 3 drinks a week	12.5%
4 to 6 drinks a week	4.7%
7 to 13 drinks a week	2.2%
14 or more drinks a week	.3%
I don't know	1.8%
(n = 2,062)	

During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?

(A drink is: One glass of wine. One wine cooler. One can or bottle of beer. One shot of liquor. One mixed drink.)

	percent
I didn't drink then	22.9%
Less than 1 drink a week	44.6%
1 to 3 drinks a week	18.9%
4 to 6 drinks a week	7.1%
7 to 13 drinks a week	3.3%
14 or more drinks a week	.5%
I don't know	2.7%
(n = 1,192)	
Denominator is respondents who reported drinking alcohol in the past 2 years.	

- All results are weighted.

Drinking 5 or More Drinks at One Sitting Before Pregnancy (all respondents)

	Percent
Yes	11.1%
No	87.6%
I don't know	1.3%
(n = 2,063)	

During the 3 months before you got pregnant, did you drink 5 or more alcoholic drinks at one sitting?

	Percent
Yes	16.8%
No	81.3%
I don't know	1.9%
(n = 1,190)	
Denominator is respondents who have drank alcoholic drinks in the past 2 years.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During the 3 months before you got pregnant, how many times did you drink 5 or more alcoholic drinks at one sitting?

	Percent
1	28.8%
2	22.2%
3	11.2%
> 3	27.7%
I don't know	4.4%
at least 1	5.7%

(n = 171); categorized variable

Denominator is respondents who drank 5 or more alcoholic drinks at one sitting during the 3 months before they got pregnant.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Drinking 5 or More Drinks at One Sitting During Pregnancy (all respondents)

	Percent
Yes	.5%
No	99.5%
(n = 2,063)	

During the last 3 months of your pregnancy, did you drink 5 or more alcoholic drinks at one sitting?

	Percent
Yes	.8%
No	99.2%
(n = 1,189); categorized variable Denominator is respondents who have drank alcoholic drinks in the past 2 years.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many times did you drink 5 or more alcoholic drinks at one sitting?

		Percent
	1	75.9%
	2	5.6%
	3	15.7%
	I don't know	2.8%
(n = 8) Denominator is respondents who drank 5 or more alcoholic drinks at one sitting during the last 3 months of their pregnancy.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

		Percent
	Yes	90.0%
	No	10.0%

(n = 2,002)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Are you still breastfeeding or feeding pumped milk to your new baby?

		Percent
	Yes	67.2%
	No	32.8%

(n = 1,779)

Denominator is respondents whose new baby is alive and living with them now and did breastfeed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

How many weeks or months did you breastfeed or pump milk to feed your new baby? (calculated)

	Percent
Breastfed <= 10 wks	33.5%
Breastfed > 10 wks	66.5%
(n = 2,113) Denominator is respondents whose new baby is alive and living with them now.	

How many weeks or months did you breastfeed or pump milk to feed your new baby?

	Percent
0/I didn't breastfeed my baby	10.1%
I breastfed for less than 1 week	2.4%
1 - 2 wks	4.5%
3 - 4 wks	4.4%
5 - 6 wks	6.6%
7 - 8 wks	2.2%
9 - 10 wks	3.3%
> 10 wks	66.5%
(n = 2,113); categorized variable Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar water, or anything else.

	Percent
I have not fed my baby anything besides breast milk	35.2%
Less than 1 week	19.4%
1.0 to 2.9 weeks	7.8%
3.0 to 4.9 weeks	13.7%
5.0 to 6.9 weeks	5.4%
7.0 to 8.9 weeks	9.5%
9.0 to 10.9 weeks	2.4%
11.0 or more weeks	6.7%

(n = 1,239); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who did breastfeed or are still breastfeeding their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

Staff gave you information about breast feeding

		Percent
	Yes	94.0%
	No	6.0%
(n = 2,026)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

Your baby stayed in the same room with you

		Percent
	Yes	92.5%
	No	7.5%
(n = 2,022)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

You breast-fed your baby

		Percent
	Yes	88.9%
	No	11.1%
(n = 2,022)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

Staff helped you learn how to breastfeed

		Percent
	Yes	80.2%
	No	19.8%
(n = 2,008)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

Your baby was fed only breast milk

		Percent
	Yes	70.9%
	No	29.1%
(n = 2,014)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

Staff told you to breast-feed whenever your baby wanted

		Percent
	Yes	83.4%
	No	16.6%
(n = 1,995)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

The staff gave you a gift pack with formula

		Percent
	Yes	68.6%
	No	31.4%
(n = 2,002)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital or birthing center where your new baby was born:

The staff gave you a telephone number to call for help about breast-feeding

		Percent
	Yes	84.4%
	No	15.6%
(n = 2,002)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**During your most recent pregnancy, what did you think about breast-feeding your new baby?
Check one answer.**

	Percent
I knew I would breast-feed	76.9%
I thought I might breast-feed	12.4%
I knew I would not breast-feed	7.6%
I didn't know what to do about breast-feeding	3.2%
(n = 2,072) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Did any of these things prevent you from breast-feeding or stop you after you had started?
Check all that apply.**

	Percent
I am still breast-feeding	61.8%
I didn't want to breast-feed	6.9%
I was planning to go to work or school	13.6%
I tried but my baby didn't breast-feed very well	13.9%
My baby was not with me	1.1%
I think it's better for my baby to be bottle fed	3.2%
I was taking medicine	4.7%
I felt it was the right time to stop	1.9%
My doctor told me not to breast-feed	1.3%
Other	17.9%
(n = 1,916)	
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Your infant was brought home from the hospital in an infant car seat

		Percent
	Yes	98.9%
	No	1.1%
(n = 2,013)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Your baby always rides in an infant car seat

		Percent
	Yes	99.7%
	No	.3%

(n = 2,017)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Your home has a working smoke alarm that has been tested in the last year

		Percent
	Yes	93.9%
	No	6.1%

(n = 1,992)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Your hot water heater has been turned down or set to 120 degrees (Fahrenheit) or below

		Percent
	Yes	79.1%
	No	20.9%

(n = 1,665)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Are any firearms now kept in or around your home? Include those kept in your home, in a garage, outdoor storage area, car, truck, or other motor vehicle.

		Percent
	Yes	29.1%
	No	70.3%
	I don't know	.6%
(n = 2,010)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Are any of those firearms kept loaded?

		Percent
	Yes	10.1%
	No	87.1%
	I don't know	2.8%

(n = 467)
Denominator is respondents whose new baby is alive and living with them now and keep firearms in or around their home and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Are all of the firearms in your home stored in a locked place?

		Percent
	Yes	61.6%
	No	35.5%
	I don't know	2.9%

(n = 462)

Denominator is respondents whose new baby is alive and living with them now and keep firearms in or around their home and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Is all of the ammunition stored separately from the firearms?

		Percent
	Yes	79.9%
	No	13.7%
	I don't know	6.4%

(n = 454)
Denominator is respondents whose new baby is alive and living with them now and keep firearms in or around their home and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Is your baby alive now?

	Percent
Yes	99.6%
No	.4%
(n = 2,157)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**Is your baby
living with you
now?**

	Percent
Yes	99.2%
No	.8%
(n = 2,130)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**What were the sources of your family income *during the past 12 months?*
Check all that apply.**

	Percent
Paycheck or money from a job	91.2%
Aid such as Temporary Assistance for Needy Families, welfare, public assistance, general assistance, food stamps, or Supplemental Security Income	14.7%
Unemployment benefits	6.1%
Child support or alimony	6.3%
Social Security, Worker's Compensation, veteran benefits, or pensions	2.9%
Money from a business, fees, dividends, or rental income	7.2%
Money from family or friends	14.3%
Other	3.8%
(n = 2,026)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Calculated Variable: Annual
Family Income Before
Pregnancy**

	Percent
less than \$15,000	23.7%
\$15,000 to \$29,999	26.0%
\$30,000 to \$49,999	23.6%
\$50,000 or more	26.7%
(n = 1,896) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Calculated Variable: Annual
Family Income Now**

	Percent
less than \$15,000	23.0%
\$15,000 to \$29,999	30.7%
\$30,000 to \$49,999	23.6%
\$50,000 or more	22.6%
(n = 1,898) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

CENTER> [Return to Question Page](#)

**How many people does this income support? Count yourself.
Number of people before you got pregnant**

	Percent
0	.1%
1	6.7%
2	36.5%
3	32.1%
4	14.8%
5	6.8%
6	1.9%
7 or more	1.0%
(n = 2,061) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

BR> [Return to Question Page](#)

How many people does this income support? Count yourself.**Number of people now**

	Percent
0	.2%
1	.8%
2	5.0%
3	37.7%
4	31.5%
5	14.9%
6	7.0%
7 or more	2.8%
(n = 2,061) categorized variable	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

BR> [Return to Question Page](#)

Where did you have a pregnancy test? Check all that apply.

	Percent
Home	67.7%
Private doctor's office or HMO clinic	46.0%
Planned Parenthood	4.8%
Health department clinic	12.2%
Community health clinic	5.1%
"Crisis pregnancy center"	4.5%
Didn't take a pregnancy test	1.7%
Other	8.7%
(n = 2,121)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

How many weeks pregnant were you when you were sure you were pregnant?

	Percent
0 to 4 weeks	43.4%
5 to 8 weeks	43.0%
9 to 12 weeks	3.1%
13 or more weeks	10.5%
(n = 2,124) categorized variable: 1 month = 4.35 weeks	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**When you got pregnant with your new baby,
were you or your husband or partner using any kind of birth control?**

	Percent
Yes	22.6%
No	77.4%
(n = 2,132)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Why were you or your husband or partner not using any birth control? Check all that apply.

	Percent
I wanted to get pregnant	69.0%
I didn't think I could get pregnant	10.6%
I had been having side effects from the birth control I used	6.9%
I didn't want to use birth control	9.1%
I didn't think I was going to have sex	3.8%
My husband or partner didn't want to use birth control	5.0%
Other	14.0%

(n = 1,566)

Denominator is respondents who were not using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**When you got pregnant, what kinds of birth control were you or your partner using?
Check all that apply.**

	Percent
Pill	30.3%
Condoms	49.3%
Foam, jelly, cream	6.0%
Diaphragm	1.7%
Norplant	.9%
Shots (Depo-Provera)	4.4%
Withdrawal	15.3%
IUD (Intra-Uterine Device)	.5%
Natural Family Planning (Rhythm)	13.1%
Other	5.3%

(n = 559)

Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Where were you or your partner getting your birth control method(s)?
Check all that apply.

	Percent
A family planning clinic	6.6%
A health department clinic	11.1%
A community health center	2.2%
A private gynecologist	12.6%
A general or family physician	13.0%
A drug store or other store	47.0%
Other	4.3%
No place	12.8%

(n = 580)
Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Did you know there was free or low cost birth control at health departments and Planned Parenthood clinics?

	Percent
Yes	73.6%
No	26.4%
(n = 2,102)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Had you ever read or heard about emergency birth control
(the "morning-after" pill)?**

	Percent
Yes	72.6%
No	27.4%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Before you got pregnant, did your health insurance cover the cost of birth control?

Check the best answer.

	Percent
Yes, it covered all or part of the cost of my birth control	29.0%
Yes, it covered birth control, but not the method I wanted	2.8%
Yes, it covered birth control, but I didn't use a method	10.2%
No, it did not cover birth control	20.0%
I didn't have any health insurance	22.2%
Don't Know/Not sure	15.7%
(n = 2,097)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

After your new baby was born, did a doctor, nurse, or other health care worker talk with you about using birth control?

		Percent
	Yes	89.3%
	No	10.7%
(n = 2,074)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Are you or your husband or partner
using any kind of birth control now?**

	Percent
Yes	80.8%
No	19.2%
(n = 2,132)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

What are your reasons for not using any birth control *now*?
Check all that apply.

	Percent
I am not having sex	33.6%
I want to get pregnant	10.0%
I don't want to use birth control	19.0%
My husband or partner doesn't want to use birth control	12.7%
I don't think I can get pregnant	10.5%
I can't pay for birth control	6.7%
I am pregnant now	.3%
Other	29.9%
(n = 434)	
Denominator is respondents who are not using any birth control now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

What kinds of birth control are you or your partner using *now*?
Check all that apply.

	Percent
Tubes tied (sterilization)	7.7%
Vasectomy (sterilization)	6.8%
Pill	42.6%
Condoms	32.3%
Foam, jelly, cream	3.2%
Diaphragm	.6%
Norplant	.2%
Shots (Depo-Provera)	14.2%
Withdrawal	5.7%
IUD (Intra Uterine Device)	3.4%
Natural Family Planning (Rhythm)	4.3%
Other	2.9%
(n = 1,606)	
Denominator is respondents who are using birth control now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Where are you or your partner getting your birth control method(s) now?
Check all that apply.

	Percent
A family planning clinic (e.g. Planned Parenthood)	3.9%
A health department clinic	12.4%
A community health center	2.3%
A private gynecologist	29.2%
A general or family physician	13.0%
A drug store or other store	31.8%
Other	4.8%
No place	11.1%
(n = 1,567) Denominator is respondents who are using birth control now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Does your health insurance cover the cost of birth control *now*?
Check the best answer.

	Percent
Yes, it covers all or part of the cost of my birth control	46.1%
Yes, it covers birth control, but not the method i want	4.0%
Yes, it covers birth control, but I don't use a method	3.5%
No, it does not cover birth control	20.9%
I don't have any health insurance	10.4%
Don't know/Not sure	15.2%
(n = 2,068)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Have you ever heard or read that taking the vitamin folic acid can help prevent some birth defects?

	Percent
Yes	81.6%
No	18.4%
(n = 2,117)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Culture

	Percent
Yes	1.7%
No	98.3%
(n = 2,077)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Ability to speak or understand English

	Percent
Yes	2.6%
No	97.4%
(n = 2,083)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Age

	Percent
Yes	8.5%
No	91.5%
(n = 2,077)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Insurance status

	Percent
Yes	7.0%
No	93.0%
(n = 2,074)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Neighborhood you lived in**

	Percent
Yes	.7%
No	99.3%
(n = 2,075)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Religious beliefs

	Percent
Yes	1.5%
No	98.5%
(n = 2,073)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:
Sexual orientation or lifestyle**

	Percent
Yes	1.0%
No	99.0%
(n = 2,071)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Marital status

	Percent
Yes	4.2%
No	95.8%
(n = 2,074)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Do you feel that you were ever treated differently by health care providers during your prenatal care, labor or delivery because of your:

Desire to have out-of-hospital birth

	Percent
Yes	2.1%
No	97.9%
(n = 2,050)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

At any time during your most recent pregnancy, did a doctor or midwife suggest that you get a blood test for HIV (the virus that causes AIDS)?

	Percent
Yes	55.9%
No	41.4%
I don't know	2.8%
(n = 2,124)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

At any time during your recent pregnancy, did you have a blood test for HIV (the virus that causes AIDS)?

	Percent
Yes	54.8%
No	38.7%
I don't know	6.5%
(n = 2,121)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

How many times has your baby been to a doctor or nurse for *routine* well baby care? Don't count the times you took your baby for care when he or she was sick.

	Percent
My baby hasn't been for routine well baby care	1.9%
One	6.6%
Two	43.9%
Three	30.1%
Four	12.2%
More than 4	5.3%

(n = 2,023); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**When your baby goes for routine well baby care, where do you take him or her?
Check all the places that you use.**

	Percent
Hospital or clinic	15.2%
Health department clinic	13.0%
Private doctor's office	69.8%
Other	5.0%

(n = 2,009)

Denominator is respondents whose new baby is alive and living with them now and has been for routine well baby care and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

In the hospital or birthing center *after your new baby was born*, did a doctor, nurse, or other health care worker talk with you about your baby's sleep position?

		Percent
	Yes	89.2%
	No	10.8%
(n = 2,015) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

After you took your baby home,, did your baby's doctor or staff talk with you about your baby's sleep position?

		Percent
	Yes	75.9%
	No	24.1%
(n = 2,013)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**How often does your new baby sleep
in the same bed with you?
Check one answer.**

		Percent
	Always	18.5%
	Almost always	12.7%
	Sometimes	40.5%
	Never	28.3%
(n = 2,061) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Just before you got pregnant, did you have health insurance?

	Percent
Yes, but it did not cover prenatal care	4.7%
No	28.4%
Yes, it covered prenatal care	66.9%
(n = 2,068)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

> [Return to Question Page](#)

Oregon PRAMS: 2000 Results

**Just before you got pregnant,
did you have health insurance
through the Oregon Health Plan?**

	Percent
Yes	14.3%
No	85.7%
(n = 2,113)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

At the time of your first pregnancy test were you insured for prenatal care?

	Percent
Yes	71.0%
No	26.7%
Don't know/Not sure	2.3%
(n = 2,115)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

If you had insurance for prenatal care, was it an employee benefit?

	Percent
Yes	56.9%
No	38.6%
Don't know/Not sure	4.4%
(n = 1,900)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Did the Oregon Health plan pay for any portion of your prenatal care?

	Percent
Yes	35.9%
No	61.2%
Don't know/Not sure	2.9%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

What type of insurance paid for your delivery?

	Percent
Insurance through my employer	24.7%
Insurance through someone else's employer	32.0%
Oregon Health Plan or Medicaid	38.4%
Tri-Care (Military, formerly Champus)	.8%
Indian Health Care Program	.4%
Other	5.3%
I didn't have insurance for my delivery	3.3%
I don't know	.4%
(n = 2,127)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

What is *your* (not your baby's) health insurance coverage *now*?

	Percent
Insurance thru my employer	19.5%
Insurance thru someone else's employer	34.6%
Oregon Health Plan	28.2%
Tri-Care (Military, formerly Champus)	1.1%
Indian health Care Program	.4%
Other	6.0%
I do not have any health insurance	13.8%
(n = 2,123)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

		Percent
	Yes	3.8%
	No	96.2%

(n = 1,780)

Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

During the 12 months before you got pregnant, did anyone else physically hurt you in any way?

	Percent
Yes	1.6%
No	98.4%

(n = 1,781)

Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

		Percent
	Yes	2.6%
	No	97.4%

(n = 1,779)
Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

During your most recent pregnancy, did anyone else physically hurt you in any way?

		Percent
	Yes	.8%
	No	99.2%

(n = 1,778)

Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**This question is about care of your teeth during your most recent pregnancy.
I needed to see a dentist for a problem**

	Percent
Yes	27.6%
No	72.4%
(n = 1,992)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**This question is about care of your teeth during your most recent pregnancy.
I went to a dentist or dental clinic**

	Percent
Yes	43.2%
No	56.8%
(n = 1,988)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**This question is about care of your teeth during your most recent pregnancy.
A dental or health care worker talked with me about how to care for my teeth and gums**

	Percent
Yes	39.0%
No	61.0%
(n = 1,941)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

	Percent
Within the past year (less than 12 months)	46.5%
1 to 2 years ago (12-23 months)	23.6%
2 to 5 years ago (24-59 months)	16.4%
5 or more years ago (more than 60 months)	8.5%
Never	4.9%
(n = 2,062)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?

		Percent
	Yes	29.3%
	No	70.7%
(n = 2,002)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

Pregnancy Intendedness (Calculated based on question below)

	Percent
Intended	60.7%
Unintended	39.3%
(n = 2,046) Intended = wanted to be pregnant sooner or then. Unintended = wanted to be pregnant later or not at any time in the future.	

**Thinking back to just before you got pregnant, how did you feel about becoming pregnant?
Check the best answer.**

	Percent
I wanted to be pregnant sooner	16.7%
I wanted to be pregnant then	44.0%
I wanted to be pregnant later	31.1%
I didn't want to be pregnant then or any time in the future	8.2%
(n = 2,046)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

About how many weeks pregnant were you when you had your first visit for prenatal care?

	Percent
I did not go for prenatal care	.9%
Less than 5.0	11.8%
5.0 to 6.9	15.8%
7.0 to 8.9	29.9%
9.0 to 10.9	10.2%
11.0 to 12.9	7.0%
13.0 to 14.9	13.1%
15.0 to 16.9	1.8%
17.0 to 18.9	4.9%
19.0 or more	4.5%
(n = 2,071) 1 month = 4.35 weeks	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
Yes	82.4%
No	17.4%
I did not want prenatal care	.1%
(n = 2,127)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Did any of these things keep you from getting prenatal care as early in your pregnancy as you wanted?

Check all that apply.

	Percent
I couldn't get an appointment earlier in my pregnancy	14.4%
I didn't have enough money to pay for my visits	9.2%
I didn't have insurance to pay for my visits	13.4%
I didn't know that I was pregnant	11.3%
I had no way to get to the clinic or doctor's office	1.3%
The doctor or my health plan would not start care earlier	5.1%
I couldn't find a doctor or nurse who would take me as a patient	2.2%
I had no one to take care of my children	1.3%
I had too many other things going on	3.9%
Other	5.1%
No, I got prenatal care as early as I wanted	61.4%
No, I did not want prenatal care	.1%
(n = 1,552)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**Where did you go most of the time for your prenatal visits?
Check one answer.**

	Percent
Hospital clinic	14.6%
Health department clinic	10.7%
Private doctor's office or HMO clinic	68.8%
Other	5.9%
(n = 2,068)	
Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

What you should eat during your pregnancy

		Percent
	Yes	81.4%
	No	18.6%
(n = 2,059)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

How smoking during pregnancy could affect your baby

		Percent
	Yes	73.8%
	No	26.2%
(n = 2,058)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

How secondhand smoke could affect your baby after birth

		Percent
	Yes	65.3%
	No	34.7%
(n = 2,056)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Breast-feeding your baby

		Percent
	Yes	84.3%
	No	15.7%
(n = 2,057)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

How drinking alcohol during pregnancy could affect your baby

		Percent
	Yes	74.0%
	No	26.0%
(n = 2,047)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Using a seat belt during your pregnancy

		Percent
	Yes	51.8%
	No	48.2%
(n = 2,038)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Birth control methods to use after your pregnancy

		Percent
	Yes	83.3%
	No	16.7%
(n = 2,056)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

How using illegal drugs could affect your baby

		Percent
	Yes	62.3%
	No	37.7%
(n = 2,028)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

How to keep from getting HIV (the virus that causes AIDS)

		Percent
	Yes	43.6%
	No	56.4%
(n = 2,021)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Getting your blood tested for HIV (the virus that causes AIDS)

		Percent
	Yes	70.3%
	No	29.7%
(n = 2,026)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Physical abuse to women by their husbands or partners

		Percent
	Yes	44.6%
	No	55.4%
(n = 2,016)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

The importance of seeing a dentist during your pregnancy

		Percent
	Yes	30.6%
	No	69.4%
(n = 1,965)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not literature or videos.

Doing tests to screen for birth defects or diseases that run in your family

		Percent
	Yes	88.1%
	No	11.9%
(n = 1,971)		
Denominator is respondents who had prenatal care and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

A close family member was sick and had to go to the hospital

	Percent
Yes	25.4%
No	74.6%
(n = 2,100)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You got separated or divorced from your husband or partner

	Percent
Yes	9.9%
No	90.1%
(n = 2,101)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You moved to a new address

	Percent
Yes	42.3%
No	57.7%
(n = 2,113)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born. This includes the months before you got pregnant.

You were homeless

	Percent
Yes	2.8%
No	97.2%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

Your husband or partner lost a job

	Percent
Yes	15.9%
No	84.1%
(n = 2,093)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You lost your job even though you wanted to go on working

	Percent
Yes	11.9%
No	88.1%
(n = 2,084)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You and your husband or partner argued more than usual

	Percent
Yes	25.1%
No	74.9%
(n = 2,088)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

Your husband or partner said he did not want you to be pregnant

	Percent
Yes	7.4%
No	92.6%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You had a lot of bills you couldn't pay

	Percent
Yes	28.5%
No	71.5%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

You were involved in a physical fight

	Percent
Yes	2.6%
No	97.4%
(n = 2,101)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**This question is about things that may have happened during the 12 months before your new baby was born.
This includes the months before you got pregnant.
You or your husband or partner went to jail**

	Percent
Yes	3.4%
No	96.6%
(n = 2,098)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

This question is about things that may have happened during the 12 months before your new baby was born.

This includes the months before you got pregnant.

Someone very close to you had a bad problem with drinking or drugs

	Percent
Yes	14.6%
No	85.4%
(n = 2,101)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

**This question is about things that may have happened during the 12 months before your new baby was born.
This includes the months before you got pregnant.
Someone very close to you died**

	Percent
Yes	17.5%
No	82.5%
(n = 2,097)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Have you smoked at least 100 cigarettes in your entire life?

	Percent
Yes	36.5%
No	63.5%
(n = 2,127)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

**Smoking 3 Months Before
Pregnancy
(All Respondents)**

	Percent
0/Did not smoke	74.7%
less than 1	2.2%
1 to 2	.9%
3 to 9	4.0%
10 to 19	8.0%
20 to 29	6.8%
30 to 39	.7%
more than 39	1.3%
I don't know	1.4%
(n = 2,127)	

**In the 3 months before you got pregnant, how many cigarettes or packs of cigarettes did you smoke on an average day?
(A pack has 20 cigarettes)**

	Percent
0/Did not smoke	30.7%
less than 1	6.0%
1 to 2	2.4%
3 to 9	11.0%
10 to 19	22.1%
20 to 29	18.6%
30 to 39	1.8%
more than 39	3.5%

**Smoking During the *First 3 Months* of Pregnancy
(All Respondents)**

	Percent
0/Did not smoke	83.9%
less than 1	2.0%
1 to 2	1.3%
3 to 9	4.7%
10 to 19	4.1%
20 to 29	2.6%
30 to 39	.0%
more than 39	.3%
I don't know	1.1%
(n = 2,070)	

In the *first 3 months* of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day?

	Percent
0/Did not smoke	56.5%
less than 1	3.3%
1 to 2	2.4%
3 to 9	11.7%
10 to 19	13.8%
20 to 29	8.5%
30 to 39	11.7%
more than 39	1.1%
I don't know	2.6%

**Smoking During the *Second 3 Months* of Pregnancy
(All Respondents)**

	Percent
0/Did not smoke	88.6%
less than 1	1.6%
1 to 2	1.1%
3 to 9	3.1%
10 to 19	3.5%
20 to 29	1.8%
30 to 39	.0%
more than 39	.2%
I don't know	.1%
(n = 2,070)	

In the *second 3 months* of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day?

	Percent
0/Did not smoke	69.0%
less than 1	4.2%
1 to 2	3.1%
3 to 9	8.4%
10 to 19	9.5%
20 to 29	4.9%
30 to 39	0.9%
more than 39	.5%
I don't know	.3%

**Smoking During the Last 3
Months of Pregnancy (All
Respondents)**

	Percent
0/Did not smoke	89.4%
less than 1	1.1%
1 to 2	1.6%
3 to 9	3.1%
10 to 19	3.2%
20 to 29	1.3%
more than 39	.2%
I don't know	.1%
(n = 2,126)	

**In the last 3 months of your pregnancy, how many cigarettes or packs of
cigarettes did you smoke on an average day?**

	Percent
0/Did not smoke	70.9%
less than 1	3.1%
1 to 2	4.4%
3 to 9	8.6%
10 to 19	8.6%
20 to 29	3.6%
more than 39	.5%
I don't know	.3%
(n = 680); categorized variable Oregon Public Health Division	
Denominator is respondents who have smoked at least 100 cigarettes in their entire life.	

Smoking After Pregnancy (All Respondents)

	Percent
0/Did not smoke	83.7%
less than 1	1.0%
1 to 2	1.1%
3 to 9	4.1%
10 to 19	5.4%
20 to 29	3.3%
30 to 39	.4%
more than 39	.6%
I don't know	.4%
(n = 2,127)	

How many cigarettes or packs of cigarettes do you smoke on an average day now?

	Percent
0/Did not smoke	55.3%
less than 1	2.7%
1 to 2	3.1%
3 to 9	11.4%
10 to 19	14.8%
20 to 29	9.0%
30 to 39	1.0%
more than 39	1.7%
I don't know	1.1%

Oregon Public Health Division
120 of 128

During your visits to your doctor or midwife for prenatal care or after the baby was born, did someone ask if you smoked, either by questionnaire or in person?

	Percent
Yes, before my baby was born	28.0%
Yes, after my baby was born	2.0%
Yes, both times	54.1%
No	15.9%

(n = 678)

Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During your visits for prenatal care or after the baby was born, did your doctor or midwife ever advise you to quit smoking?

	Percent
Yes, before my baby was born	12.9%
Yes, after my baby was born	3.2%
Yes, both times	27.0%
No	12.6%
No, I didn't smoke at that time	44.2%

(n = 664)

Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

During your visits for prenatal care or after your baby was born, did your doctor or midwife offer advice or help on how to quit smoking?

	Percent
Yes, before my baby was born	7.6%
Yes, after my baby was born	2.3%
Yes, both times	14.5%
No	31.8%
No, I didn't smoke at that time	44.0%

(n = 659)

Denominator is respondents who have smoked at least 100 cigarettes in their entire life and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how second hand smoke could affect your baby?

		Percent
	Yes	57.8%
	No	42.2%
(n = 2,013)		
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

About how many hours a day, on average, is your new baby in the same room with someone who is smoking?

	Percent
My baby is never in the same room with someone who is smoking	96.8%
One	1.9%
Two or three	.7%
Four or five	.3%
More than five	.3%

(n = 2,049); categorized variable
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Which of the following statements best represents your opinion on children's exposure to secondhand smoke?

	Percent
Secondhand smoke is not harmful to children	.3%
Secondhand smoke is not very harmful to children	.6%
Secondhand smoke is somewhat harmful to children	3.3%
Secondhand smoke is very harmful to children	94.2%
Don't know	1.6%

(n = 2,044)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Is there anyone (else) in your household who smokes cigarettes, cigars, or pipes?

		Percent
	Yes	25.1%
	No	74.9%

(n = 2,069)

Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Which of the following statements best describes the rules about smoking inside your home:

	Percent
No one is allowed to smoke anywhere inside my home	95.8%
Smoking is permitted anywhere inside my home	.5%
Smoking is not allowed in the baby's room but is allowed in other places in the house	3.3%
Don't know	.4%
(n = 2,061)	
Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)

Oregon PRAMS: 2000 Results

If you were on WIC (Women's Infants and Children nutrition program) during this pregnancy, how many weeks pregnant were you when you had your first visit for WIC?

	Percent
Less than 5.0	3.0%
5.0 to 6.9	1.7%
7.0 to 8.9	8.8%
9.0 to 10.9	1.6%
11.0 to 12.9	1.3%
13.0 to 14.9	6.9%
15.0 to 16.9	.4%
17.0 to 18.9	5.4%
19.0 or more	15.9%
I was not on WIC	55.1%
(n = 1,966)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2000 through March 2001. Child's dates of birth were from 1/1/2000 through 12/31/2000.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

[Return to Question Page](#)