

**During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?**

	Percent
I didn't drink then	52.9%
Less than 1 drink a week	26.0%
1 to 3 drinks a week	14.4%
4 to 6 drinks a week	4.7%
7 to 13 drinks a week	1.5%
14 drinks or more a week	.4%

(n = 1,453); "No" responses to Question 28 are included in "I didn't drink then".

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

### During the 3 months before you got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?

	Percent
I didn't drink then	85.6%
1	6.3%
2	3.6%
3	1.1%
4	.5%
5 or more times	2.9%

(n = 1,386); "No" responses to Question 28 were included in "I didn't drink then".

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?**

	<b>Percent</b>
I didn't drink then	94.4%
Less than 1 drink a week	4.7%
1 to 3 drinks a week	.7%
7 to 13 drinks a week	.2%

(n = 1,466); "No" responses to Question 28 were included in "I didn't drink then".

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**During the *last 3 months* of your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?**

	<b>Percent</b>
I didn't drink then	99.7%
Once	.3%
Twice	.0%

(n = 1,466); "No" responses to Question 28 were included in "I didn't drink then".

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

## Birth Certificate: Mother's Age (Years)

	Percent
<b>Less than 18</b>	1.7%
<b>18 to 19</b>	7.0%
<b>20 to 34</b>	80.1%
<b>35 or older</b>	11.2%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Maternal Education

	Percent
<b>Less than 12 years</b>	19.6%
<b>At least 12 years</b>	79.3%
<b>Unknown</b>	1.1%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Mother's Race/Ethnicity as defined by CDC for PRAMS

	Percent
African American	2.0%
American Indian/Alaskan Native	1.4%
Asian/Pacific Islander	5.4%
Hispanic	17.9%
White	73.3%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Prenatal Care Initiation

	Percent
No first trimester initiation	16.5%
1st trimester initiation	83.5%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Birth Certificate: Birthweight Category

	Percent
Low Birthweight (< 2500g)	4.9%
Normal Birthweight (>= 2500 g)	95.1%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Marital Status

	Percent
<b>All else</b>	30.2%
<b>Married</b>	69.8%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: WIC Enrollment**

	Percent
No	58.4%
Yes	41.6%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Parity

	Percent
First born	41.0%
Not first born	59.0%

(n = 1,334)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Tobacco Use During Pregnancy**

	Percent
<b>Yes</b>	11.0%
<b>No</b>	88.3%
<b>Unknown</b>	.7%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Alcohol Use During Pregnancy

	Percent
<b>Yes</b>	1.0%
<b>No</b>	98.3%
<b>Unknown</b>	.7%

(n = 1,335)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

Percent	
No	7.7%
Yes	92.3%

(n = 1,447)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

### Are you still breastfeeding or feeding pumped milk to your new baby?

#### Percent

No	32.9%
Yes	67.1%

(n = 1,324)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**How many weeks or months did you breastfeed or pump milk to feed your baby?**

	<b>Percent</b>
0/I didn't breastfeed my baby	7.7%
1 breastfed for less than 1 week	3.6%
1 - 2 weeks	3.4%
3 - 4 weeks	8.0%
5 - 6 weeks	3.9%
7 - 8 weeks	6.0%
9 - 10 weeks	1.2%
more than 10 weeks	66.1%

(n = 1,437)

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

### How old was your baby the first time you fed him or her anything besides breast milk?

	Percent
My baby was less than one week old	18.9%
I have not fed my baby anything besides breast milk	33.7%
1.0 to 2.9	10.5%
3.0 to 4.9	13.6%
5.0 to 6.9	4.4%
7.0 to 8.9	7.9%
9.0 to 10.9	2.6%
11.0 or more	8.3%

(n = 1,306)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff gave me information about breastfeeding**

Percent	
No	5.3%
Yes	94.7%

(n = 1,399)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:  
My baby stayed in the same room with me at the hospital**

Percent	
No	6.8%
Yes	93.2%

(n = 1,396)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the hospital**

Percent	
No	9.8%
Yes	90.2%

(n = 1,391)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the first hour after my baby was born**

Percent	
No	31.3%
Yes	68.7%

(n = 1,391)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:  
Hospital staff helped me learn how to breastfeed**

Percent	
No	22.1%
Yes	77.9%

(n = 1,390)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby was fed only breast milk at the hospital**

Percent	
No	33.3%
Yes	66.7%

(n = 1,387)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)



**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff told me to breastfeed whenever my baby wanted**

Percent	
No	16.5%
Yes	83.5%

(n = 1,385)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a gift pack with formula**

Percent	
No	28.6%
Yes	71.4%

(n = 1,394)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a telephone number to call for help with breastfeeding**

Percent	
No	16.1%
Yes	83.9%

(n = 1,390)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby used a pacifier in the hospital**

**Percent**

No 59.0%

Yes 41.0%

(n = 1,393)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**What were your reasons for stopping breastfeeding?  
Check all that apply.**

	<b>Percent</b>
My baby had difficulty nursing	28.9%
Breast milk alone did not satisfy my baby	39.8%
I thought my baby was not gaining enough weight	20.4%
My baby became sick and could not breastfeed	3.2%
My nipples were sore, cracked, or bleeding	23.3%
I thought I was not producing enough milk	49.6%
I had too many other household duties	18.6%
I felt it was the right stime to stpop breastfeeding	16.9%
I became sick and could not breastfeed	11.2%
I went back to work or school	24.3%
My husband or partner wanted me to stop breastfeeding	2.1%
I wanted or needed someone else to feed the baby	15.2%
Other	26.9%
(n = 446)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Is your baby alive now?

Percent	
No	.1%
Yes	99.9%

(n = 1,487)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

## Is your baby living with you now?

### Percent

No	.6%
Yes	99.4%

(n = 1,477)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Counting yourself, how many people live in your  
house, apartment, or trailer?  
(number of adults)**

	<b>Percent</b>
1	5.1%
2	75.0%
3 or more	19.9%

(n = 1,468)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)



**Counting yourself, how many people live in your  
house, apartment, or trailer?  
(number of babies, children, or teenagers)**

	<b>Percent</b>
0	.1%
1	35.6%
2	32.1%
3	20.7%
4 or more	11.5%
(n = 1,441)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## What were the sources of your household's income during the past 12 months?

	Percent
Paycheck or money from a job	91.6%
Aid such as TANF, welfare, public assistance, food stamps, or SSI	22.2%
Unemployment benefits	15.9%
Child support or alimony	8.3%
Social security, worker's compensation, veteran benefits, or pensions	3.3%
Money from a business, fees, dividends, or rental income	9.0%
Money from family or friends	18.7%
Other	7.2%

(n = 1,460)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Before you got pregnant with your new baby, what was your *monthly* family income (before deductions and taxes)? Include ANY income or money you can use. All information will be kept private.**

	<b>Percent</b>
\$719 or below	12.0%
\$720 - \$969	6.2%
\$970 - \$1,219	9.0%
\$1,220 - \$1,319	6.4%
\$1,320 - \$1,789	7.3%
\$1,790 - \$2,259	8.8%
\$2,260 - \$2,719	8.9%
\$2,720 - \$3,189	7.6%
\$3,190 - \$3,649	6.7%
\$3,650 - \$4,119	4.7%
\$4,120 and above	22.5%
(n = 1,431)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many people, including yourself, depended on this income?

	Percent
0	.0%
1	4.1%
2	25.6%
3	24.2%
4	23.8%
5	14.2%
6 or more	8.1%

(n = 1,455)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

<b>Body Mass Index (BMI)</b>	<b>Percent</b>
<b>Underweight (bmi &lt; 18.5)</b>	5.7%
<b>Normal (18.5 &lt;= bmi &lt; 25.0)</b>	53.9%
<b>Overweight (25.0 &lt;= bmi &lt; 30.0)</b>	24.7%
<b>Obese (bmi &gt;= 30.0)</b>	15.7%

(n = 1,245) Oregon PRAMS 2002

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

How many weeks or months pregnant were you when you were *sure* you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)

	Percent
1.0 - 7.9 weeks	75.3%
8.0 - 12.9 weeks	18.1%
13.0 - 17.9 weeks	5.2%
18.0 - 22.9 weeks	1.2%
23.0 or more weeks	.3%

(n = 1,429)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**When you got pregnant with your new baby, were you trying to become pregnant?**

<b>Percent</b>	
No	47.8%
Yes	52.2%

(n = 1,469)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?**

	<b>Percent</b>
No	53.1%
Yes	46.9%

(n = 732) Note: Includes only those who said that they were not trying to get pregnant when they got pregnant with their new baby.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2003 Results

**What were your or your husband's or partner's reasons for not doing anything to keep from getting pregnant? Check all that apply.**

	<b>Percent</b>
I didn't mind if I got pregnant	46.6%
I thought I could not get pregnant at that time	33.4%
I had side effects from the birth control method I was using	15.2%
I had problems getting birth control when I needed it	11.0%
I thought my husband or partner or I was sterile	10.4%
My husband or partner didn't want to use anything	15.0%
Other	15.7%

(n = 416) Note: Includes only those who said that they were not trying to get pregnant when they got pregnant with their new baby and did not do anything to keep from getting pregnant

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**When you got pregnant with your new baby, what kinds of birth control were you or your husband or partner using? Check all that apply.**

	<b>Percent</b>
Pill	43.7%
Condom	38.3%
Foam, jelly, cream	3.4%
Diaphragm	2.1%
Norplant	.2%
Shots (Depo-Provera)	3.5%
Shots (Lunelle)	.3%
Withdrawal	18.2%
IUD (Intrauterine Device)	1.0%
Natural Family Planning (Rhythm)	14.8%
Other	10.4%

(n = 434)

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

*When you got pregnant with your new baby, would you have used a different birth control method if you had insurance that paid for it?*

Percent	
No	76.4%
Yes	23.6%

(n = 431)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

***When you got pregnant with your new baby, where were you or your husband or partner getting your birth control method(s)? Check all that apply.***

	<b>Percent</b>
A family planning clinic	13.8%
A health department clinic	14.3%
A community health center	1.4%
A private gynecologist	15.1%
A general or family physician	13.6%
A drug store or other store	39.8%
Other	4.2%
No place	13.8%

(n = 425)

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

***When you got pregnant with your new baby, would you have used a birth control method if you had insurance that paid for it?***

Percent	
No	79.8%
Yes	20.2%

(n = 937)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**Before you got pregnant with your new baby, did you know there was free or low cost birth control at health departments and Planned Parenthood clinics?**

Percent	
No	23.6%
Yes	76.4%

(n = 1,480)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**Before you got pregnant with your new baby, had you ever heard or read about emergency birth control (the "morning-after pill")?** This special combination of regular birth control pills is used to prevent pregnancy up to three days after unprotected sex.

Percent	
No	19.0%
Yes	81.0%

(n = 1,479)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**Are you or your husband or partner doing anything *now* to keep from getting pregnant?** (Some things people do to keep from getting pregnant include having their tubes tied or their partner having a vasectomy, using birth control methods like the pill, Norplant, shots [Depo-Provera], condoms, diaphragm, foam, IUD, and not having sex at certain times [rhythm].)

<b>Percent</b>	
No	13.3%
Yes	86.7%

(n = 1,476)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)



# Oregon PRAMS: 2003 Results

**What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check all that apply.**

	<b>Percent</b>
I am not having sex	41.2%
I want to get pregnant	13.1%
I don't want to use birth control	21.6%
My husband or partner doesn't want to use anything	13.0%
I don't think I can get pregnant (sterile)	6.2%
I can't pay for birth control	10.7%
I am pregnant now	.3%
Other	32.9%

(n = 234)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**What kinds of birth control are you or your husband or partner using *now*? Check all that apply.**

	<b>Percent</b>
Tubes tied (sterilization)	11.3%
Vasectomy (sterilization)	5.9%
Pill	31.4%
Condoms	34.0%
Foam, Jelly, cream	2.6%
Diaphragm	1.7%
Norplant	.4%
Shots (Depo-Provera)	10.1%
Shots (Lunelle)	.3%
Withdrawal	7.4%
IUD (Intrauterine Device)	8.7%
Natural Family Planning (Rhythm)	6.3%
Other	7.1%

(n = 1,141)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**Where are you or your husband or partner getting your birth control method(s) now?  
Check all that apply.**

	<b>Percent</b>
A family planning clinic	4.6%
A health department clinic	12.0%
A community health center	3.3%
A private gynecologist	21.4%
A general or family physician	13.6%
A drug store or other store	35.8%
Other	5.6%
No place	13.8%

(n = 1,105)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***Before you got pregnant with your new baby, had you ever heard or read that taking the vitamin folic acid can help prevent some birth defects?***

Percent	
No	18.9%
Yes	81.1%

(n = 1,484)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

**In the month *before* you got pregnant with your new baby, how many times a week did you take a multivitamin (a pill that contains many different vitamins and minerals)?**

	<b>Percent</b>
I didn't take a multivitamin at all	51.3%
1 to 3 times a week	12.0%
4 to 6 times a week	6.2%
Every day of the week	30.5%

(n = 1,502)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did you have a blood test for HIV (the virus that causes AIDS)?**

Percent	
No	29.7%
Yes	70.3%

(n = 1,329)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

## After your baby was born, was he or she put in an intensive care unit?

Percent	
No	91.7%
Yes	8.3%

(n = 1,457)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your baby was born, how long did he or she stay in the hospital?**

	<b>Percent</b>
Less than 24 hours (Less than 1 day)	7.3%
24 - 48 hours (1 - 2 days)	54.3%
3 days	19.4%
4 days	8.9%
5 days	2.6%
6 days or more	5.5%
My baby was not born in a hospital	1.6%
My baby is still in the hospital	.3%

(n = 1,464)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Was your baby seen by a doctor, nurse, or other health care provider in the first week after he or she left the hospital?

Percent	
No	18.7%
Yes	81.3%

(n = 1,412)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Was your new baby seen at home or at a health care facility?

	Percent
At home	6.6%
At a doctor's office, clinic, or other health care facility	93.4%

(n = 1,108)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Has your baby had a well-baby checkup?

Percent	
No	2.1%
Yes	97.9%

(n = 1,407)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Where do you usually take your baby for well-baby checkups?

	Percent
Hospital clinic	14.7%
Health department clinic	11.3%
Private doctor's office or HMO clinic	70.7%
Other	3.3%

(n = 1,324)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**How many times has your baby been to a doctor or nurse for a well-baby checkup?  
(It may help to use the calendar.)**

	<b>Percent</b>
1	8.1%
2	42.1%
3	28.1%
4	13.0%
5 or more	8.6%

(n = 1,312)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**How do you *most often* lay your baby down to sleep now?**

	<b>Percent</b>
On his or her side	13.8%
On his or her back	75.3%
On his or her stomach	7.7%
Side and back	2.2%
Side and stomach	.4%
Back and stomach	.3%
All 3 positions	.4%

(n = 1,419)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***Just before you got pregnant, did you have health insurance? (Do not count Oregon Health Plan or Medicaid.)***

Percent	
No	39.0%
Yes	61.0%

(n = 1,499)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## ***Just before you got pregnant, were you on Oregon Health Plan or Medicaid?***

Percent	
No	86.5%
Yes	13.5%

(n = 1,496)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## How was your prenatal care paid for? Check all that apply.

	<b>Percent</b>
Oregon Health Plan or Medicaid	35.7%
Personal income (cash, check, or credit card)	30.6%
Health insurance or HMO	62.4%
Indian Health Service	.7%
Other	3.7%

(n = 1,446)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How was your delivery paid for? Check all that apply.

	<b>Percent</b>
Oregon Health Plan or Medicaid	43.4%
Personal income (cash, check, or credit card)	24.5%
Health insurance or HMO	58.5%
Indian Health Service	.8%
Other	2.5%
(n = 1,484)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?***

Percent	
No	95.7%
Yes	4.3%

(n = 1,295)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

***During the 12 months before you got pregnant, did anyone else physically hurt you in any way?***

Percent	
No	97.4%
Yes	2.6%

(n = 1,297)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?***

Percent	
No	96.9%
Yes	3.1%

(n = 1,297)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***During your most recent pregnancy, did anyone else physically hurt you in any way?***

Percent	
No	97.9%
Yes	2.1%

(n = 1,296)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
I needed to see a dentist for a problem**

Percent	
No	68.7%
Yes	31.3%

(n = 1,445)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.**

## **I went to a dentist or dental clinic**

<b>Percent</b>	
No	52.5%
Yes	47.5%

(n = 1,442)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question is about the care of your teeth during your most recent pregnancy.**

**A dental or other health care worker talked with me about how to care for my teeth and gums**

Percent	
No	54.7%
Yes	45.3%

(n = 1,442)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How long has it been since you had your teeth cleaned by a dentist or a dental hygienist?

	Percent
Within the past year (less than 12 months)	49.1%
1 to less than 2 years (12-23 months)	20.4%
2 to less than 5 years (24-59 months)	16.7%
5 or more years	10.5%
Never	3.3%

(n = 1,470)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?**

Percent	
No	68.4%
Yes	31.6%

(n = 1,433)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## **Before your new baby, did you ever have any other babies who were born alive?**

<b>Percent</b>	
No	42.2%
Yes	57.8%

(n = 1,482)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did the baby born just before your new one weigh 5 pounds, 8 ounces (2.5 kilos) or less at birth?

	Percent
No	92.7%
Yes	7.3%

(n = 794) Note: includes only those who said that they have had other babies who were born alive

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Was the baby just before your new one born *more* than 3 weeks before its due date?

	Percent
No	91.7%
Yes	8.3%

(n = 797) Note: includes only those who said that they have had other babies who were born alive

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2003 Results

Thinking back to *just before* you got pregnant, how did you feel about becoming pregnant?

	Percent
I wanted to be pregnant sooner	17.3%
I wantd to be pregnant later	31.8%
I wanted to be pregnant then	44.5%
I didn't want to be pregnant then or at any time in the future	6.4%

(n = 1,481)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many weeks or months pregnant were you when you had your first visit for prenatal care?

(Don't count a visit that was only for a pregnancy test or only for WIC [the Special Supplemental Nutrition Program for Women, Infants, and Children].)

	Percent
less than 1 month	7.8%
1 month	40.4%
2 months	31.1%
3 months	12.1%
4 months	3.5%
5 months	3.3%
6 months	1.3%
7 months	.3%
8 months	.2%
9 months	.0%
(n = 1,437)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
No	19.2%
Yes	80.5%
I didn't want prenatal care	.3%

(n = 1,467)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did any of these things keep you from getting prenatal care as early as you wanted? Check all that apply.**

	<b>Percent</b>
I couldn't get an appointment earlier in my pregnancy	33.4%
I didn't have enough money or insurance to pay for my visits	35.0%
I didn't know I was pregnant	29.2%
I had no way to get to the clinic or doctor's office	8.8%
The doctor or my health plan would not start care earlier	11.8%
I didn't have my Oregon Health Plan or Medicaid card	23.3%
I had no one to take care of my children	3.7%
I had too many other things going on	11.2%
Other	15.6%
(n = 339)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Where did you go *most of the time* for your prenatal visits?  
(Do not include visits for WIC.)**

	<b>Percent</b>
Hospital clinic	18.5%
Health department clinic	8.7%
Private doctor's office or HMO clinic	56.7%
Other	3.5%
Midwife's office	12.0%
At home	.5%

(n = 1,431)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## How smoking during pregnancy could affect your baby

	Percent
No	33.1%
Yes	66.9%

(n = 1,451)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Breastfeeding your baby**

### **Percent**

No	16.1%
Yes	83.9%

(n = 1,450)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **How drinking alcohol during pregnancy could affect your baby**

### **Percent**

No	28.4%
Yes	71.6%

(n = 1,453)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## Using a seatbelt during your pregnancy

### Percent

No	54.7%
Yes	45.3%

(n = 1,443)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Birth control methods to use after your pregnancy**

### **Percent**

No	15.8%
Yes	84.2%

(n = 1,455)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Medicines that are safe to take during your pregnancy**

<b>Percent</b>	
No	11.4%
Yes	88.6%
(n = 1,456)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## How using illegal drugs could affect your baby

Percent	
No	39.5%
Yes	60.5%

(n = 1,451)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **What to do if your labor starts early**

### **Percent**

No	14.0%
Yes	86.0%

(n = 1,454)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Getting your blood tested for HIV (the virus that causes AIDS)**

### **Percent**

No	23.7%
Yes	76.3%

(n = 1,445)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Physical abuse to women by their husbands or partners**

### **Percent**

No	48.6%
Yes	51.4%
(n = 1,446)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Doing tests to screen for birth defects or diseases that run in your family**

### **Percent**

No	12.5%
Yes	87.5%

(n = 1,455)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

***During any of your prenatal care visits, did a doctor, nurse, or other health care worker offer you a *blood test* to see whether your baby had birth defects or diseases that run in your family?***

Percent	
No	10.8%
Yes	89.2%

(n = 1,426)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**A close family member was very sick and had to go into the hospital**

Percent	
No	76.4%
Yes	23.6%

(n = 1,468)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question is about things that may have happened during the *12 months before your new baby was born.***

**You got separated or divorced from your husband or partner**

Percent	
No	90.6%
Yes	9.4%

(n = 1,471)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

## **You moved to a new address**

### **Percent**

No	57.7%
Yes	42.3%

(n = 1,472)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

## **You were homeless**

### **Percent**

No	92.3%
Yes	7.7%

(n = 1,462)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

## **Your husband or partner lost his job**

### **Percent**

No	80.4%
Yes	19.6%

(n = 1,469)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**You lost your job even though you wanted to go on working**

Percent	
No	89.5%
Yes	10.5%

(n = 1,459)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**You argued with your husband or partner more than usual**

Percent	
No	77.6%
Yes	22.4%

(n = 1,464)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**Your husband or partner said he didn't want you to be pregnant**

**Percent**

No	90.9%
Yes	9.1%

(n = 1,471)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

## **You had a lot of bills you couldn't pay**

	<b>Percent</b>
No	70.1%
Yes	29.9%

(n = 1,467)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question is about things that may have happened during the *12 months before your new baby was born.***

## **You were in a physical fight**

<b>Percent</b>	
No	94.9%
Yes	5.1%

(n = 1,467)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

## **You or your husband or partner went to jail**

<b>Percent</b>	
No	94.6%
Yes	5.4%

(n = 1,472)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**Someone very close to you had a bad problem with drinking or drugs**

Percent	
No	85.7%
Yes	14.3%

(n = 1,470)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

### **Someone very close to you died**

<b>Percent</b>	
No	84.1%
Yes	15.9%

(n = 1,468)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Labor pains more than 3 weeks before your baby was due (preterm or early labor)

	Percent
No	72.1%
Yes	27.9%

(n = 1,474)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### High blood pressure (including preeclampsia or toxemia) or retained water (edema)

Percent	
No	82.9%
Yes	17.1%

(n = 1,474)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Vaginal bleeding

#### Percent

No	85.9%
Yes	14.1%

(n = 1,468)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Problems with the placenta (such as abruptio placentae, placenta previa)

Percent	
No	94.5%
Yes	5.5%

(n = 1,469)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Did you have any of these problems during your pregnancy?

### Severe nausea, vomiting, or dehydration

#### Percent

No	75.8%
Yes	24.2%

(n = 1,477)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### High blood sugar (diabetes)

#### Percent

No	92.3%
Yes	7.7%

(n = 1,471)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Kidney or bladder (urinary tract) infection

Percent	
No	86.6%
Yes	13.4%

(n = 1,472)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

**Water broke more than 3 weeks before your baby was due (premature rupture of membranes, PROM)**

Percent	
No	95.3%
Yes	4.7%

(n = 1,473)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Cervix had to be sewn shut (incompetent cervix, cerclage)

Percent	
No	97.7%
Yes	2.3%

(n = 1,459)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### You were hurt in a car accident

Percent	
No	98.2%
Yes	1.8%

(n = 1,476)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you do any of the following things because of these problem(s)?  
Check all that apply.**

	<b>Percent</b>
I went to the hospital or emergency room and stayed less than 1 day	65.1%
I went to the hospital and stayed 1 to 7 days	25.7%
I went to the hospital and stayed more than 7 days	4.4%
I stayed in bed at home more than 2 days because of my doctor's or nurse's advice (n = 541)	49.0%

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Have you smoked at least 100 cigarettes in the past 2 years?  
(A pack has 20 cigarettes)**

Percent	
No	76.4%
Yes	23.6%

(n = 1,472)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**In the 3 months before you got pregnant, how many cigarettes or packs of cigarettes did you smoke on an average day?  
(A pack has 20 cigarettes)**

	<b>Percent</b>
0/Did not smoke	79.8%
Less than 1	.7%
1 to 2	1.4%
3 to 9	4.5%
10 to 19	6.4%
20 - 29	5.8%
30 - 39	.5%
more than 39	1.0%

(n = 1,448); Table shows number of cigarettes; "No" responses to Question 24 were included in "0/Did not smoke"

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**In the *last 3 months* of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day?  
(A pack has 20 cigarettes)**

	<b>Percent</b>
0/Did not smoke	87.9%
Less than 1	1.8%
1 to 2	2.3%
3 to 9	2.8%
10 to 19	3.3%
20 - 29	1.5%
30 - 39	.2%
more than 39	.2%

(n = 1,460); Table shows number of cigarettes; "no" responses to Question 24 are included in "0/Did not smoke"

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**How many cigarettes or packs of cigarettes do you smoke on an average day *now*?  
(A pack has 20 cigarettes)**

	<b>Percent</b>
0/Did not smoke	84.5%
Less than 1	.7%
1 to 2	.7%
3 to 9	4.7%
10 to 19	4.6%
20 - 29	4.4%
30 - 39	.4%

(n = 1,467); Table shows number of cigarettes; "no" responses to Question 24 are included in "0/Did not smoke"

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

## During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?

Percent	
Yes, during my prenatal care visits	8.9%
Yes, after my delivery	.5%
Yes, both times	10.5%
No	9.7%
No, I didn't smoke at that time	70.4%

(n = 1,456)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?**

	<b>Percent</b>
Yes, during my prenatal care visits	18.4%
Yes, after my delivery	4.4%
Yes both times	32.5%
No	44.7%

(n = 1,410)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## About how many hours a day, on average, is your new baby in the same room with someone who is smoking?

	<b>Percent</b>
My baby is never in the same room with someone who is smoking	96.2%
One hour	3.1%
Two or more hours	.7%

(n = 1,398)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## **Not including yourself, is there anyone in your household who smokes cigarettes, cigars, or pipes?**

<b>Percent</b>	
No	78.8%
Yes	21.2%

(n = 1,482)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Which of the following statements best describes the rules about smoking inside your home?

	Percent
No one is allowed to smoke anywhere inside your home	95.1%
Smoking is allowed in some places or at some times	3.8%
Smoking is permitted anywhere inside your home	1.1%

(n = 1,471)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2003 Results

## During your pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?

Percent	
No	56.5%
Yes	43.5%

(n = 1,481)

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2003 through March 2004. Child's dates of birth were from 1/1/2003 through 12/31/2003.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2003 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)