

During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	0.9
7 to 13 drinks a week	2.5
4 to 6 drinks a week	6.5
1 to 3 drinks a week	17.0
Less than 1 drink a week	29.4
I didn't drink then	43.7
(n = 1,892) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 3 months before you got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?

	Percent
6 or more times	1.5
4 to 5 times	1.5
2 to 3 times	6.2
1 time	8.4
I didn't have 5 drinks or more in 1 sitting	38.2
I didn't drink then	44.1
(n = 1,894) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	0.0
7 to 13 drinks a week	0.0
4 to 6 drinks a week	0.4
1 to 3 drinks a week	1.0
Less than 1 drink a week	6.6
I didn't drink then	92.0
(n = 1,897) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?

	Percent
6 or more times	0.0
4 to 5 times	0.1
2 to 3 times	0.0
1 time	0.5
I didn't have 5 drinks or more in 1 sitting	7.2
I didn't drink then	92.3
(n = 1,897) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were drinking alcoholic beverages (beer, wine, wine cooler, or liquor)?

	Percent
No	13.3
Yes	86.7
(n = 1,889) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Mother's Age (Years)

	Percent
Less than 18	3.4
18 to 19	6.1
20 to 24	25.4
25 - 34	52.1
35 or older	12.9
(n = 1,951)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Maternal Education

	Percent
Less than 12 years	20.6
12 years	29.7
13 to 16 years	21.9
More than 16 years	27.7
(n = 1,938)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Mother's Race/Ethnicity

	Percent
Hispanic	20.7
African American*	2.2
American Indian/Alaskan Native*	1.6
Asian/Pacific Islander*	5.6
White*	69.9
(n = 1,951) *non-Hispanic	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Prenatal Care Initiation

	Percent
No 1st trimester initiation	17.3
1st trimester initiation	82.7
(n = 1,945)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth certificate: Birthweight category

	Percent
Low birthweight (< 2500g)	4.8
Normal birthweight (2500 - 3499g)	53.3
High birthweight (>= 3500g)	41.9
(n = 1,948)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Marital status

	Percent
All else	32.2
Married	67.8
(n = 1,951)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: WIC Enrollment During Pregnancy

	Percent
No	60.9
Yes	39.1
(n = 1,951)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Parity (Number of Previous Live Births)

	Percent
First born	39.9
Not first born	60.1
(n = 1,948)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Tobacco Use During Pregnancy

	Percent
Yes	9.7
No	90.3
(n = 1,938)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Alcohol Use During Pregnancy

	Percent
No	98.8
Yes	1.2
(n = 1,914)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

	Percent
No	6.3
Yes	93.7
(n = 1,875) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Are you still breastfeeding or feeding pumped milk to your new baby?

		Percent
	No	30.0
	Yes	70.0
(n = 1,747) Denominator is respondents whose new baby is alive and living with them now and did breastfeed their new baby.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months did you breastfeed or pump milk to feed your baby?

	Percent
I didn't breastfeed my baby	6.3
Less than 1 week	2.1
1.0 to 2.9 weeks	4.2
3.0 to 4.9 weeks	5.9
5.0 to 6.9 weeks	3.8
7.0 to 8.9 weeks	7.2
9.0 to 10.9 weeks	0.8
11.0 or more weeks	69.7

(n = 1,853) Denominator is respondents whose new baby is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar, sugar water, or anything else you fed your baby.

	Percent
My baby was less than 1 week old	23.0
I have not fed my baby anything besides breast milk	37.1
1.0 to 2.9 weeks	8.8
3.0 to 4.9 weeks	8.9
5.0 to 6.9 weeks	5.1
7.0 to 8.9 weeks	8.2
9.0 to 10.9 weeks	1.4
11.0 or more weeks	7.5
(n = 1,706) Denominator is respondents whose new baby is alive and living with them now and had breastfed their new baby after delivery, but are no longer breastfeeding.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff gave me information about breastfeeding

		Percent
	No	6.5
	Yes	93.5

(n = 1,821) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:
My baby stayed in the same room with me at the hospital

		Percent
	No	6.9
	Yes	93.1
(n = 1,814) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:
I breastfed my baby in the hospital**

		Percent
	No	8.2
	Yes	91.8
(n = 1,812) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

I breastfed my baby in the first hour after my baby was born

		Percent
	No	27.0
	Yes	73.0

(n = 1,814) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff helped me learn how to breastfeed

		Percent
	No	22.4
	Yes	77.6

(n = 1,818) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

My baby was fed only breast milk at the hospital

		Percent
	No	35.2
	Yes	64.8

(n= 1,811) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

Hospital staff told me to breastfeed whenever my baby wanted

		Percent
	No	15.8
	Yes	84.2

(n = 1,798) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

The hospital gave me a gift pack with formula

		Percent
	No	39.5
	Yes	60.5

(n = 1,819) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

The hospital gave me a telephone number to call for help with breastfeeding

		Percent
	No	15.8
	Yes	84.2

(n = 1,816) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question asks about things that may have happened at the hospital where your new baby was born:

My baby used a pacifier in the hospital

		Percent
	No	52.1
	Yes	47.9

(n = 1,807) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What were your reasons for stopping breastfeeding? Check all that apply.

	Percent
My baby had difficulty nursing	27.1
Breast milk alone did not satisfy my baby	37.4
I thought my baby was not gaining enough weight	11.6
My baby got sick and could not breastfeed	3.4
My nipples were sore, cracked, or bleeding	26.5
I thought I was not producing enough milk	46.3
I had too many other household duties	17.0
I felt it was the right time to stop breastfeeding	17.3
I got sick and could not breastfeed	11.3
I went back to work or school	16.6
I wanted or needed someone else to feed the baby	11.4
My baby was jaundiced (yellowing of the skin or whites of the eyes)	14.8
Other	27.9
(n = 589) Denominator is respondents whose new baby is alive and living with them now and had breastfed their baby after delivery, but are no longer breastfeeding.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

Is your baby alive now?

	Percent
Yes	99.7
No	0.3
(n = 1,884) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Is your baby living with you now?

	Percent
Yes	99.8
No	0.2
(n = 1,853) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, what were the sources of your household's income? Check all that apply.

	Percent
Paycheck or money from a job	93.0
Money from family or friends	14.4
Money from a business, fees, dividends, or rental income	6.1
Aid such as TANF, welfare, WIC, public assistance, general assistance, food stamps, or Supplemental Security Income	20.2
Unemployment benefits	4.7
Child support or alimony	6.3
Social security, workers' compensation, disability, veteran benefits, or pensions	2.3
Other	2.9
(n = 1,868) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

During the 12 months before your new baby was born, what was your total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have used. (All information will be kept private and will not affect any services you are now getting.)

	Percent
Less than \$10,000	21.7
\$10,000 to \$14,999	9.1
\$15,000 to \$19,999	5.7
\$20,000 to \$24,999	8.8
\$25,000 to \$34,999	10.1
\$35,000 to \$49,999	13.2
\$50,000 or more	31.4
(n = 1,797) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, how many people, including yourself, depended on this income?

	Percent
1	6.1
2	35.8
3	31.6
4	14.5
5	6.1
6	3.7
7	1.3
8	0.5
9 or more	0.3
(n = 1,888) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Mother's Body Mass Index (BMI)

	Percent
Underweight (BMI < 18.5)	4.2
Normal (18.5 <= BMI < 25.0)	50.7
Overweight (25.0 <= BMI < 30.0)	22.6
Obese (BMI >= 30.0)	22.4
(n = 1,774)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

While you were pregnant, how often did you feel down, depressed, or hopeless?

	Percent
Always	2.6
Often	9.2
Sometimes	26.1
Rarely	34.5
Never	27.5
(n = 1,897) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

While you were pregnant, how often did you have little interest or little pleasure in doing things?

	Percent
Always	4.0
Often	11.2
Sometimes	27.8
Rarely	34.4
Never	22.6
(n = 1,907) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Since your new baby was born, how often have you felt down, depressed, or hopeless?

	Percent
Always	1.3
Often	9.1
Sometimes	21.8
Rarely	40.7
Never	27.1
(n = 1,915) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Since your new baby was born, how often have you had little interest or little pleasure in doing things?

	Percent
Always	1.8
Often	7.0
Sometimes	18.1
Rarely	41.7
Never	31.4
(n = 1,910) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months pregnant were you when you were *sure* you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)

	Percent
1.0 to 7.9 weeks	80.7
8.0 to 12.9 weeks	14.5
13.0 to 17.9 weeks	3.8
18.0 to 22.9 weeks	0.6
23.0 or more weeks	0.4
(n = 1,845) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, were you trying to get pregnant?

	Percent
No	48.8
Yes	51.2
(n = 1,927) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?

	Percent
No	50.8
Yes	49.2
(n = 938)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What were your or your husband's or partner's reasons for not doing anything to prevent pregnancy? Check all that apply.

	Percent
I didn't mind if I got pregnant	49.2
I thought I could not get pregnant at that time	29.8
I had side effects from the birth control method I was using	17.0
I had problems getting birth control when I needed it	7.8
I thought that my husband or partner or I was sterile	6.7
My husband or partner didn't want to use anything	18.1
Other	19.1
(n = 451)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, what were you or your husband or partner doing to keep from getting pregnant? Check all that apply.

	Percent
Tubes tied or closed (female sterilization)	0.2
Vasectomy (male sterilization)	1.0
Pills	26.4
Condoms	47.5
Shot once a month (Lunelle)	0.8
Shot once every 3 months (Depo-Provera)	7.0
Contraceptive patch (OrthoEvra)	5.1
Diaphragm, cervical cap, or sponge	1.1
Cervical ring (NuvaRing or others)	1.2
IUD (including Mirena)	0.4
Rhythm method or natural family planning	20.1
Withdrawal (pulling out)	34.6
Not having sex (abstinence)	4.6
Other	7.0
(n = 469)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

When you got pregnant with your new baby, would you have used a birth control method if you had insurance that paid for it?

	Percent
No	67.9
Yes	32.1
(n = 476)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Before you got pregnant with your new baby, had you ever heard or read about emergency birth control (the "morning-after pill")? This combination of pills is used to prevent pregnancy up to 3 days after unprotected sex.

	Percent
Yes	86.6
No	13.4
(n = 1,907) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Are you or your husband or partner doing anything *now* to keep from getting pregnant?

	Percent
No	10.6
Yes	89.4
(n = 1,898) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check all that apply.

	Percent
I am not having sex	35.8
I want to get pregnant	16.2
I don't want to use birth control	35.2
My husband or partner doesn't want to use anything	14.5
I don't think I can get pregnant (sterile)	12.6
I can't pay for birth control	10.5
I am pregnant now	2.7
Other	26.4
(n = 217)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What kind of birth control are you or your husband or partner using *now* to keep from getting pregnant? Check all that apply.

	Percent
Tubes tied or closed (female sterilization)	10.6
Vasectomy (male sterilization)	3.2
Pill	25.7
Condoms	36.1
Shot once a month (Lunelle)	0.7
Shots once every 3 months (Depo-Provera)	9.9
Contraceptive patch (OrthoEvra)	2.1
Diaphragm, cervical cap, or sponge	0.4
Cervical ring (NuvaRing or others)	1.1
IUD (including Mirena)	16.7
Rhythm method or natural family planning	4.3
Withdrawal (pulling out)	13.1
Not having sex (abstinence)	10.9
Other	3.0
(n = 1,668)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin or a prenatal vitamin? These are pills that contain many different vitamins and minerals.

	Percent
I didn't take a multivitamin or a prenatal vitamin at all	48.4
1 to 3 times a week	10.7
4 to 6 times a week	8.1
Every day of the week	32.8
(n = 1,941) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food?

	Percent
No	89.7
Yes	10.3
(n = 1,885) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?

	Percent
No	28.8
Yes	71.2
(n = 1,671) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

After your baby was born was he or she put in an intensive care unit?

	Percent
No	89.1
Yes	10.9
(n = 1,898) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

After your baby was born, how long did he or she stay in the hospital?

	Percent
Less than 24 hours (less than 1 day)	7.1
24 to 48 hours (1 to 2 days)	51.5
3 days	22.2
4 days	9.0
5 days	2.6
6 days or more	5.9
My baby was not born in a hospital	1.6
My baby is still in the hospital	0.1
(n = 1,915) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital?

	Percent
No	10.1
Yes	89.1
(n = 1,874) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Has your new baby had a well-baby checkup?
(A well-baby checkup is a regular health visit for your baby usually at 2, 4, or 6 months of age.)

	Percent
No	2.4
Yes	97.6
(n = 1,875) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How do you *most often* lay your baby down to sleep now?

	Percent
Side	14.5
Back	75.5
Stomach	6.7
Side/Back	2.6
Side/Stomach	0.3
Back/Stomach	0.2
All 3 positions	0.2
(n = 1,875) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How often does your new baby sleep in the same bed with you or anyone else?

	Percent
Always	20.7
Often	22.1
Sometimes	17.6
Rarely	21.7
Never	17.9
(n = 1,869) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Just before you got pregnant, did you have health insurance? Do not count Oregon Health Plan or Medicaid.

	Percent
No	41.3
Yes	58.7
(n = 1,946) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Just before you got pregnant, were you on Oregon Health Plan or Medicaid?

	Percent
No	89.6
Yes	10.4
(n = 1,935) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How was your prenatal care paid for? Check all that apply.

	Percent
Oregon Health Plan or Medicaid	39.2
Personal income (cash, check, or credit card)	28.2
Health insurance or HMO (including insurance from your work or your husband's work)	57.5
Indian Health Service	1.2
Other	4.1
<small>(n = 1,893) Denominator is respondents who had prenatal care.</small>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How was your delivery paid for?

	Percent
Oregon Health Plan or Medicaid	44.3
Personal income (cash, check, or credit card)	25.5
Health insurance or HMO (including insurance from your work or your husband's work)	56.0
Indian Health Service	0.5
Other	3.2
(n= 1,919) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before you got pregnant, were you physically hurt in any way by your husband or partner?

	Percent
No	97.1
Yes	2.9
(n = 1,755) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before you got pregnant, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

	Percent
No	97.0
Yes	3.0
(n = 1,752) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, were you physically hurt in any way by your husband or partner?

	Percent
No	98.3
Yes	1.7
(n = 1,754) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

	Percent
No	97.9
Yes	2.1

(n = 1,752) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby?

	Percent
No	42.4
Yes	57.6
(n = 1,889) Denominator is respondents who had prenatal care.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.
I needed to see a dentist for a problem**

	Percent
No	69.9
Yes	30.1
(n = 1,885) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.
I went to a dentist or dental clinic**

	Percent
No	56.1
Yes	43.9
(n = 1,884) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.
A dental or other health care worker talked with me about how to care for my teeth and gums**

	Percent
No	53.9
Yes	46.1
(n = 1,885) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

	Percent
Within the past year (less than 12 months)	46.0
1 to less than 2 years (12 to 23 months)	20.6
2 to less than 5 years (24 to 59 months)	19.6
5 or more years (60 or more months)	9.7
Never	4.1
(n = 1,911) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?

	Percent
No	68.0
Yes	32.0
(n = 1,866) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Do you ever put your baby to bed with a bottle?

	Percent
No	92.5
Yes	7.5
(n = 1,869) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What do you put in the bottles that your baby takes to bed? Check all that apply.

	Percent
Water	10.3
Something other than water	94.7
(n = 167) Denominator is respondents who have put their baby to bed with a bottle.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

In the *past month*, how many days a week did you get at least 30 minutes of physical activity or exercise? (For example, walking, dancing, yard work, or sweeping.)

	Percent
Less than 1 day per week	22.0
1 to 4 days per week	53.2
5 or more days per week	24.9
(n = 1,895) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Before you got pregnant with your new baby, did you ever have any other babies who were born alive?

	Percent
No	41.2
Yes	58.8
(n = 1,931) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did the baby born *just before* your new one weigh 5 pounds, 8 ounces (2.5 kilos) or less at birth?

		Percent
	No	92.3
	Yes	7.7
<small>(n = 1,027) Denominator is respondents who have previously had a live baby.</small>		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Was the baby *just before* your new one born *more than 3 weeks* before its due date?

	Percent
No	89.4
Yes	10.6
(n = 1,041) Denominator is respondents who have previously had a live baby.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

	Percent
I wanted to be pregnant sooner	16.3
I wanted to be pregnant later	30.5
I wanted to be pregnant then	45.7
I didn't want to be pregnant then or at any time in the future	7.4

(n = 1,922) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months pregnant were you when you had your first visit for prenatal care?

	Percent
less than 1 month	6.8
1 to 1.9 months	39.1
2 to 2.9 months	34.1
3 to 3.9 months	12.0
4 to 4.9 months	4.8
5 to 5.9 months	1.7
6 to 6.9 months	1.0
7 to 7.9 months	0.4
8 to 8.9 months	0.1
9 months	0.0
(n = 1,836) Denominator is all survey respondents who had prenatal care.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
No	15.3
Yes	84.3
I did not want prenatal care	0.4

(n = 1,928) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I couldn't get an appointment when I wanted one**

	Percent
No	89.8
Yes	10.2
(n = 1,920)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I didn't have enough money or insurance to pay for my visits**

	Percent
No	88.0
Yes	12.0
(n = 1,819)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I had no way to get to the clinic or doctor's office**

	Percent
No	93.1
Yes	6.9
(n = 1,803)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I couldn't take time off from work**

	Percent
No	95.3
Yes	4.7
(n = 1,791)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
The doctor or my health plan would not start care as early as I wanted**

	Percent
No	92.3
Yes	7.7
(n = 1,793)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I didn't have my Oregon Health Plan or Medicaid card**

	Percent
No	89.0
Yes	11.0
(n = 1,792)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I had no one to take care of my children**

	Percent
No	93.6
Yes	6.4
(n = 1,786)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I had too many other things going on**

	Percent
No	92.9
Yes	7.1
(n = 1,788)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
I did not want anyone to know I was pregnant**

	Percent
No	96.1
Yes	3.9
(n = 1,790)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.
Other**

	Percent
No	91.8
Yes	8.2
(n = 1,353)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Where did you go *most of the time* for your prenatal visits? Do not include visits for WIC.

	Percent
Hospital clinic	21.9
Health department clinic	10.2
Private doctor's office or HMO clinic	51.9
Midwife's office	12.4
At home	0.4
Other	3.2
(n = 1,858) Denominator is respondents who had prenatal care.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
How smoking during pregnancy could affect my baby**

	Percent
No	30.5
Yes	69.5
(n = 1,920)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Breastfeeding my baby**

	Percent
No	13.6
Yes	86.4
(n = 1,874)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
How drinking alcohol during pregnancy could affect my baby**

	Percent
No	28.9
Yes	71.1
(n = 1,864)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Using a seatbelt during my pregnancy**

	Percent
No	54.4
Yes	45.6
(n = 1,864)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Birth control methods to use after my pregnancy**

	Percent
No	12.9
Yes	87.1
(n = 1,871)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Medicines that are safe to take during my pregnancy**

	Percent
No	11.1
Yes	88.9
(n = 1,871)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
How using illegal drugs could affect my baby**

	Percent
No	35.9
Yes	64.1
(n = 1,864)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?

**Please count only discussions, not reading materials or videos.
Doing tests to screen for birth defects or diseases that run in my family**

	Percent
No	7.9
Yes	92.1
(n = 1,871)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
What to do if my labor starts early**

	Percent
No	14.0
Yes	86.0
(n = 1,867)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Getting tested for HIV (the virus that causes AIDS)**

	Percent
No	23.8
Yes	76.2
(n = 1,863)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?
Please count only discussions, not reading materials or videos.
Physical abuse to women by their husbands or partners**

	Percent
No	42.3
Yes	57.7
(n = 1,920)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

A close family member was very sick and had to go into the hospital

	Percent
No	79.2
Yes	20.8

(n = 1,914) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before* your new baby was born.

I got separated or divorced from my husband or partner

	Percent
No	90.7
Yes	9.3
(n = 1,914) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.
I moved to a new address**

	Percent
No	57.5
Yes	42.5
(n = 1,916) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Oregon PRAMS: 2006 Results

Prenatal Stress

This question is about things that may have happened during the *12 months before* your new baby was born.

I was homeless

		Percent
	No	94.8
	Yes	5.2
(1,911) Denominator is all survey respondents.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*
My husband or partner lost his job

	Percent
No	86.7
Yes	13.3

(n = 1,900) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

I lost my job even though I wanted to go on working

	Percent
No	90.8
Yes	9.2
(n = 1,902) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

I argued with my husband or partner more than usual

	Percent
No	78.4
Yes	21.6

(n = 1,904) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

My husband or partner said he didn't want me to be pregnant

	Percent
No	92.4
Yes	7.6
(n = 1,908) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before* your new baby was born.
I had a lot of bills I couldn't pay

	Percent
No	75.4
Yes	24.6

(n = 1,911) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*
I was in a physical fight

	Percent
No	96.6
Yes	3.4
(n = 1,912) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*
My husband or partner or I went to jail

	Percent
No	95.7
Yes	4.3
(n = 1,914) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

Someone very close to me had a bad problem with drinking or drugs

	Percent
No	85.6
Yes	14.4

(n = 1,916) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.*
Someone very close to me died**

	Percent
No	86.3
Yes	13.7
(n = 1,913) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
High blood sugar (diabetes) that started *before* this pregnancy**

	Percent
No	98.0
Yes	2.0
(n = 1,921) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
High blood sugar (diabetes) that started *during* this pregnancy**

	Percent
No	91.5
Yes	8.5
(n = 1,918) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Vaginal bleeding**

	Percent
No	85.4
Yes	14.6
(n = 1,920) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Kidney or bladder (urinary tract) infection**

	Percent
No	84.6
Yes	15.4
(n = 1,924) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Severe nausea, vomiting, or dehydration**

	Percent
No	70.6
Yes	29.4
(n = 1,921) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Cervix had to be sewn shut (incompetent cervix)**

	Percent
No	98.8
Yes	1.2
(n = 1,922) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]),
preeclampsia, or toxemia**

	Percent
No	89.0
Yes	11.0

(n = 1,921) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Problems with the placenta (such as abruptio placentae or placenta previa)**

	Percent
No	95.9
Yes	4.1
(n = 1,903) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Labor pains more than 3 weeks before my baby was due (preterm or early labor)**

	Percent
No	78.5
Yes	21.5
(n = 1,919) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
Water broke more than 3 weeks before my baby was due (premature rupture of the membranes [PROM])**

	Percent
No	95.1
Yes	4.9
(n = 1,920) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
I had to have a blood transfusion**

	Percent
No	99.8
Yes	0.2
(n = 1,921) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?
I was hurt in a car accident**

	Percent
No	98.7
Yes	1.3
(n = 1,925) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you do any of the following things because of these problems?
I went to the hospital or emergency room and stayed less than 1 day**

	Percent
No	55.4
Yes	44.6
(n = 1,163)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did you do any of the following things because of these problems?
I went to the hospital and stayed 1 to 7 days**

	Percent
No	81.9
Yes	18.1
(n = 1,134)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did you do any of the following things because of these problems?
I went to the hospital and stayed more than 7 days**

	Percent
No	96.9
Yes	3.1
(n = 1,113)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did you do any of the following things because of these problems?
I stayed in a bed at home more than 2 days because of my doctor's or nurse's advice**

	Percent
No	66.6
Yes	33.4
(n = 1,137)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?
Did you *receive*~
Help with an alcohol or drug problem

	Percent
No	98.1
Yes	1.9
(n = 1,900) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?
Did you *receive*~
Help to reduce violence in your home

	Percent
No	98.5
Yes	1.5
(n = 1,895) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?
Did you *receive*~
Counseling information for family and personal problems

	Percent
No	91.5
Yes	8.5
(n = 1,897) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?
**Did you *receive*~
 Help to quit smoking**

	Percent
No	95.3
Yes	4.7
(n = 1,898) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Have you smoked at least 100 cigarettes in the *past 2 years*?

	Percent
No	78.0
Yes	22.0
(n = 1,907) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	1.3
21 to 40 cigarettes	0.8
11 to 20 cigarettes	6.6
6 to 10 cigarettes	6.9
1 to 5 cigarettes	4.6
Less than 1 cigarette	1.0
None (0 cigarettes)	78.8
(n = 1,905) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

In the *last 3 months* of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	0.2
21 to 40 cigarettes	0.0
11 to 20 cigarettes	1.0
6 to 10 cigarettes	3.0
1 to 5 cigarettes	5.0
Less than 1 cigarette	1.5
None (0 cigarettes)	89.3
(n = 1,903) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many cigarettes do you smoke on an average day *now*? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	0.2
21 to 40 cigarettes	0.2
11 to 20 cigarettes	2.9
6 to 10 cigarettes	4.8
1 to 5 cigarettes	5.6
Less than 1 cigarette	1.3
None (0 cigarettes)	85.0
(n = 1,907) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were smoking cigarettes?

		Percent
	No	7.0
	Yes	93.0
(n = 1,884) Denominator is respondents who had prenatal care.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?

	Percent
Yes, during my prenatal care visits	6.9
Yes, after my delivery	0.2
Yes, both times	9.0
No	18.9
No, I did not smoke at that time	65.0
(n = 1,883) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?

	Percent
Yes, during my prenatal care visits	18.7
Yes, after my delivery	5.3
Yes, both times	38.8
No	37.3
(n = 1,855) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

About how many hours a day, on average, is your new baby in the same room with someone who is smoking?

	Percent
My baby is never in the same room with someone who is smoking	97.3
One hour or less	2.2
Two or more hours	0.5
(n = 1,851) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Not including yourself, is there anyone in your household who smokes cigarettes, cigars, or pipes?

	Percent
No	77.6
Yes	22.4
(n = 1,914) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Which of the following statements best describes the rules about smoking *inside* your home now?

	Percent
No one is allowed to smoke anywhere inside my home	98.1
Smoking is allowed in some rooms or at some times	1.6
Smoking is permitted anywhere inside my home	0.3
(n = 1,900) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Oregon PRAMS: 2006 Results

During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?

	Percent
No	48.4
Yes	51.6
(n = 1,920) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2006 through March 2007. Child's dates of birth were from 1/1/2006 through 12/31/2006.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2006 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)