

During the *3 months before you got pregnant*, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	1.8
7 to 13 drinks a week	2.7
4 to 6 drinks a week	8.6
1 to 3 drinks a week	18.5
Less than 1 drink a week	28.4
I didn't drink then	40.0
(n = 1,416) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *3 months before you got pregnant*, how many times did you drink 4 alcoholic drinks or more in one sitting?

	Percent
<b>6 or more times</b>	2.9
<b>4 to 5 times</b>	3.4
<b>2 to 3 times</b>	9.9
<b>1 time</b>	8.9
<b>I didn't have 4 drinks or more in one sitting</b>	74.9
(n = 1,416) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	0.0
7 to 13 drinks a week	0.0
4 to 6 drinks a week	0.3
1 to 3 drinks a week	1.3
Less than 1 drink a week	7.3
I didn't drink then	91.1
(n = 1,626) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many times did you drink 4 alcoholic drinks or more in one sitting?

	Percent
<b>6 or more times</b>	0.0
<b>4 to 5 times</b>	0.0
<b>2 to 3 times</b>	0.0
<b>1 time</b>	0.8
<b>I didn't have 4 drinks or more in one sitting</b>	99.2
(n = 726) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were drinking alcoholic beverages (beer, wine, wine cooler, or liquor)?**

	Percent
<b>No</b>	10.0
<b>Yes</b>	90.0
(n = 1,605) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Mother's Age (Years)**

	<b>Percent</b>
<b>Less than 18</b>	2.9
<b>18 to 19</b>	5.4
<b>20 to 24</b>	20.9
<b>25 - 34</b>	56.9
<b>35 or older</b>	13.0
(n = 1,652)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate:T Maternal Education**

	<b>Percent</b>
<b>Less than 12 years</b>	18.6
<b>12 years</b>	23.8
<b>13 to 16 years</b>	46.8
<b>More than 16 years</b>	10.7
(n = 1,645)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Mother's Race/Ethnicity**

	<b>Percent</b>
<b>Hispanic</b>	20.7
<b>African American<sup>+</sup></b>	2.5
<b>American Indian/Alaskan Native<sup>+</sup></b>	2.5
<b>Asian/Pacific Islander<sup>+</sup></b>	5.9
<b>White<sup>+</sup></b>	67.9
<b>Blank/Unknown<sup>+</sup></b>	0.5
(n = 1,652) +non-Hispanic	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Birth Certificate: Prenatal Care Initiation**

	Percent
No 1st trimester initiation	27.6
1st trimester care initiation	72.4
(n = 1,641)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth certificate: Birthweight category**

	Percent
Low birthweight (< 2500g)	5.3
Normal birthweight (2500 - 3499g)	53.6
High birthweight (>= 3500g)	41.1
(n = 1,652)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Marital status**

	Percent
<b>All else</b>	36.8
<b>Married</b>	63.2
(n = 1,650)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: WIC Enrollment During Pregnancy**

	<b>Percent</b>
<b>No</b>	53.8
<b>Yes</b>	46.2
(n = 1,611)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Parity (Number of Previous Live Births)**

	Percent
<b>First born</b>	41.8
<b>Not first born</b>	58.2
(n = 1,652)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Tobacco Use During Pregnancy**

	Percent
<b>Yes</b>	16.5
<b>No</b>	83.5
(n = 1,637)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Alcohol Use During Pregnancy**

	Percent
<b>No</b>	98.8
<b>Yes</b>	1.2
(n = 1,580)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you ever breastfeed or pump breast milk to feed your new baby after delivery, even for a short period of time?**

		Percent
	<b>No</b>	6.2
	<b>Yes</b>	93.8
(n = 1,601) Denominator: respondents whose babies live with them now		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Are you currently breastfeeding or feeding pumped milk to your new baby?**

		Percent
	<b>No</b>	31.5
	<b>Yes</b>	68.5
(n = 1,601) Denominator: respondents whose new babies are living with them now and have breastfed their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many weeks or months did you breastfeed or pump milk to feed your baby?

	Percent
<b>I didn't breastfeed my baby</b>	6.2
<b>Less than 1 week</b>	2.4
<b>1.0 to 2.9 weeks</b>	4.7
<b>3.0 to 4.9 weeks</b>	8.8
<b>5.0 to 6.9 weeks</b>	3.4
<b>7.0 to 8.9 weeks</b>	4.8
<b>9.0 to 10.9 weeks</b>	0.9
<b>11.0 or more weeks</b>	68.8

(n = 1,593) Denominator: respondents whose new babies are living with them now and had breastfed their baby but are not breastfeeding anymore

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar, sugar water, or anything else you fed your baby.**

	<b>Percent</b>
<b>My baby was less than 1 week old</b>	27.2
<b>I have not fed my baby anything besides breast milk</b>	37.0
<b>1.0 to 2.9 weeks</b>	8.2
<b>3.0 to 4.9 weeks</b>	8.5
<b>5.0 to 6.9 weeks</b>	3.8
<b>7.0 to 8.9 weeks</b>	6.6
<b>9.0 to 10.9 weeks</b>	1.5
<b>11.0 or more weeks</b>	7.2

(n = 1,484) Denominator: respondents whose babies are living with them now and had or are still breastfeeding their baby

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How old was your baby the first time he or she ate food (such as baby cereal, baby food or any other food)?**

	Percent
<b>My baby was less than 1 week old</b>	0.3
<b>I have not fed my baby anything besides breast milk</b>	82.0
<b>1.0 to 2.9 weeks</b>	0.0
<b>3.0 to 4.9 weeks</b>	0.0
<b>5.0 to 6.9 weeks</b>	0.5
<b>7.0 to 8.9 weeks</b>	2.0
<b>9.0 to 10.9 weeks</b>	0.6
<b>11.0 or more weeks</b>	14.6
(n = 1,579) Denominator: respondents whose new babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff gave me information about breastfeeding**

		Percent
	<b>No</b>	3.9
	<b>Yes</b>	96.1
(n = 1,464) Denominator: respondents whose new babies were born in a hospital and are living with them now; these respondents have breastfed or are still breastfeeding their babies		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby stayed in the same room with me at the hospital**

		Percent
	<b>No</b>	6.3
	<b>Yes</b>	93.7
(n = 1,466) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the hospital**

		Percent
	<b>No</b>	3.1
	<b>Yes</b>	96.9
(n = 1,462) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed in the first hour after my baby was born**

		Percent
	<b>No</b>	20.8
	<b>Yes</b>	79.2
(n = 1,458) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff helped me learn how to breastfeed**

	<b>Percent</b>
<b>No</b>	16.4
<b>Yes</b>	83.6
(n = 1,462) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby was fed only breast milk at the hospital**

		Percent
	<b>No</b>	32.3
	<b>Yes</b>	67.7
(n= 1,462) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff told me to breastfeed whenever my baby wanted**

		Percent
	<b>No</b>	10.3
	<b>Yes</b>	89.7
(n = 1,459) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a gift pack with formula**

		Percent
	<b>No</b>	65.0
	<b>Yes</b>	35.0
(n = 1,454) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a telephone number to call for help with breastfeeding**

		Percent
	<b>No</b>	12.1
	<b>Yes</b>	87.9
(n = 1,464) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby used a pacifier in the hospital**

		Percent
	<b>No</b>	50.0
	<b>Yes</b>	50.0
(n = 1,458) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Is your baby alive now?**

		Percent
	<b>Yes</b>	99.8
	<b>No</b>	0.2
(n = 1,589) Denominator: respondents whose babies are not in the hospital anymore		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Is your baby living with you now?**

	Percent
<b>Yes</b>	99.5
<b>No</b>	0.5

(n = 1,580) Denominator: respondents whose babies are alive now and not in the hospital anymore

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



During the *12 months before your new baby was born*, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have used. (All information will be kept private and will not affect any services you are now getting.)

	Percent
Less than \$10,000	20.8
\$10,000 to \$14,999	9.2
\$15,000 to \$19,999	8.7
\$20,000 to \$24,999	7.5
\$25,000 to \$34,999	9.6
\$35,000 to \$49,999	10.6
\$50,000 or more	33.6
(n = 1,557) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *12 months before your new baby was born*, how many people, including yourself, depended on this income?

	Percent
1	7.1
2	35.2
3	31.5
4	14.1
5	7.2
6	3.1
7	1.0
8	0.5
9 or more	0.3
(n = 1,604) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Mother's Body Mass Index (BMI)**

	Percent
<b>Underweight (BMI &lt; 18.5)</b>	3.4
<b>Normal (18.5 &lt;= BMI &lt; 25.0)</b>	51.5
<b>Overweight (25.0 &lt;= BMI &lt; 30.0)</b>	25.1
<b>Obese (BMI &gt;= 30.0)</b>	19.9
(n = 1,566)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**What to do if I feel depressed during my pregnancy or after my baby is born**

	Percent
<b>No</b>	24.0
<b>Yes</b>	76.0
(n = 1,601) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many weeks or months pregnant were you when you were *sure* you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)**

	Percent
<b>1.0 to 7.9 weeks</b>	78.2
<b>8.0 to 12.9 weeks</b>	13.4
<b>13.0 to 17.9 weeks</b>	6.6
<b>18.0 to 22.9 weeks</b>	1.0
<b>23.0 or more weeks</b>	0.8
(n = 1,580) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2008 through March 2009. Child's dates of birth were from 1/1/2008 through 12/31/2008.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2008 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**When you got pregnant with your new baby, were you trying to get pregnant?**

	Percent
<b>No</b>	50.3
<b>Yes</b>	49.7
(n = 1,591) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?

	Percent
<b>No</b>	48.9
<b>Yes</b>	51.1
(n = 842) Denominator: respondents who were not trying to get pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant? Check all that apply.**

	Percent
I didn't mind if I got pregnant	47.4
I thought I could not get pregnant at that time	30.8
I had side effects from the birth control method I was using	13.3
I had problems getting birth control when I needed it	9.2
I thought my husband or partner or I was sterile (could not get pregnant at all)	8.3
My husband or partner didn't want to use anything	19.7
Other	16.2
(n = 415) Denominator: respondents who were not trying to get pregnant but who were not doing anything to keep from getting pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**When you got pregnant with your new baby, what were you or your husband or partner using to keep from getting pregnant? Check all that apply.**

	Percent
Tubes tied or closed (female sterilization)	0.9
Vasectomy (male sterilization)	0.0
Pills	26.6
Condoms	42.1
Shot once every 3 months (Depo-Provera)	3.8
Contraceptive implant (Implanon)	1.0
Contraceptive patch (OrthoEvra)	1.7
Diaphragm, cervical cap, or sponge	1.1
Vaginal ring (NuvaRing)	8.0
IUD (including Mirena)	3.1
Rhythm method or natural family planning	18.1
Withdrawal (pulling out)	38.7
Not having sex (abstinence)	5.2
Emergency contraception (The "morning-after" pill)	7.4
Other	4.2

(n = 426) Denominator: respondents who were not trying to get pregnant and were doing something to keep from getting pregnant

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**Are you or your husband or partner doing anything *now* to keep from getting pregnant?**

	Percent
<b>No</b>	10.0
<b>Yes</b>	90.0
(n = 1,611) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check all that apply.**

	Percent
I am not having sex	44.3
I want to get pregnant	17.9
I don't want to use birth control	24.1
My husband or partner doesn't want to use anything	13.8
I don't think I can get pregnant (sterile)	5.6
I can't pay for birth control	11.5
I am pregnant now	0.6
Other	24.5
(n = 227) Denominator: respondents who are not doing anything <i>now</i> to keep from getting pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What kind of birth control are you or your husband or partner using *now* to keep from getting pregnant? Check all that apply.

	Percent
Tubes tied or closed (female sterilization)	10.8
Vasectomy (male sterilization)	4.3
Pill	20.4
Condoms	31.7
Contraceptive Implant (Implanon)	1.1
Shots once every 3 months (Depo-Provera)	5.9
Contraceptive patch (OrthoEvra)	0.4
Diaphragm, cervical cap, or sponge	0.6
Cervical ring (NuvaRing or others)	2.0
IUD (including Mirena)	24.6
Rhythm method or natural family planning	4.2
Withdrawal (pulling out)	11.7
Not having sex (abstinence)	9.4
Emergency contraception (The "morning-after" pill)	2.9
Other	2.9
(n = 1,393) Denominator: respondents who are doing something to keep from getting pregnant <i>now</i>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

**At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker offer you a flu vaccination or tell you to get one?**

	Percent
<b>No</b>	33.9
<b>Yes</b>	66.1
(n = 1,621) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did your new baby have any well-baby shots or vaccinations before he or she was 3 months old?**

	Percent
No	11.1
Yes	84.8
<b>My child has not had any well-baby shots but he or she is not 3 months old yet</b>	4.1
(n = 1,592) Denominator: respondents whose babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Since your new baby was born, did a doctor, nurse, or other health care worker offer you the Tdap (pertussis/whooping cough) vaccine for yourself?**

	Percent
<b>No</b>	69.7
<b>Yes</b>	30.3
(n = 1,568) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

	Percent
I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin at all	50.0
1 to 3 times a week	10.5
4 to 6 times a week	8.1
Every day of the week	31.4
(n = 1,638) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2010.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food?**

	Percent
<b>No</b>	89.4
<b>Yes</b>	10.6
(n = 1,619) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?**

	Percent
<b>No</b>	29.8
<b>Yes</b>	70.2
(n = 1,313) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your baby was born was he or she put in an intensive care unit?**

	Percent
<b>No</b>	92.1
<b>Yes</b>	7.9
(n = 1,613) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your baby was born, how long did he or she stay in the hospital?**

	<b>Percent</b>
<b>Less than 24 hours (less than 1 day)</b>	5.8
<b>24 to 48 hours (1 to 2 days)</b>	57.7
<b>3 to 5 days</b>	29.6
<b>6 to 14 days</b>	2.2
<b>More than 14 days</b>	2.0
<b>My baby was not born in a hospital</b>	2.7
<b>My baby is still in the hospital</b>	0.0
(n = 1,604) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Was your new baby seen by a doctor, nurse, or other health care worker for a *one week check-up* after he or she was born?**

	Percent
<b>No</b>	8.6
<b>Yes</b>	91.4
(n = 1,598) Denominator: respondents whose babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In which *one*<1> *position do you most often lay your baby down to sleep now?*

	Percent
Side	12.9
Back	78.7
Stomach	6.3
Side/Back	1.8
Side/Stomach	0.1
Back/Stomach	0.1
All 3 positions	0.1
(n = 1,599) Denominator: respondents whose babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *month before* you got pregnant with your new baby, were you covered by any of these health insurance plans?

	Percent
Health insurance from your job or the job of your husband, partner, or parents	52.6
Health insurance that you or someone else paid for (not from a job)	7.7
Oregon Health Plan or Medicaid	14.2
Tricare or other military health care	1.1
Indian Health Service	0.7
Other source(s)	1.9
I did not have any health insurance before I got pregnant	26.7
(n = 1,630) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did any of these health insurance plans help you pay for your *prenatal care*? Check all that apply.

	Percent
Health insurance from your job or the job of your husband, partner or parents	50.0
Health insurance that you or someone else paid for(not from a job)	6.6
Oregon Health plan or Medicaid	44.5
TRICARE or other military health care	0.8
Indian Health Service	0.4
Other source(s)	2.6
I do not have health insurance to help pay for my prenatal care	2.3
(n = 1,786) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2008 through March 2009. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**How was your delivery paid for? Check all that apply.**

	<b>Percent</b>
<b>Health insurance from your job or the job of your husband, partner, or parents</b>	47.6
<b>Health insurance that you or someone else paid for (not from a job)</b>	5.1
<b>Oregon Health Plan or Medicaid</b>	48.3
<b>TRICARE or other military health care</b>	1.0
<b>Indian Health Service</b>	0.4
<b>Other source(s)</b>	1.7
<b>I did not have health insurance to help pay for my delivery</b>	1.1
(n= 1,633) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?**

	Percent
<b>No</b>	98.1
<b>Yes</b>	1.9

(n = 1,470) Denominator: all respondents at least 18 years old

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?**

	Percent
<b>No</b>	98.5
<b>Yes</b>	1.5

(n = 1,470) Denominator: all respondents at least 18 years old

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby?**

	Percent
<b>No</b>	35.7
<b>Yes</b>	64.3
(n = 1,604) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
I needed to see a dentist for a problem**

	Percent
<b>No</b>	68.8
<b>Yes</b>	31.2
(n = 1,588) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
I went to a dentist or dental clinic**

	Percent
<b>No</b>	46.5
<b>Yes</b>	53.5
(n = 1,596) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
A dental or other health care worker talked with me about how to care for my teeth and gums**

	Percent
<b>No</b>	46.8
<b>Yes</b>	53.2
(n = 1,589) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Since your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?**

	Percent
<b>No</b>	67.7
<b>Yes</b>	32.3
(n = 1,584) Denominator: respondents whose new babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I was dieting (changing my eating habits) to lose weight**

	Percent
<b>No</b>	73.0
<b>Yes</b>	27.0
(n = 1,636) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?  
I was exercising 3 or more days of the week**

	Percent
<b>No</b>	52.9
<b>Yes</b>	47.1

(n = 1,634) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2008 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I was regularly taking prescription medicines other than birth control**

	Percent
<b>No</b>	79.0
<b>Yes</b>	21.0

(n = 1,637) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for diabetes**

	Percent
<b>No</b>	93.5
<b>Yes</b>	6.5
(n = 1,637) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for high blood pressure**

	Percent
<b>No</b>	93.6
<b>Yes</b>	6.4
(n = 1,637) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for depression or anxiety**

	Percent
<b>No</b>	84.4
<b>Yes</b>	15.6

(n = 1,633) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I talked to a health care worker about my family medical history**

	Percent
<b>No</b>	73.6
<b>Yes</b>	26.4

(n = 1,636) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I had my teeth cleaned by a dentist or dental hygienist**

	Percent
<b>No</b>	47.1
<b>Yes</b>	52.9

(n = 1,635) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes?**

	Percent
<b>No</b>	97.8
<b>Yes</b>	2.2
(n = 1,623) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Before you got pregnant with your new baby, did you ever have any other babies who were born alive?**

	Percent
<b>No</b>	42.3
<b>Yes</b>	57.7

(n = 1,607) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did the baby born *just before* your new one weigh *more* than 5 pounds, 8 ounces (2.5 kilos) at birth?**

	Percent
<b>No</b>	8.9
<b>Yes</b>	91.1
(n = 899) Denominator: respondents who have previously had a live baby	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Was the baby *just before* your new one born *more than 3 weeks* before his or her due date?**

	Percent
No	87.0
Yes	13.0
(n = 901) Denominator: respondents who have previously had a live baby	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

	Percent
I wanted to be pregnant sooner	16.0
I wanted to be pregnant later	32.8
I wanted to be pregnant then	42.8
I didn't want to be pregnant then or at any time in the future	8.4
(n = 1,604) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How much later did you want to get pregnant?**

	<b>Percent</b>
<b>Less than 1 year</b>	14.4
<b>1 year to less than 2 years</b>	29.6
<b>2 years to less than 3 years</b>	23.2
<b>3 years to less than 4 years</b>	11.3
<b>4 years or more</b>	21.6
(n = 540) Denominator: all respondents who replied "I wanted to be pregnant later" in the pregnancy intendedness question	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many weeks or months pregnant were you when you had your first visit for prenatal care?

	Percent
Less than 1 month	5.2
1 to 1.9 months	39.6
2 to 2.9 months	34.5
3 to 3.9 months	9.8
4 to 4.9 months	5.2
5 to 5.9 months	4.0
6 to 6.9 months	1.2
7 to 7.9 months	0.4
8 to 8.9 months	0.1
9 months	0.0
(n = 1,608) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2008 through March 2009. Child's dates of birth were from 1/1/2008 through 12/31/2008.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2008 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you get prenatal care as early in your pregnancy as you wanted?**

	Percent
<b>No</b>	20.2
<b>Yes</b>	79.8

(n = 1,615) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Here is a list of problems some women can have getting prenatal care.  
I couldn't get an appointment when I wanted one**

		Percent
	<b>No</b>	57.5
	<b>Yes</b>	42.5
(n = 346) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't have enough money or insurance to pay for my visits**

		Percent
	<b>No</b>	53.8
	<b>Yes</b>	46.2
(n = 346) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had no transportation to get to the clinic or doctor's office**

		Percent
	No	89.0
	Yes	11.0
(n = 337) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I couldn't take time off from work or school**

		Percent
	<b>No</b>	93.7
	<b>Yes</b>	6.3
(n = 336) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
The doctor or my health plan would not start care as early as I wanted**

		Percent
	<b>No</b>	68.9
	<b>Yes</b>	31.1
(n = 340) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't have my Oregon Health Plan or Medicaid card**

		Percent
	<b>No</b>	52.4
	<b>Yes</b>	47.6
(n = 340) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had no one to take care of my children**

		Percent
	<b>No</b>	93.7
	<b>Yes</b>	6.3
(n = 336) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had too many other things going on**

		Percent
	<b>No</b>	82.2
	<b>Yes</b>	17.8
(n = 336) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Here is a list of problems some women can have getting prenatal care.  
I didn't want anyone else to know I was pregnant**

		Percent
	<b>No</b>	87.4
	<b>Yes</b>	12.6
(n = 339) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't know I was pregnant**

	Percent
<b>No</b>	68.3
<b>Yes</b>	31.7
(n = 339) Denominator: respondents who did not get prenatal care as early as they wanted	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't know I was pregnant**

		Percent
	<b>No</b>	98.3
	<b>Yes</b>	1.7
(n = 335) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Where did you go *most of the time* for your prenatal visits? Do not include visits for WIC.

	Percent
Hospital clinic	22.9
Health department clinic	11.1
Private doctor's office or HMO clinic	47.2
Midwife's office	13.4
At home	0.5
Other	4.9
(n = 1,598) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
How smoking during pregnancy could affect my baby**

	Percent
<b>No</b>	30.5
<b>Yes</b>	69.5
(n = 1,602) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
Breastfeeding my baby**

	Percent
<b>No</b>	14.7
<b>Yes</b>	85.3
(n = 1,600) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
How drinking alcohol during pregnancy could affect my baby**

	Percent
<b>No</b>	29.9
<b>Yes</b>	70.1
(n = 1,601) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
Using a seatbelt during my pregnancy**

	Percent
<b>No</b>	56.4
<b>Yes</b>	43.6
(n = 1,596) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Medicines that are safe to take during my pregnancy**

	Percent
No	11.1
Yes	88.9
(n = 1,603) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**How using illegal drugs could affect my baby**

	Percent
No	42.6
Yes	57.4
(n = 1,596) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
Doing tests to screen for birth defects or diseases that run in my family**

	Percent
<b>No</b>	12.2
<b>Yes</b>	87.8
(n = 1,606) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**The signs and symptoms of preterm labor (labor more than 3 weeks before the baby is due**

	Percent
<b>No</b>	19.0
<b>Yes</b>	81.0
(n = 1,595) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
Getting tested for HIV (the virus that causes AIDS)**

	Percent
<b>No</b>	33.5
<b>Yes</b>	66.5
(n = 1,592) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Physical abuse to women by their husbands or partners**

	Percent
No	45.8
Yes	54.2
(n = 1,597) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**A close family member was very sick and had to go into the hospital**

	Percent
<b>No</b>	78.2
<b>Yes</b>	21.8
(n = 1,634) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**I got separated or divorced from my husband or partner**

	Percent
<b>No</b>	91.5
<b>Yes</b>	8.5
(n = 1,630) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question is about things that may have happened during the *12 months before your new baby was born.***

**I moved to a new address**

	Percent
<b>No</b>	63.0
<b>Yes</b>	37.0
(n = 1,633) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**I was homeless**

	Percent
<b>No</b>	95.6
<b>Yes</b>	4.4
(1,629) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**My husband or partner lost his job**

	Percent
<b>No</b>	82.2
<b>Yes</b>	17.8

(n = 1,628) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**I lost my job even though I wanted to go on working**

	Percent
<b>No</b>	86.4
<b>Yes</b>	13.6

(n = 1,628) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**I argued with my husband or partner more than usual**

	Percent
<b>No</b>	77.9
<b>Yes</b>	22.1
(n = 1,631) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**My husband or partner said he didn't want me to be pregnant**

	Percent
<b>No</b>	90.1
<b>Yes</b>	9.9
(n = 1,632) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**I had a lot of bills I couldn't pay**

	Percent
<b>No</b>	72.2
<b>Yes</b>	27.8
(n = 1,632) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born*.  
**I was in a physical fight**

	Percent
<b>No</b>	98.1
<b>Yes</b>	1.9
(n = 1,629) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



This question is about things that may have happened during the *12 months before your new baby was born.*

**My husband or partner or I went to jail**

	Percent
<b>No</b>	95.4
<b>Yes</b>	4.6

(n = 1,629) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**Someone very close to me had a bad problem with drinking or drugs**

	Percent
<b>No</b>	85.2
<b>Yes</b>	14.8

(n = 1,631) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**Someone very close to me died**

	Percent
<b>No</b>	84.6
<b>Yes</b>	15.5

(n = 1,634) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Kidney or bladder (urinary tract) infection**

	Percent
<b>No</b>	85.2
<b>Yes</b>	14.8
(n = 1,617) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Severe nausea, vomiting, or dehydration**

	Percent
<b>No</b>	74.8
<b>Yes</b>	25.2
(n = 1,617) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Cervix had to be sewn shut (cerclage for incompetent cervix)**

	Percent
<b>No</b>	99.5
<b>Yes</b>	0.05
(n = 1,611) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]),  
preeclampsia, or toxemia**

	Percent
<b>No</b>	88.8
<b>Yes</b>	11.2

(n = 1,619) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Problems with the placenta (such as abruptio placentae or placenta previa)**

	Percent
<b>No</b>	96.8
<b>Yes</b>	3.2
(n = 1,608) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Did you have any of these problems during your most recent pregnancy?  
Labor pains more than 3 weeks before my baby was due (preterm or early labor)**

	Percent
<b>No</b>	80.1
<b>Yes</b>	19.9
(n = 1,622) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2010.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Water broke more than 3 weeks before my baby was due (premature rupture of the membranes [PROM])**

	Percent
<b>No</b>	95.4
<b>Yes</b>	4.6

(n = 1,617) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
I had to have a blood transfusion**

	Percent
<b>No</b>	99.3
<b>Yes</b>	0.7
(n = 1,615) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
I was hurt in a car accident**

	Percent
<b>No</b>	97.5
<b>Yes</b>	2.5
(n = 1,619) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?

Did you *receive*~

Help with an alcohol or drug problem

	Percent
<b>No</b>	99.1
<b>Yes</b>	0.9
(n = 1,625) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your most recent pregnancy, did you *receive* any of the following services?

Did you *receive*~

Help to reduce violence in your home

	Percent
<b>No</b>	99.0
<b>Yes</b>	1.0
(n = 1,616) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did you *receive* any of the following services?  
Did you *receive*~  
Counseling information for family and personal problems**

	Percent
<b>No</b>	92.2
<b>Yes</b>	7.8
(n = 1,622) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

**Someone to loan me \$50**

	Percent
<b>No</b>	21.1
<b>Yes</b>	78.9
(n = 1,621) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

Someone to help me if I were sick and I needed to be in bed

	Percent
<b>No</b>	14.6
<b>Yes</b>	85.4
(n = 1,620) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

Someone to take me to the clinic or doctor's office if I needed a ride

	Percent
No	11.3
Yes	88.7

(n = 1,620) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

**Someone to talk with about my problems**

	Percent
<b>No</b>	13.6
<b>Yes</b>	86.4

(n = 1,619) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Have you smoked at least 100 cigarettes in the *past 2 years*?**

	Percent
<b>No</b>	70.4
<b>Yes</b>	29.6
(n = 1,619) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2010.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In the *3 months before you got pregnant*, how many cigarettes did you smoke on an average day?  
(A pack has 20 cigarettes)

	Percent
41 cigarettes or more	0.0
21 to 40 cigarettes	1.5
11 to 20 cigarettes	8.0
6 to 10 cigarettes	7.3
1 to 5 cigarettes	7.1
Less than 1 cigarette	1.7
None (0 cigarettes)	74.3
(n = 1,612) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In the *last 3 months* of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	0.0
21 to 40 cigarettes	0.0
11 to 20 cigarettes	1.7
6 to 10 cigarettes	4.1
1 to 5 cigarettes	5.2
Less than 1 cigarette	1.2
None (0 cigarettes)	87.9
(n = 1,615) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many cigarettes do you smoke on an average day now? (A pack has 20 cigarettes)**

	Percent
<b>41 cigarettes or more</b>	0.0
<b>21 to 40 cigarettes</b>	0.4
<b>11 to 20 cigarettes</b>	3.9
<b>6 to 10 cigarettes</b>	4.8
<b>1 to 5 cigarettes</b>	5.8
<b>Less than 1 cigarette</b>	1.8
<b>None (0 cigarettes)</b>	83.4
(n = 1,615) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were smoking cigarettes?**

	Percent
<b>No</b>	4.8
<b>Yes</b>	95.2

(n = 1,652) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During any of your prenatal care visits, or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?**

	Percent
Yes, during my prenatal care visits	24.9
Yes, after my delivery	0.5
Yes, both times	27.2
No	11.7
No, I did not smoke at that time	35.7
(n = 377) Denominator: respondents who smoked during the 3 months before pregnancy	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?**

	Percent
<b>Yes, during my prenatal care visits</b>	19.5
<b>Yes, after my delivery</b>	5.7
<b>Yes, both times</b>	33.6
<b>No</b>	41.3
(n = 1,585) Denominator: respondents whose baby is living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Which of the following statements best describes the rules about smoking *inside* your home now?

	Percent
<b>No one is allowed to smoke anywhere inside my home</b>	98.3
<b>Smoking is allowed in some rooms or at some times</b>	1.3
<b>Smoking is permitted anywhere inside my home</b>	0.3
(n = 1,619) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Spend time with you discussing how to quit smoking**

		Percent
	<b>No</b>	54.0
	<b>Yes</b>	46.0
(n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Suggest that you set a specific date to stop smoking**

		Percent
	<b>No</b>	70.8
	<b>Yes</b>	29.2
(n = 366) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Suggest you attend a class or program to stop smoking**

		Percent
	<b>No</b>	81.1
	<b>Yes</b>	18.9

(n = 367) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

Provide you with booklets, videos, or other materials to help you quit smoking on your own

		Percent
	No	63.2
	Yes	36.8
(n = 367) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Refer you to counseling for help with quitting**

		Percent
	<b>No</b>	90.0
	<b>Yes</b>	10.0
(n = 366) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Ask if a family member or friend would support your decision to quit**

		Percent
	<b>No</b>	71.9
	<b>Yes</b>	28.1
(n = 366) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Refer you to a national or state quit line**

		Percent
	<b>No</b>	82.0
	<b>Yes</b>	18.0
(n = 365) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Recommend using nicotine gum**

		Percent
	<b>No</b>	90.3
	<b>Yes</b>	9.7
(n = 365) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Recommend using a nicotine patch**

		Percent
	<b>No</b>	87.1
	<b>Yes</b>	12.9
(n = 367) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Prescribe a nicotine nasal spray or nicotine inhaler**

		Percent
	<b>No</b>	97.7
	<b>Yes</b>	2.3
(n = 366) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

Prescribe a pill like Zyban (also known as Wellbutrin or Bupropion) or Chantix (also known as Varenicline) to help you quit

		Percent
	No	94.5
	Yes	5.5

(n = 367) (n = 368) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during *your most recent* pregnancy did you stop smoking for one day or longer because you were trying to quit?**

	Percent
<b>No</b>	16.5
<b>Yes</b>	83.5
(n = 374) Denominator: respondents who smoked during the 3 months before they got pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2009 Results

**During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?**

	Percent
<b>No</b>	53.3
<b>Yes</b>	46.7
(n = 1,629) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2009 through March 2010. Child's dates of birth were from 1/1/2009 through 12/31/2009.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)