

**During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?**

	<b>Percent</b>
<b>14 drinks or more a week</b>	0.8
<b>7 to 13 drinks a week</b>	3.2
<b>4 to 6 drinks a week</b>	6.6
<b>1 to 3 drinks a week</b>	16.7
<b>Less than 1 drink a week</b>	27.2
<b>I didn't drink then</b>	45.5
(n = 1,713) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the 3 months before you got pregnant, how many times did you drink 4 alcoholic drinks or more in one sitting?**

	Percent
<b>6 or more times</b>	2.2
<b>4 to 5 times</b>	2.8
<b>2 to 3 times</b>	8.2
<b>1 time</b>	7.3
<b>I didn't have 4 drinks or more in one sitting</b>	79.6
(n = 1,701) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	0.0
7 to 13 drinks a week	0.1
4 to 6 drinks a week	0.1
1 to 3 drinks a week	0.7
Less than 1 drink a week	7.3
I didn't drink then	91.8
(n = 1,718) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *last 3 months* of your pregnancy, how many times did you drink 4 alcoholic drinks or more in one sitting?

	Percent
6 or more times	0.1
4 to 5 times	0.0
2 to 3 times	0.2
1 time	0.3
I didn't have 4 drinks or more in one sitting	99.4
(n = 1,717) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were drinking alcoholic beverages (beer, wine, wine cooler, or liquor)?**

	Percent
<b>No</b>	11.1
<b>Yes</b>	88.9

(n = 1,711) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Mother's Age (Years)

	Percent
<b>Less than 18</b>	1.6
<b>18 to 19</b>	5.4
<b>20 to 24</b>	22.9
<b>25 - 34</b>	56.4
<b>35 or older</b>	13.6
(n = 1,755)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate:T Maternal Education**

	<b>Percent</b>
<b>Less than 12 years</b>	17.3
<b>12 years</b>	23.1
<b>13 to 16 years</b>	50.3
<b>More than 16 years</b>	9.3
(n = 1,755)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Mother's Race/Ethnicity**

	<b>Percent</b>
<b>Hispanic</b>	18.7
<b>African American<sup>+</sup></b>	2.9
<b>American Indian/Alaskan Native<sup>+</sup></b>	3.0
<b>Asian/Pacific Islander<sup>+</sup></b>	6.3
<b>White<sup>+</sup></b>	68.3
<b>Blank/Unknown<sup>+</sup></b>	0.8
(n = 1,755) +non-Hispanic	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Birth Certificate: Prenatal Care Initiation**

	Percent
No 1st trimester initiation	22.3
1st trimester care initiation	77.7
(n = 1,738)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth certificate: Birthweight category**

	Percent
Low birthweight (< 2500g)	4.5
Normal birthweight (2500 - 3499g)	51.6
High birthweight (>= 3500g)	43.9
(n = 1,755)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Marital status**

	Percent
All else	35.2
Married	64.8
(n = 1,753)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: WIC Enrollment During Pregnancy

	Percent
No	53.1
Yes	46.9
(n = 1,716)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Parity (Number of Previous Live Births)**

	Percent
<b>First born</b>	41.8
<b>Not first born</b>	58.2
(n = 1,755)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Tobacco Use During Pregnancy

	Percent
Yes	10.9
No	89.1
(n = 1,740)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Alcohol Use During Pregnancy

	Percent
No	99.6
Yes	0.4
(n = 1,755)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you ever breastfeed or pump breast milk to feed your new baby after delivery, even for a short period of time?**

	<b>Percent</b>
<b>No</b>	5.2
<b>Yes</b>	94.8
(n = 1,692) Denominator: respondents whose babies live with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Are you currently breastfeeding or feeding pumped milk to your new baby?**

		Percent
	<b>No</b>	31.6
	<b>Yes</b>	68.4

(n = 1,600) Denominator: respondents whose new babies are living with them now and have breastfed their new baby

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many weeks or months did you breastfeed or pump milk to feed your baby?

	Percent
I didn't breastfeed my baby	5.2
Less than 4 weeks	9.3
4.0 to 7.9 weeks	10.2
At least 8.0 weeks	75.3
(n = 1,604) Denominator: respondents whose new babies are living with them now and had breastfed their baby but are not breastfeeding anymore	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar, sugar water, or anything else you fed your baby.**

	<b>Percent</b>
<b>My baby was less than 1 week old</b>	22.4
<b>I have not fed my baby anything besides breast milk</b>	40.6
<b>1.0 to 2.9 weeks</b>	7.5
<b>3.0 to 4.9 weeks</b>	10.3
<b>5.0 to 6.9 weeks</b>	4.6
<b>7.0 to 8.9 weeks</b>	6.5
<b>9.0 to 10.9 weeks</b>	0.6
<b>11.0 or more weeks</b>	7.5

(n = 1,570) Denominator: respondents whose babies are living with them now and had or are still breastfeeding their baby

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How old was your baby the first time he or she ate food (such as baby cereal, baby food or any other food)?**

	Percent
<b>My baby was less than 1 week old</b>	0.3
<b>I have not fed my baby anything besides breast milk</b>	81.6
<b>1.0 to 2.9 weeks</b>	0.0
<b>3.0 to 4.9 weeks</b>	0.2
<b>5.0 to 6.9 weeks</b>	0.0
<b>7.0 to 8.9 weeks</b>	1.7
<b>9.0 to 10.9 weeks</b>	1.2
<b>11.0 or more weeks</b>	15.0
(n = 1,681) Denominator: respondents whose new babies are living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

### Hospital staff gave me information about breastfeeding

		Percent
	<b>No</b>	4.7
	<b>Yes</b>	95.3
(n = 1,548) Denominator: respondents whose new babies were born in a hospital and are living with them now; these respondents have breastfed or are still breastfeeding their babies		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby stayed in the same room with me at the hospital**

		Percent
	<b>No</b>	5.8
	<b>Yes</b>	94.2
(n = 1,546) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the hospital**

	<b>Percent</b>
<b>No</b>	3.2
<b>Yes</b>	96.8
(n = 1,547) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby	

- **All results are weighted.**
- **These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.**
- **The number of respondents (n) is the number of women who chose the responses above.**
- **Percents may not add to 100.0 due to rounding.**

**\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed in the first hour after my baby was born**

		Percent
	<b>No</b>	18.3
	<b>Yes</b>	81.7
(n = 1,541) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff helped me learn how to breastfeed**

		Percent
	<b>No</b>	15.6
	<b>Yes</b>	84.4
(n = 1,543) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby was fed only breast milk at the hospital**

		<b>Percent</b>
	<b>No</b>	28.2
	<b>Yes</b>	71.8
(n= 1,546) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff told me to breastfeed whenever my baby wanted**

		Percent
	<b>No</b>	8.7
	<b>Yes</b>	91.3
(n = 1,540) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a gift pack with formula**

		Percent
	<b>No</b>	70.8
	<b>Yes</b>	29.2
(n = 1,542) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a telephone number to call for help with breastfeeding**

		Percent
	<b>No</b>	12.2
	<b>Yes</b>	87.8
(n = 1,545) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby used a pacifier in the hospital**

		Percent
	<b>No</b>	50.8
	<b>Yes</b>	49.2
(n = 1,458) Denominator: respondents whose new babies were born in a hospital and have breastfed or are still breastfeeding their new baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Is your baby alive now?**

	Percent
<b>Yes</b>	99.8
<b>No</b>	0.2
(n = 1,692) Denominator: respondents whose babies are not in the hospital anymore	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Is your baby living with you now?

	Percent
<b>Yes</b>	99.57
<b>No</b>	0.3

(n = 1,683) Denominator: respondents whose babies are alive now and not in the hospital anymore

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have used. (All information will be kept private and will not affect any services you are now getting.)**

	Percent
Less than \$10,000	22.3
\$10,000 to \$14,999	9.3
\$15,000 to \$19,999	6.4
\$20,000 to \$24,999	9.6
\$25,000 to \$34,999	10.0
\$35,000 to \$49,999	12.1
\$50,000 or more	30.2
(n = 1,628) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the 12 months before your new baby was born, how many people, including yourself, depended on this income?**

	Percent
1	6.4
2	34.2
3	30.8
4	16.4
5	7.3
6	2.5
7	0.9
8	0.8
9 or more	0.7
(n = 1,683) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

<b>Mother's Body Mass Index (BMI)</b>	
	<b>Percent</b>
<b>Underweight (BMI &lt; 18.5)</b>	3.0
<b>Normal (18.5 &lt;= BMI &lt; 25.0)</b>	53.1
<b>Overweight (25.0 &lt;= BMI &lt; 30.0)</b>	25.5
<b>Obese (BMI &gt;= 30.0)</b>	22.1
(n = 1,651)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**What to do if I feel depressed during my pregnancy or after my baby is born**

	Percent
No	20.7
Yes	79.3
(n = 1,715) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many weeks or months pregnant were you when you were *sure* you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)**

	Percent
<b>1.0 to 7.9 weeks</b>	80.3
<b>8.0 to 12.9 weeks</b>	14.9
<b>13.0 to 17.9 weeks</b>	3.4
<b>18.0 to 22.9 weeks</b>	1.1
<b>23.0 or more weeks</b>	0.3
(n = 1,662) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## When you got pregnant with your new baby, were you trying to get pregnant?

	Percent
<b>No</b>	43.5
<b>Yes</b>	56.5
(n = 1,707) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?**

	Percent
No	51.3
Yes	48.7
(n = 793) Denominator: respondents who were not trying to get pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant? Check all that apply.**

	Percent
I didn't mind if I got pregnant	49.0
I thought I could not get pregnant at that time	28.1
I had side effects from the birth control method I was using	10.3
I had problems getting birth control when I needed it	5.2
I thought my husband or partner or I was sterile (could not get pregnant at all)	9.1
My husband or partner didn't want to use anything	20.1
Other	18.1
(n = 395) Denominator: respondents who were not trying to get pregnant but who were not doing anything to keep from getting pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**When you got pregnant with your new baby, what were you or your husband or partner using to keep from getting pregnant? Check all that apply.**

	<b>Percent</b>
<b>Tubes tied or closed (female sterilization)</b>	0.4
<b>Vasectomy (male sterilization)</b>	0.4
<b>Pills</b>	30.3
<b>Condoms</b>	46.4
<b>Shot once every 3 months (Depo-Provera)</b>	3.1
<b>Contraceptive implant (Implanon)</b>	0.5
<b>Contraceptive patch (OrthoEvra)</b>	2.5
<b>Diaphragm, cervical cap, or sponge</b>	1.9
<b>Vaginal ring (NuvaRing)</b>	7.1
<b>IUD (including Mirena)</b>	3.9
<b>Rhythm method or natural family planning</b>	23.8
<b>Withdrawal (pulling out)</b>	32.4
<b>Not having sex (abstinence)</b>	7.7
<b>Emergency contraception (The "morning-after" pill)</b>	6.9
<b>Other</b>	3.8

(n = 392) Denominator: respondents who were not trying to get pregnant and were doing something to keep from getting pregnant

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

**Are you or your husband or partner doing anything *now* to keep from getting pregnant?**

	Percent
<b>No</b>	13.3
<b>Yes</b>	86.7
(n = 1,699) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check all that apply.**

	Percent
I am not having sex	36.2
I want to get pregnant	14.8
I don't want to use birth control	33.7
My husband or partner doesn't want to use anything	7.2
I don't think I can get pregnant (sterile)	10.3
I can't pay for birth control	2.6
I am pregnant now	3.3
Other	28.9
(n = 258) Denominator: respondents who are not doing anything <i>now</i> to keep from getting pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What kind of birth control are you or your husband or partner using *now* to keep from getting pregnant? Check all that apply.

	Percent
Tubes tied or closed (female sterilization)	10.6
Vasectomy (male sterilization)	3.8
Pill	22.6
Condoms	29.0
Contraceptive Implant (Implanon)	2.6
Shots once every 3 months (Depo-Provera)	5.8
Contraceptive patch (OrthoEvra)	1.2
Diaphragm, cervical cap, or sponge	0.4
Cervical ring (NuvaRing or others)	1.8
IUD (including Mirena)	23.7
Rhythm method or natural family planning	5.3
Withdrawal (pulling out)	10.8
Not having sex (abstinence)	10.4
Emergency contraception (The "morning-after" pill)	1.7
Other	2.5
(n = 1,445) Denominator: respondents who are doing something to keep from getting pregnant <i>now</i>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

**At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker offer you a flu vaccination or tell you to get one?**

	Percent
<b>No</b>	19.0
<b>Yes</b>	81.0
(n = 1,706) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did your new baby have any well-baby shots or vaccinations before he or she was 3 months old?**

	Percent
No	10.5
Yes	85.3
<b>My child has not had any well-baby shots but he or she is not 3 months old yet</b>	4.2

(n = 1,680) Denominator: respondents whose babies are living with them now

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Since your new baby was born, did a doctor, nurse, or other health care worker offer you the Tdap (pertussis/whooping cough) vaccine for yourself?**

	Percent
<b>No</b>	44.2
<b>Yes</b>	55.8
(n = 1,671) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *month before* you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

	Percent
I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin at all	48.7
1 to 3 times a week	9.8
4 to 6 times a week	8.6
Every day of the week	33.0
(n = 1,745) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2010.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food?**

	Percent
<b>No</b>	89.3
<b>Yes</b>	10.7

(n = 1,710) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?**

	Percent
<b>No</b>	32.5
<b>Yes</b>	67.5
(n = 1,405) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your baby was born was he or she put in an intensive care unit?**

	Percent
<b>No</b>	92.5
<b>Yes</b>	7.5
(n = 1,712) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**After your baby was born, how long did he or she stay in the hospital?**

	Percent
<b>Less than 24 hours (less than 1 day)</b>	7.5
<b>24 to 48 hours (1 to 2 days)</b>	57.8
<b>3 to 5 days</b>	26.9
<b>6 to 14 days</b>	2.1
<b>More than 14 days</b>	2.6
<b>My baby was not born in a hospital</b>	3.1
<b>My baby is still in the hospital</b>	0.0
(n = 1,700) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Was your new baby seen by a doctor, nurse, or other health care worker for a *one week check-up* after he or she was born?**

		Percent
	<b>No</b>	8.0
	<b>Yes</b>	92.0
(n = 1,692) Denominator: respondents whose babies are living with them now		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2009 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In which *one*<1> *position* do you most often lay your baby down to sleep now?

	Percent
Side	11.5
Back	78.9
Stomach	6.7
Side/Back	1.8
Side/Stomach	0.3
Back/Stomach	0.2
All 3 positions	0.1

(n = 1,689) Denominator: respondents whose babies are living with them now

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the *month before* you got pregnant with your new baby, were you covered by any of these health insurance plans?

	Percent
Health insurance from your job or the job of your husband, partner, or parents	50.1
Health insurance that you or someone else paid for (not from a job)	5.3
Oregon Health Plan or Medicaid	18.1
Tricare or other military health care	1.8
Indian Health Service	1.3
Other source(s)	2.6
I did not have any health insurance before I got pregnant	27.1
(n = 1,727) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did any of these health insurance plans help you pay for your *prenatal care*? Check all that apply.**

	<b>Percent</b>
<b>Health insurance from your job or the job of your husband, partner or parents</b>	48.5
<b>Health insurance that you or someone else paid for(not from a job)</b>	4.5
<b>Oregon Health plan or Medicaid</b>	51.8
<b>TRICARE or other military health care</b>	1.7
<b>Indian Health Service</b>	0.8
<b>Other source(s)</b>	2.7
<b>I do not have health insurance to help pay for my prenatal care</b>	2.6
(n = 1,715) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**How was your delivery paid for? Check all that apply.**

	<b>Percent</b>
<b>Health insurance from your job or the job of your husband, partner, or parents</b>	46.5
<b>Health insurance that you or someone else paid for (not from a job)</b>	4.3
<b>Oregon Health Plan or Medicaid</b>	55.7
<b>TRICARE or other military health care</b>	1.3
<b>Indian Health Service</b>	0.8
<b>Other source(s)</b>	1.6
<b>I did not have health insurance to help pay for my delivery</b>	1.5
<b>(n= 1,730) Denominator: all respondents</b>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?**

	Percent
<b>No</b>	96.9
<b>Yes</b>	3.1
(n = 1,597) Denominator: all respondents at least 18 years old	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?**

	Percent
<b>No</b>	98.1
<b>Yes</b>	1.9
(n = 1,595) Denominator: all respondents at least 18 years old	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby?**

	Percent
<b>No</b>	30.6
<b>Yes</b>	69.4
(n = 1,694) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
I went to a dentist or dental clinic**

	Percent
<b>No</b>	44.8
<b>Yes</b>	55.2
(n = 1,688) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.  
A dental or other health care worker talked with me about how to care for my teeth and gums**

	Percent
<b>No</b>	42.4
<b>Yes</b>	57.6

(n = 1,691) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Since your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?**

		Percent
	<b>No</b>	67.7
	<b>Yes</b>	33.3
(n = 1,682) Denominator: respondents whose new babies are living with them now		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I was dieting (changing my eating habits) to lose weight**

	Percent
<b>No</b>	70.3
<b>Yes</b>	29.7
(n = 1,742) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I was exercising 3 or more days of the week**

	Percent
No	45.7
Yes	54.3
(n = 1,731) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I was regularly taking prescription medicines other than birth control**

	Percent
<b>No</b>	80.9
<b>Yes</b>	19.1
(n = 1,743) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for diabetes/h5>**

	Percent
<b>No</b>	<b>92.7</b>
<b>Yes</b>	<b>7.3</b>
<b>(n = 1,745) Denominator: all respondents</b>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for high blood pressure/h5>**

	Percent
<b>No</b>	<b>93.3</b>
<b>Yes</b>	<b>6.7</b>
<b>(n = 1,743) Denominator: all respondents</b>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I visited a health care worker to be checked or treated for depression or anxiety**

	Percent
<b>No</b>	85.8
<b>Yes</b>	14.2
(n = 1,741) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I talked to a health care worker about my family medical history**

	Percent
<b>No</b>	73.8
<b>Yes</b>	26.2
(n = 1,742) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things?**

**I had my teeth cleaned by a dentist or dental hygienist**

	Percent
<b>No</b>	46.8
<b>Yes</b>	53.2
(n = 1,744) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes?**

	Percent
<b>No</b>	98.1
<b>Yes</b>	1.9
(n = 1,741) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Before you got pregnant with your new baby, did you ever have any other babies who were born alive?**

	Percent
No	43.3
Yes	56.7
(n = 1,730) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did the baby born *just before* your new one weigh *more* than 5 pounds, 8 ounces (2.5 kilos) at birth?**

	Percent
No	8.3
Yes	91.7
(n = 992) Denominator: respondents who have previously had a live baby	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Was the baby *just before* your new one born *more than 3 weeks* before his or her due date?**

		Percent
	<b>No</b>	86.4
	<b>Yes</b>	13.6
(n = 993) Denominator: respondents who have previously had a live baby		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2011. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Thinking back to *just before* you got pregnant with your *new* baby, how did you feel about becoming pregnant?

	Percent
I wanted to be pregnant sooner	18.0
I wanted to be pregnant later	29.6
I wanted to be pregnant then	45.4
I didn't want to be pregnant then or at any time in the future	7.0
(n = 1,722) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How much later did you want to get pregnant?

	Percent
<b>Less than 1 year</b>	21.6
<b>1 year to less than 2 years</b>	32.5
<b>2 years to less than 3 years</b>	21.2
<b>3 years to less than 4 years</b>	11.7
<b>4 years or more</b>	13.0

(n = 518) Denominator: all respondents who replied "I wanted to be pregnant later" in the pregnancy intendedness question

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## How many weeks or months pregnant were you when you had your first visit for prenatal care?

	Percent
Less than 1 month	4.7
1 to 1.9 months	44.2
2 to 2.9 months	35.2
3 to 3.9 months	9.3
4 to 4.9 months	4.7
5 to 5.9 months	1.3
6 to 6.9 months	0.2
7 to 7.9 months	0.3
8 to 8.9 months	0.1
9 months	0.0
(n = 1,697) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you get prenatal care as early in your pregnancy as you wanted?**

	Percent
<b>No</b>	14.9
<b>Yes</b>	85.1

(n = 1,722) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I couldn't get an appointment when I wanted one**

	Percent
<b>No</b>	59.6
<b>Yes</b>	40.4
(n = 295) Denominator: respondents who did not get prenatal care as early as they wanted	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Here is a list of problems some women can have getting prenatal care.  
I didn't have enough money or insurance to pay for my visits**

		Percent
	<b>No</b>	57.7
	<b>Yes</b>	42.3
(n = 300) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had no transportation to get to the clinic or doctor's office**

	Percent
<b>No</b>	90.1
<b>Yes</b>	9.9
(n = 293) Denominator: respondents who did not get prenatal care as early as they wanted	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*201 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I couldn't take time off from work or school**

		Percent
	<b>No</b>	93.7
	<b>Yes</b>	6.3
(n = 291) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
The doctor or my health plan would not start care as early as I wanted**

		Percent
	<b>No</b>	68.3
	<b>Yes</b>	31.7
(n = 295) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't have my Oregon Health Plan or Medicaid card**

		Percent
	<b>No</b>	62.1
	<b>Yes</b>	37.9
(n = 292) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had no one to take care of my children**

		Percent
	<b>No</b>	94.5
	<b>Yes</b>	5.5
(n = 288) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I had too many other things going on**

		Percent
	<b>No</b>	84.4
	<b>Yes</b>	15.6
(n = 295) Denominator: respondents who did not get prenatal care as early as they wanted		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't want anyone else to know I was pregnant**

	Percent
<b>No</b>	91.6
<b>Yes</b>	8.4
(n = 293) Denominator: respondents who did not get prenatal care as early as they wanted	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Here is a list of problems some women can have getting prenatal care.  
I didn't know I was pregnant**

	<b>Percent</b>
<b>No</b>	67.4
<b>Yes</b>	32.6
<small>(n = 295) Denominator: respondents who did not get prenatal care as early as they wanted</small>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Here is a list of problems some women can have getting prenatal care.  
I didn't want prenatal care**

	Percent
<b>No</b>	95.6
<b>Yes</b>	4.4
(n = 292) Denominator: respondents who did not get prenatal care as early as they wanted	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Where did you go *most of the time* for your prenatal visits? Do not include visits for WIC.

	Percent
Hospital clinic	25.1
Health department clinic	9.5
Private doctor's office or HMO clinic	42.9
Midwife's office	14.8
At home	1.3
Other	6.4
(n = 1,685) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**How smoking during pregnancy could affect my baby**

	Percent
No	33.2
Yes	66.8
(n = 1,706) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Breastfeeding my baby**

	Percent
No	12.2
Yes	87.8

(n = 1,710) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**How drinking alcohol during pregnancy could affect my baby**

	Percent
No	30.9
Yes	69.1
(n = 1,710) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Using a seatbelt during my pregnancy**

	Percent
No	51.5
Yes	48.5
(n = 1,707) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Medicines that are safe to take during my pregnancy**

	Percent
No	11.8
Yes	88.2

(n = 1,712) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**How using illegal drugs could affect my baby**

	Percent
No	39.9
Yes	60.1
(n = 1,711) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.  
Doing tests to screen for birth defects or diseases that run in my family**

	Percent
No	9.2
Yes	90.8
(n = 1,712) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**The signs and symptoms of preterm labor (labor more than 3 weeks before the baby is due**

	Percent
No	18.5
Yes	81.5
(n = 1,716) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Getting tested for HIV (the virus that causes AIDS)**

	Percent
No	34.1
Yes	65.9

(n = 1,695) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below?**

**Please count only discussions, not reading materials or videos.**

**Physical abuse to women by their husbands or partners**

	Percent
No	43.2
Yes	56.8
(n = 1,713) Denominator: respondents who had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**A close family member was very sick and had to go into the hospital**

	Percent
<b>No</b>	79.5
<b>Yes</b>	20.5
(n = 1,723) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**I got separated or divorced from my husband or partner**

	Percent
<b>No</b>	92.2
<b>Yes</b>	7.8
(n = 1,726) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about things that may have happened during the *12 months before your new baby was born.***

**I moved to a new address**

	Percent
<b>No</b>	63.0
<b>Yes</b>	37.0
(n = 1,725) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



This question is about things that may have happened during the *12 months before* your new baby was born.  
I was homeless

	Percent
No	95.4
Yes	4.6
(1,718) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**My husband or partner lost his job**

	Percent
<b>No</b>	84.9
<b>Yes</b>	15.1
(n = 1,718) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**I lost my job even though I wanted to go on working**

	Percent
<b>No</b>	88.5
<b>Yes</b>	11.5
(n = 1,722) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**I argued with my husband or partner more than usual**

	Percent
<b>No</b>	78.3
<b>Yes</b>	21.7
(n = 1,724) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**My husband or partner said he didn't want me to be pregnant**

	Percent
<b>No</b>	92.6
<b>Yes</b>	7.4
(n = 1,720) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**I had a lot of bills I couldn't pay**

	Percent
<b>No</b>	74.8
<b>Yes</b>	25.2
(n = 1,723) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born*.  
I was in a physical fight

	Percent
No	96.8
Yes	3.2
(n = 1,723) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**My husband or partner or I went to jail**

	Percent
<b>No</b>	96.1
<b>Yes</b>	3.9
(n = 1,727) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



This question is about things that may have happened during the *12 months before your new baby was born.*

**Someone very close to me had a bad problem with drinking or drugs**

	Percent
No	87.5
Yes	12.5
(n = 1,727) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

This question is about things that may have happened during the *12 months before your new baby was born.*

**Someone very close to me died**

	Percent
<b>No</b>	84.5
<b>Yes</b>	15.5
(n = 1,723) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Vaginal bleeding**

	Percent
<b>No</b>	83.3
<b>Yes</b>	16.7

(n = 1,714) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Kidney or bladder (urinary tract) infection**

	Percent
<b>No</b>	82.4
<b>Yes</b>	17.6
(n = 1,709) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Severe nausea, vomiting, or dehydration**

	Percent
<b>No</b>	73.5
<b>Yes</b>	26.5
(n = 1,706) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Cervix had to be sewn shut (cerclage for incompetent cervix)**

	Percent
<b>No</b>	99.1
<b>Yes</b>	0.9
(n = 1,707) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]),  
preeclampsia, or toxemia**

	Percent
<b>No</b>	84.7
<b>Yes</b>	15.3

(n = 1,712) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Problems with the placenta (such as abruptio placentae or placenta previa)**

	Percent
<b>No</b>	94.3
<b>Yes</b>	5.7

(n = 1,706) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Did you have any of these problems during your most recent pregnancy?  
Labor pains more than 3 weeks before my baby was due (preterm or early labor)**

	Percent
<b>No</b>	79.0
<b>Yes</b>	21.0
(n = 1,712) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2010.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
Water broke more than 3 weeks before my baby was due (premature rupture of the membranes [PROM])**

	Percent
<b>No</b>	94.8
<b>Yes</b>	5.2
(n = 1,713) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
I had to have a blood transfusion**

	Percent
<b>No</b>	98.3
<b>Yes</b>	1.7
(n = 1,708) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Did you have any of these problems during your most recent pregnancy?  
I was hurt in a car accident**

	Percent
<b>No</b>	98.1
<b>Yes</b>	1.9

(n = 1,711) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did you receive any of the following services?  
Did you receive~  
Help with an alcohol or drug problem**

	Percent
<b>No</b>	98.3
<b>Yes</b>	1.7
(n = 1,711) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did you receive any of the following services?  
Did you receive~  
Help to reduce violence in your home**

	Percent
<b>No</b>	98.6
<b>Yes</b>	1.4
(n = 1,708) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, did you receive any of the following services?  
Did you receive~  
Counseling information for family and personal problems**

	Percent
<b>No</b>	90.2
<b>Yes</b>	9.8
(n = 1,709) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

**Someone to loan me \$50**

	Percent
No	23.5
Yes	76.5

(n = 1,707) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

Someone to help me if I were sick and I needed to be in bed

	Percent
No	16.2
Yes	83.8
(n = 1,710) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

Someone to take me to the clinic or doctor's office if I needed a ride

	Percent
No	12.6
Yes	87.4

(n = 1,711) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During your *most recent pregnancy* would you have had the kinds of help listed below if you needed them?

**Someone to talk with about my problems**

	Percent
No	14.9
Yes	85.1

(n = 1,713) Denominator: all respondents

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Have you smoked at least 100 cigarettes in the *past 2 years*?**

	Percent
<b>No</b>	72.5
<b>Yes</b>	27.5
(n = 1,720) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day?  
(A pack has 20 cigarettes)**

	Percent
41 cigarettes or more	0.2
21 to 40 cigarettes	1.9
11 to 20 cigarettes	5.7
6 to 10 cigarettes	5.1
1 to 5 cigarettes	7.7
Less than 1 cigarette	2.7
None (0 cigarettes)	76.8
(n = 1,719) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)**

	Percent
<b>41 cigarettes or more</b>	0.0
<b>21 to 40 cigarettes</b>	0.0
<b>11 to 20 cigarettes</b>	1.5
<b>6 to 10 cigarettes</b>	2.5
<b>1 to 5 cigarettes</b>	5.6
<b>Less than 1 cigarette</b>	1.5
<b>None (0 cigarettes)</b>	89.0
(n = 1,720) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many cigarettes do you smoke on an average day *now*? (A pack has 20 cigarettes)**

	Percent
<b>41 cigarettes or more</b>	0.0
<b>21 to 40 cigarettes</b>	0.2
<b>11 to 20 cigarettes</b>	3.1
<b>6 to 10 cigarettes</b>	4.9
<b>1 to 5 cigarettes</b>	5.0
<b>Less than 1 cigarette</b>	1.2
<b>None (0 cigarettes)</b>	85.7
(n = 1,718) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were smoking cigarettes?**

	Percent
No	4.6
Yes	95.4

(n = 1,712) Denominator: respondents who had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**During any of your prenatal care visits, or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?**

	Percent
Yes, during my prenatal care visits	17.8
Yes, after my delivery	2.1
Yes, both times	30.5
No	19.6
No, I did not smoke at that time	30.0

(n = 328) Denominator: respondents who smoked during the 3 months before pregnancy

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?**

	<b>Percent</b>
<b>Yes, during my prenatal care visits</b>	16.2
<b>Yes, after my delivery</b>	4.0
<b>Yes, both times</b>	37.7
<b>No</b>	42.0
(n = 1,669) Denominator: respondents whose baby is living with them now	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Which of the following statements best describes the rules about smoking *inside* your home now?

	Percent
No one is allowed to smoke anywhere inside my home	98.5
Smoking is allowed in some rooms or at some times	1.0
Smoking is permitted anywhere inside my home	0.5
(n = 1,714) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

### Spend time with you discussing how to quit smoking

	Percent
No	57.3
Yes	42.7

(n = 324) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Suggest that you set a specific date to stop smoking**

		Percent
	No	75.0
	Yes	25.0
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Suggest you attend a class or program to stop smoking**

		Percent
	No	82.5
	Yes	17.5
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

Provide you with booklets, videos, or other materials to help you quit smoking on your own

	Percent
No	63.6
Yes	36.4
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Refer you to counseling for help with quitting**

		Percent
	<b>No</b>	92.9
	<b>Yes</b>	7.1
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Ask if a family member or friend would support your decision to quit**

		Percent
	<b>No</b>	68.9
	<b>Yes</b>	31.1
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits.*

**Refer you to a national or state quit line**

	Percent
No	80.9
Yes	19.1
(n = 323) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

### Recommend using nicotine gum

		Percent
	No	89.9
	Yes	10.1
(n = 321) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

### Recommend using a nicotine patch

		Percent
	No	86.5
	Yes	13.5
(n = 321) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits*.

**Prescribe a nicotine nasal spray or nicotine inhaler**

		Percent
	<b>No</b>	99.0
	<b>Yes</b>	1.0
(n = 321) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Listed below are some things about quitting smoking that a doctor, nurse, or other health care worker might have done *during any of your prenatal care visits.*

**Prescribe a pill like Zyban (also known as Wellbutrin or Bupropion) or Chantix (also known as Varenicline) to help you quit**

		Percent
	No	97.0
	Yes	3.0
(n = 320) Denominator: respondents who smoked during the 3 months before pregnancy and had prenatal care		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**At any time during your most recent pregnancy did you stop smoking for one day or longer because you were trying to quit?**

	Percent
No	28.9
Yes	71.1
(n = 321) Denominator: respondents who smoked during the 3 months before they got pregnant	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2001 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?**

	Percent
<b>No</b>	51.4
<b>Yes</b>	48.6
(n = 1,719) Denominator: all respondents	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2011 through March 2012. Child's dates of birth were from 1/1/2011 through 12/31/2011.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2011 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)