

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

DTAP CHILDHOOD SERIES: REQUIRED FOR CHILDREN'S FACILITIES AND GRADES K - 12

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|-----------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Diphtheria/ Tetanus/ Pertussis Containing Vaccines DTP DTaP DT Td Tdap | 0 DOSES | CHILD IS UNDER 2 MONTHS OF AGE | UP-TO-DATE | NO |
| | | CHILD IS 2 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 1 DOSE | LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE | UP-TO-DATE | NO |
| | | 2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 2 DOSES | DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO | INCOMPLETE | YES |
| | | CHILD IS 7 YEARS OF AGE OR OLDER AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | CHILD IS 7 YEARS OF AGE OR OLDER AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO | INCOMPLETE | YES |
| | | DOSE 2 RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 6 MONTHS OF AGE | UP-TO DATE | NO |
| | | DOSE 2 RECEIVED 2 MONTHS OR MORE AGO AND CHILD IS 6 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 3 DOSES | DOSE 3 RECEIVED AT OR AFTER 7 TH BIRTHDAY (or within 4 days prior to the 7 th birthday) | COMPLETE | NO |
| | | DOSE 3 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND CHILD IS LESS THAN 4 YEARS OF AGE | UP-TO-DATE | NO |
| | | CHILD IS LESS THAN 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | DOSE 3 RECEIVED 12 MONTHS OR MORE AGO AND CHILD IS 18 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 4 DOSES | DOSE 4 WAS GIVEN AT OR AFTER 4 TH BIRTHDAY (or within 4 days prior to the 4 th birthday) | COMPLETE | NO |
| | | DOSE 4 WAS BEFORE 4 TH BIRTHDAY AND CHILD IS LESS THAN KINDERGARTEN GRADE | UP-TO-DATE | NO |
| | | DOSE 4 WAS RECEIVED BEFORE 4 TH BIRTHDAY AND CHILD IS KINDERGARTEN OR HIGHER GRADE | INCOMPLETE | YES |
| 5 DOSES | COMPLETE | COMPLETE | NO | |

For students in grades 7-12 who are complete for the DTaP series, please see page 8 for the Tdap assessment.

To request this material in an alternate format (e.g. Braille), call (971) 673-0300.

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|--------------|---------------|-----------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Polio | 0 DOSES | CHILD IS LESS THAN 2 MONTHS OF AGE | UP-TO-DATE | NO |
| | | STUDENT IS 18 YEARS OF AGE OR OLDER – Not Required | COMPLETE | NO |
| | | CHILD IS 2 MONTHS OF AGE OR OLDER AND LESS THAN 18 YEARS OF AGE | INCOMPLETE | YES |
| | 1 DOSE | DOSE 1 RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE | UP-TO-DATE | NO |
| | | DOSE 1 RECEIVED 2 MONTHS OR MORE AGO, AND CHILD IS AT LEAST 4 MONTHS OF AGE, AND IS LESS THAN 18 YEARS OF AGE | INCOMPLETE | YES |
| | 2 DOSES | DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | CHILD IS LESS THAN 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | DOSE 2 RECEIVED 12 MONTHS OR MORE AGO AND CHILD IS LESS THAN 18 YEARS OF AGE | INCOMPLETE | YES |
| | 3 DOSES | DOSE 3 RECEIVED ON OR AFTER 4 TH BIRTHDAY (or within 4 days of the 4 th birthday) | COMPLETE | NO |
| | | DOSE 3 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | CHILD IS LESS THAN KINDERGARTEN GRADE | UP-TO-DATE | NO |
| | | DOSE 3 RECEIVED 12 MONTHS OR MORE AGO, AND CHILD IS KINDERGARTEN OR HIGHER GRADE, AND LESS THAN 18 YEARS OF AGE | INCOMPLETE | YES |
| | 4 DOSES | COMPLETE | COMPLETE | NO |

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|------------------|---------------|---------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Varicella | 0 DOSES | HISTORY OF CHICKENPOX DISEASE AT ANY AGE (DISEASE DATE NOT REQUIRED) | COMPLETE | NO |
| | | NOT RECEIVED AND CHILD IS UNDER 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | NOT RECEIVED AND CHILD IS 18 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months, AND PRIOR TO 13 YEARS OF AGE | COMPLETE | NO |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS LESS THAN 18 MONTHS | UP-TO-DATE | NO |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 18 MONTHS OR OLDER | INCOMPLETE | YES |
| | | RECEIVED AT OR AFTER 13 YEARS OF AGE AND LESS THAN TWO MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED AT OR AFTER 13 YEARS OF AGE AND TWO MONTHS OR MORE AGO | INCOMPLETE | YES |
| | 2 DOSES | AT LEAST ONE DOSE GIVEN BETWEEN THE AGES OF 12 MONTHS, or within 4 days prior to age 12 months, AND 12 YEARS OF AGE | COMPLETE | NO |
| | | FIRST DOSE GIVEN AT OR AFTER 13 YEARS OF AGE, AND SECOND DOSE GIVEN 24 OR MORE DAYS AFTER THE FIRST DOSE | COMPLETE | NO |
| | | CHILD IS LESS THAN 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | SECOND DOSE GIVEN FEWER THAN 24 DAYS AFTER THE FIRST DOSE AND LESS THAN TWO MONTHS AGO | UP-TO-DATE | NO |
| | | SECOND DOSE GIVEN FEWER THAN 24 DAYS AFTER THE FIRST DOSE AND TWO OR MORE MONTHS AGO | INCOMPLETE | YES |
| | | SECOND DOSE GIVEN PRIOR TO 12 MONTHS OF AGE | INCOMPLETE | YES |
| | 3 DOSES | COMPLETE | COMPLETE | NO |

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

MEASLES, MUMPS AND RUBELLA: REQUIRED FOR CHILDREN'S FACILITIES AND GRADES K - 12

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|------------------------------------------|---------------|--------------------------------------------------------------------------------|----------------------------------------------------|-----------------|
| MMR (Measles, Mumps, and Rubella) | 0 DOSES | CHILD IS UNDER 15 MONTHS OF AGE | UP-TO-DATE | NO |
| | | CHILD IS 15 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | Measles: UP-TO-DATE Mumps and Rubella: COMPLETE | NO |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS UNDER 15 MONTHS OF AGE | UP-TO-DATE | NO |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 15 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |

SECOND DOSE MEASLES: REQUIRED ONLY FOR STUDENTS GRADES K - 12

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|----------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Second Dose Measles (Measles or MMR) | 0 DOSES | NOT RECEIVED | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED LESS THAN TWO MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED TWO MONTHS OR MORE AGO | INCOMPLETE | YES |
| | 2 DOSES | FIRST DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months, AND SECOND DOSE GIVEN 24 DAYS OR MORE AFTER THE FIRST DOSE | COMPLETE | NO |
| | | FIRST DOSE RECIVED PRIOR TO 12 MONTHS OF AGE AND SECOND DOSE RECEIVED LESS THAN TWO MONTHS AGO | UP-TO-DATE | NO |
| | | FIRST DOSE RECEIVED PRIOR TO 12 MONTHS OF AGE AND SECOND DOSE RECEIVED TWO OR MORE MONTHS AGO | INCOMPLETE | YES |
| | | SECOND DOSE GIVEN FEWER THAN 24 DAYS AFTER THE FIRST DOSE AND LESS THAN TWO MONTHS AGO | UP-TO-DATE | NO |
| | | SECOND DOSE GIVEN FEWER THAN 24 DAYS AFTER THE FIRST DOSE AND TWO OR MORE MONTHS AGO | INCOMPLETE | YES |
| | 3 DOSES | COMPLETE | COMPLETE | NO |

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|--------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Hepatitis B | 0 DOSES | CHILD IS LESS THAN 2 MONTHS OF AGE | UP-TO-DATE | NO |
| | | CHILD IS 2 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED AT OR AFTER 11 YEARS OF AGE, or within 4 days prior to age 11 years, AND LESS THAN 6 MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED AT OR AFTER 11 YEARS OF AGE, or within 4 days prior to age 11 years, AND 6 MONTHS OR MORE AGO | INCOMPLETE | YES |
| | | RECEIVED BEFORE 11 YEARS OF AGE AND LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE | UP-TO-DATE | NO |
| | | RECEIVED BEFORE 11 YEARS OF AGE, 2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 2 DOSES | FIRST DOSE RECEIVED AT OR AFTER 11 YEARS OF AGE, or within 4 days prior to age 11 years, AND SECOND DOSE RECEIVED AT LEAST 4 MONTHS AFTER 1 st DOSE | COMPLETE | NO |
| | | FIRST DOSE RECEIVED AT OR AFTER 18 YEARS OF AGE, or within 4 days prior to age 18 years | COMPLETE | NO |
| | | RECEIVED LESS THAN 5 MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED 5 MONTHS OR MORE AGO AND CHILD IS LESS THAN 18 MONTHS OLD | UP-TO-DATE | NO |
| | | RECEIVED 5 MONTHS OR MORE AGO AND CHILD IS 18 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 3 DOSES | COMPLETE | COMPLETE | NO |

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|--------------------|---------------|-------------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| Hepatitis A | 0 DOSES | CHILD IS LESS THAN 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | CHILD IS 18 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months, AND LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months, AND 12 OR MORE MONTHS AGO | INCOMPLETE | YES |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS LESS THAN 18 MONTHS OF AGE | UP-TO-DATE | NO |
| | | RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 18 MONTHS OR OLDER | INCOMPLETE | YES |
| | 2 DOSES | BOTH DOSES RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | COMPLETE | NO |
| | | DOSE 1 RECEIVED PRIOR TO 12 MONTHS OF AGE AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO | UP-TO-DATE | NO |
| | | DOSE 1 RECEIVED PRIOR TO 12 MONTHS OF AGE AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO | INCOMPLETE | YES |
| | 3 DOSES | COMPLETE | COMPLETE | NO |

HIB Immunization Primary Review Table

Use for Children's Facility Assessment ONLY



**When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.**

HIB (*Haemophilus Influenzae* Type B): Required only for children 2 months - 59 months of age

| CURRENT AGE | RECORD SHOWS: | WHEN WAS THE HIB DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|-------------------------|---------------|-------------------------------------------------------------------------------------------------------|----------------------|-----------------|
| 2-11 Months | 0 DOSES | NOT RECEIVED | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE | UP-TO-DATE | NO |
| | | RECEIVED 2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER | INCOMPLETE | YES |
| | 2 DOSES | UP-TO-DATE | UP-TO-DATE | NO |
| | 3 DOSES | UP-TO-DATE | UP-TO-DATE | NO |
| 12-17 Months | 0 DOSES | NOT RECEIVED | INCOMPLETE | YES |
| | 1 DOSE | DOSE WAS AT OR AFTER 15 MONTHS OF AGE, or within 4 days prior to age 15 months | COMPLETE | NO |
| | | RECEIVED BEFORE 15 MONTHS OF AGE BUT LESS THAN 2 MONTHS AGO | UP-TO-DATE | NO |
| | | RECEIVED 2 MONTHS OR MORE AGO | INCOMPLETE | YES |
| | 2 DOSES | 2 ND DOSE RECEIVED AT OR AFTER 15 MONTHS OF AGE, or within 4 days prior to age 15 months | COMPLETE | NO |
| | | 1 ST DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | COMPLETE | NO |
| | | 1 ST DOSE RECEIVED BEFORE 12 MONTHS OF AGE | UP-TO-DATE | NO |
| | 3 DOSES | 3 RD DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | COMPLETE | NO |
| | | 3 RD DOSE RECEIVED BEFORE 12 MONTHS OF AGE | UP-TO-DATE | NO |
| 18-59 Months | 0 DOSES | NOT RECEIVED | INCOMPLETE | YES |
| | 1 DOSE | RECEIVED AT OR AFTER 15 MONTHS OF AGE, or within 4 days prior to age 15 months | COMPLETE | NO |
| | | RECEIVED BEFORE 15 MONTHS OF AGE | INCOMPLETE | YES |
| | 2 DOSES | 2 ND DOSE WAS AT OR AFTER 15 MONTHS OF AGE, or within 4 days prior to age 15 months | COMPLETE | NO |
| | | 1 ST DOSE WAS AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | COMPLETE | NO |
| | | 1 ST DOSE WAS BEFORE 12 MONTHS OF AGE AND 2 ND DOSE WAS BEFORE 15 MONTHS OF AGE | INCOMPLETE | YES |
| | 3 DOSES | 3 RD DOSE WAS AT OR AFTER 12 MONTHS OF AGE, or within 4 days prior to age 12 months | COMPLETE | NO |
| | | 3 RD DOSE WAS BEFORE 12 MONTHS OF AGE | INCOMPLETE | YES |
| 4 DOSES | COMPLETE | COMPLETE | NO | |
| 5 Years or Older | 0-4 DOSES | NOT REQUIRED | COMPLETE | NO |

Use this page only for grades 7-12!

READ ME FIRST!

Tdap is a vaccine that is given to adolescents and adults. It helps boost protection against three diseases: tetanus, diphtheria, and pertussis (whooping cough). The childhood vaccine DTaP protects against the same diseases as Tdap, but DTaP is only given through 6 years of age.


Does the student’s record show one dose of Tdap given at or after the 7th birthday, and are there at least 3 doses of Tdap, Td, DTaP, and/or DT total? If yes, this student is complete for Tdap, and you don’t need to use the table!

Immunization Primary Review Table

Use for School Assessment ONLY



When reviewing records, assess on month, day and year.
Always read the options for each dose in descending order.



USE THIS TABLE ONLY IF CHILD IS **7TH-12TH GRADE INCLUDING 5TH YEAR SENIORS** AND **COMPLETE FOR DTAP CHILDHOOD SERIES** (SEE PAGE 1)

| VACCINE | RECORD SHOWS: | WHEN WAS THE DOSE RECEIVED? | IMMUNIZATION STATUS: | NEEDS SHOT NOW! |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------|
| Tetanus/ Diphtheria/ Pertussis Containing Vaccines Tdap Td DTaP DT | 0 DOSES 1 DOSE 2 DOSES (Remember to count all DTaP, DT, Td, and Tdap doses) | <u>DO NOT USE THIS TABLE—USE DTAP TABLE ON PAGE 1</u> | | |
| | 3 DOSES 4 DOSES 5 DOSES 6 DOSES (Remember to count all DTaP, DT, Td, and Tdap doses) | LAST TETANUS/DIPHTHERIA/PERTUSSIS DOSE WAS GIVEN AT OR AFTER 7 TH BIRTHDAY or within 4 days prior to the 7 th birthday | COMPLETE | NO |
| | | LAST TETANUS/DIPHTHERIA/PERTUSSIS DOSE WAS RECEIVED PRIOR TO 7 YEARS OF AGE | INCOMPLETE— NEEDS TDAP NOW! | YES |
| | 7 DOSES | COMPLETE | COMPLETE | NO |