

BOARD OF DIRECTORS

Skip Rotticci, Chair Colliers International Tim Baugus, Vice-Chair Skanska Renee Loveland, Secretary Gerding Edlen Bruce Murray, Treasurer Chicago Public Schools (retired) Steve Anderson P&C Construction Alex Banks Apollo Solutions Group Jav Bloom Bloom Anew Jeff Condit Miller Nash LLP Melissa Crossman Interface Engineering Sue Densmore Densmore Communications Joshua Dodson Day CPM Carol Duncan General Sheet Metal Mark Fisher StanCorp Mortgage Investors Louis Fontenot, Jr. Trammell Crow Joyce Hendstrand Reynolds SD (retired) Arnie Hollander Hollander Project Mgmt. Keith Knight Oregon Electric Dr. Phil Long Medford School District Leo MacLeod Mainspring Marketing Tony Magliano Portland Public Schools Su Midghall DHM Research Chris Miller Alliant Systems David Oh Intel Scott Rogers Intermountain ESD Barbara Rommel David Douglas SD (retired) Paul Schlesinger Schlesinger Cos. Sarah Schoening Schoening Group Inc. Michael Schrader Orrick Diane Shiner Mahlum Architects Larry Sitz Emerick Construction Christina Skellenger McKinstry Kenneth Troye Hydro-Temp Mechanical Peter White Johnson Controls Dennis Whitehouse North Wasco SD Susan Wold Heery Jeana Woollev JM Woolley & Assoc. EXECUTIVE DIRECTOR Ruth Scott



May 13, 2014

SB 540 Task Force Oregon Department of Education 255 Capitol Street NE, Salem Oregon 97310

Chair Donahue & Task Force Members,

We appreciate the opportunity to comment to the Task Force on the Oregon Department of Education's draft **School Facilities Database Proposal**.

The goal of a statewide database as mandated by SB 540 is to facilitate district prioritization, statewide collaboration and increased equity of facility conditions.

A statewide database can provide a broad overview and create the context needed for the establishment of a baseline of facility conditions in Oregon schools. Once there is an understanding of the estimated level of need across the state, Oregon will be well-positioned to set facility priorities, establish local, state and federal funding priorities, develop an incremental approach, and create budgets. The database should also provide districts with the ability to do benchmark comparisons to other districts across the state aiding in communication with their constituents. As one of the school district leaders on the Center's Board recently stated, "Data should be both the starting and end point of any facilities program and funding."

Overall, our comment would be that ODE's initial proposal outlines a very generalized set of data that is insufficient to fulfill the goals for the database just outlines or as set out by the Task Force. The Task Force's draft report notes in Item #4(d)(3) that the database should be useable for "analyzing, planning and prioritizing capital improvement needs by districts and the state."

We believe the following additional baseline data points should be included in order to meet the Task Force's objectives:

 Health and safety – fire systems (indication of fire alarm or sprinkler system) and security measures (which could be described with a 1 – 4 rating).

- Energy usage at a minimum, the most recent Energy Usage Index (EUI) should be included, and preferably an indication of fuel types used (gas/propane, electricity, other fuel). Also, schools should indicate whether or not they are eligible for SB 1149 funding.
- Water usage.
- Demographic data at minimum should include grade levels, enrollment and preferably diversity and FRL, or equivalent.
- Technology include indication of dial-up, DSL, fiber, speed/capacity and WiFi.
- Capital Improvements ODE items #16 and #17 should be replaced by basic bond information from the last up to 30 years including year, amount, and remaining indebtedness. This data is readily available whereas the data recommended by ODE would require an extensive amount of work from small and large districts alike and be onerous to collect. Perhaps that level of detailed data could be requested for any school for which matching funds are requested.

School district facility professional's time is enormously stretched these days. The additional data outlined above is publicly available. Including this basic data would allow an appropriate analysis of need, planning and prioritizing as outlined by the Task Force.

Finally, it is unclear whether ODE wishes to recreate the wheel in creating a new database versus purchasing the data at the same rate as Metro did and well within the budgetary limitations of SB 540. Metro has shown the Task Force how useful the data was for them; we believe the data would be equally useful for ODE. Likewise, purchasing existing data would allow the database to exist immediately, and time is of the essence. On a similar note, it's unclear to us if ODE has seriously considered Metro's School Atlas GIS-based comparative analysis software, which was demonstrated to the Task Force previously. Nine of the more prominent districts in the state have indicated interest in the tool.

We strongly urge the Task Force to recommend to ODE enter into negotiations with both CISF and Metro and bring their recommendations for database content and management system to the Task Force.

We thank you for the opportunity to comment and for your attention to these recommendations, and stand ready to assist you further as requested.

Respectfully,

pení Laulanc

Renee Loveland Gerding Edlen CISF Board & Co-Chair, Research Committee

Summary of Data Points Included in CISF Database, Along With % of Total Scho

Key:

Recommended Basic Data by CISF Research and Standards Committee Data from Oregon Department of Education (existing database)

The CISF database is a compilation of data from numerous sources, all of which use differ match schools. Many of these tags are not meaningful outside of that context or are dup partial list. These are the data points that are relevant and useful.

<u>Basic Data (99%)</u>	<u>Seismic (98%)</u>
Source: Dept. of Ed.	Source: DOGAMI ("Drive-By" Assessments)
ODE School Identification	Type of Construction
School District	Collapse Potential (low, medium, high, very high)
Location Code	Seismic Rating*
School Name	Number of Stories
Facility	Seismicity Zone
Location	Primary Structural Type
ESD Name	Secondary Structural Type
Grade Range	Tertiary Structural Type
2012-13 Enrollment	Soil Type
State House District	Year Built/Age
State Senate District	Total Building Area
	Poor Condition, Primary Structure? - yes/no
	Falling Hazard, Primary Structure? - yes/no
	Comments w/ sources & links
	*PPS preferred a different seismic rating (good, fair, poor)

*PPS preferred a different seismic rating (good, fair, poor) and this was then applied by CISF to all districts across the State, such that all districts now have both the Dogami collapse potential and this siesmic rating

ols For Which This Data is Included

rent tags that have been cross-referenced to accurately licative across databases; therefore, what is below is a

Technology (62%)Demographics (100%)Source: CISF (Extrapolated From Capital Construction Info.)Source: Dept. of Ed., CISFTech Upgrades (2000-2005)? Yes/NoFree/Reduced Lunch %Tech Upgrades (2006-2012)? Yes/NoMeets/Exceeds % (Math, Reading)Minority %Note: The specific type of upgrade is not known.Annual Daily Membership EnrollmentDropout PercentDistrict Student CountState Student CountState Student CountDemographics (100%)Source: Dept. of Ed., CISF

<u>Safety (94%)</u>	Operating & Maintenance (95%)	<u>Energy (96%)</u>
Source: PACE	Source: CISF, Dept. of Energy	Source: Dept. of Energy
Quake Coverage? (Y/N)	Square Footage	Energy Usage Index
Property Value	Cost/sf	Energy Usage Index Year
Contents Value	Cost/Student	Utility Name
Flood Coverage	Annual Report Sq Ft	Electric Use & Cost
% Auto Sprinklered	Annual Report Operating Hours	Gas Use & Cost
Flood Zone? Y/N	Labor Costs	Diesel Use & Cost
Appraisal Date	Equipment/Material Repair Costs	Cost per kWh
Fire Alarm	Maintenance Contracts Costs	Cost Per Therm
Fire Protection Certification	Custodial Costs	Total Annual Energy Cost
Security Alarm	Phone Costs	Exterior Lighting
Condition of Building Envelope	Total Maintenance/Repair/Refuse Cost	HVAC
Severity of Damage Rating		Interior Lighting
Estimated Building Damage (in an Event)	Domestic Hot Water

Energy (cont.)

Non-SB 1149 Schools, Based on Energy Cool Audits Conducted Thru Cool Schools Initiative

Annual Energy Costs as Shown in Column M Plus Investments Needed in Specific Areas: Interior Lighting Windows Insulation Building Controls Hot Water Energy Efficiency Measure Name Implementation Cost Incentive Amount Savings Amount Simple Payback Total Energy Cost Post-Improvements Value of Energy Efficiency Measures

Energy (cont.) SB 1149 Schools, Based on Energy Audits Conducted

Between 2002 - 2011

Energy Efficiency Measure Description
For Each Measure:
Electricity (kWh)
Estimated Units, Dollars and Demand (kW) Saved
Natural Gas (Therms)
Estimated Units & Dollars Saved
Diesel (Gal)
Estimated Units and Dollars Saved
Propane (Gal)
Estimated Units and Dollars Saved
5 Oil (Gal)
Estimated Units and Dollars Saved
Estimated Cost
Estimated Avoided Costs
Estimated Measure Life
Estimated Average Payback
Estimated Simple Payback
Total Estimated Dollars Saved
For Package of Proposed Measures:
Total # Projects, Value, and Average Payback

Identified Capital Needs (88%)**

Source: Dept. of Energy, CISF/McGraw Hill

School Capital Construction Projects Completed (45%***) Source: State Treasurer, CISF/McGraw Hill

Capital Expenditures, (1995-2005) & (2005-2013) datasets Value Details School District Outstanding Bond Debt **Total Outstanding** Maturity Date Last Bond Approved Amount & Purpose Type of Work & Square Area Covered

These represent identified energy projects only based on the audits for SB 1149 schools and non-SB 1149 audits; therefore, this data is a compliation from the data in Columns O and Q for ease of reference. Specific seismic and technology upgrades have yet to be identified. * Not all districts have done capital work in this timeframe.