


Summary of Trends
at
Automatic Traffic Recorder Stations

Location: US30; MP 37.70; LA GRANDE-BAKER HIGHWAY NO. 66; 4.84 miles south of Union-Baker County Line

Site Name: North Powder (01-001)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	939	151	16.3	11.8	11.3	11.1
2000	881	***	***	***	***	***
2001	837	***	***	***	***	***
2002	879	181	18.3	13.5	12.6	12.1
2003	827	151	16.1	12.6	11.6	11.4
2004	823	160	23.7	12.4	11.8	11.4
2005	759	180	26.2	13.7	12.8	12.0
2006	737	181	16.5	12.9	11.9	11.5
2007	779	182	17.0	12.6	11.9	11.6
2008	722	177	22.7	14.3	12.6	11.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	608	84	580	80	Motorcycles	0.3
February	670	93	622	86	Passenger cars	47.9
March	701	97	666	92	Light Trucks	42.1
April	787	109	760	105	Buses	1.1
May	808	112	785	109	Single unit trucks (2 axles)	2.5
June	820	114	812	112	Single unit trucks (3 axles)	0.8
July	842	117	827	115	Single unit trucks (4 or more axles)	0.0
August	818	113	782	108	Single trailer trucks (4 or less axles)	1.9
September	827	115	782	108	Single trailer trucks (5 axles)	0.8
October	819	113	765	106	Single trailer trucks (6 or more axles)	1.8
November	749	104	694	96	Multi trailer trucks (5 or less axles)	0.0
December	648	90	590	82	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.9

Location: OR203; MP 36.86; MEDICAL SPRINGS HIGHWAY NO. 340; 2.08 miles east of Old Oregon Trail Highway No. 6 (I-84)

Site Name: Medical Springs (01-007)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	241	206	31.6	15.8	14.6	13.7
2000	225	181	24.4	16.0	14.2	13.8
2001	234	170	27.4	15.0	14.1	13.7
2002	225	186	37.8	16.5	15.1	14.7
2003	228	163	21.0	16.6	14.5	14.0
2004	229	164	21.0	16.6	15.8	14.9
2005	221	179	34.9	16.8	15.4	15.0
2006	219	234	60.7	19.6	16.0	15.1
2007	228	160	18.0	15.8	14.9	14.1
2008	220	***	***	***	***	***



*** 2008 factors are unrepresentative due to Cycle Oregon

2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	182	83	177	80	Motorcycles	0.0
February	194	88	185	84	Passenger cars	45.2
March	204	93	192	87	Light Trucks	53.5
April	222	101	214	97	Buses	0.0
May	233	106	230	105	Single unit trucks (2 axles)	1.4
June	233	106	254	115	Single unit trucks (3 axles)	0.0
July	239	109	249	113	Single unit trucks (4 or more axles)	0.0
August	238	108	254	115	Single trailer trucks (4 or less axles)	0.0
September	307	140	272	124	Single trailer trucks (5 axles)	0.0
October	221	100	221	100	Single trailer trucks (6 or more axles)	0.0
November	214	97	210	95	Multi trailer trucks (5 or less axles)	0.0
December	182	83	178	81	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR86; MP 37.55; BAKER-COPPERFIELD HIGHWAY NO. 12; 2.21 miles northwest of Dry Gulch Road

Site Name: Richland (01-010)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	649	***	***	***	***	***
2000	648	207	21.9	18.2	15.7	15.0
2001	646	***	***	***	***	***
2002	654	218	25.7	19.1	17.0	15.7
2003	657	199	22.4	18.3	16.9	15.8
2004	659	***	***	***	***	***
2005	637	***	***	***	***	***
2006	609	298	48.6	20.5	16.4	15.1
2007	615	321	43.7	21.8	17.2	15.6
2008	559	235	26.1	21.3	18.3	16.6



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	363	65	351	63	Motorcycles	3.7
February	418	75	399	71	Passenger cars	46.9
March	468	84	459	82	Light Trucks	44.0
April	509	91	497	89	Buses	0.0
May	633	113	639	114	Single unit trucks (2 axles)	1.5
June	678	121	733	131	Single unit trucks (3 axles)	1.1
July	700	125	708	127	Single unit trucks (4 or more axles)	0.1
August	725	130	748	134	Single trailer trucks (4 or less axles)	0.6
September	768	137	728	130	Single trailer trucks (5 axles)	1.4
October	591	106	566	101	Single trailer trucks (6 or more axles)	0.7
November	516	92	491	88	Multi trailer trucks (5 or less axles)	0.0
December	432	77	384	69	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: I-84; MP 286.65; OLD OREGON TRAIL NO. 6; 0.45 mile south of Union-Baker County Line

Site Name: Baker Valley (01-011)
Installed: January, 1973

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	8585	166	13.5	12.3	12.0	11.5
2000	8756	164	14.8	12.6	12.1	11.4
2001	8768	169	15.6	12.7	12.2	11.5
2002	9120	168	16.0	13.6	12.4	12.0
2003	9137	***	***	***	***	***
2004	9236	160	15.9	12.5	11.9	11.4
2005	9277	182	15.1	12.5	11.8	11.4
2006	9394	175	14.1	12.4	11.7	11.2
2007	9526	154	15.6	12.7	11.8	11.3
2008	8750	158	16.4	13.4	11.8	11.4



2008 TRAFFIC DATA

Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	6587	75	6360	73	Motorcycles	0.9
February	7353	84	7108	81	Passenger cars	45.7
March	8463	97	8649	99	Light Trucks	12.1
April	8563	98	8692	99	Buses	0.1
May	9182	105	9166	105	Single unit trucks (2 axles)	1.5
June	9847	113	10124	116	Single unit trucks (3 axles)	1.2
July	10676	122	10726	123	Single unit trucks (4 or more axles)	0.2
August	10564	121	10801	123	Single trailer trucks (4 or less axles)	4.4
September	9593	110	9578	109	Single trailer trucks (5 axles)	28.0
October	9175	105	9093	104	Single trailer trucks (6 or more axles)	3.5
November	8416	96	8372	96	Multi trailer trucks (5 or less axles)	0.2
December	6569	75	6335	72	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.2


Location: OR7; MP 48.40; WHITNEY HIGHWAY NO. 71; 0.20 mile south of Griffin Gulch Lane

Site Name:
Installed:

Whitney (01-012)
December, 1981

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1706	***	***	***	***	***
2000	1685	363	32.4	26.3	24.6	22.4
2001	1577	399	38.1	28.8	26.1	23.9
2002	1593	395	35.2	29.4	24.6	22.5
2003	1508	407	37.7	29.8	25.3	23.5
2004	1466	347	30.8	28.6	25.6	24.0
2005	1403	424	39.8	30.6	24.1	22.3
2006	1429	329	31.1	26.7	24.5	22.5
2007	1409	361	33.5	27.5	24.6	22.6
2008	1327	***	***	***	***	***



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	808	61	790	60	Motorcycles	2.0
February	912	69	882	66	Passenger cars	48.3
March	953	72	932	70	Light Trucks	41.6
April	1091	82	1094	82	Buses	0.2
May	1500	113	1700	128	Single unit trucks (2 axles)	2.5
June	1630	123	1720	130	Single unit trucks (3 axles)	0.9
July	1696	128	1870	141	Single unit trucks (4 or more axles)	0.3
August	1626	123	1790	135	Single trailer trucks (4 or less axles)	2.2
September	1633	123	1641	124	Single trailer trucks (5 axles)	1.0
October	1416	107	1409	106	Single trailer trucks (6 or more axles)	0.2
November	1216	92	1202	91	Multi trailer trucks (5 or less axles)	0.1
December	936	71	889	67	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.7


Location: OR34; MP 53.89; ALSEA HIGHWAY NO. 27; 4.67 miles southwest of Corvallis- Newport Highway No. 33 (US20/OR34)

Site Name:
Installed:

Alsea (02-003)
July, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2338	192	22.9	12.6	11.9	11.6
2000	2269	131	13.2	11.8	11.4	11.1
2001	2249	181	19.4	13.9	12.0	11.6
2002	2239	132	13.1	12.0	11.5	11.3
2003	2254	136	13.7	11.9	11.3	11.2
2004	2355	142	14.6	12.1	11.2	10.8
2005	2248	138	12.8	11.7	11.3	10.9
2006	2231	157	15.6	12.6	11.9	11.6
2007	2090	157	18.5	12.5	11.9	11.7
2008	1932	156	14.7	12.5	12.2	12.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1707	88	1683	87	Motorcycles	1.1
February	1860	96	1833	95	Passenger cars	56.5
March	1787	92	1766	91	Light Trucks	33.0
April	1788	93	1806	93	Buses	0.4
May	1821	94	1930	100	Single unit trucks (2 axles)	3.1
June	1967	102	2038	105	Single unit trucks (3 axles)	2.8
July	2206	114	2231	115	Single unit trucks (4 or more axles)	0.0
August	2100	109	2400	124	Single trailer trucks (4 or less axles)	0.6
September	2064	107	2136	111	Single trailer trucks (5 axles)	1.4
October	1961	102	2042	106	Single trailer trucks (6 or more axles)	0.9
November	1813	94	1851	96	Multi trailer trucks (5 or less axles)	0.2
December	1502	78	1469	76	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.1

Location: OR223; MP 26.43; KINGS VALLEY HIGHWAY NO. 191; 1.41 miles south of Hoskins-Summit Road

Site Name: Kings Valley (02-005)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1051	151	19.4	12.7	11.5	11.3
2000	1050	140	21.5	11.8	11.3	11.0
2001	1081	144	21.9	12.1	11.6	11.3
2002	1121	403	43.5	30.8	21.7	13.9
2003	1157	***	***	***	***	***
2004	1142	284	32.7	26.6	17.3	12.8
2005	1150	269	29.7	23.0	13.9	11.5
2006	1151	302	33.0	26.5	19.5	12.5
2007	1107	309	34.0	25.7	15.7	12.6
2008	1051	313	35.1	24.8	15.6	12.6



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	864	82	806	77	Motorcycles	1.5
February	1072	102	1002	95	Passenger cars	37.6
March	1018	97	959	91	Light Trucks	42.5
April	1033	98	1002	95	Buses	2.7
May	1132	108	1110	106	Single unit trucks (2 axles)	2.2
June	1149	109	1111	106	Single unit trucks (3 axles)	5.2
July	1272	121	1233	117	Single unit trucks (4 or more axles)	0.0
August	1214	116	1202	114	Single trailer trucks (4 or less axles)	0.5
September	1210	115	1322	126	Single trailer trucks (5 axles)	5.8
October	1128	107	1090	104	Single trailer trucks (6 or more axles)	2.2
November	1091	104	1056	100	Multi trailer trucks (5 or less axles)	0.0
December	748	71	720	69	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR99W; MP 94.90; PACIFIC HIGHWAY WEST NO. 91; 5.47 miles north of Monroe Cemetery Road

Site Name: Monroe (02-007)
Installed: April, 1953

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	5154	***	***	***	***	***
2000	5171	***	***	***	***	***
2001	5192	***	***	***	***	***
2002	5290	***	***	***	***	***
2003	5248	139	14.2	11.5	11.1	10.8
2004	5051	142	13.0	11.5	11.2	10.9
2005	5007	140	13.2	11.3	10.9	10.7
2006	5032	155	16.9	12.2	11.2	10.9
2007	5119	144	15.5	11.3	11.0	10.7
2008	4762	139	14.9	12.1	11.5	11.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	4177	88	4043	85	Motorcycles	1.3
February	4819	101	4708	99	Passenger cars	58.0
March	4772	100	4726	99	Light Trucks	26.8
April	4772	100	4750	100	Buses	0.2
May	4988	105	4994	105	Single unit trucks (2 axles)	3.5
June	5046	106	4977	105	Single unit trucks (3 axles)	3.8
July	5364	113	5129	108	Single unit trucks (4 or more axles)	0.0
August	5230	110	5162	108	Single trailer trucks (4 or less axles)	0.3
September	5147	108	5217	110	Single trailer trucks (5 axles)	5.6
October	4901	103	4921	103	Single trailer trucks (6 or more axles)	0.3
November	4722	99	4749	100	Multi trailer trucks (5 or less axles)	0.0
December	3949	83	3769	79	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US26; MP 44.87; MT. HOOD HIGHWAY NO. 26; 0.79 mile east of E. Arlie Mitchell Road in Rhododendron

Site Name: Rhododendron (03-006)
Installed: August, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	8335	***	***	***	***	***
2000	8412	245	27.8	20.6	19.8	19.3
2001	8391	255	27.1	22.2	20.4	19.7
2002	8415	220	24.3	21.1	20.2	19.4
2003	8416	222	23.8	21.3	19.5	18.8
2004	8211	205	22.4	19.5	18.8	18.2
2005	7906	216	23.0	20.3	19.6	18.9
2006	8535	231	22.4	19.1	18.5	18.0
2007	8542	198	21.2	18.9	18.1	17.7
2008	8162	233	22.9	20.4	19.2	18.8



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	7500	92	10500	129	Motorcycles	0.0
February	6193	76	8883	109	Passenger cars	32.3
March	6246	77	8518	104	Light Trucks	46.1
April	5021	62	7085	87	Buses	0.6
May	5562	68	6970	85	Single unit trucks (2 axles)	3.7
June	6535	80	8130	100	Single unit trucks (3 axles)	0.9
July	8328	102	10385	127	Single unit trucks (4 or more axles)	0.2
August	8355	102	10490	129	Single trailer trucks (4 or less axles)	2.2
September	6775	83	8184	100	Single trailer trucks (5 axles)	7.6
October	5583	68	6743	83	Single trailer trucks (6 or more axles)	2.4
November	4800	59	5750	70	Multi trailer trucks (5 or less axles)	0.1
December	5000	61	6300	77	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	4.1

Location: OR35; MP 57.99; MT. HOOD HIGHWAY NO. 26; 0.18 mile east of Warm Springs Highway No. 53 (US26)

Site Name: Mt. Hood Meadows (03-007)
Installed: September, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1829	388	51.1	41.9	36.4	31.9
2000	1915	427	56.1	46.3	35.6	32.5
2001	1834	418	59.7	44.7	38.9	33.6
2002	1767	***	***	***	***	***
2003	1836	490	63.1	41.6	37.3	32.1
2004	1685	423	61.4	46.9	39.2	34.8
2005	1544	***	***	***	***	***
2006	1770	***	***	***	***	***
2007	2001	371	59.6	42.9	38.1	35.4
2008	1854	398	56.8	44.2	39.9	36.1



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	2200	119	3700	200	Motorcycles	3.4
February	1821	98	3101	167	Passenger cars	60.0
March	1752	94	2780	150	Light Trucks	27.5
April	1186	64	1940	105	Buses	1.3
May	654	35	1003	54	Single unit trucks (2 axles)	0.5
June	1026	55	1272	69	Single unit trucks (3 axles)	1.9
July	1545	83	1985	107	Single unit trucks (4 or more axles)	2.8
August	1563	84	1904	103	Single trailer trucks (4 or less axles)	0.4
September	1359	73	1652	89	Single trailer trucks (5 axles)	1.0
October	1069	58	1345	73	Single trailer trucks (6 or more axles)	0.7
November	606	33	766	41	Multi trailer trucks (5 or less axles)	0.2
December	650	35	800	43	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.0

Location: OR173; MP 5.45; TIMBERLINE HIGHWAY NO. 173; 0.04 mile north of Mt. Hood Highway No. 26 (US26)

Site Name: Timberline (03-008)
Installed: September, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1867	264	34.1	30.0	27.4	26.6
2000	1942	***	***	***	***	***
2001	1699	283	36.2	27.7	26.5	25.5
2002	1743	284	28.9	27.3	25.2	24.4
2003	1635	336	40.8	31.1	27.5	26.2
2004	1554	287	39.6	31.3	27.5	26.7
2005	1418	***	***	***	***	***
2006	1463	309	32.2	28.9	27.4	25.9
2007	1520	332	41.0	26.5	25.3	23.9
2008	1497	316	33.4	28.3	27.3	25.0



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	1094	73	1611	108	Motorcycles	0.3
February	1061	71	1600	107	Passenger cars	87.4
March	1012	68	1457	97	Light Trucks	10.2
April	809	54	1175	78	Buses	0.4
May	904	60	1242	83	Single unit trucks (2 axles)	1.3
June	1496	100	1853	124	Single unit trucks (3 axles)	0.2
July	2030	136	2409	161	Single unit trucks (4 or more axles)	0.0
August	1800	120	2200	147	Single trailer trucks (4 or less axles)	0.0
September	1050	70	1340	90	Single trailer trucks (5 axles)	0.2
October	663	44	984	66	Single trailer trucks (6 or more axles)	0.0
November	648	43	1017	68	Multi trailer trucks (5 or less axles)	0.0
December	885	59	1076	72	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: US26; MP 57.77; WARM SPRINGS HIGHWAY NO. 53; 0.32 mile south of Mt. Hood Highway No. 26 (OR35)

Site Name: Warm Springs Jct. (03-009)
Installed: August, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4948	255	27.3	23.4	22.5	21.9
2000	4990	265	27.9	23.7	22.6	22.0
2001	4950	268	29.6	24.1	22.8	21.5
2002	5059	270	28.9	25.1	23.2	21.8
2003	5191	277	28.7	25.0	23.7	22.3
2004	5113	245	28.1	22.6	21.7	20.6
2005	5136	***	***	***	***	***
2006	5064	239	26.8	22.9	22.2	21.1
2007	5099	244	26.5	23.7	22.0	21.1
2008	4715	238	27.5	24.4	23.3	22.3



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	2700	57	3000	64	Motorcycles	0.0
February	2800	59	3400	72	Passenger cars	27.0
March	3265	69	3783	80	Light Trucks	46.1
April	3131	66	3938	84	Buses	0.3
May	4264	90	5107	108	Single unit trucks (2 axles)	3.7
June	4844	103	6051	128	Single unit trucks (3 axles)	0.5
July	5885	125	7219	153	Single unit trucks (4 or more axles)	0.0
August	5923	126	7380	157	Single trailer trucks (4 or less axles)	3.7
September	4698	100	5665	120	Single trailer trucks (5 axles)	11.0
October	3900	83	4500	95	Single trailer trucks (6 or more axles)	2.0
November	3256	69	3636	77	Multi trailer trucks (5 or less axles)	0.0
December	2400	51	2900	62	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	5.4

Location: I-5; MP 281.20; PACIFIC HIGHWAY NO. 1; 1.38 miles south of Wilsonville-Hubbard Highway No. 51

Site Name: Wilsonville (03-011)
Installed: August, 1973

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	78881	132	9.9	9.3	9.2	9.1
2000	81240	133	10.2	9.4	9.3	9.2
2001	82713	***	***	***	***	***
2002	85173	136	10.1	9.2	9.1	9.0
2003	86362	132	10.4	9.2	9.1	9.0
2004	86727	131	10.1	9.1	8.9	8.9
2005	86787	132	10.1	9.0	8.9	8.8
2006	88038	129	8.9	8.8	8.7	8.6
2007	88174	***	***	***	***	***
2008	83161	134	10.7	9.3	9.2	9.1



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	75683	91	74767	90	Motorcycles	0.6
February	81811	98	81037	97	Passenger cars	64.0
March	85252	103	85146	102	Light Trucks	14.2
April	83298	100	84156	101	Buses	0.3
May	84843	102	85452	103	Single unit trucks (2 axles)	5.3
June	87757	106	88415	106	Single unit trucks (3 axles)	1.2
July	91432	110	90592	109	Single unit trucks (4 or more axles)	0.0
August	92252	111	94151	113	Single trailer trucks (4 or less axles)	1.3
September	84777	102	86792	104	Single trailer trucks (5 axles)	8.8
October	80983	97	81931	99	Single trailer trucks (6 or more axles)	1.3
November	81600	98	82556	99	Multi trailer trucks (5 or less axles)	0.4
December	64621	78	62932	76	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.5

Location: OR213; MP 22.15; CASCADE HIGHWAY SOUTH NO. 160; 2.05 miles northeast of Clackamas-Marion County Line

Site Name: Marquam (03-013)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3377	***	***	***	***	***
2000	3347	***	***	***	***	***
2001	3664	***	***	***	***	***
2002	3711	149	16.5	12.3	11.2	11.0
2003	3658	164	13.6	12.1	11.3	11.0
2004	3683	127	12.4	11.5	11.1	10.8
2005	3774	152	16.0	11.6	11.3	11.1
2006	3893	144	13.1	11.9	11.5	11.2
2007	3934	152	12.9	12.2	11.8	11.4
2008	3677	148	14.1	12.2	11.6	11.4



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	3347	91	3188	87	Motorcycles	1.2
February	3693	100	3495	95	Passenger cars	67.4
March	3756	102	3600	98	Light Trucks	24.6
April	3829	104	3754	102	Buses	0.2
May	4037	110	3974	108	Single unit trucks (2 axles)	3.3
June	4015	109	3968	108	Single unit trucks (3 axles)	1.6
July	4180	114	4128	112	Single unit trucks (4 or more axles)	0.1
August	3888	106	3930	107	Single trailer trucks (4 or less axles)	0.4
September	3802	103	3895	106	Single trailer trucks (5 axles)	1.1
October	3676	100	3603	98	Single trailer trucks (6 or more axles)	0.2
November	3869	105	3691	100	Multi trailer trucks (5 or less axles)	0.0
December	3084	84	2897	79	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: OR211; MP 24.35; WOODBURN-ESTACADA HIGHWAY NO. 161; 3.17 miles northeast of Wall Street

Site Name: Colton (03-014)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2208	139	15.8	11.8	11.1	10.9
2000	2246	135	17.2	11.3	11.0	10.8
2001	2268	146	13.1	11.7	11.1	11.0
2002	2345	128	12.3	11.3	11.1	10.8
2003	2388	128	11.7	10.9	10.8	10.6
2004	2386	133	21.7	20.0	18.1	16.9
2005	2415	136	15.9	11.3	10.9	10.7
2006	2457	130	12.1	11.6	11.2	11.0
2007	2498	135	13.1	11.9	11.4	11.1
2008	2313	134	13.3	12.1	11.5	11.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1983	86	1980	86	Motorcycles	0.4
February	2261	98	2239	97	Passenger cars	63.8
March	2221	96	2188	95	Light Trucks	25.6
April	2266	98	2302	100	Buses	0.8
May	2480	107	2483	107	Single unit trucks (2 axles)	3.5
June	2340	101	2420	105	Single unit trucks (3 axles)	2.9
July	2444	106	2580	112	Single unit trucks (4 or more axles)	0.0
August	2470	107	2564	111	Single trailer trucks (4 or less axles)	0.4
September	2556	111	2628	114	Single trailer trucks (5 axles)	1.8
October	2455	106	2443	106	Single trailer trucks (6 or more axles)	0.8
November	2311	100	2267	98	Multi trailer trucks (5 or less axles)	0.0
December	1759	76	1661	72	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: I-205; MP 1.99; EAST PORTLAND FREEWAY NO. 64; 1.99 miles east of Pacific Highway No. 1 (I-5)

Site Name: Stafford (03-016)
Installed: January, 1971

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	77362	123	9.1	8.7	8.6	8.6
2000	79334	122	9.0	8.8	8.7	8.6
2001	79684	120	9.3	8.7	8.6	8.5
2002	83319	122	8.9	8.6	8.5	8.4
2003	82032	119	8.9	8.4	8.4	8.4
2004	82780	122	8.5	8.4	8.3	8.3
2005	82719	119	8.5	8.3	8.3	8.2
2006	83033	119	8.5	8.2	8.2	8.1
2007	82746	***	***	***	***	***
2008	78070	121	11.0	8.5	8.4	8.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	76165	98	72543	93	Motorcycles	0.5
February	82228	105	77717	100	Passenger cars	46.5
March	82677	106	78714	101	Light Trucks	42.5
April	84045	108	79833	102	Buses	0.3
May	84063	108	80097	103	Single unit trucks (2 axles)	3.2
June	86943	111	82679	106	Single unit trucks (3 axles)	0.6
July	88468	113	82391	107	Single unit trucks (4 or more axles)	0.1
August	88698	114	83677	107	Single trailer trucks (4 or less axles)	1.5
September	84565	108	81718	105	Single trailer trucks (5 axles)	3.3
October	83158	107	79062	101	Single trailer trucks (6 or more axles)	0.7
November	80028	103	76108	97	Multi trailer trucks (5 or less axles)	0.1
December	70700	91	62300	80	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: OR212; MP 6.80; CLACKAMAS HIGHWAY NO. 171; 0.24 mile west of S.E. 122nd Avenue

Site Name: Clackamas (03-017)
Installed: June, 2005

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	33513	***	***	***	***	***
2008	32177	122	9.2	8.9	8.8	8.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	32642	101	30876	96	Motorcycles	0.6
February	35004	109	32858	102	Passenger cars	76.0
March	34991	109	32791	102	Light Trucks	17.3
April	35240	110	33347	104	Buses	0.5
May	34802	108	33035	103	Single unit trucks (2 axles)	2.2
June	35642	111	33915	105	Single unit trucks (3 axles)	0.9
July	36436	113	34127	106	Single unit trucks (4 or more axles)	0.3
August	35914	112	34185	106	Single trailer trucks (4 or less axles)	0.7
September	33892	105	32853	102	Single trailer trucks (5 axles)	0.8
October	34235	106	32020	100	Single trailer trucks (6 or more axles)	0.3
November	32716	102	30404	94	Multi trailer trucks (5 or less axles)	0.1
December	27717	86	25716	80	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.3

Location: OR224; MP 3.60; CLACKAMAS HIGHWAY NO. 171; 0.13 mile west of Johnson Road

Site Name: Milwaukie (03-018)
Installed: July, 2007

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	35285	125	10.3	10.0	10.0	9.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	38219	108	34131	97	Motorcycles	0.5
February	41094	117	36286	103	Passenger cars	48.4
March	40798	116	35990	102	Light Trucks	45.6
April	41754	118	37063	105	Buses	0.3
May	40987	116	36622	104	Single unit trucks (2 axles)	1.8
June	41242	117	36734	104	Single unit trucks (3 axles)	0.9
July	41197	117	35586	101	Single unit trucks (4 or more axles)	0.1
August	40905	116	35926	102	Single trailer trucks (4 or less axles)	0.6
September	40280	114	36221	103	Single trailer trucks (5 axles)	1.4
October	40952	116	36040	102	Single trailer trucks (6 or more axles)	0.1
November	38591	109	34147	97	Multi trailer trucks (5 or less axles)	0.0
December	32102	91	28669	81	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: US101; MP 15.90; OREGON COAST HIGHWAY NO. 9; 2.09 miles north of Gearhart Loop Road

Site Name: Gearhart (04-001)
Installed: October, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	13144	147	13.5	12.7	12.3	12.2
2000	12938	146	13.0	12.5	12.2	12.0
2001	13084	***	***	***	***	***
2002	13317	***	***	***	***	***
2003	13442	***	***	***	***	***
2004	13802	152	14.3	12.4	12.0	11.9
2005	13808	149	12.7	12.2	11.9	11.7
2006	13797	146	12.8	12.3	11.9	11.8
2007	14018	145	12.4	12.1	11.9	11.7
2008	13485	153	14.3	12.2	11.8	11.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11570	86	11042	82	Motorcycles	0.3
February	12655	94	12504	93	Passenger cars	48.3
March	13082	97	12752	95	Light Trucks	41.6
April	13526	100	13357	99	Buses	0.8
May	13881	103	14009	104	Single unit trucks (2 axles)	3.5
June	14626	108	14648	109	Single unit trucks (3 axles)	1.4
July	16691	124	16685	124	Single unit trucks (4 or more axles)	0.1
August	16837	125	17096	127	Single trailer trucks (4 or less axles)	0.8
September	14770	110	15041	112	Single trailer trucks (5 axles)	2.3
October	13262	98	13057	97	Single trailer trucks (6 or more axles)	0.7
November	11952	89	11799	87	Multi trailer trucks (5 or less axles)	0.0
December	10824	80	9832	73	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US101; MP 3.79; OREGON COAST HIGHWAY NO. 9; 0.01 mile north of Lower Columbia River Highway No. 92 (US30)

Site Name: Astoria Bridge (04-004)
Installed: September, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6206	189	17.7	16.3	15.7	15.2
2000	6261	175	19.7	15.5	14.9	14.6
2001	6592	191	17.0	16.1	15.2	14.8
2002	6742	172	16.9	15.3	14.7	14.3
2003	6890	173	16.3	15.4	14.6	14.4
2004	7077	171	16.1	14.5	14.1	13.7
2005	7013	168	16.2	14.9	14.4	13.9
2006	7141	164	16.6	15.0	14.6	14.4
2007	7127	165	16.3	15.0	14.6	14.1
2008	6761	175	17.3	15.8	15.0	14.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	5300	78	5300	78	Motorcycles	0.4
February	600	89	6200	92	Passenger cars	62.5
March	6100	90	6300	93	Light Trucks	27.5
April	6400	95	6600	98	Buses	0.4
May	6500	96	7000	104	Single unit trucks (2 axles)	2.9
June	7060	104	7474	111	Single unit trucks (3 axles)	2.1
July	8196	121	8665	128	Single unit trucks (4 or more axles)	0.0
August	8418	125	8965	133	Single trailer trucks (4 or less axles)	0.5
September	7253	107	7790	115	Single trailer trucks (5 axles)	3.0
October	6164	91	6349	94	Single trailer trucks (6 or more axles)	0.6
November	5668	84	5852	87	Multi trailer trucks (5 or less axles)	0.0
December	5016	74	4634	69	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: US30; MP 53.33; LOWER COLUMBIA RIVER HIGHWAY NO. 92; 1.03 miles west of Rainier Road

Site Name: Rainier (05-006)
Installed: September, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	9967	146	13.1	12.5	11.9	11.7
2000	9847	145	12.5	12.0	11.7	11.5
2001	9991	156	13.3	12.8	12.6	12.3
2002	10197	150	13.0	12.3	12.0	11.8
2003	10283	152	13.9	12.1	11.7	11.5
2004	9950	153	13.9	12.5	12.2	12.0
2005	10222	151	12.6	12.1	11.9	11.7
2006	10717	146	12.7	11.8	11.5	11.4
2007	10986	151	12.9	12.2	11.6	11.3
2008	10142	148	12.6	12.1	11.7	11.6



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	9427	93	9303	92	Motorcycles	0.3
February	10285	101	10120	100	Passenger cars	56.8
March	10076	99	10024	99	Light Trucks	28.5
April	10299	102	10361	102	Buses	0.4
May	10468	103	10655	105	Single unit trucks (2 axles)	3.8
June	10732	106	10933	108	Single unit trucks (3 axles)	2.5
July	11527	114	11723	116	Single unit trucks (4 or more axles)	0.2
August	11592	114	12129	120	Single trailer trucks (4 or less axles)	1.1
September	10354	102	10776	106	Single trailer trucks (5 axles)	3.7
October	9602	95	9628	95	Single trailer trucks (6 or more axles)	2.0
November	9044	89	9102	90	Multi trailer trucks (5 or less axles)	0.0
December	7324	72	6948	69	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.7

Location: US101; MP 221.67; OREGON COAST HIGHWAY NO. 9; 1.09 miles south of Coos-Douglas County Line

Site Name: Lakeside (06-001)
Installed: January, 1992

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	7977	154	14.3	12.7	12.4	12.2
2000	7735	159	13.8	12.8	12.6	12.4
2001	7873	164	15.0	13.4	12.9	12.7
2002	8209	170	14.3	13.4	13.2	12.8
2003	8100	164	15.0	13.5	13.3	12.9
2004	8190	157	13.8	12.9	12.5	12.3
2005	8061	154	13.6	12.8	12.6	12.4
2006	7986	159	14.0	13.0	12.7	12.5
2007	7979	170	13.8	13.2	12.7	12.4
2008	7322	155	15.4	12.9	12.6	12.3



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	5995	82	5908	81	Motorcycles	0.8
February	6476	88	6583	90	Passenger cars	57.5
March	6804	93	6863	94	Light Trucks	30.9
April	6681	91	6842	93	Buses	0.4
May	7325	100	7571	103	Single unit trucks (2 axles)	2.2
June	7898	108	8086	110	Single unit trucks (3 axles)	1.7
July	9250	126	9468	129	Single unit trucks (4 or more axles)	0.0
August	8955	122	9438	129	Single trailer trucks (4 or less axles)	0.5
September	7973	109	8101	111	Single trailer trucks (5 axles)	3.3
October	6824	93	6859	94	Single trailer trucks (6 or more axles)	1.3
November	6245	85	6371	87	Multi trailer trucks (5 or less axles)	0.1
December	5893	80	5771	79	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.2


Location: US101; MP 275.87; OREGON COAST HIGHWAY NO. 9; 1.02 miles south of 18th S.W. Street

Site Name:
Installed:

Bandon (06-004)
September, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6471	140	12.2	11.6	11.4	11.3
2000	6287	141	12.6	11.9	11.6	11.5
2001	6393	142	12.3	12.0	11.8	11.6
2002	6521	160	14.3	12.7	12.5	12.1
2003	6600	147	13.7	12.2	12.0	11.8
2004	6600	140	12.5	11.9	11.7	11.5
2005	6529	***	***	***	***	***
2006	6473	147	12.9	12.3	11.9	11.7
2007	6338	143	12.8	12.4	12.1	11.9
2008	6090	145	13.2	12.3	11.7	11.6



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	5395	89	5062	83	Motorcycles	2.0
February	5829	96	5463	90	Passenger cars	54.6
March	5925	97	5590	92	Light Trucks	32.0
April	6079	100	5737	94	Buses	0.0
May	6475	106	6226	102	Single unit trucks (2 axles)	2.9
June	6947	114	6574	108	Single unit trucks (3 axles)	1.3
July	7824	128	7478	123	Single unit trucks (4 or more axles)	0.1
August	7700	126	7463	123	Single trailer trucks (4 or less axles)	1.2
September	7195	118	6802	112	Single trailer trucks (5 axles)	3.8
October	6420	105	6007	99	Single trailer trucks (6 or more axles)	0.4
November	5815	95	5480	90	Multi trailer trucks (5 or less axles)	0.5
December	5581	92	5193	85	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.1


Location: US101; MP 243.99; OREGON COAST HIGHWAY NO. 9; 0.28 mile north of Coos Bay-Roseburg Highway No. 35 (OR42)

Site Name:
Installed:

Coos Bay (06-009)
September, 1999

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	14486	140	11.0	10.4	10.2	10.2
2001	14558	144	11.6	11.0	10.6	10.4
2002	14978	141	11.3	10.8	10.4	10.3
2003	15192	139	11.3	10.7	10.5	10.4
2004	15241	***	***	***	***	***
2005	15075	***	***	***	***	***
2006	14902	***	***	***	***	***
2007	14754	137	11.1	10.6	10.5	10.4
2008	13702	136	11.2	10.7	10.4	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	13399	98	12254	89	Motorcycles	0.2
February	14719	107	13505	99	Passenger cars	59.0
March	14512	106	13338	97	Light Trucks	29.6
April	14753	108	13563	99	Buses	0.3
May	14723	107	13974	102	Single unit trucks (2 axles)	2.3
June	15427	113	14248	104	Single unit trucks (3 axles)	1.8
July	16702	122	15425	113	Single unit trucks (4 or more axles)	0.9
August	16556	121	15507	113	Single trailer trucks (4 or less axles)	0.0
September	15446	113	14561	106	Single trailer trucks (5 axles)	3.9
October	14642	107	13469	98	Single trailer trucks (6 or more axles)	1.0
November	13451	98	12534	91	Multi trailer trucks (5 or less axles)	0.0
December	13077	95	12044	88	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.8

Location: US26; MP 22.85; OCHOCO HIGHWAY NO. 41; 2.03 miles west of Ochoco Dam

Site Name: Ochoco (07-001)
 Installed: October, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3115	198	17.0	15.0	13.8	13.2
2000	3007	196	18.2	15.1	14.0	13.7
2001	2963	201	17.7	15.3	14.3	13.6
2002	2977	206	18.5	15.3	14.4	13.8
2003	2968	181	17.9	15.0	13.8	13.4
2004	2942	188	19.3	15.0	13.9	13.4
2005	2868	183	18.8	15.1	13.9	13.4
2006	2846	191	17.2	14.9	14.0	13.3
2007	2809	180	16.2	14.0	13.5	13.2
2008	2616	178	17.5	14.4	13.9	13.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1793	69	1786	68	Motorcycles	0.4
February	1990	76	1952	75	Passenger cars	24.3
March	2184	83	2182	83	Light Trucks	66.8
April	2289	88	2380	91	Buses	0.4
May	2811	107	2968	113	Single unit trucks (2 axles)	4.1
June	2996	115	3207	123	Single unit trucks (3 axles)	0.9
July	3142	120	3332	127	Single unit trucks (4 or more axles)	0.2
August	3140	120	3318	127	Single trailer trucks (4 or less axles)	1.0
September	3006	115	3158	121	Single trailer trucks (5 axles)	1.2
October	2801	107	2858	109	Single trailer trucks (6 or more axles)	0.1
November	2330	89	2401	92	Multi trailer trucks (5 or less axles)	0.2
December	1882	72	1853	71	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.5

Location: OR126; MP 3.23; OCHOCO HIGHWAY NO. 41; 0.35 mile west of Deschutes-Crook County Line

Site Name: Powell Butte (07-002)
 Installed: July, 2007

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	7215	134	11.2	10.8	10.6	10.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	6813	94	6455	90	Motorcycles	0.7
February	7518	104	7021	97	Passenger cars	51.2
March	7645	106	7235	100	Light Trucks	31.2
April	7884	109	7450	103	Buses	0.1
May	7995	111	7622	106	Single unit trucks (2 axles)	11.8
June	8075	112	7747	108	Single unit trucks (3 axles)	0.6
July	8391	116	7687	107	Single unit trucks (4 or more axles)	0.1
August	8011	111	7587	105	Single trailer trucks (4 or less axles)	2.2
September	7829	109	7516	104	Single trailer trucks (5 axles)	1.1
October	7659	106	7141	99	Single trailer trucks (6 or more axles)	0.3
November	7208	100	6883	95	Multi trailer trucks (5 or less axles)	0.0
December	6708	93	6232	86	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: US101; MP 362.00; OREGON COAST HIGHWAY NO. 9; 1.11 miles north of Oregon-California State Line

Site Name: Winchuck (08-005)
Installed: November, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	8146	141	12.4	11.8	11.6	11.5
2000	8255	139	12.7	12.0	11.7	11.4
2001	8606	140	11.9	11.7	11.4	11.2
2002	8950	143	12.7	11.9	11.6	11.1
2003	9360	143	12.6	12.0	11.5	11.4
2004	9633	137	12.5	11.4	11.2	10.9
2005	9381	142	12.0	11.5	11.3	11.1
2006	9168	135	12.0	11.3	11.1	10.9
2007	9151	140	12.9	11.6	11.3	11.0
2008	8623	146	12.3	11.6	11.2	10.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	7912	92	7683	89	Motorcycles	0.9
February	8280	96	8073	94	Passenger cars	53.5
March	8379	97	8350	97	Light Trucks	34.5
April	8308	96	8276	96	Buses	0.1
May	8779	102	8773	102	Single unit trucks (2 axles)	7.3
June	9420	109	9285	108	Single unit trucks (3 axles)	0.5
July	10457	121	10274	119	Single unit trucks (4 or more axles)	0.0
August	10054	117	10096	117	Single trailer trucks (4 or less axles)	1.0
September	9158	106	9101	106	Single trailer trucks (5 axles)	2.2
October	8334	97	8148	94	Single trailer trucks (6 or more axles)	0.1
November	7632	89	7622	88	Multi trailer trucks (5 or less axles)	0.0
December	7962	92	7790	90	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: US101; MP 301.45; OREGON COAST HIGHWAY NO. 9; 0.11 mile southeast of Jefferson Street (Battle Rock Wayside)

Site Name: Port Orford (08-009)
Installed: July, 2000

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	2822	174	17.3	15.7	15.2	15.0
2002	2903	204	20.1	17.4	16.7	16.1
2003	2867	169	18.6	15.4	15.0	14.7
2004	2940	173	18.6	15.1	14.8	14.5
2005	2850	179	17.1	15.5	15.0	14.7
2006	2795	***	***	***	***	***
2007	2720	174	16.0	15.4	15.1	14.9
2008	2539	173	17.1	15.2	14.6	14.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	2048	81	1937	76	Motorcycles	3.4
February	2168	85	2074	82	Passenger cars	50.8
March	2275	90	2239	88	Light Trucks	30.9
April	2339	92	2240	88	Buses	0.1
May	2640	104	2566	101	Single unit trucks (2 axles)	4.6
June	3061	121	2947	116	Single unit trucks (3 axles)	1.6
July	3644	144	3622	143	Single unit trucks (4 or more axles)	0.0
August	3641	143	3627	143	Single trailer trucks (4 or less axles)	2.1
September	3188	126	3047	120	Single trailer trucks (5 axles)	4.4
October	2435	96	2298	91	Single trailer trucks (6 or more axles)	0.9
November	1951	77	1941	76	Multi trailer trucks (5 or less axles)	0.3
December	2011	79	1933	76	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.8

Location: US97; MP 142.41; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.17 mile south of China Hat Road

Site Name: Lava Butte (09-003)
Installed: January, 1951

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	19639	144	11.4	10.8	10.5	10.4
2000	19783	143	11.2	10.8	10.7	10.5
2001	20377	142	11.0	10.6	10.4	10.3
2002	21594	142	11.7	11.1	10.9	10.7
2003	22041	148	12.2	11.5	11.2	11.0
2004	22128	142	12.1	11.2	11.0	10.8
2005	22101	***	***	***	***	***
2006	22150	141	11.9	11.3	11.1	10.9
2007	22460	***	***	***	***	***
2008	20472	145	12.0	11.5	11.1	10.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	17148	84	16635	81	Motorcycles	1.3
February	19123	93	18070	88	Passenger cars	61.8
March	20320	99	19258	94	Light Trucks	26.6
April	20904	102	20021	98	Buses	0.5
May	22129	108	21570	105	Single unit trucks (2 axles)	2.9
June	23739	116	23302	114	Single unit trucks (3 axles)	0.5
July	25683	125	24806	121	Single unit trucks (4 or more axles)	0.1
August	25424	124	25098	123	Single trailer trucks (4 or less axles)	1.1
September	22422	110	21783	106	Single trailer trucks (5 axles)	4.6
October	21019	103	20162	98	Single trailer trucks (6 or more axles)	0.4
November	18990	93	18448	90	Multi trailer trucks (5 or less axles)	0.0
December	17309	85	16505	81	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: US20; MP 6.28; CENTRAL OREGON HIGHWAY NO. 7; 1.49 miles east of Powell Butte Road

Site Name: Pilot Butte (09-005)
Installed: October, 1951

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2708	157	13.8	12.2	11.7	11.2
2000	2703	179	14.9	12.8	12.2	11.8
2001	2682	175	14.8	12.6	11.9	11.6
2002	2780	170	14.9	12.9	11.9	11.5
2003	2718	170	14.4	12.9	12.3	12.0
2004	2750	162	14.0	12.4	11.9	11.3
2005	2662	166	13.7	12.3	11.7	11.6
2006	2623	***	***	***	***	***
2007	2677	167	13.6	12.7	12.0	11.9
2008	2457	158	15.9	14.7	14.0	13.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1749	71	1749	71	Motorcycles	0.7
February	1971	80	1953	79	Passenger cars	26.5
March	2228	91	2291	93	Light Trucks	49.2
April	2327	95	2493	101	Buses	0.7
May	2609	106	2728	111	Single unit trucks (2 axles)	2.0
June	2742	112	2833	115	Single unit trucks (3 axles)	4.8
July	2854	116	2905	118	Single unit trucks (4 or more axles)	0.4
August	2788	113	2908	118	Single trailer trucks (4 or less axles)	0.3
September	2709	110	2870	117	Single trailer trucks (5 axles)	11.4
October	2576	105	2635	107	Single trailer trucks (6 or more axles)	1.6
November	2192	89	2287	93	Multi trailer trucks (5 or less axles)	0.2
December	1866	76	1834	75	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.2

Location: US97; MP 135.95; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.49 mile south of Empire Avenue

Site Name: Bend-Empire (09-007)
Installed: June, 1998

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	20113	134	11.8	11.2	11.0	10.9
2000	21950	155	14.6	13.5	13.0	12.5
2001	31476	134	11.5	11.1	11.0	10.8
2002	36680	128	11.4	10.6	10.4	10.3
2003	38762	128	11.1	10.6	10.5	10.4
2004	41282	128	11.2	10.8	10.5	10.5
2005	43455	132	11.7	10.8	10.6	10.5
2006	46064	126	10.9	10.4	10.3	10.3
2007	46647	129	10.9	10.4	10.2	10.2
2008	43354	130	10.8	10.5	10.4	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	40944	94	38409	89	Motorcycles	0.1
February	45596	105	41655	96	Passenger cars	39.6
March	46419	107	42934	99	Light Trucks	53.2
April	48587	112	44968	104	Buses	0.3
May	49172	113	45915	106	Single unit trucks (2 axles)	2.3
June	50599	117	46930	108	Single unit trucks (3 axles)	0.8
July	51366	118	46460	107	Single unit trucks (4 or more axles)	0.2
August	49959	115	46537	107	Single trailer trucks (4 or less axles)	0.2
September	47471	109	44157	102	Single trailer trucks (5 axles)	2.1
October	46860	108	43221	100	Single trailer trucks (6 or more axles)	0.9
November	43409	100	40665	94	Multi trailer trucks (5 or less axles)	0.0
December	41699	96	38391	89	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: US97; MP 137.36; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.23 mile south of Revere Avenue

Site Name: Bend-Revere (09-009)
Installed: June, 1998

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	22240	150	13.8	12.5	12.2	12.0
2000	26588	135	11.6	10.8	10.6	10.5
2001	28845	135	11.2	10.9	10.7	10.6
2002	34827	130	11.2	10.5	10.4	10.3
2003	37125	129	10.9	10.5	10.4	10.3
2004	38565	127	11.3	10.7	10.5	10.4
2005	39657	134	11.0	10.7	10.6	10.5
2006	42163	***	***	***	***	***
2007	42825	131	11.0	10.5	10.4	10.3
2008	39229	128	10.8	10.5	10.4	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	37033	94	34745	89	Motorcycles	0.2
February	40916	104	37419	95	Passenger cars	40.2
March	42316	108	38905	99	Light Trucks	51.9
April	44005	112	40474	103	Buses	0.2
May	44870	114	41654	106	Single unit trucks (2 axles)	2.4
June	46228	118	42628	109	Single unit trucks (3 axles)	0.7
July	47378	121	42849	109	Single unit trucks (4 or more axles)	0.2
August	45933	117	42657	109	Single trailer trucks (4 or less axles)	0.3
September	43417	111	40218	103	Single trailer trucks (5 axles)	2.6
October	41735	106	38505	98	Single trailer trucks (6 or more axles)	1.0
November	38567	98	36026	92	Multi trailer trucks (5 or less axles)	0.0
December	37570	96	34663	88	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: US20/OR126; MP 93.19; SANTIAM HIGHWAY NO. 16; 0.31 mile south of Black Butte Ranch Road

Site Name: Sisters (09-014)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	7886	251	26.2	20.3	18.8	18.2
2000	7759	200	20.2	18.6	17.8	17.3
2001	7748	208	21.6	19.0	18.5	17.8
2002	7763	201	19.9	17.5	17.0	16.4
2003	7927	204	20.6	18.8	17.9	17.0
2004	8051	189	19.6	18.1	17.2	16.5
2005	8008	198	19.5	18.5	17.6	17.2
2006	7993	190	20.2	17.8	17.2	16.6
2007	8168	207	20.9	19.1	18.0	17.4
2008	7305	208	22.0	20.2	19.4	18.3



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	3844	53	4467	61	Motorcycles	0.8
February	4262	58	4693	64	Passenger cars	34.6
March	5138	70	5749	79	Light Trucks	56.8
April	5050	69	5110	84	Buses	0.2
May	6988	96	8074	111	Single unit trucks (2 axles)	2.6
June	7885	108	9277	127	Single unit trucks (3 axles)	0.5
July	9794	134	11184	153	Single unit trucks (4 or more axles)	0.1
August	9497	130	11100	152	Single trailer trucks (4 or less axles)	1.0
September	7744	106	9185	126	Single trailer trucks (5 axles)	1.8
October	6249	86	7347	101	Single trailer trucks (6 or more axles)	0.8
November	5169	71	6043	83	Multi trailer trucks (5 or less axles)	0.0
December	4282	59	4431	61	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.6

Location: US20; MP 9.25; MCKENZIE-BEND HIGHWAY NO. 17; 0.47 mile northwest of Innes Market Road

Site Name: Three Sisters Viewpoint (09-015)
Installed: January, 2003

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2003	8970	164	14.5	13.4	12.9	12.7
2004	9342	160	14.8	12.9	12.5	12.3
2005	9409	160	14.4	12.9	12.4	12.2
2006	9539	154	13.6	12.7	12.3	12.1
2007	9667	154	13.3	12.6	12.4	12.1
2008	8813	156	13.6	12.9	12.7	12.6



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	6664	76	6672	76	Motorcycles	0.5
February	7386	84	7091	80	Passenger cars	25.0
March	8051	91	7830	89	Light Trucks	62.0
April	8242	94	8391	95	Buses	0.2
May	9290	105	9354	106	Single unit trucks (2 axles)	6.5
June	9957	113	10251	116	Single unit trucks (3 axles)	1.0
July	10949	124	11176	127	Single unit trucks (4 or more axles)	0.2
August	10833	123	11064	126	Single trailer trucks (4 or less axles)	1.6
September	10061	114	10423	118	Single trailer trucks (5 axles)	2.0
October	8985	102	9078	103	Single trailer trucks (6 or more axles)	0.5
November	7866	89	7887	89	Multi trailer trucks (5 or less axles)	0.0
December	6860	78	6534	74	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.4

Location: US97; MP 124.45; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 1.40 miles south of Yew Avenue

Site Name: Redmond (09-020)
Installed: February, 1994

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	24530	151	11.8	10.4	10.2	10.1
2000	25060	145	11.9	10.6	10.2	10.1
2001	25867	145	11.9	11.0	10.7	10.3
2002	26906	143	11.8	10.7	10.2	10.1
2003	27751	133	10.7	10.2	10.0	9.9
2004	28647	136	11.3	10.4	10.3	10.2
2005	29788	138	11.3	10.5	10.3	10.1
2006	31315	138	11.4	10.3	10.2	10.1
2007	31492	138	10.8	10.5	10.0	10.0
2008	28041	145	11.7	10.6	10.3	10.1



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	27273	97	25437	91	Motorcycles	0.8
February	30078	107	27661	99	Passenger cars	60.8
March	30519	109	28339	101	Light Trucks	28.3
April	31383	112	29108	104	Buses	0.1
May	31425	112	29438	105	Single unit trucks (2 axles)	3.2
June	32267	115	30047	107	Single unit trucks (3 axles)	0.6
July	33097	118	29684	106	Single unit trucks (4 or more axles)	0.1
August	31817	113	29982	107	Single trailer trucks (4 or less axles)	1.1
September	30334	108	28335	101	Single trailer trucks (5 axles)	3.2
October	30415	108	28135	100	Single trailer trucks (6 or more axles)	1.1
November	28077	100	26189	93	Multi trailer trucks (5 or less axles)	0.0
December	26504	95	24138	86	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: OR126; MP 108.27; MCKENZIE HIGHWAY NO. 15; 1.38 miles west of S.W. Helmholtz Way (S.W. 43rd Street)

Site Name: Cline Falls (09-021)
Installed: June, 2005

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9354	144	12.2	11.4	11.1	10.9
2008	8248	***	***	***	***	***



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	7048	85	6884	83	Motorcycles	0.1
February	7763	94	7420	90	Passenger cars	46.9
March	8144	99	7922	96	Light Trucks	44.4
April	8562	104	8566	104	Buses	0.1
May	9174	111	9209	112	Single unit trucks (2 axles)	5.0
June	9452	115	9670	117	Single unit trucks (3 axles)	0.4
July	9267	112	9452	115	Single unit trucks (4 or more axles)	0.1
August	8900	108	9500	115	Single trailer trucks (4 or less axles)	1.8
September	8600	104	9400	114	Single trailer trucks (5 axles)	0.6
October	8200	99	8100	98	Single trailer trucks (6 or more axles)	0.1
November	7300	89	7200	87	Multi trailer trucks (5 or less axles)	0.0
December	5980	73	5649	68	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.4

Location: US20; MP 63.45; CENTRAL OREGON HIGHWAY NO. 7; 5.80 miles northwest of Deschutes-Lake County Line

Site Name: Hampton (09-024)
Installed: January, 2008

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	1090	215	28.2	19.3	18.1	16.8



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	600	55	600	55	Motorcycles	1.1
February	625	57	603	55	Passenger cars	33.0
March	854	78	910	84	Light Trucks	47.9
April	836	77	923	85	Buses	0.1
May	1138	104	1215	112	Single unit trucks (2 axles)	1.5
June	1299	119	1381	127	Single unit trucks (3 axles)	0.4
July	1347	124	1418	130	Single unit trucks (4 or more axles)	0.0
August	1362	125	1469	135	Single trailer trucks (4 or less axles)	3.6
September	1346	124	1442	132	Single trailer trucks (5 axles)	8.6
October	1258	115	1293	119	Single trailer trucks (6 or more axles)	1.4
November	994	91	1059	97	Multi trailer trucks (5 or less axles)	0.1
December	740	68	766	70	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.0

Location: OR38; MP 23.65; UMPQUA HIGHWAY NO. 45; 7.08 miles east of Scottsburg West Road

Site Name: Scottsburg (10-003)
Installed: December, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3669	187	21.8	17.0	14.9	14.4
2000	3517	194	20.1	17.5	16.2	15.5
2001	3633	213	24.4	19.6	17.4	16.7
2002	3753	***	***	***	***	***
2003	3795	222	23.3	18.7	17.0	15.3
2004	3800	***	***	***	***	***
2005	3641	***	***	***	***	***
2006	3429	186	21.3	16.2	15.6	15.0
2007	3498	194	20.4	17.8	16.6	15.6
2008	3097	201	22.0	18.6	17.0	16.6



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	2310	75	2439	79	Motorcycles	0.8
February	2591	84	2807	91	Passenger cars	40.0
March	2769	89	2992	97	Light Trucks	32.0
April	2623	85	2946	95	Buses	0.2
May	2929	95	3105	100	Single unit trucks (2 axles)	2.8
June	3110	100	3444	111	Single unit trucks (3 axles)	3.1
July	3742	121	4145	134	Single unit trucks (4 or more axles)	0.4
August	3603	116	4162	134	Single trailer trucks (4 or less axles)	3.8
September	3124	101	3257	105	Single trailer trucks (5 axles)	9.8
October	2677	86	2879	93	Single trailer trucks (6 or more axles)	3.9
November	2589	84	2792	90	Multi trailer trucks (5 or less axles)	0.0
December	2000	65	2200	71	Multi trailer trucks (6 axles)	0.7
					Multi trailer trucks (7 or more axles)	2.5

Location: OR138; MP 28.41; NORTH UMPQUA HIGHWAY NO. 138; 0.10 mile east of Susan Creek Road

Site Name: Glide (10-004)
Installed: June, 1966

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1161	***	***	***	***	***
2000	1181	***	***	***	***	***
2001	1156	256	31.3	26.4	24.1	22.6
2002	1230	254	27.2	24.9	22.8	21.7
2003	1238	279	32.1	24.9	22.4	21.5
2004	1124	255	32.2	24.5	22.7	21.5
2005	1034	252	37.2	24.0	22.9	22.0
2006	951	269	30.1	25.9	24.3	22.8
2007	1000	248	29.8	25.1	23.6	22.2
2008	943	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	444	47	485	51	Motorcycles	0.1
February	409	43	464	49	Passenger cars	51.7
March	500	53	500	53	Light Trucks	31.4
April	570	60	660	70	Buses	0.4
May	900	95	1030	109	Single unit trucks (2 axles)	3.3
June	1000	106	1200	127	Single unit trucks (3 axles)	2.8
July	1521	161	1716	182	Single unit trucks (4 or more axles)	0.2
August	1788	190	1984	210	Single trailer trucks (4 or less axles)	7.0
September	1100	117	1100	117	Single trailer trucks (5 axles)	1.7
October	990	105	1100	117	Single trailer trucks (6 or more axles)	0.6
November	576	61	638	68	Multi trailer trucks (5 or less axles)	0.0
December	450	48	440	47	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.7

Location: I-5; MP 129.75; PACIFIC HIGHWAY NO. 1; 0.53 mile north of Winchester Interchange

Site Name: Roseburg (10-005)
Installed: August, 1999

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	29881	150	12.4	10.6	10.2	10.0
2001	29871	139	11.3	10.5	10.2	10.0
2002	31532	154	12.7	11.0	10.2	10.0
2003	31953	***	***	***	***	***
2004	32266	149	11.5	10.2	9.9	9.7
2005	31790	153	13.5	10.6	10.2	10.0
2006	31519	146	11.6	10.2	9.9	9.8
2007	31958	150	11.7	10.4	10.1	9.9
2008	29112	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	26593	91	25417	87	Motorcycles	0.2
February	29234	100	28053	96	Passenger cars	56.6
March	29743	102	29752	102	Light Trucks	15.1
April	29134	100	28477	98	Buses	0.2
May	29913	103	29241	100	Single unit trucks (2 axles)	4.1
June	31574	108	31256	107	Single unit trucks (3 axles)	1.4
July	33422	115	32367	111	Single unit trucks (4 or more axles)	0.0
August	34300	118	33500	115	Single trailer trucks (4 or less axles)	1.7
September	30184	104	29640	102	Single trailer trucks (5 axles)	16.4
October	28869	99	28006	96	Single trailer trucks (6 or more axles)	1.1
November	28718	99	28286	97	Multi trailer trucks (5 or less axles)	0.3
December	26393	91	25349	87	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	3.0

Location: OR42; MP 70.51; COOS BAY-ROSEBURG HIGHWAY NO. 35; 1.22 miles west of Brockway Road

Site Name: Brockway (10-006)
Installed: October, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6151	133	10.9	10.3	10.0	9.8
2000	6085	133	10.8	10.4	10.0	9.8
2001	6031	136	13.5	10.7	10.2	10.1
2002	6180	151	12.3	10.6	10.2	10.1
2003	6236	139	12.1	10.5	10.1	9.9
2004	6277	139	11.1	10.3	9.9	9.8
2005	6258	150	12.1	10.2	9.9	9.7
2006	6206	133	10.9	10.2	9.8	9.7
2007	6024	139	11.5	10.4	10.1	10.0
2008	5518	141	11.2	10.6	10.4	10.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	4904	89	4717	85	Motorcycles	0.6
February	5710	103	5448	99	Passenger cars	49.6
March	5576	101	5389	98	Light Trucks	31.5
April	5548	101	5405	98	Buses	0.1
May	5745	104	5687	103	Single unit trucks (2 axles)	2.2
June	5874	106	5783	105	Single unit trucks (3 axles)	5.0
July	6448	117	6326	115	Single unit trucks (4 or more axles)	0.0
August	6190	112	6189	112	Single trailer trucks (4 or less axles)	0.5
September	6043	110	6018	109	Single trailer trucks (5 axles)	7.0
October	5791	105	5645	102	Single trailer trucks (6 or more axles)	1.5
November	5305	96	5159	93	Multi trailer trucks (5 or less axles)	0.3
December	4723	86	4454	81	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.7

Location: I-5; MP 145.39; PACIFIC HIGHWAY NO. 1; 5.06 miles north of OR99

Site Name: Oakland (10-007)
Installed: October, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	21160	167	14.1	12.3	11.2	10.9
2000	21324	172	14.7	11.7	11.1	10.9
2001	21536	178	17.3	12.6	12.0	11.1
2002	22600	172	13.4	12.7	11.3	11.0
2003	22896	167	13.5	11.9	11.2	10.9
2004	23093	166	13.8	11.6	10.7	10.5
2005	22935	166	14.6	12.2	11.0	10.5
2006	22734	***	***	***	***	***
2007	22668	165	12.6	10.8	10.5	10.4
2008	20708	170	15.2	12.6	11.2	10.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	17246	83	17124	83	Motorcycles	0.2
February	19035	92	18730	90	Passenger cars	52.2
March	20783	100	21324	103	Light Trucks	15.9
April	19747	95	20031	97	Buses	0.1
May	20763	100	20897	101	Single unit trucks (2 axles)	1.7
June	22457	108	23019	111	Single unit trucks (3 axles)	1.8
July	24133	117	24205	117	Single unit trucks (4 or more axles)	0.6
August	23709	114	24426	118	Single trailer trucks (4 or less axles)	0.2
September	20935	101	21363	103	Single trailer trucks (5 axles)	22.5
October	19616	95	19716	95	Single trailer trucks (6 or more axles)	2.8
November	19506	94	19809	96	Multi trailer trucks (5 or less axles)	0.3
December	17945	87	17847	86	Multi trailer trucks (6 axles)	0.4
					Multi trailer trucks (7 or more axles)	1.3

Location: I-5; MP 98.82; PACIFIC HIGHWAY NO. 1; 0.54 mile north of Canyonville/Days Creek Interchange (Fifth Street)

Site Name: Canyonville (10-008)
Installed: January, 2008

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	18476	176	16.4	12.9	11.7	11.2



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Max Day	Average Daily Traffic	Max Hour		
January	15500	84	15500	84	Motorcycles	0.6
February	16519	89	16291	88	Passenger cars	49.1
March	17800	96	18100	98	Light Trucks	12.6
April	17415	94	17850	97	Buses	0.2
May	18259	99	18525	100	Single unit trucks (2 axles)	2.0
June	20020	108	19900	108	Single unit trucks (3 axles)	1.5
July	21870	118	22134	120	Single unit trucks (4 or more axles)	0.2
August	21321	115	22133	120	Single trailer trucks (4 or less axles)	3.0
September	18991	103	19191	104	Single trailer trucks (5 axles)	26.2
October	17617	95	17807	96	Single trailer trucks (6 or more axles)	1.4
November	17782	96	18290	99	Multi trailer trucks (5 or less axles)	0.5
December	15672	85	15986	87	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	2.4

Location: OR206; MP 41.74; WASCO-HEPPNER HIGHWAY NO. 300; 0.86 mile east of John Day Highway No. 5 (OR19)

Site Name: Condon (11-004)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	238	266	33.2	24.4	20.2	18.5
2000	223	174	38.5	17.9	14.8	14.3
2001	213	210	22.5	18.3	17.4	16.0
2002	222	212	27.0	18.0	16.6	15.7
2003	210	255	46.7	19.1	17.6	15.7
2004	201	224	36.8	18.4	17.4	15.9
2005	190	***	***	***	***	***
2006	183	195	32.2	19.1	18.0	16.9
2007	168	233	29.2	19.7	17.9	17.3
2008	166	310	86.1	20.5	18.7	17.5



*** 2005 factors are unrepresentative due to Cycle Oregon

2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Max Day	Average Daily Traffic	Max Hour		
January	123	74	123	74	Motorcycles	1.7
February	148	89	132	80	Passenger cars	25.3
March	154	93	147	89	Light Trucks	48.9
April	160	96	157	95	Buses	2.3
May	178	107	192	116	Single unit trucks (2 axles)	14.0
June	208	125	200	120	Single unit trucks (3 axles)	2.8
July	195	117	195	117	Single unit trucks (4 or more axles)	0.0
August	198	119	194	117	Single trailer trucks (4 or less axles)	1.1
September	186	112	184	111	Single trailer trucks (5 axles)	3.4
October	184	111	185	111	Single trailer trucks (6 or more axles)	0.6
November	162	98	154	93	Multi trailer trucks (5 or less axles)	0.0
December	141	85	129	78	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR19; MP 6.81; JOHN DAY HIGHWAY NO. 5; 6.31 miles south of Columbia River Highway No. 2 (I-84/US30)

Site Name: Shutler (11-007)
Installed: April, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	855	155	13.6	12.3	11.9	11.6
2000	788	161	14.3	12.8	12.2	11.9
2001	749	163	15.9	13.5	12.6	12.3
2002	744	153	21.6	12.8	12.1	11.7
2003	786	149	14.6	13.4	12.6	12.2
2004	787	163	15.6	12.8	12.3	12.1
2005	819	157	16.7	13.3	12.8	12.6
2006	796	157	14.5	13.3	12.9	12.6
2007	778	158	14.7	13.0	12.5	12.2
2008	798	176	16.3	14.2	13.4	13.2



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	801	100	665	83	Motorcycles	0.9
February	904	113	726	91	Passenger cars	21.3
March	932	117	759	95	Light Trucks	34.0
April	1015	127	827	104	Buses	0.6
May	1079	135	870	109	Single unit trucks (2 axles)	4.6
June	1267	159	1012	127	Single unit trucks (3 axles)	7.3
July	1114	140	888	111	Single unit trucks (4 or more axles)	0.0
August	1027	129	840	105	Single trailer trucks (4 or less axles)	0.4
September	966	121	804	101	Single trailer trucks (5 axles)	6.5
October	999	125	837	105	Single trailer trucks (6 or more axles)	21.6
November	929	116	754	94	Multi trailer trucks (5 or less axles)	0.7
December	736	92	588	74	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	2.1

Location: I-84; MP 147.60; COLUMBIA RIVER HIGHWAY NO. 2; 0.25 mile east of Heppner Highway No. 52 (OR74)

Site Name: Heppner Jct (11-009)
Installed: January, 2006

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2006	10480	207	24.6	16.4	15.1	14.0
2007	10518	195	22.3	16.4	15.1	14.6
2008	10334	205	23.0	17.2	15.2	14.2



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	7415	72	7333	71	Motorcycles	0.4
February	8131	79	8451	82	Passenger cars	39.7
March	9230	89	10039	97	Light Trucks	22.6
April	9232	89	9949	96	Buses	0.3
May	10232	99	10632	103	Single unit trucks (2 axles)	6.2
June	10765	104	11601	112	Single unit trucks (3 axles)	0.7
July	11980	116	12669	123	Single unit trucks (4 or more axles)	0.0
August	11967	116	12933	125	Single trailer trucks (4 or less axles)	2.9
September	11066	107	11785	114	Single trailer trucks (5 axles)	20.1
October	10113	98	10738	104	Single trailer trucks (6 or more axles)	2.4
November	10078	98	10662	103	Multi trailer trucks (5 or less axles)	0.6
December	7171	69	7221	70	Multi trailer trucks (6 axles)	0.9
					Multi trailer trucks (7 or more axles)	3.1

Location: US26; MP 131.40; JOHN DAY HIGHWAY NO. 5; 1.05 miles east of Franks Creek Road
in Dayville

Site Name: Dayville (12-003)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1030	212	20.2	18.5	16.3	15.6
2000	1009	216	21.8	18.3	16.6	16.1
2001	1073	207	27.5	19.7	17.1	15.9
2002	1073	216	30.1	19.2	16.5	15.2
2003	1052	***	***	***	***	***
2004	1031	***	***	***	***	***
2005	997	222	32.4	19.1	17.3	16.5
2006	1017	254	22.6	18.8	17.2	16.4
2007	977	216	21.6	18.5	17.3	16.5
2008	887	214	22.4	17.6	16.1	15.6



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	543	61	533	60	Motorcycles	0.3
February	605	68	589	66	Passenger cars	45.4
March	715	81	726	82	Light Trucks	44.1
April	732	83	759	86	Buses	0.6
May	917	103	949	107	Single unit trucks (2 axles)	1.8
June	1085	122	1103	124	Single unit trucks (3 axles)	1.6
July	1164	131	1209	136	Single unit trucks (4 or more axles)	0.0
August	1152	130	1222	138	Single trailer trucks (4 or less axles)	1.0
September	1100	124	1100	124	Single trailer trucks (5 axles)	2.7
October	1036	117	1042	117	Single trailer trucks (6 or more axles)	0.5
November	816	92	857	97	Multi trailer trucks (5 or less axles)	0.1
December	559	63	549	62	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	1.9

Location: US395; MP 89.80; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.62 mile south of bridge over Long Creek

Site Name: Long Creek (12-006)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	527	195	19.9	16.3	15.2	14.6
2000	516	192	19.2	15.9	14.7	14.3
2001	498	195	22.1	17.5	16.3	15.7
2002	521	206	24.4	16.3	15.7	15.2
2003	508	***	***	***	***	***
2004	485	197	19.0	15.7	14.6	13.8
2005	433	205	18.9	16.9	15.7	15.2
2006	402	***	***	***	***	***
2007	405	190	23.9	19.5	17.5	16.8
2008	339	214	24.2	18.3	17.1	16.8



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	223	66	218	64	Motorcycles	0.0
February	234	69	224	66	Passenger cars	31.5
March	264	78	267	79	Light Trucks	57.2
April	280	83	291	86	Buses	0.0
May	349	103	364	107	Single unit trucks (2 axles)	1.9
June	397	117	424	125	Single unit trucks (3 axles)	0.0
July	414	122	422	124	Single unit trucks (4 or more axles)	0.0
August	414	122	433	128	Single trailer trucks (4 or less axles)	0.9
September	432	127	464	137	Single trailer trucks (5 axles)	2.5
October	402	119	417	123	Single trailer trucks (6 or more axles)	3.8
November	325	96	342	101	Multi trailer trucks (5 or less axles)	0.0
December	201	59	200	59	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	2.2

Location: US26; MP 175.79; JOHN DAY HIGHWAY NO. 5; 0.53 mile east of Main Street in Prairie City

Site Name: Prairie City (12-009)
Installed: January, 1981

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1185	194	18.3	15.9	14.9	14.3
2000	1112	195	18.9	16.9	15.3	14.8
2001	1062	198	18.7	16.7	15.9	15.3
2002	1084	201	19.8	16.9	16.2	15.0
2003	1051	204	19.8	17.4	16.0	15.2
2004	1025	201	19.9	16.4	15.7	15.2
2005	966	211	20.4	17.3	15.6	15.0
2006	987	194	18.7	16.0	14.9	14.4
2007	943	194	25.2	17.4	16.1	15.4
2008	852	191	23.0	17.4	15.6	14.9



2008 TRAFFIC DATA


Month	Average		Percent		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	478	56	478	56	Motorcycles	0.3
February	539	63	536	63	Passenger cars	34.9
March	630	74	628	74	Light Trucks	49.3
April	687	81	706	83	Buses	0.9
May	882	104	938	110	Single unit trucks (2 axles)	2.0
June	1016	119	1078	127	Single unit trucks (3 axles)	0.9
July	1149	135	1179	138	Single unit trucks (4 or more axles)	0.0
August	1126	132	1175	138	Single trailer trucks (4 or less axles)	0.7
September	1110	130	1159	136	Single trailer trucks (5 axles)	2.6
October	985	116	985	116	Single trailer trucks (6 or more axles)	2.9
November	794	93	794	93	Multi trailer trucks (5 or less axles)	0.0
December	570	67	566	66	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	5.6

Location: US395; MP 66.30; JOHN DAY-BURNS HIGHWAY NO. 48; 1.31 mile north of Central Oregon Highway No. 7 (US20)

Site Name: Burns (13-001)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	630	***	***	***	***	***
2000	587	170	24.9	15.3	14.6	14.1
2001	597	178	19.8	15.6	14.7	14.2
2002	607	194	17.5	15.8	14.8	14.0
2003	578	189	18.2	15.9	14.9	14.5
2004	575	184	22.4	16.2	14.8	14.4
2005	516	180	20.9	16.3	15.3	14.5
2006	513	182	18.9	15.8	15.0	14.4
2007	522	182	20.7	17.1	16.3	15.7
2008	488	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average		Percent		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	313	64	305	63	Motorcycles	0.2
February	343	70	328	67	Passenger cars	33.2
March	353	72	348	71	Light Trucks	58.0
April	407	83	409	84	Buses	1.2
May	490	100	520	107	Single unit trucks (2 axles)	2.2
June	562	115	582	119	Single unit trucks (3 axles)	0.0
July	600	123	600	123	Single unit trucks (4 or more axles)	0.0
August	578	118	592	121	Single trailer trucks (4 or less axles)	1.4
September	661	135	678	139	Single trailer trucks (5 axles)	2.9
October	622	127	611	125	Single trailer trucks (6 or more axles)	0.7
November	567	116	540	111	Multi trailer trucks (5 or less axles)	0.2
December	354	73	340	70	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: US20; MP 126.60; CENTRAL OREGON HIGHWAY NO. 7; 0.04 mile northeast of Greenhouse Lane, southwest of Hines

Site Name: Hines (13-003)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2359	175	15.3	13.5	13.1	12.5
2000	2369	172	15.7	13.5	13.0	12.7
2001	2412	176	15.5	13.7	13.2	12.9
2002	2426	172	16.2	14.0	13.6	12.7
2003	2391	169	15.8	13.8	13.1	12.8
2004	2378	164	15.3	13.2	12.7	12.5
2005	2308	180	15.6	13.9	13.3	13.0
2006	2295	180	15.0	13.8	13.3	12.9
2007	2378	169	18.5	14.3	13.8	13.4
2008	2109	169	16.7	14.9	14.2	13.7



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	1392	66	1317	62	Motorcycles	0.2
February	1486	70	1380	65	Passenger cars	46.0
March	1868	89	1808	86	Light Trucks	33.2
April	1989	94	1944	92	Buses	0.2
May	2365	112	2282	108	Single unit trucks (2 axles)	1.4
June	2702	128	2628	125	Single unit trucks (3 axles)	0.2
July	2813	133	2743	130	Single unit trucks (4 or more axles)	0.1
August	2892	137	2893	137	Single trailer trucks (4 or less axles)	0.8
September	2637	125	2631	125	Single trailer trucks (5 axles)	12.8
October	2406	114	2285	108	Single trailer trucks (6 or more axles)	2.6
November	1974	94	1935	92	Multi trailer trucks (5 or less axles)	0.0
December	1561	74	1467	70	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	2.5

Location: OR205; MP 0.01; FRENCHGLEN HIGHWAY NO. 440; 0.01 mile south of Steens Highway No. 442 (OR78)

Site Name: Frenchglen (13-005)
Installed: January, 2002

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2002	404	193	18.8	15.1	13.9	13.4
2003	406	195	22.6	15.0	14.5	14.0
2004	403	225	33.5	16.9	14.9	14.1
2005	406	208	22.2	15.5	14.0	13.8
2006	434	204	25.1	15.2	14.5	13.8
2007	435	186	24.2	15.9	14.7	14.0
2008	421	175	17.8	15.4	14.2	13.8



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	321	76	290	69	Motorcycles	0.9
February	338	80	302	72	Passenger cars	38.2
March	405	96	375	89	Light Trucks	54.5
April	450	107	436	104	Buses	0.4
May	495	118	460	109	Single unit trucks (2 axles)	1.9
June	524	124	489	116	Single unit trucks (3 axles)	0.9
July	569	135	530	126	Single unit trucks (4 or more axles)	0.9
August	541	129	512	122	Single trailer trucks (4 or less axles)	0.9
September	559	133	527	125	Single trailer trucks (5 axles)	0.7
October	496	118	441	105	Single trailer trucks (6 or more axles)	0.2
November	420	100	380	90	Multi trailer trucks (5 or less axles)	0.0
December	352	84	312	74	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.7

Location: OR78; MP 1.70; STEENS HIGHWAY NO. 442; 0.03 mile west of Frenchglen Highway No. 440 (OR205)

Site Name: Steens (13-007)
Installed: January, 2002

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2002	1633	158	12.7	11.5	11.2	10.9
2003	1604	142	12.7	11.6	11.3	11.1
2004	1543	147	14.8	11.0	10.7	10.5
2005	1493	153	17.6	12.1	11.4	11.2
2006	1520	140	13.6	11.6	11.2	11.0
2007	1566	143	12.7	11.8	11.4	11.1
2008	1460	147	13.4	12.2	11.6	11.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1215	83	1132	78	Motorcycles	0.6
February	1314	90	1177	81	Passenger cars	46.7
March	1486	102	1366	94	Light Trucks	48.1
April	1589	109	1512	104	Buses	0.2
May	1673	115	1573	108	Single unit trucks (2 axles)	0.9
June	1653	113	1577	108	Single unit trucks (3 axles)	0.4
July	1760	121	1607	110	Single unit trucks (4 or more axles)	0.2
August	1835	126	1729	118	Single trailer trucks (4 or less axles)	0.5
September	1811	124	1701	117	Single trailer trucks (5 axles)	2.3
October	1691	116	1548	106	Single trailer trucks (6 or more axles)	0.1
November	1480	101	1369	94	Multi trailer trucks (5 or less axles)	0.0
December	1360	93	1224	84	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.1

Location: OR35; MP 82.91; MT. HOOD HIGHWAY NO. 26; 2.12 miles south of Hood River Highway No. 281

Site Name: Mt. Hood (14-003)
Installed: August, 1967

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1219	***	***	***	***	***
2000	1202	***	***	***	***	***
2001	1201	***	***	***	***	***
2002	1235	***	***	***	***	***
2003	1162	408	44.2	31.2	28.2	25.7
2004	1097	274	69.2	24.8	23.4	22.2
2005	1063	***	***	***	***	***
2006	1140	360	59.6	36.1	29.3	27.0
2007	1229	300	43.9	33.1	25.4	23.7
2008	1237	348	69.3	38.6	28.3	24.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1217	98	1733	140	Motorcycles	2.6
February	920	74	1406	114	Passenger cars	64.6
March	983	79	1239	100	Light Trucks	26.5
April	694	56	981	79	Buses	0.3
May	690	56	893	72	Single unit trucks (2 axles)	1.8
June	960	78	1130	91	Single unit trucks (3 axles)	0.6
July	1300	105	1600	129	Single unit trucks (4 or more axles)	0.0
August	1363	110	1600	129	Single trailer trucks (4 or less axles)	0.6
September	1267	102	1464	118	Single trailer trucks (5 axles)	2.3
October	952	77	1127	91	Single trailer trucks (6 or more axles)	0.3
November	591	48	689	56	Multi trailer trucks (5 or less axles)	0.0
December	830	67	980	79	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.4

Location: I-5; MP 42.84; PACIFIC HIGHWAY NO. 1; 2.77 miles south of the Valley of the Rogue Bridge

Site Name: Gold Hill (15-001)
Installed: June, 1966

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	31383	142	10.9	10.2	9.7	9.6
2000	32317	143	11.5	10.3	10.0	9.8
2001	32953	146	13.2	10.6	10.0	9.8
2002	34674	144	11.1	10.2	9.9	9.6
2003	35124	141	11.0	10.0	9.8	9.7
2004	35489	132	11.4	9.7	9.6	9.4
2005	35401	***	***	***	***	***
2006	35504	139	10.4	9.8	9.6	9.6
2007	35156	140	12.5	10.0	9.8	9.8
2008	32377	141	11.4	10.2	9.7	9.6



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	29174	90	27719	86	Motorcycles	0.6
February	32372	100	30678	95	Passenger cars	54.8
March	33922	105	33052	102	Light Trucks	24.0
April	33516	104	32272	100	Buses	0.2
May	34170	106	33029	102	Single unit trucks (2 axles)	2.5
June	35874	111	35056	108	Single unit trucks (3 axles)	0.9
July	37467	116	35782	111	Single unit trucks (4 or more axles)	0.0
August	36965	114	36139	112	Single trailer trucks (4 or less axles)	0.5
September	33937	105	33035	102	Single trailer trucks (5 axles)	14.4
October	32953	102	31658	98	Single trailer trucks (6 or more axles)	0.9
November	32154	99	31228	96	Multi trailer trucks (5 or less axles)	0.3
December	30028	93	28873	89	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.7

Location: I-5; MP 11.03; PACIFIC HIGHWAY NO. 1; 0.86 mile south of Rogue Valley Highway No. 63 (OR99)

Site Name: Neil Creek (15-002)
Installed: November, 1964

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	14212	175	16.5	13.0	12.4	11.8
2000	14543	185	16.4	13.2	12.4	12.0
2001	14716	187	25.1	14.8	13.4	12.8
2002	15960	183	17.3	14.7	13.6	12.7
2003	16100	***	***	***	***	***
2004	15792	***	***	***	***	***
2005	15799	***	***	***	***	***
2006	15890	***	***	***	***	***
2007	15821	***	***	***	***	***
2008	14785	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11500	78	11900	80	Motorcycles	0.2
February	13300	90	13400	91	Passenger cars	26.5
March	14100	95	14500	98	Light Trucks	35.8
April	14500	98	15100	102	Buses	0.1
May	14600	99	14800	100	Single unit trucks (2 axles)	1.2
June	16200	110	17000	115	Single unit trucks (3 axles)	0.4
July	17427	118	17715	120	Single unit trucks (4 or more axles)	0.0
August	16871	114	17617	119	Single trailer trucks (4 or less axles)	3.4
September	14528	98	14720	100	Single trailer trucks (5 axles)	27.8
October	13576	92	13711	93	Single trailer trucks (6 or more axles)	1.0
November	13469	91	14035	95	Multi trailer trucks (5 or less axles)	2.9
December	12414	84	12926	87	Multi trailer trucks (6 axles)	0.6
					Multi trailer trucks (7 or more axles)	0.1

Location: OR66; MP 6.61; GREEN SPRINGS HIGHWAY NO. 21; 0.15 mile east of Siskiyou Highway No. 273 (OR273)

Site Name: Siskiyou Jct (15-007)
Installed: November, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1277	171	18.5	14.1	13.2	12.9
2000	1240	164	16.7	14.8	13.9	13.2
2001	1212	161	15.9	13.4	12.6	12.3
2002	1213	147	14.2	13.3	12.6	12.3
2003	1210	166	14.8	14.0	13.2	12.7
2004	1165	151	16.1	14.1	13.4	13.0
2005	1100	152	17.7	14.1	13.3	13.0
2006	1034	189	18.3	15.8	14.7	14.0
2007	1030	167	17.6	14.4	13.9	13.4
2008	974	165	16.2	14.8	14.4	14.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	634	65	627	64	Motorcycles	1.8
February	691	71	666	68	Passenger cars	57.0
March	759	78	768	79	Light Trucks	34.9
April	839	86	900	92	Buses	0.5
May	1051	108	1113	114	Single unit trucks (2 axles)	1.2
June	1210	124	1286	132	Single unit trucks (3 axles)	2.7
July	1329	136	1358	139	Single unit trucks (4 or more axles)	0.1
August	1198	123	1251	128	Single trailer trucks (4 or less axles)	0.2
September	1091	112	1111	114	Single trailer trucks (5 axles)	1.6
October	999	103	1051	108	Single trailer trucks (6 or more axles)	0.1
November	867	89	887	91	Multi trailer trucks (5 or less axles)	0.0
December	722	74	668	69	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR238; MP 24.94; JACKSONVILLE HIGHWAY NO. 272; 0.68 mile west of Applegate Road at Ruch

Site Name: Ruch (15-011)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3285	140	16.1	12.5	11.8	11.6
2000	3246	132	14.0	12.3	12.0	11.6
2001	3194	147	14.9	12.7	12.1	11.7
2002	3245	142	12.6	12.0	11.5	11.1
2003	3216	126	15.4	11.8	11.3	10.9
2004	3148	132	15.3	11.4	10.7	10.5
2005	3028	136	13.7	12.2	11.4	11.1
2006	2959	***	***	***	***	***
2007	2925	136	12.9	11.5	11.1	10.9
2008	2816	129	14.1	11.0	10.8	10.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	2357	84	2268	81	Motorcycles	1.6
February	2711	96	2588	92	Passenger cars	65.4
March	2780	99	2710	96	Light Trucks	29.4
April	2971	106	2897	103	Buses	0.3
May	3036	108	3024	107	Single unit trucks (2 axles)	1.8
June	3072	109	3122	111	Single unit trucks (3 axles)	0.4
July	3192	113	3185	113	Single unit trucks (4 or more axles)	0.0
August	3073	109	3092	110	Single trailer trucks (4 or less axles)	0.8
September	2995	106	3032	108	Single trailer trucks (5 axles)	0.4
October	2978	106	2905	103	Single trailer trucks (6 or more axles)	0.1
November	2749	98	2621	93	Multi trailer trucks (5 or less axles)	0.0
December	2490	88	2343	83	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR62 MP 15.34; CRATER LAKE HIGHWAY NO. 22; 1.71 miles north of Sams Valley Highway No. 271 (OR234)

Site Name: Shady Cove (15-013)
Installed: November, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	7024	147	14.2	12.2	11.7	11.3
2000	7175	145	14.3	11.7	11.4	11.0
2001	7293	144	13.8	12.1	11.5	11.1
2002	7744	145	13.6	11.8	11.1	10.8
2003	7849	143	14.0	12.2	11.5	11.1
2004	8087	141	12.7	11.6	11.1	10.9
2005	8001	144	13.2	12.4	11.2	10.8
2006	7881	140	13.7	11.6	11.2	10.7
2007	7727	136	14.4	11.6	11.1	10.8
2008	7244	140	14.1	12.1	11.5	11.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	5984	83	5839	81	Motorcycles	0.3
February	6649	92	6340	88	Passenger cars	68.8
March	6783	94	6718	93	Light Trucks	24.1
April	7086	98	6972	96	Buses	0.4
May	7484	103	7502	104	Single unit trucks (2 axles)	2.1
June	8102	112	8254	114	Single unit trucks (3 axles)	1.2
July	8670	120	8898	123	Single unit trucks (4 or more axles)	0.0
August	8476	117	8793	121	Single trailer trucks (4 or less axles)	0.6
September	7903	109	7945	110	Single trailer trucks (5 axles)	1.7
October	7470	103	7297	101	Single trailer trucks (6 or more axles)	0.6
November	6606	91	6448	89	Multi trailer trucks (5 or less axles)	0.0
December	6211	86	5919	82	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: OR99; MP 15.82; ROGUE VALLEY HIGHWAY NO. 63; 0.44 mile northwest of Talent Road

Site Name: Talent (15-014)
Installed: September, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	9510	124	10.7	10.1	10.0	9.9
2000	9462	123	10.7	10.2	10.0	10.0
2001	9418	***	***	***	***	***
2002	9447	131	14.0	11.4	10.7	10.5
2003	9661	135	13.1	10.8	10.3	10.1
2004	9364	140	14.2	10.8	10.2	10.0
2005	10472	***	***	***	***	***
2006	9300	***	***	***	***	***
2007	9317	***	***	***	***	***
2008	8755	124	11.5	10.2	10.1	10.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	8675	99	8081	92	Motorcycles	1.4
February	9361	107	8664	99	Passenger cars	71.2
March	9274	106	8663	99	Light Trucks	23.8
April	9737	111	9135	104	Buses	0.2
May	9730	111	9173	105	Single unit trucks (2 axles)	2.4
June	9773	112	9205	105	Single unit trucks (3 axles)	0.3
July	9861	113	9054	103	Single unit trucks (4 or more axles)	0.0
August	9546	109	8912	102	Single trailer trucks (4 or less axles)	0.4
September	9441	108	8914	102	Single trailer trucks (5 axles)	0.2
October	9566	109	8937	102	Single trailer trucks (6 or more axles)	0.0
November	8813	101	8275	95	Multi trailer trucks (5 or less axles)	0.0
December	8638	99	8051	92	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR62; MP 1.11; CRATER LAKE HIGHWAY NO. 22; 0.61 mile east of Pacific Highway No. 1 (I-5)

Site Name: North Medford (15-017)
Installed: July, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	34991	***	***	***	***	***
2000	36972	130	10.4	10.0	9.9	9.7
2001	36400	131	10.5	10.0	9.8	9.7
2002	38003	127	10.1	9.7	9.6	9.5
2003	37946	126	10.2	9.4	9.3	9.2
2004	38516	***	***	***	***	***
2005	38483	***	***	***	***	***
2006	38400	***	***	***	***	***
2007	44222	***	***	***	***	***
2008	42382	129	10.2	9.9	9.8	9.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	40203	95	39078	92	Motorcycles	0.1
February	43622	103	41952	99	Passenger cars	37.1
March	43283	102	42489	100	Light Trucks	59.7
April	44646	105	43079	102	Buses	0.4
May	44884	106	43561	103	Single unit trucks (2 axles)	0.8
June	45899	108	43793	103	Single unit trucks (3 axles)	0.5
July	46085	109	42511	100	Single unit trucks (4 or more axles)	0.1
August	45215	107	42996	101	Single trailer trucks (4 or less axles)	1.0
September	43841	103	42488	100	Single trailer trucks (5 axles)	0.1
October	43703	103	42154	99	Single trailer trucks (6 or more axles)	0.3
November	42899	101	42066	99	Multi trailer trucks (5 or less axles)	0.0
December	44020	104	42414	100	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: I-5; MP 28.33; PACIFIC HIGHWAY NO. 1; 0.33 mile southeast of the Medford Interchange

Site Name: Medford Viaduct (15-019)
Installed: June, 1966

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	43934	132	10.8	9.6	9.4	9.4
2000	44862	135	11.0	9.6	9.5	9.4
2001	46175	136	11.2	10.1	9.6	9.5
2002	48173	127	9.8	9.4	9.3	9.1
2003	48775	***	***	***	***	***
2004	49058	***	***	***	***	***
2005	47242	137	10.7	9.4	9.3	9.1
2006	48225	132	10.2	9.6	9.5	9.4
2007	48188	132	10.4	9.6	9.5	9.4
2008	45926	131	10.4	9.5	9.4	9.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	43165	94	40426	88	Motorcycles	0.8
February	47256	103	43869	96	Passenger cars	68.7
March	48638	106	46066	100	Light Trucks	17.5
April	49100	107	46247	101	Buses	0.2
May	49622	108	46804	102	Single unit trucks (2 axles)	2.1
June	51808	113	48842	106	Single unit trucks (3 axles)	0.9
July	43350	116	49239	107	Single unit trucks (4 or more axles)	0.2
August	52206	114	49248	107	Single trailer trucks (4 or less axles)	1.0
September	49565	108	46836	102	Single trailer trucks (5 axles)	7.1
October	48962	107	45865	100	Single trailer trucks (6 or more axles)	0.7
November	47506	103	45001	98	Multi trailer trucks (5 or less axles)	0.2
December	45323	99	42666	93	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: OR140; MP 16.03; LAKE OF THE WOODS HIGHWAY NO. 270; 1.27 miles east of Lake Creek Loop (east junction)

Site Name: Lake of the Woods (15-020)
Installed: June, 1966

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2705	158	15.3	13.9	13.4	13.1
2000	2840	175	17.5	14.0	13.2	12.9
2001	2765	161	15.2	13.7	13.3	13.2
2002	2802	163	14.6	13.5	12.8	12.4
2003	2877	***	***	***	***	***
2004	2921	***	***	***	***	***
2005	2844	***	***	***	***	***
2006	2807	***	***	***	***	***
2007	2793	162	15.5	13.6	12.9	12.7
2008	2522	227	22.5	14.5	13.5	13.0



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	1640	65	1700	67	Motorcycles	1.3
February	1922	76	1959	78	Passenger cars	51.8
March	2146	85	2234	89	Light Trucks	28.9
April	2180	86	2346	93	Buses	0.5
May	2414	96	2582	102	Single unit trucks (2 axles)	4.8
June	2708	107	3014	120	Single unit trucks (3 axles)	1.4
July	3057	121	3272	130	Single unit trucks (4 or more axles)	0.0
August	2975	118	3258	129	Single trailer trucks (4 or less axles)	1.4
September	2731	108	2911	115	Single trailer trucks (5 axles)	7.4
October	2590	103	2763	110	Single trailer trucks (6 or more axles)	1.1
November	2250	89	2313	92	Multi trailer trucks (5 or less axles)	0.3
December	1849	73	1912	76	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	0.7

Location: US97/US26; MP 96.92; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.37 mile north of Madras-Prineville Highway No. 360 (US26)

Site Name: Madras (16-002)
Installed: September, 1951

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	12484	158	13.0	12.0	11.8	11.5
2000	12685	156	12.7	12.0	11.5	11.2
2001	12611	***	***	***	***	***
2002	12811	***	***	***	***	***
2003	12726	168	13.7	12.5	11.9	11.6
2004	13143	159	12.8	11.7	11.5	11.1
2005	12936	157	13.0	11.9	11.3	11.1
2006	13186	154	12.4	11.6	11.3	11.0
2007	13447	154	12.4	11.6	11.2	11.1
2008	12266	151	13.3	11.8	11.5	11.3



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	10070	82	9928	81	Motorcycles	0.4
February	11275	92	11076	90	Passenger cars	27.1
March	11757	96	11838	97	Light Trucks	52.6
April	12038	98	12276	100	Buses	0.4
May	12840	105	13117	107	Single unit trucks (2 axles)	4.0
June	13643	111	14027	114	Single unit trucks (3 axles)	1.0
July	14266	116	14486	118	Single unit trucks (4 or more axles)	0.2
August	14220	116	14719	120	Single trailer trucks (4 or less axles)	1.1
September	12885	105	13258	108	Single trailer trucks (5 axles)	9.4
October	11965	98	12096	99	Single trailer trucks (6 or more axles)	0.9
November	11120	91	11121	91	Multi trailer trucks (5 or less axles)	0.3
December	9725	79	9255	75	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.4

Location: US26; MP 113.29; WARM SPRINGS HIGHWAY NO. 53; 4.42 miles northwest of The Dalles-California Highway No. 4 (US97)

Site Name: Warm Springs (16-006)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6840	194	18.2	15.3	14.4	13.7
2000	6863	***	***	***	***	***
2001	6838	198	18.5	15.2	14.8	14.0
2002	7022	195	17.5	15.7	14.4	13.9
2003	7193	213	18.1	16.8	15.7	15.1
2004	7125	180	16.9	14.8	13.7	13.3
2005	7026	189	17.5	14.6	14.0	13.5
2006	6981	190	18.4	15.3	13.9	13.5
2007	6967	191	17.7	15.5	14.5	13.8
2008	6428	187	18.5	15.5	14.8	14.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	4767	74	4909	76	Motorcycles	0.5
February	5344	83	5555	86	Passenger cars	28.7
March	5564	87	5828	91	Light Trucks	53.7
April	5625	88	6109	95	Buses	0.9
May	6470	101	6922	108	Single unit trucks (2 axles)	3.8
June	6911	108	7546	117	Single unit trucks (3 axles)	0.8
July	7427	116	8007	125	Single unit trucks (4 or more axles)	0.1
August	7437	116	8195	127	Single trailer trucks (4 or less axles)	1.2
September	6697	104	7164	111	Single trailer trucks (5 axles)	5.8
October	5983	93	6404	100	Single trailer trucks (6 or more axles)	1.1
November	5481	85	5743	89	Multi trailer trucks (5 or less axles)	0.4
December	4919	77	4752	74	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.8

Location: I-5; MP 64.20; PACIFIC HIGHWAY NO. 1; 2.08 miles south of Monument Drive

Site Name: Grave Creek (17-001)
Installed: January, 1938

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	19958	165	14.8	12.3	11.1	10.7
2000	20354	167	15.0	12.2	11.0	10.7
2001	20599	175	17.4	12.4	11.4	10.9
2002	21648	***	***	***	***	***
2003	21819	167	14.5	12.2	11.3	11.1
2004	22249	162	14.3	11.8	10.8	10.5
2005	22251	***	***	***	***	***
2006	22138	159	15.2	11.4	11.1	10.8
2007	21644	164	14.1	11.8	11.0	10.8
2008	19810	170	15.4	12.4	11.4	10.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	16460	83	16041	81	Motorcycles	0.3
February	17909	90	17647	89	Passenger cars	57.0
March	19853	100	20447	103	Light Trucks	16.5
April	19076	96	19308	97	Buses	0.2
May	20133	102	20167	102	Single unit trucks (2 axles)	3.2
June	21623	109	22136	112	Single unit trucks (3 axles)	0.9
July	23162	117	23321	118	Single unit trucks (4 or more axles)	0.0
August	22762	115	23391	118	Single trailer trucks (4 or less axles)	0.4
September	19839	100	20068	101	Single trailer trucks (5 axles)	18.6
October	18400	93	18500	93	Single trailer trucks (6 or more axles)	1.4
November	19166	97	19591	99	Multi trailer trucks (5 or less axles)	0.4
December	17099	86	17105	86	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	1.0

Location: US199; MP 41.32; REDWOOD HIGHWAY NO. 25; 0.37 mile north of Oregon-California State Line

Site Name: O'Brien (17-003)
Installed: November, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2670	242	26.7	19.1	17.6	17.0
2000	2677	206	20.4	18.8	17.7	17.4
2001	2661	211	25.1	19.7	18.3	17.9
2002	2761	223	22.7	20.1	18.7	17.6
2003	2950	229	23.8	19.3	18.0	17.2
2004	3010	247	27.7	19.3	17.8	17.3
2005	2934	204	30.7	19.1	17.8	17.4
2006	2893	210	22.8	18.1	17.4	16.9
2007	2882	195	20.9	18.3	17.2	16.7
2008	2700	223	23.7	19.3	18.1	17.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	Percent of AADT
	January	1707	63	1791		
February	1881	70	2085	77	Passenger cars	64.5
March	2149	80	2408	89	Light Trucks	21.8
April	2019	75	2367	88	Buses	0.1
May	2459	91	2800	104	Single unit trucks (2 axles)	4.2
June	2953	109	3289	122	Single unit trucks (3 axles)	0.4
July	3534	131	3888	144	Single unit trucks (4 or more axles)	0.0
August	3462	128	3959	147	Single trailer trucks (4 or less axles)	1.9
September	2838	105	3108	115	Single trailer trucks (5 axles)	4.7
October	2240	83	2484	92	Single trailer trucks (6 or more axles)	0.1
November	2146	79	2355	87	Multi trailer trucks (5 or less axles)	0.4
December	1792	66	1867	69	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.0

Location: US199; MP 4.68; REDWOOD HIGHWAY NO. 25; 0.50 mile east of Redwood Avenue

Site Name: Timber Ridge (17-005)
Installed: October, 2001

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2002	11338	138	10.9	10.4	10.1	10.0
2003	11737	140	11.5	10.4	10.1	9.9
2004	11860	138	11.2	10.3	10.0	9.8
2005	11685	145	11.4	10.4	10.0	9.9
2006	11561	133	10.9	10.1	10.0	9.8
2007	11422	134	10.8	10.3	10.2	10.0
2008	10553	143	11.5	10.7	10.3	10.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	Percent of AADT
	January	9292	88	8860		
February	10608	101	10059	95	Passenger cars	87.9
March	10832	103	10436	99	Light Trucks	5.2
April	10817	103	10480	99	Buses	0.5
May	11224	106	11064	105	Single unit trucks (2 axles)	2.0
June	11833	112	11673	111	Single unit trucks (3 axles)	0.7
July	12636	120	12259	116	Single unit trucks (4 or more axles)	0.1
August	12360	117	12227	116	Single trailer trucks (4 or less axles)	0.5
September	11200	106	10600	100	Single trailer trucks (5 axles)	2.2
October	10621	101	10281	97	Single trailer trucks (6 or more axles)	0.2
November	10269	97	9814	93	Multi trailer trucks (5 or less axles)	0.1
December	9512	90	8881	84	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US97; MP 204.65; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.40 miles south of Chemult Dump Road

Site Name: Chemult (18-006)
Installed: December, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4734	173	16.8	15.5	14.6	14.1
2000	4762	176	16.6	15.1	14.4	14.0
2001	4934	177	16.2	15.2	14.7	14.3
2002	5065	194	17.6	15.5	14.8	14.3
2003	5056	183	17.2	14.6	14.3	13.9
2004	5008	170	17.0	15.1	14.2	13.7
2005	4901	190	22.4	15.8	15.0	14.4
2006	4763	177	16.4	15.1	14.6	14.3
2007	4890	181	21.4	15.8	15.1	14.6
2008	4374	193	18.1	16.9	16.0	15.3



2008 TRAFFIC DATA


Month	Average		Percent		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	2373	54	2382	54	Motorcycles	1.0
February	2809	64	2782	64	Passenger cars	35.9
March	3480	80	3643	83	Light Trucks	23.8
April	3578	82	3808	87	Buses	0.4
May	4479	102	4600	105	Single unit trucks (2 axles)	8.1
June	5265	120	5616	128	Single unit trucks (3 axles)	0.6
July	6234	143	6521	149	Single unit trucks (4 or more axles)	0.0
August	5841	134	6298	144	Single trailer trucks (4 or less axles)	2.7
September	5232	120	5497	126	Single trailer trucks (5 axles)	23.9
October	4680	107	4908	112	Single trailer trucks (6 or more axles)	1.2
November	3527	81	3736	85	Multi trailer trucks (5 or less axles)	0.4
December	2700	62	2700	62	Multi trailer trucks (6 axles)	0.4
					Multi trailer trucks (7 or more axles)	1.7

Location: OR140; MP 44.98; KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20; 4.20 miles east of Yellow Jacket Springs Road at Beatty

Site Name: Beatty (18-017)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1143	208	17.9	14.8	13.6	12.9
2000	1125	187	16.1	13.8	12.9	12.7
2001	1098	190	16.3	14.2	13.3	12.6
2002	1196	187	15.6	13.8	13.1	12.6
2003	1163	196	16.6	13.8	12.7	12.5
2004	1191	182	30.8	13.5	12.7	12.3
2005	1107	181	15.4	13.5	13.0	12.5
2006	997	183	16.2	14.0	13.3	12.7
2007	991	179	16.3	14.3	13.2	12.9
2008	884	173	17.9	13.9	13.2	12.9



2008 TRAFFIC DATA


Month	Average		Percent		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	571	65	551	62	Motorcycles	0.9
February	640	72	586	66	Passenger cars	40.4
March	703	80	702	79	Light Trucks	34.8
April	804	91	796	90	Buses	0.2
May	946	107	957	108	Single unit trucks (2 axles)	13.4
June	1061	120	1092	124	Single unit trucks (3 axles)	1.5
July	1121	127	1123	127	Single unit trucks (4 or more axles)	0.0
August	1132	128	1151	130	Single trailer trucks (4 or less axles)	4.0
September	1129	128	1111	126	Single trailer trucks (5 axles)	4.2
October	1050	119	1040	118	Single trailer trucks (6 or more axles)	0.3
November	863	98	845	96	Multi trailer trucks (5 or less axles)	0.0
December	700	79	656	74	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: OR39; MP -4.00; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.46 mile south of Main Street

Site Name: Klamath Falls (18-018)
Installed: November, 1999

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	23138	125	11.2	10.6	10.4	10.2
2001	23222	127	11.3	10.6	10.4	10.4
2002	23376	125	10.9	10.5	10.4	10.3
2003	23385	127	10.5	10.3	10.1	10.0
2004	23432	125	10.5	10.1	10.0	9.9
2005	24085	129	11.0	10.4	10.3	10.1
2006	23202	***	***	***	***	***
2007	24757	131	11.6	10.6	10.5	10.4
2008	23409	131	10.8	10.4	10.3	10.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	22166	95	20556	88	Motorcycles	0.5
February	24464	105	21574	92	Passenger cars	67.6
March	25172	108	22751	97	Light Trucks	28.5
April	26888	115	24295	104	Buses	0.6
May	26774	114	24622	105	Single unit trucks (2 axles)	1.4
June	26491	113	24285	104	Single unit trucks (3 axles)	0.4
July	25518	109	22807	97	Single unit trucks (4 or more axles)	0.1
August	25267	108	22927	98	Single trailer trucks (4 or less axles)	0.3
September	26814	115	24978	107	Single trailer trucks (5 axles)	0.5
October	29187	125	26905	115	Single trailer trucks (6 or more axles)	0.1
November	27376	117	25210	108	Multi trailer trucks (5 or less axles)	0.0
December	23000	98	20000	85	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US97; MP 291.73; THE DALLES-CALIFORNIA HIGHWAY NO. 4; At the Oregon-California State Line

Site Name: Midland (18-019)
Installed: January, 1955

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3544	162	13.2	12.0	11.3	11.0
2000	3616	163	12.9	11.6	11.2	10.9
2001	3669	150	14.6	12.1	11.7	11.4
2002	3848	162	14.8	12.8	11.8	11.5
2003	3869	159	14.3	12.4	11.7	11.3
2004	3884	154	13.3	12.3	11.5	11.2
2005	3901	170	20.1	13.0	12.1	11.8
2006	3786	169	16.7	12.1	11.5	11.3
2007	3755	147	14.0	12.2	11.8	11.5
2008	3402	159	15.1	13.0	12.1	11.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	2201	65	2194	64	Motorcycles	0.7
February	2576	76	2519	74	Passenger cars	33.7
March	2982	88	3084	91	Light Trucks	27.5
April	3079	91	3174	93	Buses	0.3
May	3593	106	3582	105	Single unit trucks (2 axles)	9.9
June	4000	118	4120	121	Single unit trucks (3 axles)	0.9
July	4324	127	4395	129	Single unit trucks (4 or more axles)	0.0
August	4152	122	4300	126	Single trailer trucks (4 or less axles)	2.6
September	3778	111	3796	112	Single trailer trucks (5 axles)	23.7
October	3768	111	3742	110	Single trailer trucks (6 or more axles)	0.3
November	3247	95	3327	98	Multi trailer trucks (5 or less axles)	0.2
December	2619	77	2591	76	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	0.0

Location: OR39; MP 16.15; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.36 mile west of Hatfield Highway No. 426 (OR39)

Site Name: Merrill (18-020)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4203	261	20.3	16.4	12.6	11.0
2000	4232	249	20.1	15.7	13.0	11.1
2001	4162	231	19.1	14.1	12.1	11.1
2002	4334	220	18.5	14.9	11.7	10.6
2003	4330	219	19.1	13.5	11.7	10.5
2004	4336	207	17.2	13.6	11.8	10.9
2005	4221	***	***	***	***	***
2006	4085	240	19.3	14.5	12.2	10.6
2007	4237	245	20.7	13.7	12.6	10.8
2008	4049	250	20.6	14.4	12.7	10.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	3240	80	3072	76	Motorcycles	0.2
February	3713	92	3369	83	Passenger cars	49.8
March	4026	99	3774	93	Light Trucks	31.4
April	4333	107	4158	103	Buses	0.8
May	4482	111	4298	106	Single unit trucks (2 axles)	4.0
June	4523	112	4397	109	Single unit trucks (3 axles)	1.7
July	4581	113	4376	108	Single unit trucks (4 or more axles)	0.1
August	4921	122	4762	118	Single trailer trucks (4 or less axles)	2.4
September	4914	121	5006	124	Single trailer trucks (5 axles)	8.9
October	4582	113	4370	108	Single trailer trucks (6 or more axles)	0.4
November	3959	98	3758	93	Multi trailer trucks (5 or less axles)	0.1
December	3534	87	3245	80	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.1

Location: OR62; MP 91.05; CRATER LAKE HIGHWAY NO. 22; 0.28 mile northwest of Sun Mountain Road

Site Name: Fort Klamath (18-021)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	530	296	35.3	25.8	24.5	23.4
2000	519	297	31.4	25.6	23.7	22.6
2001	515	325	30.5	25.8	23.5	22.7
2002	527	335	31.3	26.2	24.7	23.3
2003	497	323	32.4	26.2	23.8	22.8
2004	521	288	30.5	24.8	23.4	22.3
2005	502	***	***	***	***	***
2006	485	377	35.7	27.7	26.0	23.7
2007	480	316	31.1	27.5	25.2	23.8
2008	351	415	43.3	32.5	29.6	27.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	192	55	186	53	Motorcycles	3.0
February	179	51	179	51	Passenger cars	57.0
March	234	67	228	65	Light Trucks	33.5
April	299	85	296	84	Buses	0.7
May	397	113	435	124	Single unit trucks (2 axles)	4.2
June	637	181	661	188	Single unit trucks (3 axles)	0.0
July	788	225	868	247	Single unit trucks (4 or more axles)	0.0
August	565	161	628	179	Single trailer trucks (4 or less axles)	1.2
September	145	41	160	46	Single trailer trucks (5 axles)	0.5
October	122	35	127	36	Single trailer trucks (6 or more axles)	0.0
November	244	70	267	76	Multi trailer trucks (5 or less axles)	0.0
December	186	53	178	51	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: US97; MP 254.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 3.53 miles north of Modoc Point Road

Site Name: Modoc Point (18-022)
Installed: January, 2001

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	5936	150	12.6	11.4	11.1	10.9
2002	6055	148	13.4	11.7	11.2	10.9
2003	6100	153	12.4	11.5	11.1	11.0
2004	6092	149	13.5	11.6	11.0	10.8
2005	6226	165	13.5	11.7	11.3	11.1
2006	6155	160	12.7	11.7	11.2	11.0
2007	6079	148	13.0	11.3	11.1	10.9
2008	5346	154	13.0	11.7	11.5	11.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	3719	70	3559	67	Motorcycles	0.8
February	4376	82	4051	76	Passenger cars	23.3
March	5015	94	4914	92	Light Trucks	48.5
April	5215	98	5114	96	Buses	0.2
May	5895	110	5765	108	Single unit trucks (2 axles)	3.6
June	6524	122	6552	123	Single unit trucks (3 axles)	1.4
July	6864	128	6803	127	Single unit trucks (4 or more axles)	0.3
August	6810	127	6913	129	Single trailer trucks (4 or less axles)	1.8
September	6092	114	6073	114	Single trailer trucks (5 axles)	16.7
October	5708	107	5574	104	Single trailer trucks (6 or more axles)	0.7
November	5067	95	5005	94	Multi trailer trucks (5 or less axles)	0.8
December	4086	76	3825	72	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.7

Location: US97; MP 243.22; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 4.32 miles north of Chiloquin Highway No. 422

Site Name: Chiloquin (18-023)
Installed: January, 2008

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	3433	181	18.5	14.6	13.6	13.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1930	56	1911	56	Motorcycles	0.8
February	2280	66	2234	65	Passenger cars	32.1
March	2885	84	2985	87	Light Trucks	23.0
April	3052	89	3164	92	Buses	0.4
May	3713	108	3744	109	Single unit trucks (2 axles)	9.8
June	4207	123	4410	129	Single unit trucks (3 axles)	0.8
July	4414	129	4515	132	Single unit trucks (4 or more axles)	0.2
August	4360	127	4573	133	Single trailer trucks (4 or less axles)	0.9
September	4025	117	4140	121	Single trailer trucks (5 axles)	28.2
October	3655	107	3725	109	Single trailer trucks (6 or more axles)	1.2
November	3289	96	3430	100	Multi trailer trucks (5 or less axles)	0.4
December	2403	70	2361	69	Multi trailer trucks (6 axles)	0.6
					Multi trailer trucks (7 or more axles)	1.7

Location: US395; MP 120.83; FREMONT HIGHWAY NO. 19; 0.26 mile south of Lakeview-Burns Highway No. 49 (US395)

Site Name: Valley Falls (19-004)
Installed: October, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	887	197	20.2	15.0	13.8	13.3
2000	876	185	19.9	14.7	14.0	13.7
2001	863	181	19.1	14.8	14.3	13.8
2002	898	192	21.1	15.7	14.6	13.9
2003	879	206	22.0	15.6	14.6	14.0
2004	914	195	40.5	16.5	14.0	13.5
2005	874	181	30.9	14.8	14.1	13.9
2006	846	201	20.3	14.9	14.2	13.9
2007	809	224	23.9	16.4	14.8	14.2
2008	715	206	20.8	16.9	15.9	15.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	413	58	409	57	Motorcycles	2.0
February	524	73	481	67	Passenger cars	35.2
March	654	91	637	89	Light Trucks	29.8
April	667	93	652	91	Buses	0.3
May	788	110	765	107	Single unit trucks (2 axles)	14.0
June	933	130	887	124	Single unit trucks (3 axles)	1.6
July	904	126	890	124	Single unit trucks (4 or more axles)	0.0
August	940	131	962	135	Single trailer trucks (4 or less axles)	3.8
September	954	133	918	128	Single trailer trucks (5 axles)	8.0
October	837	117	778	109	Single trailer trucks (6 or more axles)	0.8
November	718	100	699	98	Multi trailer trucks (5 or less axles)	0.1
December	549	77	502	70	Multi trailer trucks (6 axles)	0.4
					Multi trailer trucks (7 or more axles)	4.1

Location: US395; MP 157.43; FREMONT HIGHWAY NO. 19; 0.30 mile north of Oregon-California State Line

Site Name: New Pine Creek (19-008)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	992	171	16.2	13.8	13.2	12.8
2000	966	163	16.3	14.1	13.1	12.8
2001	951	175	17.6	14.6	14.0	13.1
2002	988	179	17.9	14.3	13.7	13.2
2003	987	161	14.7	13.8	13.3	12.9
2004	993	176	16.5	14.4	13.8	13.5
2005	973	174	16.7	14.3	13.6	13.0
2006	966	185	17.1	14.7	13.9	13.5
2007	927	195	19.2	14.8	14.0	13.4
2008	812	196	19.6	15.3	14.0	13.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	563	69	553	68	Motorcycles	0.6
February	624	77	587	72	Passenger cars	43.6
March	713	88	706	87	Light Trucks	33.2
April	757	93	752	93	Buses	0.8
May	865	107	869	107	Single unit trucks (2 axles)	3.9
June	963	119	972	120	Single unit trucks (3 axles)	2.0
July	1030	127	1022	126	Single unit trucks (4 or more axles)	0.2
August	1028	127	1077	133	Single trailer trucks (4 or less axles)	4.5
September	995	123	980	121	Single trailer trucks (5 axles)	10.0
October	881	108	853	105	Single trailer trucks (6 or more axles)	0.7
November	775	95	759	93	Multi trailer trucks (5 or less axles)	0.6
December	647	80	611	75	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.0

Location: OR31; MP 49.60; FREMONT HIGHWAY NO. 19; 2.25 mile southeast of 1st Street

Site Name: Silver Lake (19-010)
 Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	803	194	19.1	16.6	15.5	14.6
2002	903	282	23.5	20.3	17.4	16.5
2003	800	203	18.4	15.5	14.0	13.6
2004	814	193	21.8	17.0	15.6	14.7
2005	782	215	23.4	17.8	16.5	15.6
2006	715	194	21.6	16.8	15.5	14.6
2007	691	218	23.3	18.4	16.2	15.3
2008	628	197	24.8	17.3	16.4	15.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	372	59	375	60	Motorcycles	1.3
February	454	72	441	70	Passenger cars	36.9
March	518	82	538	86	Light Trucks	34.2
April	584	93	609	97	Buses	0.4
May	700	111	715	114	Single unit trucks (2 axles)	15.3
June	703	112	724	115	Single unit trucks (3 axles)	0.6
July	717	114	746	119	Single unit trucks (4 or more axles)	0.0
August	731	116	777	124	Single trailer trucks (4 or less axles)	4.0
September	797	127	803	128	Single trailer trucks (5 axles)	5.6
October	772	123	794	126	Single trailer trucks (6 or more axles)	0.8
November	575	92	603	96	Multi trailer trucks (5 or less axles)	0.1
December	434	69	416	66	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.8

Location: OR36; MP 41.04; MAPLETON-JUNCTION CITY HIGHWAY NO. 229; 2.36 miles southwest of Goldson Road

Site Name: Goldson (20-004)
 Installed: April, 1968

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2040	171	14.7	13.1	12.5	12.0
2000	2022	144	22.9	13.2	12.6	12.0
2001	2082	158	20.0	15.3	12.9	12.2
2002	2086	195	37.1	14.2	13.5	12.4
2003	2139	157	28.0	14.1	12.7	11.5
2004	2045	156	22.5	20.1	19.6	18.8
2005	1950	151	21.8	13.1	12.6	12.0
2006	1991	193	16.6	13.6	13.0	12.2
2007	1993	154	15.2	12.1	11.5	11.3
2008	1805	196	24.2	13.5	12.6	12.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1446	80	1420	79	Motorcycles	0.7
February	1679	93	1668	92	Passenger cars	51.3
March	1756	97	1685	93	Light Trucks	28.0
April	1742	97	1749	97	Buses	0.7
May	1897	105	1965	109	Single unit trucks (2 axles)	3.1
June	1936	107	2001	111	Single unit trucks (3 axles)	6.8
July	2090	116	2186	121	Single unit trucks (4 or more axles)	0.1
August	2166	120	2207	122	Single trailer trucks (4 or less axles)	1.3
September	1992	110	2028	112	Single trailer trucks (5 axles)	6.5
October	1776	98	1760	98	Single trailer trucks (6 or more axles)	1.6
November	1698	94	1662	92	Multi trailer trucks (5 or less axles)	0.0
December	1398	77	1325	73	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: OR126; MP 43.86; FLORENCE-EUGENE HIGHWAY NO. 62; 3.06 miles west of Territorial Highway No. 200 (OR200)

Site Name: Noti (20-005)
Installed: November, 1959

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6139	163	16.3	13.2	12.7	12.3
2000	5914	***	***	***	***	***
2001	6090	151	16.3	13.6	12.9	12.6
2002	6223	157	14.8	13.6	13.0	12.7
2003	6230	158	15.6	13.5	13.1	12.6
2004	6431	174	14.8	13.5	12.9	12.7
2005	6593	153	14.2	12.8	12.6	12.4
2006	6500	172	15.1	13.5	13.0	12.5
2007	6433	158	14.4	13.1	12.8	12.3
2008	5957	157	14.2	13.7	13.1	12.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1336	45	1412	80	Motorcycles	0.4
February	5388	90	5573	94	Passenger cars	63.3
March	5391	90	5656	95	Light Trucks	22.7
April	5277	89	5678	95	Buses	0.5
May	5784	97	6389	107	Single unit trucks (2 axles)	2.5
June	5895	99	6338	106	Single unit trucks (3 axles)	3.4
July	6850	115	7332	123	Single unit trucks (4 or more axles)	0.4
August	6857	115	7520	126	Single trailer trucks (4 or less axles)	0.5
September	6185	104	6694	112	Single trailer trucks (5 axles)	4.3
October	5513	93	5816	98	Single trailer trucks (6 or more axles)	1.3
November	5081	85	5338	90	Multi trailer trucks (5 or less axles)	0.6
December	4482	75	4408	74	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: I-105; MP 2.82; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.66 mile west of Pacific Highway No. 1 (I-5) in Eugene

Site Name: Willakenzie (20-008)
Installed: November, 1960

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	56290	***	***	***	***	***
2000	56508	***	***	***	***	***
2001	56733	***	***	***	***	***
2002	57835	***	***	***	***	***
2003	59168	128	10.8	10.3	10.1	10.1
2004	59361	125	10.7	10.4	10.2	10.1
2005	58393	***	***	***	***	***
2006	60452	***	***	***	***	***
2007	61659	126	10.6	10.4	10.3	10.1
2008	59574	127	10.8	10.5	10.4	10.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	60663	102	56174	94	Motorcycles	0.4
February	66965	112	61608	103	Passenger cars	75.9
March	66146	111	60796	102	Light Trucks	18.2
April	67809	114	62466	105	Buses	0.3
May	66561	112	61701	104	Single unit trucks (2 axles)	2.1
June	67695	114	62244	104	Single unit trucks (3 axles)	0.7
July	67810	114	60436	101	Single unit trucks (4 or more axles)	0.0
August	66703	112	60828	102	Single trailer trucks (4 or less axles)	0.4
September	65091	109	60632	102	Single trailer trucks (5 axles)	1.3
October	65307	110	60253	101	Single trailer trucks (6 or more axles)	0.2
November	61132	103	56695	95	Multi trailer trucks (5 or less axles)	0.0
December	55253	93	51059	86	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: OR126; MP 29.14; MCKENZIE HIGHWAY NO. 15; 2.74 miles east of S. Gate Creek Road

Site Name: Vida (20-010)
Installed: October, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3766	200	20.1	17.6	16.5	16.1
2000	3764	188	18.4	16.2	15.4	14.9
2001	3766	***	***	***	***	***
2002	3795	187	18.2	16.3	15.5	15.2
2003	3820	180	18.8	16.3	15.3	14.6
2004	3687	184	17.9	16.6	15.8	15.1
2005	3557	191	19.9	17.8	16.7	16.1
2006	3541	178	18.0	16.3	15.8	15.1
2007	3426	190	20.3	16.8	16.1	15.7
2008	3100	182	18.7	17.0	16.2	15.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1948	63	2083	67	Motorcycles	0.7
February	2254	73	2237	72	Passenger cars	58.4
March	2573	83	2612	84	Light Trucks	26.2
April	2622	85	2808	91	Buses	0.8
May	3095	100	3347	108	Single unit trucks (2 axles)	4.8
June	3322	107	3723	120	Single unit trucks (3 axles)	1.2
July	3772	122	4264	138	Single unit trucks (4 or more axles)	0.0
August	3699	119	4259	137	Single trailer trucks (4 or less axles)	0.9
September	3485	112	3952	127	Single trailer trucks (5 axles)	4.0
October	2957	95	3230	104	Single trailer trucks (6 or more axles)	1.7
November	2484	80	2670	86	Multi trailer trucks (5 or less axles)	0.0
December	2021	65	2017	65	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	1.0

Location: OR569; MP 12.00; BELT LINE HIGHWAY NO. 69; 0.76 mile west of Pacific Highway No. 1 (I-5)

Site Name: Beltline 20-011
Installed: May, 2000

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	49250	***	***	***	***	***
2002	50367	***	***	***	***	***
2003	50108	***	***	***	***	***
2004	49161	***	***	***	***	***
2005	52270	141	11.1	10.8	10.5	10.2
2006	49718	125	10.1	9.7	9.6	9.5
2007	47344	***	***	***	***	***
2008	45275	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	44100	97	41500	92	Motorcycles	0.4
February	48200	106	45400	100	Passenger cars	72.5
March	48800	108	46000	102	Light Trucks	18.0
April	49200	109	46400	102	Buses	0.3
May	48200	106	45500	100	Single unit trucks (2 axles)	2.8
June	50600	112	47600	105	Single unit trucks (3 axles)	1.3
July	49800	110	47200	104	Single unit trucks (4 or more axles)	0.1
August	49700	110	47000	104	Single trailer trucks (4 or less axles)	0.6
September	47900	106	45200	100	Single trailer trucks (5 axles)	2.7
October	49600	110	46800	103	Single trailer trucks (6 or more axles)	1.0
November	47800	106	45000	99	Multi trailer trucks (5 or less axles)	0.1
December	41000	91	39700	88	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.4

Location: OR58; MP 37.36; WILLAMETTE HIGHWAY NO. 18; 0.10 mile east of Kitson Springs Road

Site Name: Oakridge (20-017)
Installed: January, 1953

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2976	221	25.7	19.6	18.3	17.3
2000	2906	***	***	***	***	***
2001	2943	215	25.2	21.0	19.3	18.3
2002	2962	223	29.4	22.4	19.5	18.9
2003	3017	272	27.6	24.2	20.5	19.2
2004	2856	221	26.2	21.1	19.5	18.9
2005	2726	229	27.8	21.3	20.4	19.4
2006	2747	229	27.0	21.6	19.4	18.8
2007	2767	253	28.7	22.9	21.0	19.8
2008	2690	213	24.0	21.2	19.6	18.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1500	56	1800	67	Motorcycles	0.4
February	1922	71	2373	88	Passenger cars	28.1
March	2397	89	2681	100	Light Trucks	25.0
April	2213	82	2522	94	Buses	0.1
May	2587	96	2741	102	Single unit trucks (2 axles)	3.6
June	2630	98	3001	112	Single unit trucks (3 axles)	0.8
July	3198	119	3552	132	Single unit trucks (4 or more axles)	0.0
August	3303	123	3864	144	Single trailer trucks (4 or less axles)	4.0
September	3052	113	3356	125	Single trailer trucks (5 axles)	29.6
October	2494	93	2747	102	Single trailer trucks (6 or more axles)	4.7
November	1785	66	2009	75	Multi trailer trucks (5 or less axles)	0.0
December	1499	56	1636	61	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	3.7

Location: I-5; MP 169.25; PACIFIC HIGHWAY NO. 1; 1.24 miles north of Douglas-Lane County Line

Site Name: Martin Creek (20-020)
Installed: September, 2001

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2002	23248	167	13.3	11.9	11.2	10.9
2003	23984	170	13.9	12.5	11.7	11.4
2004	24090	168	14.0	12.0	11.0	10.7
2005	23820	170	15.1	12.7	11.6	11.2
2006	23674	166	13.9	12.0	11.3	11.0
2007	23562	170	13.8	11.8	11.4	11.2
2008	21754	173	15.6	13.0	11.8	11.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	17300	80	17400	80	Motorcycles	0.2
February	19514	90	19636	90	Passenger cars	45.2
March	21477	99	22341	103	Light Trucks	18.0
April	20423	94	21123	97	Buses	0.0
May	21400	98	21800	100	Single unit trucks (2 axles)	2.0
June	23157	106	24001	110	Single unit trucks (3 axles)	1.4
July	25237	116	25668	118	Single unit trucks (4 or more axles)	2.2
August	24801	114	25969	119	Single trailer trucks (4 or less axles)	0.0
September	21671	100	22193	102	Single trailer trucks (5 axles)	25.6
October	20100	92	20800	96	Single trailer trucks (6 or more axles)	2.8
November	20700	95	21800	100	Multi trailer trucks (5 or less axles)	0.3
December	18078	83	18314	84	Multi trailer trucks (6 axles)	0.6
					Multi trailer trucks (7 or more axles)	1.6

Location: OR200; MP 13.54; TERRITORIAL HIGHWAY NO. 200; 3.46 miles south of Mapleton-
Junction City Highway No. 229 (OR36)

Site Name: Fern Ridge (20-023)
Installed: March, 1960

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1638	215	19.8	15.1	13.7	12.6
2000	1637	187	17.3	14.4	13.4	12.6
2001	1582	206	19.0	15.0	13.5	12.0
2002	1662	207	18.0	15.3	13.8	12.9
2003	1674	196	19.4	14.3	12.9	12.3
2004	1740	189	17.1	13.9	12.9	12.4
2005	2076	206	19.1	14.8	13.5	13.0
2006	1805	178	16.5	13.4	12.5	12.0
2007	1766	200	17.2	14.5	12.7	12.1
2008	1607	205	18.9	15.1	13.1	12.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1367	85	1331	83	Motorcycles	1.2
February	1558	97	1529	95	Passenger cars	55.2
March	1522	95	1539	96	Light Trucks	31.8
April	1570	98	1596	99	Buses	0.6
May	1686	105	1713	107	Single unit trucks (2 axles)	3.3
June	1714	107	1795	112	Single unit trucks (3 axles)	2.2
July	1889	118	1981	123	Single unit trucks (4 or more axles)	0.2
August	1761	110	1816	113	Single trailer trucks (4 or less axles)	0.8
September	1701	106	1730	108	Single trailer trucks (5 axles)	3.5
October	1615	100	1590	99	Single trailer trucks (6 or more axles)	1.0
November	1460	91	1437	89	Multi trailer trucks (5 or less axles)	0.0
December	1266	79	1231	77	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: US20; MP 34.24; CORVALLIS-NEWPORT HIGHWAY NO. 33; 0.11 mile west of
Lincoln-Benton County Line

Site Name: Burnt Woods (21-006)
Installed: August, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4504	***	***	***	***	***
2000	4533	176	15.9	14.8	14.3	13.6
2001	4657	***	***	***	***	***
2002	4834	171	16.7	14.5	13.9	13.5
2003	4919	164	15.3	14.9	14.5	13.6
2004	4973	186	17.3	15.3	14.4	14.1
2005	4975	165	15.9	14.5	13.7	13.3
2006	4976	190	22.8	15.7	14.6	14.0
2007	5046	163	15.5	14.0	13.6	13.1
2008	4706	181	16.9	14.8	14.2	13.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	3415	73	3522	75	Motorcycles	0.1
February	3982	85	4394	93	Passenger cars	46.8
March	4292	91	4511	96	Light Trucks	41.3
April	4017	85	4428	94	Buses	0.2
May	4411	94	4948	105	Single unit trucks (2 axles)	2.0
June	4704	100	5171	110	Single unit trucks (3 axles)	2.3
July	5499	117	5874	125	Single unit trucks (4 or more axles)	0.1
August	5586	119	6251	133	Single trailer trucks (4 or less axles)	0.7
September	4950	105	5414	115	Single trailer trucks (5 axles)	2.6
October	4265	91	4627	98	Single trailer trucks (6 or more axles)	3.0
November	3889	83	4152	88	Multi trailer trucks (5 or less axles)	0.0
December	3227	69	3177	68	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	1.0

Location: US101; MP 112.35; OREGON COAST HIGHWAY NO. 9; At West Devils Lake Road

Site Name: West Devils Lake (21-007)
 Installed: May, 1998

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	16269	152	21.9	13.5	13.1	12.7
2000	15944	156	14.2	13.5	13.0	12.6
2001	16183	157	14.1	13.3	12.8	12.5
2002	16639	153	14.0	13.0	12.6	12.4
2003	16648	153	14.2	12.9	12.4	12.3
2004	16732	162	13.4	12.7	12.4	12.2
2005	16433	151	13.6	13.2	12.5	12.1
2006	16533	***	***	***	***	***
2007	16605	150	13.3	12.6	12.2	12.0
2008	15498	159	14.1	13.2	13.0	12.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	12043	78	12520	81	Motorcycles	0.3
February	13294	86	14567	94	Passenger cars	69.6
March	14317	92	15062	97	Light Trucks	24.3
April	13595	88	14999	97	Buses	0.6
May	14481	93	16175	104	Single unit trucks (2 axles)	2.0
June	15396	99	16776	108	Single unit trucks (3 axles)	0.7
July	18281	118	19485	126	Single unit trucks (4 or more axles)	0.1
August	18639	120	20087	130	Single trailer trucks (4 or less axles)	0.4
September	16123	104	17501	113	Single trailer trucks (5 axles)	1.3
October	13812	89	14928	96	Single trailer trucks (6 or more axles)	0.6
November	12452	80	13335	86	Multi trailer trucks (5 or less axles)	0.0
December	10819	70	10535	68	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: US101; MP 114.91; OREGON COAST HIGHWAY NO. 9; 0.07 mile north of "D" River State Wayside

Site Name: D River Wayside (21-008)
 Installed: May, 1998

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	23150	132	11.0	10.2	10.0	9.9
2000	23648	140	11.9	11.2	10.8	10.7
2001	25404	137	11.6	11.0	10.8	10.7
2002	26101	147	11.6	11.4	11.2	11.1
2003	26086	144	11.7	11.3	11.2	11.0
2004	26302	145	11.5	11.1	11.0	10.8
2005	25736	141	11.7	11.2	11.0	10.9
2006	26183	144	11.3	11.2	10.9	10.8
2007	26279	139	11.4	11.1	11.0	10.9
2008	25036	145	12.0	11.4	11.3	11.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	21027	84	21131	84	Motorcycles	0.2
February	22811	91	23903	95	Passenger cars	40.4
March	24716	99	25094	100	Light Trucks	52.6
April	23423	94	24499	98	Buses	0.8
May	24077	96	25759	103	Single unit trucks (2 axles)	3.2
June	25604	102	26556	106	Single unit trucks (3 axles)	0.8
July	29498	118	30147	120	Single unit trucks (4 or more axles)	0.1
August	30263	121	31312	125	Single trailer trucks (4 or less axles)	0.4
September	26220	105	27201	109	Single trailer trucks (5 axles)	0.7
October	23548	94	24290	97	Single trailer trucks (6 or more axles)	0.4
November	20889	83	21937	88	Multi trailer trucks (5 or less axles)	0.0
December	19461	78	18608	74	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.2

Location: US101; MP 139.11; OREGON COAST HIGHWAY NO. 9; At 25th Street, in Newport

Site Name: North Newport (21-009)
 Installed: October, 1996

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	18146	135	11.9	11.3	11.1	11.0
2000	17951	141	12.4	11.7	11.5	11.3
2001	18375	***	***	***	***	***
2002	18598	149	12.9	11.9	11.6	11.5
2003	18930	141	12.1	11.6	11.4	11.3
2004	19294	142	12.1	11.4	11.2	11.1
2005	19153	***	***	***	***	***
2006	19083	***	***	***	***	***
2007	19159	139	11.7	11.3	11.1	11.1
2008	18078	140	12.2	11.4	11.1	11.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	15340	85	14970	83	Motorcycles	0.3
February	16705	92	16868	93	Passenger cars	49.0
March	17821	99	17548	97	Light Trucks	44.8
April	17344	96	17392	96	Buses	0.4
May	18300	101	19200	106	Single unit trucks (2 axles)	2.2
June	19763	109	19802	110	Single unit trucks (3 axles)	0.7
July	22252	123	21996	122	Single unit trucks (4 or more axles)	0.1
August	22006	122	22186	123	Single trailer trucks (4 or less axles)	0.6
September	19548	108	19654	109	Single trailer trucks (5 axles)	0.7
October	17373	96	17249	95	Single trailer trucks (6 or more axles)	1.1
November	15602	86	15778	87	Multi trailer trucks (5 or less axles)	0.0
December	14966	83	14291	79	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: I-5; MP 234.80; PACIFIC HIGHWAY NO. 1; 0.41 mile north of Albany-Junction City Highway No. 58 (OR99E)

Site Name: North Albany (22-005)
 Installed: October, 1999

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	57383	135	10.7	10.1	9.8	9.7
2001	58634	144	10.9	9.9	9.8	9.7
2002	62615	139	10.3	10.0	9.7	9.5
2003	62259	134	11.0	9.7	9.6	9.5
2004	60486	134	10.1	9.8	9.7	9.5
2005	60632	***	***	***	***	***
2006	60971	134	10.1	9.7	9.5	9.3
2007	61436	136	10.0	9.7	9.6	9.5
2008	57888	139	11.9	10.2	9.9	9.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	50923	88	50810	88	Motorcycles	0.7
February	55652	96	55628	96	Passenger cars	62.3
March	57693	100	58722	101	Light Trucks	15.1
April	56886	98	57907	100	Buses	0.2
May	58675	101	59256	102	Single unit trucks (2 axles)	2.9
June	61108	106	62053	107	Single unit trucks (3 axles)	0.7
July	63910	110	63303	109	Single unit trucks (4 or more axles)	0.1
August	62910	109	64694	112	Single trailer trucks (4 or less axles)	1.2
September	59049	102	60904	105	Single trailer trucks (5 axles)	13.3
October	56287	97	57167	99	Single trailer trucks (6 or more axles)	1.6
November	56208	97	57908	100	Multi trailer trucks (5 or less axles)	0.2
December	46958	81	46298	80	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.6

Location: OR226; MP 0.43; ALBANY-LYONS HIGHWAY NO. 211; 0.43 mile east of Santiam Highway No. 16 (US20)

Site Name: Crabtree (22-010)
Installed: January, 1950

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	5201	125	11.5	10.5	10.3	10.2
2000	5034	124	11.3	10.6	10.4	10.3
2001	5180	134	12.2	10.9	10.5	10.4
2002	5251	126	11.7	10.7	10.6	10.3
2003	5030	123	11.1	10.4	10.2	10.0
2004	5000	137	11.8	11.0	10.7	10.5
2005	4970	***	***	***	***	***
2006	5032	128	11.5	10.7	10.5	10.3
2007	5021	134	12.0	10.8	10.6	10.5
2008	4791	169	20.7	11.3	11.0	10.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	4374	91	4111	86	Motorcycles	0.2
February	4818	101	4545	95	Passenger cars	45.3
March	4704	98	4530	95	Light Trucks	46.2
April	4871	102	4627	97	Buses	0.2
May	4947	103	4765	99	Single unit trucks (2 axles)	2.2
June	5124	107	4908	102	Single unit trucks (3 axles)	2.0
July	5673	118	5392	113	Single unit trucks (4 or more axles)	0.2
August	5888	123	5605	117	Single trailer trucks (4 or less axles)	0.1
September	5508	115	5323	111	Single trailer trucks (5 axles)	2.3
October	5289	110	5057	106	Single trailer trucks (6 or more axles)	1.1
November	4807	100	4523	94	Multi trailer trucks (5 or less axles)	0.0
December	4362	91	4103	86	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.5

Location: OR99E; MP 21.64; ALBANY-JUNCTION CITY HIGHWAY NO. 58; 2.28 miles south of Halsey-Sweet Home Highway No. 212 (OR228)

Site Name: Halsey (22-012)
Installed: March, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	3519	***	***	***	***	***
2000	3559	***	***	***	***	***
2001	3272	***	***	***	***	***
2002	3351	148	23.2	11.6	11.0	10.7
2003	3278	184	39.1	11.7	11.1	10.7
2004	3314	137	15.0	11.2	10.9	10.8
2005	3385	141	14.9	11.6	11.0	10.8
2006	3433	140	18.8	12.1	11.4	11.0
2007	3499	139	21.9	11.3	11.0	10.9
2008	2549	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	3271	128	2981	117	Motorcycles	0.6
February	3541	139	3282	129	Passenger cars	32.8
March	3480	137	3289	129	Light Trucks	46.6
April	3388	133	3192	125	Buses	0.3
May	2679	105	2626	103	Single unit trucks (2 axles)	4.9
June	2428	95	2353	92	Single unit trucks (3 axles)	2.8
July	2438	96	2353	92	Single unit trucks (4 or more axles)	0.2
August	2274	89	2241	88	Single trailer trucks (4 or less axles)	1.4
September	2219	87	2172	85	Single trailer trucks (5 axles)	5.1
October	2185	86	2087	82	Single trailer trucks (6 or more axles)	3.4
November	2278	89	2139	84	Multi trailer trucks (5 or less axles)	0.1
December	2024	79	1867	73	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	2.0

Location: US20; MP 19.05; SANTIAM HIGHWAY NO. 16; 0.38 mile southeast of Sodaville-Waterloo Drive, southeast of Lebanon

Site Name: Waterloo (22-013)
Installed: October, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	12090	134	11.6	10.7	10.3	10.2
2000	12067	***	***	***	***	***
2001	11902	***	***	***	***	***
2002	12346	140	11.2	10.7	10.5	10.3
2003	12159	151	12.0	10.7	10.5	10.2
2004	12145	148	11.5	10.7	10.5	10.3
2005	12126	150	11.2	10.6	10.4	10.2
2006	12061	148	11.5	10.5	10.3	10.0
2007	12064	150	11.7	10.9	10.5	10.4
2008	11443	154	12.1	10.6	10.4	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	10916	95	10216	89	Motorcycles	0.2
February	11999	105	11174	98	Passenger cars	68.9
March	11643	102	11171	98	Light Trucks	24.8
April	11966	105	11393	100	Buses	0.5
May	12145	106	11952	104	Single unit trucks (2 axles)	2.2
June	12447	109	12200	107	Single unit trucks (3 axles)	0.9
July	12986	113	12694	111	Single unit trucks (4 or more axles)	0.0
August	12572	110	12646	111	Single trailer trucks (4 or less axles)	0.3
September	12214	107	11964	105	Single trailer trucks (5 axles)	1.1
October	11946	104	11353	99	Single trailer trucks (6 or more axles)	0.7
November	11260	98	10659	93	Multi trailer trucks (5 or less axles)	0.0
December	10648	93	9893	86	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: I-5; MP 214.56; PACIFIC HIGHWAY NO. 1; 2.01 miles south of Halsey-Sweet Home Highway No. 212 (OR228)

Site Name: Lake Creek (22-016)
Installed: January, 1994

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	35452	155	12.6	11.5	10.6	10.4
2000	35919	159	13.5	11.8	11.1	10.5
2001	36203	162	13.3	11.9	11.0	10.6
2002	37766	160	12.6	11.8	11.0	10.6
2003	37990	153	12.6	11.6	11.1	10.8
2004	38055	156	12.7	11.2	10.7	10.5
2005	38149	158	12.7	11.2	10.9	10.4
2006	38200	152	12.7	11.3	10.7	10.5
2007	38218	155	12.4	11.3	10.7	10.4
2008	36157	161	13.4	12.3	11.1	10.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	29970	83	30402	84	Motorcycles	0.5
February	32479	90	33149	92	Passenger cars	56.6
March	34938	97	36451	101	Light Trucks	14.2
April	33733	93	35189	97	Buses	0.1
May	35686	99	36582	101	Single unit trucks (2 axles)	2.6
June	38008	105	39643	110	Single unit trucks (3 axles)	0.7
July	40429	112	41452	115	Single unit trucks (4 or more axles)	0.3
August	40156	111	42173	117	Single trailer trucks (4 or less axles)	2.7
September	36326	100	38260	106	Single trailer trucks (5 axles)	18.8
October	33854	94	35236	97	Single trailer trucks (6 or more axles)	1.9
November	34571	96	36219	100	Multi trailer trucks (5 or less axles)	0.2
December	28992	80	29126	81	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.3

Location: US20; MP 51.47; SANTIAM HIGHWAY NO. 16; 0.91 mile west of Soda Fork Road

Site Name: Upper Soda (22-017)
 Installed: May, 1997

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1181	239	25.0	23.6	22.8	22.2
2000	1172	240	25.8	22.8	21.2	20.1
2001	1145	***	***	***	***	***
2002	1137	239	29.0	23.1	21.9	21.3
2003	1117	252	27.6	25.1	23.1	22.3
2004	1148	242	25.4	23.9	22.5	21.4
2005	1107	240	28.7	23.6	22.4	21.8
2006	1112	231	27.4	23.3	22.3	21.5
2007	1144	254	27.4	24.2	22.6	21.8
2008	1031	248	28.7	25.7	24.1	22.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	475	46	644	62	Motorcycles	0.6
February	373	36	479	46	Passenger cars	58.4
March	624	61	756	73	Light Trucks	31.2
April	532	52	747	72	Buses	0.0
May	872	85	1126	109	Single unit trucks (2 axles)	3.7
June	1026	100	1309	127	Single unit trucks (3 axles)	0.8
July	1186	115	1531	148	Single unit trucks (4 or more axles)	0.0
August	1225	119	1577	153	Single trailer trucks (4 or less axles)	2.8
September	1156	112	1492	145	Single trailer trucks (5 axles)	1.8
October	894	87	1137	110	Single trailer trucks (6 or more axles)	0.5
November	750	73	968	94	Multi trailer trucks (5 or less axles)	0.0
December	506	49	600	58	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: OR34; MP 3.92; CORVALLIS-LEBANON HIGHWAY NO. 210; 0.89 mile east of Riverside Drive

Site Name: Riverside Drive (22-020)
 Installed: February, 2004

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2005	28201	132	11.9	10.7	10.6	10.5
2006	27813	135	12.5	11.0	10.8	10.6
2007	27927	139	13.1	11.2	10.9	10.8
2008	26342	145	13.8	11.6	11.3	11.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	37819	102	35425	95	Motorcycles	1.0
February	40929	110	38395	103	Passenger cars	53.9
March	40600	109	37800	102	Light Trucks	35.3
April	41700	112	39200	105	Buses	1.0
May	40828	110	38632	104	Single unit trucks (2 axles)	2.7
June	41131	110	38534	103	Single unit trucks (3 axles)	1.4
July	41295	111	37537	101	Single unit trucks (4 or more axles)	0.1
August	40636	109	37974	102	Single trailer trucks (4 or less axles)	0.9
September	40040	108	37745	101	Single trailer trucks (5 axles)	2.4
October	39166	105	36614	98	Single trailer trucks (6 or more axles)	0.7
November	37777	101	35806	96	Multi trailer trucks (5 or less axles)	0.0
December	35084	94	33140	89	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.6

Location: US20/OR99E; MP 2.14; ALBANY-JUNCTION CITY HIGHWAY NO. 58; 0.28 mile northeast of Albany-Corvallis Highway No. 31 (US20)

Site Name: Central Albany (22-022)
Installed: June, 2005

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	39227	123	10.5	10.0	9.8	9.6
2008	37234	126	10.5	10.0	9.9	9.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	37819	102	35425	95	Motorcycles	0.9
February	40929	110	38395	103	Passenger cars	58.6
March	40600	109	37800	102	Light Trucks	36.6
April	41700	112	39200	105	Buses	0.1
May	40828	110	38632	104	Single unit trucks (2 axles)	2.5
June	41131	110	38534	103	Single unit trucks (3 axles)	0.3
July	41295	111	37537	101	Single unit trucks (4 or more axles)	0.0
August	40636	109	37974	102	Single trailer trucks (4 or less axles)	0.3
September	40040	108	37745	101	Single trailer trucks (5 axles)	0.5
October	39166	105	36614	98	Single trailer trucks (6 or more axles)	0.2
November	37777	101	35806	96	Multi trailer trucks (5 or less axles)	0.0
December	35084	94	33140	89	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US20/US26; MP 257.86; CENTRAL OREGON HIGHWAY NO. 7; 0.26 mile west of Olds Ferry Ontario Highway No. 455 (OR201)

Site Name: Cairo Junction (23-006)
Installed: October, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	5280	158	11.9	10.6	10.1	9.9
2000	5210	***	***	***	***	***
2001	5083	148	11.4	10.5	10.3	10.2
2002	5185	161	12.8	11.0	10.4	10.3
2003	5130	142	11.2	10.3	10.1	10.0
2004	5080	153	11.5	10.5	10.2	10.0
2005	4466	***	***	***	***	***
2006	4971	147	11.7	10.3	10.0	9.9
2007	4971	138	12.5	10.5	10.2	10.0
2008	4607	152	11.7	10.6	10.3	10.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	3982	86	3694	80	Motorcycles	0.0
February	4422	96	4019	87	Passenger cars	58.6
March	4762	103	4476	97	Light Trucks	27.3
April	4884	106	4586	100	Buses	0.5
May	5164	112	4887	106	Single unit trucks (2 axles)	2.6
June	5413	117	5160	112	Single unit trucks (3 axles)	0.6
July	5600	122	5270	114	Single unit trucks (4 or more axles)	0.0
August	5351	116	5154	112	Single trailer trucks (4 or less axles)	3.1
September	5181	112	4999	109	Single trailer trucks (5 axles)	5.9
October	5008	109	4688	102	Single trailer trucks (6 or more axles)	0.6
November	4702	102	4370	95	Multi trailer trucks (5 or less axles)	0.0
December	4340	94	3980	86	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.7

Location: US95; MP 91.48; I.O.N. HIGHWAY NO. 456; 6.74 miles north of Blue Mountain Pass Summit

Site Name: Basque (23-012)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1168	194	18.4	14.8	13.6	12.9
2000	1177	186	20.5	14.4	12.8	12.3
2001	1216	203	22.5	15.3	13.8	13.0
2002	1283	212	21.2	16.6	14.7	13.3
2003	1308	199	21.7	15.2	14.0	12.9
2004	1335	271	36.3	14.5	13.6	12.4
2005	1356	222	21.5	16.7	15.0	13.7
2006	1332	273	36.9	17.3	14.6	14.0
2007	1266	212	22.3	15.4	14.2	13.5
2008	1133	243	31.9	21.2	16.6	15.6



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	770	68	734	65	Motorcycles	0.9
February	841	74	809	71	Passenger cars	28.4
March	1000	88	1100	97	Light Trucks	27.9
April	1044	92	1046	92	Buses	0.3
May	1190	105	1168	103	Single unit trucks (2 axles)	7.7
June	1349	119	1374	121	Single unit trucks (3 axles)	0.5
July	1421	125	1425	126	Single unit trucks (4 or more axles)	0.0
August	1315	116	1363	120	Single trailer trucks (4 or less axles)	3.9
September	1194	105	1205	106	Single trailer trucks (5 axles)	26.3
October	1194	105	1179	104	Single trailer trucks (6 or more axles)	0.9
November	1168	103	1268	112	Multi trailer trucks (5 or less axles)	0.9
December	894	79	922	81	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	2.1

Location: US20; MP 189.34; CENTRAL OREGON HIGHWAY NO. 7; 0.07 mile east of Juntura-Riverside Road

Site Name: Juntura (23-013)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1303	196	19.2	15.7	14.4	14.2
2000	1281	191	16.5	15.6	14.5	14.3
2001	1251	185	17.3	15.8	14.7	14.2
2002	1290	201	21.6	16.7	15.6	14.4
2003	1267	204	19.7	16.4	15.0	14.3
2004	1291	180	17.9	15.3	14.4	14.0
2005	1257	204	17.2	15.8	14.9	14.6
2006	1236	204	17.5	15.9	15.1	14.5
2007	1272	189	18.4	16.3	15.4	14.9
2008	1118	195	23.3	18.0	16.4	15.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	626	56	643	58	Motorcycles	0.2
February	702	63	683	61	Passenger cars	36.5
March	916	82	960	86	Light Trucks	28.7
April	935	84	964	86	Buses	0.3
May	1202	108	1205	108	Single unit trucks (2 axles)	2.0
June	1418	127	1487	133	Single unit trucks (3 axles)	0.6
July	1546	138	1593	142	Single unit trucks (4 or more axles)	0.0
August	1475	132	1553	139	Single trailer trucks (4 or less axles)	1.5
September	1313	117	1395	125	Single trailer trucks (5 axles)	19.1
October	1176	105	1199	107	Single trailer trucks (6 or more axles)	2.3
November	945	85	997	89	Multi trailer trucks (5 or less axles)	0.4
December	720	64	739	66	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	8.2

Location: I-84; MP 376.98; OLD OREGON TRAIL NO. 6; 1.03 miles northwest of Oregon-Idaho State Line

Site Name: Snake River (23-014)
Installed: July, 1960

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	14821	142	10.4	9.9	9.5	9.3
2000	14397	141	11.1	9.8	9.3	9.0
2001	14833	148	11.7	9.9	9.5	9.4
2002	15452	141	11.4	10.1	9.6	9.4
2003	15672	138	10.5	9.9	9.6	9.3
2004	15624	141	11.3	9.9	9.5	9.3
2005	16037	156	11.3	10.0	9.4	9.2
2006	16502	151	11.4	10.0	9.4	9.1
2007	16408	***	***	***	***	***
2008	15338	141	11.2	10.0	9.4	9.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	12800	83	12600	82	Motorcycles	0.1
February	13700	89	13300	87	Passenger cars	47.2
March	15632	102	15564	101	Light Trucks	25.1
April	15662	102	15592	102	Buses	0.2
May	16257	106	16124	105	Single unit trucks (2 axles)	3.2
June	16806	110	16925	110	Single unit trucks (3 axles)	0.9
July	17747	116	17315	113	Single unit trucks (4 or more axles)	0.0
August	17440	114	17538	114	Single trailer trucks (4 or less axles)	0.2
September	15972	104	15935	104	Single trailer trucks (5 axles)	16.2
October	16035	105	15627	102	Single trailer trucks (6 or more axles)	2.6
November	15084	98	14886	97	Multi trailer trucks (5 or less axles)	1.1
December	13057	85	12655	83	Multi trailer trucks (6 axles)	0.5
					Multi trailer trucks (7 or more axles)	2.8

Location: I-84; MP 353.47; OLD OREGON TRAIL NO. 6; 1.47 miles south of Baker-Malheur County Line

Site Name: Huntington (23-016)
Installed: October, 1967

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	8207	166	14.0	12.4	11.5	11.0
2000	8249	166	13.3	12.1	11.5	11.2
2001	8356	171	14.0	12.1	11.3	10.9
2002	8608	***	***	***	***	***
2003	8705	171	14.0	12.7	11.6	11.1
2004	8691	164	15.2	12.1	11.6	11.2
2005	8771	185	14.2	12.5	11.5	11.1
2006	8784	176	13.4	12.1	11.3	10.9
2007	8902	156	14.5	12.1	11.5	11.2
2008	8182	163	16.0	13.4	11.6	11.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	6095	74	5927	72	Motorcycles	0.2
February	6575	80	6449	79	Passenger cars	32.5
March	7824	96	8061	99	Light Trucks	12.0
April	7960	97	8175	100	Buses	0.3
May	8560	105	8649	106	Single unit trucks (2 axles)	2.5
June	9195	112	9563	117	Single unit trucks (3 axles)	0.5
July	10037	123	10179	124	Single unit trucks (4 or more axles)	0.5
August	9840	120	10231	125	Single trailer trucks (4 or less axles)	3.1
September	8774	107	8880	109	Single trailer trucks (5 axles)	36.5
October	8450	103	8405	103	Single trailer trucks (6 or more axles)	4.6
November	7646	93	7701	94	Multi trailer trucks (5 or less axles)	0.7
December	6050	74	5966	73	Multi trailer trucks (6 axles)	0.5
					Multi trailer trucks (7 or more axles)	6.2

Location: OR99E; MP 34.16; PACIFIC HIGHWAY EAST NO. 81; 1.29 miles south of Hillsboro-Silverton Highway No. 140 (OR214)

Site Name: Woodburn (24-001)
Installed: January, 1937

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	11330	135	12.5	11.2	10.7	10.6
2000	11058	126	14.2	10.5	10.3	10.2
2001	10736	***	***	***	***	***
2002	10863	125	11.4	10.5	10.3	10.2
2003	10676	141	12.5	11.2	10.7	10.5
2004	10810	132	12.2	11.0	10.7	10.6
2005	10301	***	***	***	***	***
2006	10748	128	13.4	11.2	10.9	10.7
2007	10954	126	13.0	11.8	11.3	11.1
2008	10254	128	11.9	11.4	11.2	11.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	9750	95	9358	91	Motorcycles	0.4
February	10573	103	10147	99	Passenger cars	57.1
March	10720	105	10328	101	Light Trucks	35.3
April	11001	107	10892	106	Buses	0.4
May	11070	108	10932	107	Single unit trucks (2 axles)	2.9
June	11220	109	10864	106	Single unit trucks (3 axles)	1.0
July	11533	112	10933	107	Single unit trucks (4 or more axles)	0.1
August	11181	109	10910	106	Single trailer trucks (4 or less axles)	0.4
September	10844	106	10597	103	Single trailer trucks (5 axles)	1.4
October	10640	104	10487	102	Single trailer trucks (6 or more axles)	0.6
November	9885	96	9481	92	Multi trailer trucks (5 or less axles)	0.1
December	8457	82	8114	79	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.2

Location: OR22; MP 2.82; NORTH SANTIAM HIGHWAY NO. 162; 0.91 mile east of Lancaster Drive Interchange

Site Name: North Santiam (24-004)
Installed: January, 1967

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	22751	136	11.2	10.7	10.4	10.2
2000	22762	***	***	***	***	***
2001	23096	***	***	***	***	***
2002	23749	***	***	***	***	***
2003	24196	136	11.0	10.6	10.4	10.2
2004	24414	139	11.1	10.6	10.4	10.2
2005	25361	141	11.3	10.7	10.6	10.3
2006	26062	133	10.8	10.4	10.1	10.0
2007	25999	134	10.9	10.5	10.3	10.2
2008	24427	134	11.2	10.6	10.4	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	23291	95	22028	90	Motorcycles	0.1
February	25148	103	23696	97	Passenger cars	63.3
March	24809	102	23878	98	Light Trucks	28.5
April	25433	104	24372	100	Buses	0.2
May	26021	107	25364	104	Single unit trucks (2 axles)	2.6
June	26464	108	25877	106	Single unit trucks (3 axles)	0.9
July	28046	115	27233	111	Single unit trucks (4 or more axles)	0.2
August	28131	115	27798	114	Single trailer trucks (4 or less axles)	0.8
September	26001	106	25662	105	Single trailer trucks (5 axles)	1.6
October	25385	104	24257	99	Single trailer trucks (6 or more axles)	1.1
November	24551	101	23239	95	Multi trailer trucks (5 or less axles)	0.1
December	20920	86	19719	81	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: OR22; MP 10.02; NORTH SANTIAM HIGHWAY NO. 162; 3.35 miles east of Silver Creek Falls Highway

Site Name: Aumsville (24-005)
Installed: January, 2001

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	19058	142	12.0	11.3	11.1	10.8
2002	19823	140	11.6	11.2	11.0	10.9
2003	19988	143	11.9	11.1	11.0	10.8
2004	20482	146	11.8	11.2	10.8	10.6
2005	20825	143	11.8	11.3	10.9	10.7
2006	20902	140	11.8	10.9	10.7	10.6
2007	20650	139	11.8	11.1	10.9	10.8
2008	19241	142	12.0	11.2	11.0	10.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	17947	93	17018	88	Motorcycles	0.4
February	19542	102	18423	96	Passenger cars	59.0
March	19377	101	18452	96	Light Trucks	33.4
April	19776	103	19051	99	Buses	0.4
May	20510	107	20144	105	Single unit trucks (2 axles)	2.6
June	20629	107	20414	106	Single unit trucks (3 axles)	0.9
July	22249	116	21938	114	Single unit trucks (4 or more axles)	0.1
August	22441	117	22533	117	Single trailer trucks (4 or less axles)	0.4
September	20731	108	20703	108	Single trailer trucks (5 axles)	1.5
October	19988	104	19192	100	Single trailer trucks (6 or more axles)	0.7
November	18634	97	17769	92	Multi trailer trucks (5 or less axles)	0.0
December	16438	85	15249	79	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: OR22; MP 33.69; NORTH SANTIAM HIGHWAY NO. 162; 0.95 mile west of Railroad Avenue S.E. (Entrance to Minto County Park)

Site Name: Gates (24-013)
Installed: January, 2001

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	4649	253	28.0	25.4	24.0	22.6
2002	4863	269	30.1	27.0	24.7	23.7
2003	4705	286	31.1	27.2	26.0	24.8
2004	4990	252	27.4	25.1	24.2	23.2
2005	4977	262	27.3	25.3	24.2	23.0
2006	4959	252	26.9	24.4	23.4	22.7
2007	4872	251	26.6	25.4	24.2	23.5
2008	4474	273	32.0	27.3	26.4	25.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	2336	52	2795	62	Motorcycles	0.0
February	2622	59	2991	67	Passenger cars	53.3
March	2945	66	3390	76	Light Trucks	28.3
April	2872	64	3619	81	Buses	0.9
May	4098	92	4955	111	Single unit trucks (2 axles)	4.4
June	4384	98	5604	125	Single unit trucks (3 axles)	1.7
July	5655	126	7221	161	Single unit trucks (4 or more axles)	0.3
August	5573	125	7202	161	Single trailer trucks (4 or less axles)	2.2
September	4483	100	5590	125	Single trailer trucks (5 axles)	5.3
October	3601	80	4327	97	Single trailer trucks (6 or more axles)	2.0
November	3027	68	3510	78	Multi trailer trucks (5 or less axles)	0.3
December	2329	52	2484	56	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	1.3

Location: OR22; MP 25.90; WILLAMINA-SALEM HIGHWAY NO. 30; Salem Bridge, At the Polk-Marion County Line

Site Name: Salem Bridges (24-014)
Installed: January, 1953

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	81402	121	9.9	9.7	9.6	9.6
2000	80956	120	9.8	9.7	9.6	9.5
2001	82606	120	9.7	9.5	9.5	9.4
2002	84900	125	10.1	9.6	9.5	9.4
2003	85000	121	10.4	9.5	9.3	9.3
2004	84212	121	35.7	9.8	9.6	9.6
2005	86727	120	9.7	9.6	9.6	9.5
2006	88808	118	9.9	9.6	9.4	9.4
2007	88374	119	9.9	9.5	9.4	9.4
2008	85405	122	10.1	9.7	9.6	9.5



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	84757	99	80474	94	Motorcycles	0.2
February	92218	108	87113	102	Passenger cars	72.1
March	90092	105	85925	101	Light Trucks	22.9
April	93133	109	88592	104	Buses	0.6
May	92745	109	89344	105	Single unit trucks (2 axles)	1.8
June	92791	109	88014	103	Single unit trucks (3 axles)	0.6
July	94493	111	88130	103	Single unit trucks (4 or more axles)	0.1
August	93711	110	89003	104	Single trailer trucks (4 or less axles)	0.3
September	91214	107	87661	103	Single trailer trucks (5 axles)	0.7
October	91200	107	87000	102	Single trailer trucks (6 or more axles)	0.6
November	86000	101	82000	96	Multi trailer trucks (5 or less axles)	0.0
December	75000	88	71600	84	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: OR22; MP 51.30; NORTH SANTIAM HIGHWAY NO. 162; 1.20 miles east of Detroit Avenue

Site Name: Detroit (24-015)
Installed: May, 1997

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4202	251	28.0	25.1	24.2	23.3
2000	4205	253	26.9	25.3	24.0	23.4
2001	4076	255	27.6	24.6	23.9	22.4
2002	4224	254	28.1	25.8	23.9	22.3
2003	4055	268	30.7	27.2	25.3	24.3
2004	4294	240	27.4	24.5	23.3	22.8
2005	4307	250	26.6	24.4	23.6	22.5
2006	4283	240	26.7	24.1	22.8	21.8
2007	4194	242	27.5	25.0	24.2	23.4
2008	3779	263	31.2	27.2	25.7	24.8



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	1634	43	2180	58	Motorcycles	0.1
February	2174	58	2509	66	Passenger cars	61.7
March	2484	66	2921	77	Light Trucks	23.8
April	2410	64	3071	81	Buses	0.6
May	3414	90	4168	110	Single unit trucks (2 axles)	3.7
June	3687	98	4706	125	Single unit trucks (3 axles)	1.2
July	4809	127	6116	162	Single unit trucks (4 or more axles)	0.1
August	4753	126	6136	162	Single trailer trucks (4 or less axles)	1.0
September	3808	101	4704	124	Single trailer trucks (5 axles)	5.5
October	3061	81	3728	99	Single trailer trucks (6 or more axles)	1.1
November	2533	67	2988	79	Multi trailer trucks (5 or less axles)	0.1
December	1968	52	2121	56	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	1.0

Location: OR551; MP 3.70; WILSONVILLE-HUBBARD HIGHWAY NO. 51; 0.22 mile south of Ehlen Road

Site Name: Hubbard (24-016)
Installed: January, 1954

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	7109	137	14.3	11.3	11.0	10.9
2000	7160	***	***	***	***	***
2001	7261	127	12.9	11.1	10.8	10.7
2002	7437	144	18.4	11.3	11.0	10.8
2003	7823	125	11.5	10.7	10.5	10.5
2004	8095	144	13.9	11.1	10.8	10.6
2005	8074	133	15.2	11.0	10.7	10.5
2006	8167	136	16.5	10.7	10.4	10.3
2007	8210	126	11.6	10.7	10.5	10.4
2008	7821	125	11.8	11.0	10.9	10.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	8159	104	7470	96	Motorcycles	0.1
February	8845	113	8063	103	Passenger cars	56.2
March	8875	113	8079	103	Light Trucks	34.0
April	9019	115	8327	106	Buses	0.3
May	8876	113	8184	105	Single unit trucks (2 axles)	3.5
June	8969	115	8149	104	Single unit trucks (3 axles)	0.9
July	9047	116	8018	103	Single unit trucks (4 or more axles)	0.3
August	8900	114	8068	103	Single trailer trucks (4 or less axles)	0.3
September	8703	111	8118	104	Single trailer trucks (5 axles)	3.5
October	8644	111	7917	101	Single trailer trucks (6 or more axles)	0.4
November	8203	105	7466	95	Multi trailer trucks (5 or less axles)	0.0
December	6661	85	5989	77	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: OR219; MP 31.88; HILLSBORO-SILVERTON HIGHWAY NO. 140; 1.85 miles south of St. Paul Highway N.E.

Site Name: St. Paul (24-020)
Installed: January, 1958

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2380	317	35.2	20.7	15.0	12.8
2000	2369	303	34.3	20.3	16.2	14.1
2001	2357	310	32.2	18.4	15.7	14.6
2002	2441	315	35.9	19.7	16.3	13.5
2003	2474	326	33.5	18.6	15.4	13.0
2004	2489	322	29.2	19.4	15.2	12.9
2005	2549	280	28.4	20.8	18.2	15.7
2006	2526	263	25.6	18.0	14.8	13.0
2007	2523	276	23.4	16.3	14.5	13.2
2008	2375	293	29.4	17.6	14.2	13.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1992	84	1939	82	Motorcycles	0.9
February	2299	97	2214	93	Passenger cars	63.1
March	2331	98	2281	96	Light Trucks	26.8
April	2407	101	2422	102	Buses	0.3
May	2531	107	2542	107	Single unit trucks (2 axles)	4.3
June	2514	106	2546	107	Single unit trucks (3 axles)	1.4
July	2996	126	3091	130	Single unit trucks (4 or more axles)	0.1
August	2681	113	2732	115	Single trailer trucks (4 or less axles)	0.8
September	2543	107	2594	109	Single trailer trucks (5 axles)	1.4
October	2450	103	2432	102	Single trailer trucks (6 or more axles)	0.4
November	2156	91	2088	88	Multi trailer trucks (5 or less axles)	0.0
December	1707	72	1622	68	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: OR74; MP 37.83; HEPPNER HIGHWAY NO. 52; 1.38 miles southeast of Lexington-
Echo Highway No. 320 (OR207)

Site Name: Lexington (25-007)
Installed: August, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1630	176	16.5	12.7	11.8	11.5
2000	1521	186	15.8	13.4	12.6	12.0
2001	1523	180	19.0	13.3	12.6	12.1
2002	1555	173	18.8	13.1	12.3	11.8
2003	1543	170	14.1	12.2	11.6	11.3
2004	1525	189	32.6	13.5	12.1	11.6
2005	1367	161	18.1	13.7	12.7	12.4
2006	1382	177	17.9	13.8	12.2	11.6
2007	1397	194	21.4	13.7	12.0	11.7
2008	1340	165	19.0	12.8	12.2	11.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic		Classification Breakdown	Percent of AADT
			Daily Traffic	Percent of AADT		
January	1272	95	1160	87	Motorcycles	0.9
February	1416	106	1262	94	Passenger cars	50.7
March	1458	109	1358	101	Light Trucks	43.2
April	1484	111	1371	102	Buses	0.7
May	1502	112	1417	106	Single unit trucks (2 axles)	2.0
June	1495	112	1384	103	Single unit trucks (3 axles)	0.6
July	1500	112	1400	104	Single unit trucks (4 or more axles)	0.0
August	1520	113	1420	106	Single trailer trucks (4 or less axles)	0.2
September	1482	111	1421	106	Single trailer trucks (5 axles)	1.2
October	1576	118	1469	110	Single trailer trucks (6 or more axles)	0.0
November	1428	107	1303	97	Multi trailer trucks (5 or less axles)	0.3
December	1245	93	1109	83	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.1

Location: I-84; MP 168.55; OLD OREGON TRAIL NO. 6; 0.60 mile southeast of Columbia River
Highway No. 2 (US730)

Site Name: Boardman Jct (25-008)
Installed: June, 2007

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	12789	175	42.2	13.9	12.6	12.1



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic		Classification Breakdown	Percent of AADT
			Daily Traffic	Percent of AADT		
January	9912	78	9475	74	Motorcycles	0.0
February	10876	85	10782	84	Passenger cars	45.5
March	12179	95	12500	98	Light Trucks	17.0
April	12246	96	12558	98	Buses	0.4
May	12950	101	13012	102	Single unit trucks (2 axles)	2.9
June	13435	105	13923	109	Single unit trucks (3 axles)	1.4
July	14496	113	14773	116	Single unit trucks (4 or more axles)	0.6
August	14853	116	15354	120	Single trailer trucks (4 or less axles)	2.1
September	14603	114	15039	118	Single trailer trucks (5 axles)	20.8
October	14001	110	14136	111	Single trailer trucks (6 or more axles)	6.2
November	12443	97	12676	99	Multi trailer trucks (5 or less axles)	0.2
December	9415	74	9234	72	Multi trailer trucks (6 axles)	0.4
					Multi trailer trucks (7 or more axles)	2.5


Location: I-84; MP 17.71; COLUMBIA RIVER HIGHWAY NO. 2; 0.04 mile west of Sandy River, east of Troutdale

Site Name:
Installed:

Troutdale (26-001)
January, 1951

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	27667	***	***	***	***	***
2000	26885	186	16.6	15.1	14.8	14.1
2001	27392	***	***	***	***	***
2002	28161	***	***	***	***	***
2003	28491	173	15.3	14.7	14.3	13.8
2004	28168	170	15.6	14.5	14.2	13.8
2005	28498	180	16.0	14.8	14.2	13.9
2006	28960	166	15.4	14.3	13.8	13.4
2007	29137	169	16.2	14.0	13.4	13.0
2008	27786	164	14.9	14.1	13.7	13.4



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	20359	73	20771	75	Motorcycles	0.5
February	22597	81	24241	87	Passenger cars	38.4
March	23989	86	26140	94	Light Trucks	39.7
April	24200	87	27357	98	Buses	0.3
May	26553	96	29512	106	Single unit trucks (2 axles)	2.6
June	28059	101	31772	114	Single unit trucks (3 axles)	0.6
July	31359	113	35119	126	Single unit trucks (4 or more axles)	0.0
August	31431	113	35410	127	Single trailer trucks (4 or less axles)	2.6
September	28069	101	31328	113	Single trailer trucks (5 axles)	9.8
October	25279	91	28375	102	Single trailer trucks (6 or more axles)	2.7
November	24181	87	26192	94	Multi trailer trucks (5 or less axles)	0.2
December	17300	62	17212	62	Multi trailer trucks (6 axles)	0.4
					Multi trailer trucks (7 or more axles)	2.1


Location: US26; MP 73.75; SUNSET HIGHWAY NO. 47; 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnels

Site Name:
Installed:

Vista Ridge Tunnel (26-002)
February, 1969

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	132384	119	8.3	8.0	8.0	7.9
2000	134419	116	8.2	8.0	7.9	7.8
2001	135192	116	8.0	7.8	7.7	7.6
2002	136067	***	***	***	***	***
2003	136942	***	***	***	***	***
2004	135317	***	***	***	***	***
2005	139325	***	***	***	***	***
2006	141633	***	***	***	***	***
2007	141408	***	***	***	***	***
2008	137150	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	138200	101	132200	96	Motorcycles	0.2
February	149200	109	141700	103	Passenger cars	54.9
March	149600	109	141200	103	Light Trucks	40.1
April	148300	108	144500	105	Buses	0.3
May	150100	109	143300	104	Single unit trucks (2 axles)	2.1
June	152300	111	144500	105	Single unit trucks (3 axles)	0.4
July	153000	112	142500	104	Single unit trucks (4 or more axles)	0.0
August	147100	107	139500	102	Single trailer trucks (4 or less axles)	0.7
September	142800	104	137900	101	Single trailer trucks (5 axles)	1.0
October	148200	108	139900	102	Single trailer trucks (6 or more axles)	0.2
November	141400	103	133200	97	Multi trailer trucks (5 or less axles)	0.0
December	113000	82	105400	77	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US26; MP 14.36; MT. HOOD HIGHWAY NO. 26; 0.18 mile southeast of S.E. Powell Valley Road

Site Name: Gresham (26-003)
Installed: March, 1951

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	36677	125	10.1	9.7	9.5	9.5
2000	37168	124	9.9	9.6	9.5	9.4
2001	37504	125	10.1	9.5	9.4	9.3
2002	38790	125	9.8	9.4	9.3	9.2
2003	39138	125	9.7	9.3	9.2	9.1
2004	37657	127	10.1	9.6	9.4	9.3
2005	33743	126	9.9	9.5	9.3	9.2
2006	33471	123	9.8	9.4	9.2	9.1
2007	33225	127	9.8	9.5	9.3	9.2
2008	31776	130	10.2	9.8	9.6	9.5



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	31150	98	31045	98	Motorcycles	0.6
February	32931	104	32569	102	Passenger cars	42.4
March	32620	103	32265	102	Light Trucks	51.7
April	32918	104	32385	102	Buses	0.5
May	32757	103	32091	101	Single unit trucks (2 axles)	1.3
June	33228	105	32460	102	Single unit trucks (3 axles)	0.8
July	34786	109	33607	106	Single unit trucks (4 or more axles)	0.0
August	34475	108	34043	107	Single trailer trucks (4 or less axles)	0.8
September	33371	105	32934	104	Single trailer trucks (5 axles)	0.9
October	32859	103	31894	100	Single trailer trucks (6 or more axles)	0.4
November	31006	98	29933	94	Multi trailer trucks (5 or less axles)	0.0
December	27515	87	26091	82	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.4

Location: I-5; MP 307.97; PACIFIC HIGHWAY NO. 1; 0.41 mile south of Oregon-Washington State Line

Site Name: Interstate Bridge (26-004)
Installed: January, 1953

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	121877	123	8.1	8.0	8.0	7.9
2000	122076	121	8.3	8.0	7.9	7.8
2001	120440	120	8.0	7.8	7.8	7.7
2002	123761	***	***	***	***	***
2003	124966	121	8.2	7.9	7.8	7.7
2004	124513	126	8.4	8.1	8.0	7.9
2005	127026	120	7.9	7.7	7.6	7.6
2006	127331	119	7.9	7.6	7.5	7.5
2007	126597	119	7.8	7.6	7.6	7.5
2008	121407	121	8.1	7.9	7.8	7.7



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	119636	99	115020	95	Motorcycles	1.0
February	128041	105	123129	101	Passenger cars	66.5
March	128638	106	124102	102	Light Trucks	16.3
April	129536	107	124870	103	Buses	0.9
May	127929	105	123713	102	Single unit trucks (2 axles)	4.9
June	131560	108	126954	105	Single unit trucks (3 axles)	3.0
July	134817	111	127255	105	Single unit trucks (4 or more axles)	0.1
August	133369	110	128510	106	Single trailer trucks (4 or less axles)	1.4
September	126741	104	123017	101	Single trailer trucks (5 axles)	3.2
October	126590	104	122296	101	Single trailer trucks (6 or more axles)	0.7
November	122617	101	118697	98	Multi trailer trucks (5 or less axles)	0.4
December	105865	87	99319	82	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	1.4

Location: I-405; MP 0.60; STADIUM FREEWAY HIGHWAY NO. 61; 0.64 mile northwest of Pacific Highway No. 1 (I-5) (south junction)

Site Name: Stadium Freeway (26-005)
Installed: December, 1965

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	96727	121	8.6	8.3	8.2	8.1
2000	99846	120	8.3	8.1	8.0	8.0
2001	103383	122	8.5	8.3	8.2	8.2
2002	100113	119	8.2	8.0	7.9	7.9
2003	98467	119	8.1	8.0	8.0	7.9
2004	96283	120	8.3	8.1	8.1	8.0
2005	97087	119	8.1	8.0	7.9	7.9
2006	99309	117	8.1	7.9	7.9	7.9
2007	98229	118	8.1	8.0	7.9	7.9
2008	94265	120	8.3	8.1	8.1	8.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	Percent of AADT
February	104613	111	97681	104	Passenger cars	46.5
March	104450	111	97513	103	Light Trucks	44.7
April	106502	113	99684	106	Buses	0.2
May	104044	110	97674	104	Single unit trucks (2 axles)	2.3
June	105256	112	98681	105	Single unit trucks (3 axles)	0.4
July	104822	111	95859	102	Single unit trucks (4 or more axles)	0.1
August	104218	111	98191	104	Single trailer trucks (4 or less axles)	0.5
September	100395	107	95358	101	Single trailer trucks (5 axles)	3.3
October	103118	109	96352	102	Single trailer trucks (6 or more axles)	0.9
November	97915	104	91448	97	Multi trailer trucks (5 or less axles)	0.1
December	76996	82	71130	75	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: MP 13.94; HISTORIC COLUMBIA RIVER HIGHWAY NO. 100; 0.10 mile west of Bridal Veil Falls State Park

Site Name: Bridal Veil (26-012)
Installed: August, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	744	379	52.0	45.4	39.8	36.8
2000	725	339	51.7	41.2	39.2	37.7
2001	745	350	45.8	40.9	38.7	36.6
2002	733	370	55.1	41.7	36.8	35.1
2003	729	322	44.7	40.3	36.5	34.7
2004	697	309	59.0	40.5	38.2	36.9
2005	695	376	54.6	45.3	40.6	37.1
2006	691	355	77.9	43.4	40.1	38.4
2007	691	317	47.6	38.7	36.1	34.5
2008	695	320	46.4	38.3	34.8	33.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	Percent of AADT
February	304	44	466	67	Passenger cars	83.1
March	371	53	500	72	Light Trucks	7.6
April	396	57	638	92	Buses	1.8
May	541	78	812	117	Single unit trucks (2 axles)	0.9
June	720	104	966	139	Single unit trucks (3 axles)	0.1
July	969	139	1229	177	Single unit trucks (4 or more axles)	0.0
August	903	130	1117	161	Single trailer trucks (4 or less axles)	0.3
September	712	102	917	132	Single trailer trucks (5 axles)	0.0
October	486	70	685	99	Single trailer trucks (6 or more axles)	0.0
November	292	42	458	66	Multi trailer trucks (5 or less axles)	0.0
December	202	29	223	32	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: I-84; MP 3.35; COLUMBIA RIVER HIGHWAY NO. 2; At the N.E. 53rd Avenue Undercrossing.

Site Name: Hoyt (26-014)
Installed: April, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	164884	117	7.7	7.6	7.6	7.5
2000	168070	119	7.8	7.6	7.6	7.5
2001	166500	118	7.7	7.6	7.5	7.5
2002	165619	117	7.7	7.6	7.5	7.5
2003	163193	116	7.6	7.4	7.4	7.4
2004	160956	117	7.7	7.5	7.5	7.4
2005	162360	118	7.6	7.4	7.3	7.3
2006	163241	115	7.3	7.2	7.2	7.1
2007	164509	116	7.3	7.2	7.1	7.1
2008	160306	117	7.5	7.4	7.3	7.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	160878	100	155088	97	Motorcycles	0.5
February	172054	107	164394	103	Passenger cars	51.6
March	174449	109	166275	104	Light Trucks	42.2
April	174461	109	167252	104	Buses	0.4
May	172353	108	165166	103	Single unit trucks (2 axles)	2.2
June	174624	109	167111	104	Single unit trucks (3 axles)	0.6
July	174782	109	163002	102	Single unit trucks (4 or more axles)	0.0
August	175200	109	166700	104	Single trailer trucks (4 or less axles)	0.3
September	168180	105	163166	102	Single trailer trucks (5 axles)	1.3
October	171255	107	163326	102	Single trailer trucks (6 or more axles)	0.7
November	162960	102	156045	97	Multi trailer trucks (5 or less axles)	0.1
December	135028	84	126151	79	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: I-84; MP 0.49; COLUMBIA RIVER HIGHWAY NO. 2; 0.49 mile east of Pacific Highway No. 1 (I-5)

Site Name: West Banfield (26-015)
Installed: May, 1998

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	145077	115	7.5	7.4	7.3	7.3
2000	147414	116	7.5	7.4	7.3	7.3
2001	146468	116	7.5	7.4	7.4	7.3
2002	143790	116	7.6	7.4	7.3	7.3
2003	143174	114	7.5	7.4	7.3	7.2
2004	141125	116	7.4	7.3	7.2	7.2
2005	142763	116	7.4	7.2	7.2	7.1
2006	143316	114	7.2	7.1	7.1	7.0
2007	143242	115	7.2	7.1	7.1	7.0
2008	140758	116	7.6	7.4	7.3	7.2



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	139563	99	134714	96	Motorcycles	0.2
February	151000	107	144000	102	Passenger cars	46.2
March	153425	109	145969	104	Light Trucks	46.9
April	153593	109	147307	105	Buses	0.3
May	151794	108	145721	104	Single unit trucks (2 axles)	2.1
June	154479	110	147937	105	Single unit trucks (3 axles)	0.5
July	153874	109	144793	103	Single unit trucks (4 or more axles)	0.1
August	152500	108	145900	104	Single trailer trucks (4 or less axles)	0.6
September	148221	105	143664	102	Single trailer trucks (5 axles)	1.8
October	150657	107	143548	102	Single trailer trucks (6 or more axles)	0.8
November	142787	101	136686	97	Multi trailer trucks (5 or less axles)	0.1
December	116426	83	108853	77	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: I-5; MP 298.24; PACIFIC HIGHWAY NO. 1; 1.07 miles north of S.W. Terwilliger Blvd, in Portland

Site Name: Iowa Street (26-016)
Installed: December, 1961

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	144033	121	8.8	8.6	8.5	8.4
2000	141525	118	8.8	8.5	8.4	8.3
2001	140698	119	8.8	8.6	8.5	8.5
2002	142881	119	8.7	8.5	8.4	8.4
2003	144060	120	8.7	8.5	8.5	8.4
2004	142117	119	8.8	8.6	8.4	8.3
2005	143566	118	8.8	8.5	8.4	8.4
2006	144118	120	8.6	8.5	8.4	8.3
2007	145047	119	9.2	8.3	8.3	8.2
2008	139791	121	10.0	8.5	8.5	8.4



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	143597	103	133978	96	Motorcycles	0.4
February	154605	111	143374	103	Passenger cars	47.4
March	154796	111	144262	103	Light Trucks	43.0
April	157134	112	145236	104	Buses	0.3
May	152541	109	141813	101	Single unit trucks (2 axles)	2.4
June	156565	112	145325	104	Single unit trucks (3 axles)	0.5
July	160370	115	146161	105	Single unit trucks (4 or more axles)	0.0
August	158853	114	148472	106	Single trailer trucks (4 or less axles)	0.5
September	150715	108	142216	102	Single trailer trucks (5 axles)	3.5
October	154056	110	143388	103	Single trailer trucks (6 or more axles)	1.3
November	146890	105	136376	98	Multi trailer trucks (5 or less axles)	0.1
December	116039	83	106890	76	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.5

Location: I-205; MP 20.35; EAST PORTLAND FREEWAY NO. 64; 0.22 mile south of S.E. Washington Street Undercrossing

Site Name: Yamhill (26-018)
Installed: July, 1995

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	143371	118	8.2	8.1	8.0	7.9
2000	144467	118	8.2	7.8	7.8	7.7
2001	145252	118	8.1	7.9	7.8	7.8
2002	146757	119	8.1	7.8	7.7	7.7
2003	154332	119	8.5	8.1	8.0	8.0
2004	156809	123	8.1	8.0	7.9	7.8
2005	164804	***	***	***	***	***
2006	149978	117	8.1	7.8	7.7	7.6
2007	148487	117	7.6	7.5	7.5	7.4
2008	144227	117	7.8	7.7	7.6	7.6



2008 TRAFFIC DATA


Month	Average		Average		Classification Breakdown	Percent of AADT
	Weekday Traffic	Percent of AADT	Daily Traffic	Percent of AADT		
January	142478	99	136659	95	Motorcycles	0.6
February	152631	106	145391	101	Passenger cars	47.1
March	154586	107	147700	102	Light Trucks	44.7
April	155210	108	149263	103	Buses	0.3
May	154408	107	148269	103	Single unit trucks (2 axles)	2.0
June	158199	110	151565	105	Single unit trucks (3 axles)	0.7
July	159587	111	148292	103	Single unit trucks (4 or more axles)	0.0
August	159583	111	152438	106	Single trailer trucks (4 or less axles)	0.6
September	153436	106	148491	103	Single trailer trucks (5 axles)	2.7
October	153084	106	146471	102	Single trailer trucks (6 or more axles)	0.9
November	146275	101	140737	98	Multi trailer trucks (5 or less axles)	0.1
December	122617	85	115449	80	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.3

Location: I-5; MP 304.66; PACIFIC HIGHWAY NO. 1; 0.03 mile south of N Ainsworth Street undercrossing

Site Name: Minnesota Freeway (26-019)
Installed: December, 1964

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	130770	***	***	***	***	***
2000	131983	***	***	***	***	***
2001	131700	***	***	***	***	***
2002	133785	***	***	***	***	***
2003	137429	122	7.8	7.7	7.6	7.6
2004	136027	118	7.9	7.6	7.6	7.5
2005	136493	118	7.8	7.6	7.5	7.4
2006	135342	116	7.8	7.5	7.4	7.4
2007	134163	117	7.6	7.5	7.4	7.4
2008	129976	117	7.9	7.7	7.6	7.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	128100	99	124800	96	Motorcycles	0.2
February	138149	106	132775	102	Passenger cars	73.0
March	138332	106	132982	102	Light Trucks	14.4
April	140025	108	134530	104	Buses	0.5
May	138105	106	133015	102	Single unit trucks (2 axles)	2.9
June	141564	109	136111	105	Single unit trucks (3 axles)	1.1
July	141640	109	134245	103	Single unit trucks (4 or more axles)	0.1
August	142177	109	136628	105	Single trailer trucks (4 or less axles)	0.6
September	136638	105	132797	102	Single trailer trucks (5 axles)	5.1
October	137194	106	132101	102	Single trailer trucks (6 or more axles)	1.2
November	130712	101	126431	97	Multi trailer trucks (5 or less axles)	0.2
December	105100	81	103300	79	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.8

Location: I-205; MP 18.25; EAST PORTLAND FREEWAY NO. 64; 0.87 mile south of Mt. Hood Highway No. 26 (US26)

Site Name: Lents (26-022)
Installed: July, 1995

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	150352	119	8.6	8.4	8.3	8.3
2000	150674	119	8.3	8.2	8.1	8.1
2001	151617	***	***	***	***	***
2002	153235	***	***	***	***	***
2003	146355	118	8.3	8.1	8.0	7.9
2004	147698	121	8.3	8.0	7.9	7.8
2005	153758	***	***	***	***	***
2006	161880	***	***	***	***	***
2007	155889	***	***	***	***	***
2008	151553	118	8.1	8.0	7.9	7.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	151014	100	144153	95	Motorcycles	0.4
February	161463	107	152960	101	Passenger cars	73.3
March	163389	108	155385	103	Light Trucks	17.2
April	164685	109	157309	104	Buses	0.3
May	162915	107	155509	103	Single unit trucks (2 axles)	2.8
June	166232	110	158110	104	Single unit trucks (3 axles)	1.2
July	167907	111	155747	103	Single unit trucks (4 or more axles)	0.2
August	168279	111	159516	105	Single trailer trucks (4 or less axles)	0.5
September	162599	107	156390	103	Single trailer trucks (5 axles)	3.1
October	161692	107	153949	102	Single trailer trucks (6 or more axles)	0.6
November	154689	102	148020	98	Multi trailer trucks (5 or less axles)	0.1
December	129304	85	121583	80	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: I-205; MP 25.50; EAST PORTLAND FREEWAY NO. 64; 1.06 miles south of Oregon-Washington State Line, on Government Island

Site Name: Glenn Jackson Bridge
(26-024)
Installed: January, 1983

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	123827	125	9.8	9.5	9.5	9.4
2000	126481	122	9.7	9.4	9.3	9.3
2001	132180	124	9.4	9.3	9.2	9.2
2002	135921	123	9.7	9.3	9.2	9.1
2003	137086	120	9.4	8.9	8.8	8.8
2004	136964	123	9.3	9.1	9.0	8.9
2005	138084	121	9.0	8.9	8.9	8.8
2006	138792	121	9.6	8.9	8.8	8.7
2007	139586	122	8.9	8.8	8.7	8.7
2008	134251	122	9.3	9.0	8.9	8.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	135921	101	128886	96	Motorcycles	0.7
February	142708	106	135733	101	Passenger cars	50.1
March	144054	107	136658	102	Light Trucks	41.8
April	145000	108	138000	103	Buses	0.1
May	142710	106	136733	102	Single unit trucks (2 axles)	2.0
June	148700	111	140800	105	Single unit trucks (3 axles)	0.5
July	150979	112	140234	104	Single unit trucks (4 or more axles)	0.0
August	149495	111	141949	106	Single trailer trucks (4 or less axles)	1.3
September	143021	107	137435	102	Single trailer trucks (5 axles)	2.4
October	142365	106	134775	100	Single trailer trucks (6 or more axles)	0.7
November	138553	103	130821	97	Multi trailer trucks (5 or less axles)	0.1
December	116422	87	108991	81	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.3

Location: I-5; MP 300.37; PACIFIC HIGHWAY NO. 1; 0.34 mile northeast of Stadium Freeway No. 61 (I-405)

Site Name: Marquam Bridge (26-026)
Installed: October, 1966

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	134621	***	***	***	***	***
2000	138831	116	8.4	8.1	8.0	8.0
2001	140583	121	8.5	8.4	8.2	8.1
2002	136608	116	8.4	8.1	8.0	8.0
2003	137502	116	8.2	8.1	8.0	7.9
2004	135600	***	***	***	***	***
2005	139779	117	8.1	8.0	7.9	7.8
2006	141371	114	8.0	7.9	7.8	7.7
2007	141079	115	8.0	7.9	7.8	7.7
2008	135934	117	8.1	8.0	7.9	7.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	135813	100	130308	96	Motorcycles	0.6
February	146129	108	139192	102	Passenger cars	49.6
March	147956	109	140985	104	Light Trucks	40.4
April	147026	108	141059	104	Buses	0.4
May	146104	107	139660	103	Single unit trucks (2 axles)	2.1
June	148989	110	142842	105	Single unit trucks (3 axles)	0.5
July	149808	110	141319	104	Single unit trucks (4 or more axles)	0.0
August	149912	110	144093	106	Single trailer trucks (4 or less axles)	0.7
September	143062	105	138845	102	Single trailer trucks (5 axles)	4.1
October	144224	106	137722	101	Single trailer trucks (6 or more axles)	0.8
November	138299	102	131886	97	Multi trailer trucks (5 or less axles)	0.2
December	110158	81	103302	76	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: I-405; MP 3.05; STADIUM FREEWAY HIGHWAY NO. 61; 1.16 miles southwest of Pacific Highway No. 1 (I-5), (west end of Fremont Bridge)

Site Name: Fremont Bridge (26-027)
Installed: January, 1978

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	108975	123	9.4	9.2	9.2	9.1
2000	109234	***	***	***	***	***
2001	110755	126	9.1	8.7	8.7	8.6
2002	110593	121	8.8	8.6	8.6	8.5
2003	112284	127	9.0	8.8	8.7	8.7
2004	112579	124	9.0	8.7	8.7	8.6
2005	111865	121	9.0	8.8	8.8	8.7
2006	113373	120	8.9	8.7	8.7	8.6
2007	114578	120	8.9	8.8	8.7	8.6
2008	110301	122	9.2	9.0	8.9	8.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	116646	106	106959	97	Motorcycles	0.2
February	126765	115	114682	104	Passenger cars	72.8
March	124834	113	113374	103	Light Trucks	15.9
April	128176	116	116372	106	Buses	0.8
May	124000	112	113316	103	Single unit trucks (2 axles)	4.4
June	126270	114	115194	104	Single unit trucks (3 axles)	1.2
July	126124	114	111538	101	Single unit trucks (4 or more axles)	0.1
August	127052	115	113072	103	Single trailer trucks (4 or less axles)	1.1
September	123343	112	113800	103	Single trailer trucks (5 axles)	1.7
October	124750	113	113886	103	Single trailer trucks (6 or more axles)	0.4
November	118189	107	107006	97	Multi trailer trucks (5 or less axles)	0.1
December	94733	86	84411	77	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.2

Location: OR18; MP 23.23; SALMON RIVER HIGHWAY NO. 39; 0.19 mile east of Three Rivers Highway No. 32 (OR22)

Site Name: Valley Junction (27-001)
Installed: January, 1950

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	18520	162	13.7	12.3	12.0	11.8
2000	18427	159	13.0	12.2	11.8	11.5
2001	18709	157	13.5	12.2	11.8	11.4
2002	19297	158	12.8	12.2	11.7	11.4
2003	19486	160	13.4	12.0	11.8	11.5
2004	19326	169	13.0	12.2	12.0	11.7
2005	19417	156	13.3	12.1	11.8	11.2
2006	19427	159	12.8	12.2	11.7	11.4
2007	19339	***	***	***	***	***
2008	18123	160	13.5	12.1	11.9	11.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	13661	75	14993	83	Motorcycles	1.1
February	15300	84	17800	98	Passenger cars	58.7
March	16200	89	18000	99	Light Trucks	32.5
April	15318	85	17442	96	Buses	0.2
May	16700	92	19300	106	Single unit trucks (2 axles)	2.1
June	16900	93	19200	106	Single unit trucks (3 axles)	1.0
July	19586	108	21779	120	Single unit trucks (4 or more axles)	0.0
August	19951	110	22431	124	Single trailer trucks (4 or less axles)	0.9
September	18389	101	20483	113	Single trailer trucks (5 axles)	1.6
October	16219	89	18164	100	Single trailer trucks (6 or more axles)	1.3
November	15118	83	16751	92	Multi trailer trucks (5 or less axles)	0.1
December	11040	61	11136	61	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: OR221; MP 18.60; SALEM-DAYTON HIGHWAY NO. 150; 0.09 mile north of Brush
College Road N.W.

Site Name: Brush College (27-002)
Installed: December, 2005

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2006	12273	120	10.9	10.4	10.3	10.2
2007	12578	129	15.8	11.0	10.6	10.5
2008	11802	120	11.5	10.6	10.5	10.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11600	98	11200	95	Motorcycles	0.5
February	12623	107	11956	101	Passenger cars	55.1
March	12412	105	11834	100	Light Trucks	40.4
April	12618	107	12139	103	Buses	0.4
May	12698	108	12325	104	Single unit trucks (2 axles)	2.1
June	12790	108	12256	104	Single unit trucks (3 axles)	0.4
July	13126	111	12277	104	Single unit trucks (4 or more axles)	0.0
August	12976	110	12442	105	Single trailer trucks (4 or less axles)	0.4
September	12699	108	12212	103	Single trailer trucks (5 axles)	0.5
October	12648	107	12098	103	Single trailer trucks (6 or more axles)	0.2
November	11958	101	11374	96	Multi trailer trucks (5 or less axles)	0.0
December	10000	85	9513	81	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: OR99W; MP 70.90; PACIFIC HIGHWAY WEST NO. 91; 1.43 mile north of Polk-Benton County Line

Site Name: Monmouth (27-005)
Installed: January, 2001

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	7371	140	15.2	13.5	12.2	11.6
2002	7612	149	17.6	15.0	13.2	12.0
2003	7596	151	15.9	13.8	12.1	11.5
2004	7615	135	15.4	12.7	11.6	11.3
2005	7648	141	16.5	13.8	12.0	11.5
2006	7589	163	18.2	14.4	13.3	12.1
2007	7508	149	15.6	13.5	11.9	11.4
2008	6962	154	18.0	15.2	13.0	12.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	6572	94	6335	91	Motorcycles	1.1
February	7301	105	7114	102	Passenger cars	59.4
March	7155	103	6954	100	Light Trucks	27.9
April	7346	106	7208	104	Buses	0.5
May	7542	108	7523	108	Single unit trucks (2 axles)	3.0
June	7350	106	7232	104	Single unit trucks (3 axles)	3.0
July	7439	107	7011	101	Single unit trucks (4 or more axles)	0.2
August	7455	107	7164	103	Single trailer trucks (4 or less axles)	0.3
September	7415	107	7400	106	Single trailer trucks (5 axles)	3.0
October	7381	106	7330	105	Single trailer trucks (6 or more axles)	1.4
November	7156	103	7134	102	Multi trailer trucks (5 or less axles)	0.0
December	5418	78	5134	74	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.4

Location: OR22; MP 19.40; WILLAMINA-SALEM HIGHWAY NO. 30; 0.97 mile west of Independence Highway No. 193 (OR51)

Site Name: Oak Knoll (27-006)
Installed: January, 2001

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	26507	125	10.8	10.3	10.2	10.1
2002	26831	125	10.7	10.4	10.2	10.1
2003	26927	125	11.1	10.2	10.1	9.9
2004	27128	124	10.9	10.3	10.0	9.9
2005	27348	123	10.6	10.2	10.0	9.9
2006	28014	127	10.8	10.2	10.0	9.8
2007	27678	126	10.5	10.1	10.0	9.9
2008	25776	131	11.1	10.5	10.2	10.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	24968	97	23940	93	Motorcycles	0.8
February	27200	106	26600	103	Passenger cars	65.8
March	27063	105	26155	101	Light Trucks	26.3
April	27284	106	26527	103	Buses	0.3
May	27506	107	27160	105	Single unit trucks (2 axles)	2.6
June	27246	106	26691	104	Single unit trucks (3 axles)	0.9
July	28147	109	27044	105	Single unit trucks (4 or more axles)	0.1
August	28176	109	27680	107	Single trailer trucks (4 or less axles)	0.3
September	26872	104	26728	104	Single trailer trucks (5 axles)	1.3
October	26921	104	26268	102	Single trailer trucks (6 or more axles)	1.2
November	25606	99	24899	97	Multi trailer trucks (5 or less axles)	0.1
December	20981	81	19614	76	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.4

Location: US97; MP 17.36; SHERMAN HIGHWAY NO. 42; 0.83 mile northeast of 1st Street

Site Name: Wasco (28-001)
Installed: April, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2540	161	13.7	12.8	12.3	11.9
2000	2497	162	16.4	12.7	12.2	12.0
2001	2539	193	17.1	14.6	14.1	13.5
2002	2627	156	14.6	13.4	12.4	11.9
2003	2585	165	16.0	13.4	12.8	12.3
2004	2554	157	15.4	12.8	12.4	12.1
2005	2579	174	15.2	13.0	12.4	12.1
2006	2627	165	15.4	12.9	12.2	12.0
2007	2731	166	14.9	13.1	12.3	12.1
2008	2389	157	14.9	13.4	12.5	12.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1792	75	1724	72	Motorcycles	1.1
February	1997	84	1897	79	Passenger cars	39.2
March	2229	93	2202	92	Light Trucks	20.4
April	2311	97	2302	96	Buses	0.8
May	2541	106	2503	105	Single unit trucks (2 axles)	3.7
June	2868	120	2925	122	Single unit trucks (3 axles)	0.6
July	3035	127	3049	128	Single unit trucks (4 or more axles)	0.3
August	3059	128	3146	132	Single trailer trucks (4 or less axles)	3.9
September	2590	108	2558	107	Single trailer trucks (5 axles)	25.7
October	2445	102	2352	98	Single trailer trucks (6 or more axles)	1.4
November	2283	96	2202	92	Multi trailer trucks (5 or less axles)	0.0
December	1901	80	1805	76	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	2.6

Location: I-84; MP 109.51; COLUMBIA RIVER HIGHWAY NO. 2; 0.44 mile west of Rufus/John Day Dam Interchange

Site Name: Rufus (28-002)
Installed: January, 2008

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	10506	205	22.8	16.7	14.9	13.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	7807	74	7637	73	Motorcycles	0.5
February	8268	79	8502	81	Passenger cars	39.1
March	9371	89	10102	96	Light Trucks	23.4
April	9358	89	10010	95	Buses	0.4
May	10341	98	10689	102	Single unit trucks (2 axles)	7.0
June	10925	104	11707	111	Single unit trucks (3 axles)	0.8
July	12123	115	12743	121	Single unit trucks (4 or more axles)	0.2
August	12139	116	13053	124	Single trailer trucks (4 or less axles)	0.7
September	11358	108	12054	115	Single trailer trucks (5 axles)	19.9
October	10558	101	11084	106	Single trailer trucks (6 or more axles)	3.1
November	10420	99	11005	105	Multi trailer trucks (5 or less axles)	0.6
December	7505	71	7491	71	Multi trailer trucks (6 axles)	0.9
					Multi trailer trucks (7 or more axles)	3.6

Location: US101; MP 53.75; OREGON COAST HIGHWAY NO. 9; 2.08 miles south of Washington Street

Site Name: Rockaway (29-001)
Installed: September, 1954

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	6592	189	19.5	16.8	16.2	15.7
2000	6350	188	18.5	17.1	16.0	15.4
2001	6368	188	17.6	16.7	16.1	15.8
2002	6536	196	18.3	16.5	16.0	15.7
2003	6482	210	20.0	17.1	16.4	15.9
2004	6542	205	20.2	17.8	16.3	15.5
2005	6487	179	18.0	16.4	15.6	15.3
2006	6508	194	19.0	17.1	16.3	15.8
2007	6481	182	19.4	16.5	15.5	15.2
2008	6028	203	20.9	17.6	16.3	15.7



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	4533	75	4436	74	Motorcycles	0.4
February	5003	83	5142	85	Passenger cars	59.4
March	5538	92	5523	92	Light Trucks	28.3
April	5459	91	5645	94	Buses	0.8
May	5812	96	6227	103	Single unit trucks (2 axles)	3.7
June	6392	106	6780	112	Single unit trucks (3 axles)	2.0
July	7907	131	8466	140	Single unit trucks (4 or more axles)	0.0
August	8080	134	8690	144	Single trailer trucks (4 or less axles)	2.6
September	6653	110	7029	117	Single trailer trucks (5 axles)	2.1
October	5560	92	5812	96	Single trailer trucks (6 or more axles)	0.6
November	4628	77	4809	80	Multi trailer trucks (5 or less axles)	0.1
December	4124	68	3774	63	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US730; MP 193.70; COLUMBIA RIVER HIGHWAY NO. 2; 0.24 mile east of Pendleton-Cold Springs Highway No. 36 (OR37)

Site Name: Cold Springs (30-002)
Installed: October, 1962

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2438	144	11.7	11.0	10.7	10.3
2000	2472	146	12.1	10.5	10.2	10.0
2001	2534	142	12.2	11.1	10.5	10.3
2002	2525	153	12.0	11.1	10.9	10.6
2003	2459	151	12.3	11.3	11.0	10.8
2004	2426	150	12.4	10.9	10.6	10.5
2005	2465	149	19.8	11.8	11.0	10.8
2006	2410	146	12.4	10.8	10.6	10.5
2007	2459	145	12.3	11.1	10.7	10.4
2008	2354	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1989	84	1829	78	Motorcycles	0.7
February	2269	96	2053	87	Passenger cars	33.4
March	2436	103	2294	97	Light Trucks	17.6
April	2524	107	2395	102	Buses	0.2
May	2538	108	2432	103	Single unit trucks (2 axles)	3.3
June	2636	112	2581	110	Single unit trucks (3 axles)	1.4
July	2862	122	2724	116	Single unit trucks (4 or more axles)	0.0
August	2950	125	2850	121	Single trailer trucks (4 or less axles)	2.2
September	2832	120	2712	115	Single trailer trucks (5 axles)	18.3
October	2716	115	2557	109	Single trailer trucks (6 or more axles)	15.6
November	2366	101	2220	94	Multi trailer trucks (5 or less axles)	0.6
December	1813	77	1603	68	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	6.5

Location: I-84; MP 203.34; OLD OREGON TRAIL NO. 6; 6.20 miles west of Pendleton-John Day Highway No. 28 (US395/OR37)

Site Name: Pendleton (30-004)
Installed: September, 1954

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	14582	***	***	***	***	***
2000	14491	153	11.9	10.7	10.4	10.3
2001	14482	154	11.7	11.0	10.6	10.3
2002	14798	***	***	***	***	***
2003	15114	150	13.4	11.5	10.7	10.4
2004	15061	152	12.8	11.6	10.7	10.2
2005	14926	163	13.4	11.5	10.8	10.5
2006	15011	157	13.4	11.3	10.7	10.4
2007	15185	147	13.1	11.4	10.8	10.5
2008	13781	151	14.4	12.3	11.2	10.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11462	83	10879	79	Motorcycles	0.1
February	12838	93	12313	89	Passenger cars	32.3
March	14163	103	14129	103	Light Trucks	34.2
April	14223	103	14166	103	Buses	0.4
May	14869	108	14697	107	Single unit trucks (2 axles)	3.1
June	15295	111	15425	112	Single unit trucks (3 axles)	0.5
July	16267	118	16119	117	Single unit trucks (4 or more axles)	0.0
August	16317	118	16508	120	Single trailer trucks (4 or less axles)	1.4
September	15513	113	15710	114	Single trailer trucks (5 axles)	21.0
October	14872	108	14725	107	Single trailer trucks (6 or more axles)	3.3
November	13988	102	13858	101	Multi trailer trucks (5 or less axles)	0.4
December	7172	52	6844	50	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	2.8

Location: US395; MP 16.70; PENDLETON-JOHN DAY HIGHWAY NO. 28; 1.34 miles southwest of W. Main Street

Site Name: Pilot Rock (30-007)
Installed: November, 1954

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1087	224	18.7	15.2	14.0	13.4
2000	965	223	18.3	16.6	14.5	13.6
2001	960	241	21.3	16.8	14.9	13.8
2002	961	164	18.9	13.8	12.7	12.3
2003	975	225	22.3	17.7	16.5	15.2
2004	942	229	18.9	15.7	14.7	13.6
2005	900	214	23.4	16.2	14.8	14.1
2006	856	226	207	17.4	15.4	14.4
2007	875	221	21.4	17.3	15.8	14.7
2008	787	220	21.9	17.2	15.6	14.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	553	70	537	68	Motorcycles	0.3
February	596	76	585	74	Passenger cars	42.4
March	648	82	650	83	Light Trucks	49.3
April	683	87	704	89	Buses	1.0
May	816	104	847	108	Single unit trucks (2 axles)	1.8
June	856	109	893	113	Single unit trucks (3 axles)	0.9
July	920	117	963	122	Single unit trucks (4 or more axles)	0.0
August	890	113	936	119	Single trailer trucks (4 or less axles)	0.5
September	956	121	1006	128	Single trailer trucks (5 axles)	1.7
October	923	117	978	124	Single trailer trucks (6 or more axles)	2.0
November	781	99	822	104	Multi trailer trucks (5 or less axles)	0.0
December	526	67	519	66	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US395; MP 1.77; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.09 mile south of Old Oregon Trail Highway No. 6 (I-84)

Site Name: S. Pendleton (30-008)
Installed: April, 1999

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	20033	125	10.9	10.2	10.0	9.9
2001	19908	128	10.7	10.3	10.1	10.0
2002	23449	128	10.4	10.1	9.9	9.8
2003	23152	127	11.0	10.0	9.9	9.7
2004	22634	126	10.7	10.0	9.8	9.7
2005	22222	133	11.2	10.1	9.8	9.7
2006	22305	127	10.7	9.9	9.7	9.6
2007	22799	128	10.7	10.0	9.8	9.7
2008	22439	128	11.2	10.1	9.9	9.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	22405	100	20675	92	Motorcycles	0.2
February	23205	103	21518	96	Passenger cars	50.5
March	23565	105	22090	98	Light Trucks	43.3
April	25229	112	23636	105	Buses	0.7
May	25295	113	23903	107	Single unit trucks (2 axles)	3.8
June	25895	115	24273	108	Single unit trucks (3 axles)	0.4
July	25037	112	23127	103	Single unit trucks (4 or more axles)	0.0
August	24900	111	23000	103	Single trailer trucks (4 or less axles)	0.4
September	25400	113	23600	105	Single trailer trucks (5 axles)	0.4
October	24959	111	22974	102	Single trailer trucks (6 or more axles)	0.2
November	23602	105	21876	97	Multi trailer trucks (5 or less axles)	0.0
December	19700	88	18600	83	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.2

Location: OR204; MP 0.12; WESTON-ELGIN HIGHWAY NO. 330; 1.44 miles southeast of Oregon-Washington Highway No. 8 (OR11)

Site Name: Weston (30-012)
Installed: January, 1968

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	1276	***	***	***	***	***
2000	1258	200	17.3	15.9	15.1	14.3
2001	1262	187	18.7	16.3	15.1	14.6
2002	1292	190	18.0	16.1	15.3	14.9
2003	1263	184	22.8	14.6	13.6	13.1
2004	1279	***	***	***	***	***
2005	1208	181	18.1	15.3	14.7	14.4
2006	1154	172	17.4	14.1	13.7	13.4
2007	1198	167	17.8	15.3	14.8	14.4
2008	1118	182	19.0	17.4	15.8	15.1



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	785	70	902	81	Motorcycles	1.5
February	755	68	883	79	Passenger cars	47.0
March	729	65	795	71	Light Trucks	43.6
April	762	68	815	73	Buses	0.4
May	927	83	999	89	Single unit trucks (2 axles)	1.2
June	1071	96	1168	104	Single unit trucks (3 axles)	2.9
July	1342	120	1545	138	Single unit trucks (4 or more axles)	0.0
August	1356	121	1567	140	Single trailer trucks (4 or less axles)	0.4
September	1350	121	1456	130	Single trailer trucks (5 axles)	1.0
October	1249	112	1289	115	Single trailer trucks (6 or more axles)	1.2
November	996	89	1048	94	Multi trailer trucks (5 or less axles)	0.0
December	876	78	948	85	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.6

Location: US395; MP 8.70; UMATILLA-STANFIELD HIGHWAY NO. 54; 0.12 mile northwest of Feedville Road (Northwest of Stanfield)

Site Name: Stanfield (30-019)
Installed: June, 2005

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2006	7743	136	10.3	10.0	9.7	9.6
2007	7727	127	10.2	9.8	9.6	9.35
2008	7469	131	10.4	10.0	9.9	9.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	7072	95	6686	90	Motorcycles	0.7
February	7784	104	7321	98	Passenger cars	41.3
March	8018	107	7606	102	Light Trucks	30.4
April	8159	109	7726	103	Buses	0.3
May	8113	109	7751	104	Single unit trucks (2 axles)	15.5
June	8023	107	7628	102	Single unit trucks (3 axles)	1.0
July	8177	109	7692	103	Single unit trucks (4 or more axles)	0.1
August	8322	111	7959	107	Single trailer trucks (4 or less axles)	1.3
September	8118	109	7779	104	Single trailer trucks (5 axles)	6.5
October	8171	109	7765	104	Single trailer trucks (6 or more axles)	1.1
November	7697	103	7265	97	Multi trailer trucks (5 or less axles)	0.3
December	6888	92	6445	86	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.5

Location: OR11; MP 34.46; OREGON-WASHINGTON HIGHWAY NO. 8; 0.86 mile south of Oregon-Washington State Line

Site Name: Milton (30-021)
Installed: September, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	14531	127	10.8	10.1	9.9	9.8
2000	14192	127	10.2	9.9	9.8	9.7
2001	14261	135	11.5	10.1	9.9	9.7
2002	14383	126	10.5	10.0	9.8	9.7
2003	14323	129	10.2	9.9	9.8	9.7
2004	14359	124	10.5	9.9	9.7	9.7
2005	14818	***	***	***	***	***
2006	14881	126	10.4	9.9	9.8	9.6
2007	14863	127	11.2	10.2	10.0	9.9
2008	14310	128	10.6	10.3	10.0	9.9



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	13094	92	12512	87	Motorcycles	0.7
February	14471	101	13832	97	Passenger cars	67.2
March	14931	104	14340	100	Light Trucks	26.3
April	15410	108	15006	105	Buses	0.3
May	15627	109	15354	107	Single unit trucks (2 axles)	1.8
June	15700	110	15300	107	Single unit trucks (3 axles)	0.8
July	15726	110	14918	104	Single unit trucks (4 or more axles)	0.1
August	15609	109	15093	105	Single trailer trucks (4 or less axles)	0.4
September	15601	109	15228	106	Single trailer trucks (5 axles)	1.3
October	15041	105	14589	102	Single trailer trucks (6 or more axles)	0.8
November	14295	100	13679	96	Multi trailer trucks (5 or less axles)	0.0
December	12668	89	11867	83	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: I-82; MP 0.58; McNARY HIGHWAY NO. 70; 0.58 mile south of Oregon-Washington State Line

Site Name: Umatilla Bridge (30-025)
Installed: April, 1977

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	15438	154	13.2	11.6	11.2	10.9
2000	15057	155	13.0	11.0	10.7	10.5
2001	15291	158	13.4	12.0	11.1	10.8
2002	16093	144	13.9	11.8	10.9	10.6
2003	16437	156	12.9	11.5	10.8	10.5
2004	16306	152	13.2	11.3	11.0	10.7
2005	16307	162	12.3	11.2	10.8	10.6
2006	16542	153	13.1	11.4	10.9	10.5
2007	16973	148	12.9	11.0	10.8	10.6
2008	16364	152	14.5	11.6	10.7	10.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	12522	77	12277	75	Motorcycles	0.3
February	14343	88	14238	87	Passenger cars	50.9
March	15912	97	16327	100	Light Trucks	19.3
April	15910	97	16449	101	Buses	0.2
May	16569	101	16832	103	Single unit trucks (2 axles)	3.1
June	17283	106	17662	108	Single unit trucks (3 axles)	0.6
July	18656	114	18785	115	Single unit trucks (4 or more axles)	0.4
August	18656	114	19298	118	Single trailer trucks (4 or less axles)	2.0
September	18012	110	18284	112	Single trailer trucks (5 axles)	17.3
October	17454	107	17673	108	Single trailer trucks (6 or more axles)	2.4
November	15832	97	16207	99	Multi trailer trucks (5 or less axles)	0.8
December	12465	76	12341	75	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	2.7

Location: I-84; MP 216.81; OLD OREGON TRAIL NO. 6; 0.76 mile southeast of Umatilla-Mission Highway No. 331

Site Name: Mission Jct (30-026)
Installed: June, 2007

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	9207	163	18.0	14.5	13.1	12.6



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	6739	73	6564	71	Motorcycles	0.2
February	7515	82	7305	79	Passenger cars	35.0
March	8774	95	9045	98	Light Trucks	12.9
April	8764	95	9045	98	Buses	0.3
May	9562	104	9694	105	Single unit trucks (2 axles)	2.6
June	10162	110	10736	117	Single unit trucks (3 axles)	0.4
July	11102	121	11306	123	Single unit trucks (4 or more axles)	0.3
August	10976	119	11454	124	Single trailer trucks (4 or less axles)	3.0
September	10045	109	10321	112	Single trailer trucks (5 axles)	34.2
October	9509	103	9620	105	Single trailer trucks (6 or more axles)	4.6
November	8705	95	8871	96	Multi trailer trucks (5 or less axles)	0.6
December	6717	73	6528	71	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	5.6

Location: I-84; MP 191.40; OLD OREGON TRAIL NO. 6; 2.56 miles east of Umatilla-Stanfield Highway No. 54 (US395)

Site Name: Echo (30-027)
Installed: June, 2007

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	14675	146	13.8	11.5	10.8	10.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	12193	83.1	11584	79	Motorcycles	0.1
February	13450	92	12861	88	Passenger cars	46.3
March	14818	101	14740	100	Light Trucks	25.8
April	14861	101	14744	101	Buses	0.4
May	15448	105	15184	104	Single unit trucks (2 axles)	2.1
June	15887	108	16006	109	Single unit trucks (3 axles)	1.1
July	17103	117	16838	115	Single unit trucks (4 or more axles)	0.4
August	17136	117	17219	117	Single trailer trucks (4 or less axles)	0.5
September	16183	110	16198	110	Single trailer trucks (5 axles)	16.2
October	15633	107	15375	105	Single trailer trucks (6 or more axles)	3.9
November	14606	100	14413	98	Multi trailer trucks (5 or less axles)	0.3
December	11455	78	10933	75	Multi trailer trucks (6 axles)	0.3
					Multi trailer trucks (7 or more axles)	2.6

Location: OR82; MP 1.74; WALLOWA LAKE HIGHWAY NO. 10; 0.82 mile east of Old Oregon Trail Highway No. 6 (I-84)

Site Name: Island City (31-003)
Installed: April, 1999

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2000	11010	132	11.9	10.9	10.7	10.6
2001	11306	133	12.4	11.1	10.9	10.7
2002	13000	135	12.3	11.8	11.5	11.2
2003	13263	134	12.3	11.6	11.1	10.8
2004	13484	133	12.9	11.7	11.2	11.0
2005	12363	134	12.3	11.4	11.2	11.0
2006	12180	125	12.1	11.5	11.1	10.9
2007	12382	***	***	***	***	***
2008	11892	***	***	***	***	***



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11100	93	10500	88	Motorcycles	0.2
February	12300	103	11300	95	Passenger cars	53.0
March	12600	106	11700	98	Light Trucks	40.3
April	13200	111	12200	103	Buses	0.3
May	13400	113	12600	106	Single unit trucks (2 axles)	2.2
June	13300	112	12600	106	Single unit trucks (3 axles)	1.3
July	13500	114	12500	105	Single unit trucks (4 or more axles)	0.0
August	13100	110	12400	104	Single trailer trucks (4 or less axles)	0.0
September	13100	110	12500	105	Single trailer trucks (5 axles)	1.0
October	13000	109	12000	101	Single trailer trucks (6 or more axles)	0.8
November	12800	108	11700	98	Multi trailer trucks (5 or less axles)	0.1
December	11400	96	10700	90	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.8

Location: OR82; MP 20.70; WALLOWA LAKE HIGHWAY NO. 10; 0.45 mile northeast of Weston-Elgin Highway No. 330 (OR204)

Site Name: Elgin (31-005)
Installed: April, 1957

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2181	189	19.3	15.3	14.7	14.0
2000	2031	199	19.3	15.8	14.7	13.9
2001	1984	192	19.7	15.6	14.6	14.0
2002	2087	185	18.8	15.5	14.7	13.9
2003	2070	193	27.8	16.2	15.1	14.2
2004	2060	***	***	***	***	***
2005	1972	183	19.9	14.8	14.0	13.6
2006	1955	190	20.0	14.4	13.9	13.5
2007	1959	195	22.0	15.3	14.4	13.9
2008	1768	187	29.1	16.6	15.3	14.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	1222	69	1205	68	Motorcycles	0.2
February	1409	80	1383	78	Passenger cars	49.3
March	1444	82	1475	83	Light Trucks	38.5
April	1470	83	1516	86	Buses	0.4
May	1678	95	1743	99	Single unit trucks (2 axles)	2.0
June	1937	110	2043	116	Single unit trucks (3 axles)	2.5
July	2268	128	2428	137	Single unit trucks (4 or more axles)	0.0
August	2146	121	2306	130	Single trailer trucks (4 or less axles)	1.5
September	2066	117	2183	123	Single trailer trucks (5 axles)	2.5
October	2004	113	1982	112	Single trailer trucks (6 or more axles)	2.0
November	1824	103	1744	99	Multi trailer trucks (5 or less axles)	0.0
December	1298	73	1206	68	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	1.1

Location: I-84; MP 75.93; COLUMBIA RIVER HIGHWAY NO. 2; 0.72 mile west of the Rowena Interchange

Site Name: Rowena (33-001)
Installed: January, 1938

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	19108	170	16.0	13.8	12.9	12.4
2000	18688	170	15.3	13.7	12.6	12.2
2001	19084	168	16.8	13.9	12.9	12.5
2002	19726	166	15.8	14.5	12.8	12.3
2003	19728	167	16.1	14.0	13.1	12.5
2004	19455	165	14.7	13.1	12.4	12.1
2005	19879	170	14.8	13.8	12.6	12.2
2006	20518	169	15.3	13.3	12.3	11.9
2007	20867	163	15.3	13.3	12.3	12.0
2008	19453	164	15.8	13.4	12.4	12.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	15504	80	14968	77	Motorcycles	0.3
February	17216	89	17245	89	Passenger cars	54.7
March	18855	97	19501	100	Light Trucks	15.5
April	18699	96	19484	100	Buses	0.4
May	19989	103	20479	105	Single unit trucks (2 axles)	2.7
June	20560	106	21378	110	Single unit trucks (3 axles)	0.8
July	22029	113	23310	120	Single unit trucks (4 or more axles)	0.1
August	22295	115	23684	122	Single trailer trucks (4 or less axles)	1.6
September	20223	104	20834	107	Single trailer trucks (5 axles)	17.4
October	19238	99	19819	102	Single trailer trucks (6 or more axles)	3.4
November	18911	97	19249	99	Multi trailer trucks (5 or less axles)	0.1
December	13998	72	13481	69	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	2.7

Location: US197; MP 10.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.68 mile south of Boyd Market Road

Site Name: Dufur (33-005)
Installed: April, 1957

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	2525	164	19.2	12.9	12.2	11.7
2000	2495	162	16.8	12.8	12.4	11.9
2001	2460	160	17.1	13.1	12.7	12.4
2002	2566	165	16.2	13.5	12.7	11.9
2003	2546	175	15.7	13.8	12.7	12.0
2004	2379	153	15.2	12.0	11.6	11.4
2005	2405	157	19.9	13.0	12.2	11.8
2006	2502	176	16.4	13.7	13.1	12.6
2007	2547	157	16.8	12.8	12.1	11.7
2008	2539	140	14.7	12.7	12.1	11.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	2207	87	2137	84	Motorcycles	0.2
February	2390	94	2323	91	Passenger cars	47.6
March	2640	104	2647	104	Light Trucks	45.1
April	2796	110	2867	113	Buses	0.7
May	2788	110	2839	112	Single unit trucks (2 axles)	2.1
June	2608	103	2583	102	Single unit trucks (3 axles)	1.4
July	2717	107	2707	107	Single unit trucks (4 or more axles)	0.0
August	2765	109	2868	113	Single trailer trucks (4 or less axles)	0.5
September	2704	106	2707	107	Single trailer trucks (5 axles)	2.0
October	2617	103	2593	102	Single trailer trucks (6 or more axles)	0.3
November	2458	97	2372	93	Multi trailer trucks (5 or less axles)	0.0
December	1994	79	1826	72	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.0

Location: OR6; MP 38.55; WILSON RIVER HIGHWAY NO. 37; 0.75 mile west of Glenwood Lane

Site Name: Gales Creek (34-004)
Installed: October, 1956

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	4609	230	26.7	20.9	19.3	18.7
2000	4589	277	26.1	21.1	19.9	18.9
2001	4747	243	23.1	20.4	19.8	19.2
2002	4798	237	23.2	21.2	20.2	19.4
2003	4871	230	23.8	20.9	20.0	19.3
2004	4811	310	29.3	23.3	20.5	19.8
2005	4706	239	24.0	21.7	20.6	19.8
2006	4791	264	26.5	22.7	21.3	20.5
2007	4937	221	24.7	20.6	19.6	19.0
2008	4575	273	27.7	23.1	21.4	20.9



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	2624	57	2774	61	Motorcycles	0.7
February	3198	70	3761	82	Passenger cars	64.6
March	3390	74	3896	85	Light Trucks	22.9
April	3290	72	4136	90	Buses	0.5
May	4021	88	5026	110	Single unit trucks (2 axles)	2.9
June	4077	89	5261	115	Single unit trucks (3 axles)	1.6
July	5034	110	6478	142	Single unit trucks (4 or more axles)	0.3
August	5275	115	6745	147	Single trailer trucks (4 or less axles)	0.8
September	4468	98	5594	122	Single trailer trucks (5 axles)	3.1
October	3750	82	4500	98	Single trailer trucks (6 or more axles)	1.7
November	3750	82	4350	95	Multi trailer trucks (5 or less axles)	0.1
December	2521	55	2376	52	Multi trailer trucks (6 axles)	0.2
					Multi trailer trucks (7 or more axles)	0.8

Location: US26; MP 37.70; SUNSET HIGHWAY NO. 47; At Vernonia Road

Site Name: Timber Jct (34-005)
Installed: March, 2004

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2005	6575	269	24.2	22.6	21.3	20.5
2006	6764	295	26.6	22.8	21.8	21.3
2007	6755	243	24.3	20.6	19.8	19.3
2008	6440	269	24.6	22.6	21.3	20.8



2008 TRAFFIC DATA


Month	Percent of AADT		Percent of AADT		Classification Breakdown	Percent of AADT
	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT		
January	3222	50	3655	57	Motorcycles	0.0
February	4159	65	5208	81	Passenger cars	57.2
March	4699	73	5540	86	Light Trucks	38.2
April	4339	67	5708	89	Buses	0.1
May	5437	84	7117	111	Single unit trucks (2 axles)	1.9
June	6067	94	7854	122	Single unit trucks (3 axles)	0.7
July	7729	120	9595	149	Single unit trucks (4 or more axles)	0.1
August	7896	123	9983	155	Single trailer trucks (4 or less axles)	0.7
September	6314	98	8161	127	Single trailer trucks (5 axles)	0.9
October	4815	75	6149	95	Single trailer trucks (6 or more axles)	0.2
November	4453	69	5542	86	Multi trailer trucks (5 or less axles)	0.0
December	2713	42	2764	43	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.1

Location: US26; MP 56.23; SUNSET HIGHWAY NO. 47; 1.00 mile northwest of Glencoe Road interchange

Site Name: North Plains (34-007)
Installed: June, 2005

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
2006	21274	182	15.0	13.9	13.3	12.9
2007	21394	160	14.9	13.5	13.0	12.7
2008	20927	190	16.1	14.4	13.5	13.3



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	15375	73	15370	73	Motorcycles	1.4
February	17536	84	18345	88	Passenger cars	58.3
March	18057	86	18738	90	Light Trucks	29.9
April	17941	86	19544	93	Buses	0.2
May	19473	93	21637	103	Single unit trucks (2 axles)	6.8
June	20270	97	22681	108	Single unit trucks (3 axles)	0.5
July	22973	110	25447	122	Single unit trucks (4 or more axles)	0.1
August	26474	127	29123	139	Single trailer trucks (4 or less axles)	0.9
September	24193	116	26339	126	Single trailer trucks (5 axles)	1.2
October	22040	105	23210	111	Single trailer trucks (6 or more axles)	0.4
November	17899	86	18820	90	Multi trailer trucks (5 or less axles)	0.0
December	12426	59	11871	57	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.4

Location: I-5; MP 290.14; PACIFIC HIGHWAY NO. 1; 0.34 mile south of Boones Ferry Road Interchange

Site Name: Tigard (34-008)
Installed: September, 2007

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Max Day	Percent of AADT			
			Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	151707	119.8	8.6	8.5	8.5	8.4



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	152283	100	143904	95	Motorcycles	0.3
February	164058	108	153746	101	Passenger cars	82.1
March	164341	108	154889	102	Light Trucks	4.2
April	166219	110	156527	103	Buses	0.2
May	164673	109	155707	103	Single unit trucks (2 axles)	2.1
June	168751	111	159227	105	Single unit trucks (3 axles)	0.6
July	172812	114	158626	105	Single unit trucks (4 or more axles)	0.0
August	171359	113	161244	106	Single trailer trucks (4 or less axles)	0.8
September	163945	108	156563	103	Single trailer trucks (5 axles)	6.9
October	162774	107	153543	101	Single trailer trucks (6 or more axles)	1.7
November	156622	103	148315	98	Multi trailer trucks (5 or less axles)	0.2
December	125853	83	118181	78	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	1.0

Location: OR8; MP 14.84; TUALATIN VALLEY HIGHWAY NO. 29; 0.28 mile west of N.W. 334th Avenue

Site Name: Cornelius (34-009)
Installed: September, 2007

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2008	33838	120	10.2	9.7	9.6	9.5



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	34002	101	32825	97	Motorcycles	0.5
February	35714	106	34447	102	Passenger cars	91.7
March	35431	105	34317	101	Light Trucks	2.8
April	35945	106	34957	103	Buses	0.8
May	35030	104	35051	104	Single unit trucks (2 axles)	2.3
June	34922	103	34056	101	Single unit trucks (3 axles)	0.6
July	35789	106	34073	101	Single unit trucks (4 or more axles)	0.1
August	36278	107	34957	103	Single trailer trucks (4 or less axles)	0.5
September	35707	106	34896	103	Single trailer trucks (5 axles)	0.4
October	35286	104	34125	101	Single trailer trucks (6 or more axles)	0.2
November	33669	100	32516	96	Multi trailer trucks (5 or less axles)	0.1
December	30918	91	29833	88	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.0

Location: OR99W; MP 21.81; PACIFIC HIGHWAY WEST NO. 91; 0.01 mile west of Brutscher Street

Site Name: Newberg (36-004)
Installed: July, 1952

HISTORICAL TRAFFIC DATA

Year	Percent of AADT					
	Average Daily Traffic	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	32417	***	***	***	***	***
2000	32292	***	***	***	***	***
2001	32158	***	***	***	***	***
2002	33361	120	9.4	9.0	8.9	8.8
2003	33269	121	9.3	9.0	8.9	8.8
2004	33463	122	9.3	9.0	8.9	8.8
2005	34128	121	9.3	8.9	8.8	8.8
2006	35302	122	8.9	8.8	8.8	8.7
2007	35985	120	8.9	8.7	8.7	8.6
2008	34049	122	9.2	8.9	8.9	8.8



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	34106	100	32666	96	Motorcycles	0.1
February	36157	106	35002	103	Passenger cars	40.6
March	35830	105	34616	102	Light Trucks	52.8
April	36110	106	35294	104	Buses	0.2
May	35543	104	35049	103	Single unit trucks (2 axles)	3.1
June	36460	107	35428	104	Single unit trucks (3 axles)	0.7
July	37246	109	35667	105	Single unit trucks (4 or more axles)	0.2
August	36975	109	35965	106	Single trailer trucks (4 or less axles)	0.4
September	35606	105	35021	103	Single trailer trucks (5 axles)	0.9
October	35376	104	34352	101	Single trailer trucks (6 or more axles)	0.5
November	34178	100	33021	97	Multi trailer trucks (5 or less axles)	0.1
December	27809	82	26509	78	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6

Location: OR99W; MP 47.15; PACIFIC HIGHWAY WEST NO. 91; 0.37 mile north of Yamhill-Polk County Line

Site Name: Amity (36-005)
Installed: September, 1956

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
1999	5566	***	***	***	***	***
2000	5451	140	12.1	11.2	11.0	10.9
2001	5425	131	13.1	11.2	10.7	10.5
2002	5483	137	14.1	12.1	11.3	11.1
2003	5571	140	13.2	11.5	11.0	10.9
2004	5731	132	13.3	11.4	11.1	10.9
2005	5858	***	***	***	***	***
2006	5940	137	13.2	11.5	11.1	10.7
2007	5874	132	13.2	11.3	10.9	10.7
2008	5433	131	12.9	11.8	11.2	11.0



2008 TRAFFIC DATA


Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	5000	92	4900	90	Motorcycles	1.0
February	5700	105	5500	101	Passenger cars	58.3
March	5900	109	5600	103	Light Trucks	29.5
April	5725	105	5634	104	Buses	0.3
May	5770	106	5712	105	Single unit trucks (2 axles)	2.6
June	5786	106	5642	104	Single unit trucks (3 axles)	2.2
July	5963	110	5631	104	Single unit trucks (4 or more axles)	0.0
August	5989	110	5759	106	Single trailer trucks (4 or less axles)	0.7
September	5749	106	5753	106	Single trailer trucks (5 axles)	4.8
October	5818	107	5726	105	Single trailer trucks (6 or more axles)	0.3
November	5505	101	5393	99	Multi trailer trucks (5 or less axles)	0.0
December	4139	76	3946	73	Multi trailer trucks (6 axles)	0.0
					Multi trailer trucks (7 or more axles)	0.4

Location: OR18; MP 41.00; SALMON RIVER HIGHWAY NO. 39; 3.36 miles south of Pacific Highway West No. 91 (OR99W)

Site Name: Salmon River (36-006)
Installed: July, 2000

HISTORICAL TRAFFIC DATA

Year	Average Daily Traffic	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2001	13844	137	11.4	10.4	10.2	10.0
2002	14083	135	10.7	10.3	10.1	10.0
2003	14113	134	10.9	10.3	10.1	9.9
2004	14237	141	10.8	10.3	10.1	10.0
2005	14230	135	10.6	10.0	9.9	9.7
2006	14298	***	***	***	***	***
2007	14283	137	10.7	10.2	9.9	9.8
2008	13234	143	11.8	10.5	10.3	10.1



2008 TRAFFIC DATA

Month	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT	Classification Breakdown	
					Motorcycles	Percent of AADT
January	11423	86	11712	88	Motorcycles	0.8
February	12590	95	13298	100	Passenger cars	60.5
March	12900	97	13340	101	Light Trucks	29.1
April	12691	96	13344	101	Buses	0.6
May	13144	99	14046	106	Single unit trucks (2 axles)	2.3
June	13199	100	13981	106	Single unit trucks (3 axles)	1.8
July	14213	107	14789	112	Single unit trucks (4 or more axles)	0.2
August	14413	109	15298	116	Single trailer trucks (4 or less axles)	0.4
September	13520	102	14203	107	Single trailer trucks (5 axles)	2.4
October	12732	96	13341	101	Single trailer trucks (6 or more axles)	1.3
November	12093	91	12509	95	Multi trailer trucks (5 or less axles)	0.0
December	9314	70	8952	68	Multi trailer trucks (6 axles)	0.1
					Multi trailer trucks (7 or more axles)	0.6