


Summary of Trends
at
Automatic Traffic Recorder Stations
2016

Location:	US30; MP 37.70; LA GRANDE-BAKER HIGHWAY NO. 66; 4.84 miles south of Union-Baker County Line	Site Name:	North Powder (01-001)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	779	182	17.0	12.6	11.9	11.6
2008	723	177	22.7	14.2	12.6	11.9
2009	758	297	80.1	13.1	12.3	12.0
2010	778	194	34.4	14.9	13.1	11.8
2011	837	162	14.5	12.7	12.1	11.9
2012	786	175	16.2	13.7	12.9	12.2
2013	804	406	63.9	14.6	13.3	12.7
2014	802	172	17.0	14.1	13.0	12.6
2015	843	184	40.6	15.1	12.8	12.1
2016	855	201	46.0	17.2	14.2	13.5



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	784	92	700	82
February	834	97	780	91
March	870	102	799	93
April	940	110	893	104
May	978	114	941	110
June	1005	117	958	112
July	1020	119	1001	117
August	990	116	941	110
September	987	115	917	107
October	954	111	883	103
November	871	102	793	93
December	704	82	656	77


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	OR203; MP 36.86; MEDICAL SPRINGS HIGHWAY NO. 340; 2.08 miles east of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	Medical Springs (01-007)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	228	160	18.0	15.8	14.9	14.1
2008	220	***	***	***	***	***
2009	214	***	***	***	***	***
2010	206	208	36.5	18.5	16.0	15.1
2011	203	177	35.5	17.3	16.3	14.8
2012	209	180	28.8	17.3	16.3	15.8
2013	201	190	40.8	16.9	15.4	14.4
2014	211	182	30.3	19.9	17.1	16.1
2015	229	196	31.4	17.9	15.3	14.8
2016	238	190	28.6	18.5	16.8	16.0



2008 – Cycle Oregon came through and the k factors were not applicable

2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	195	82	178	75
February	206	87	196	82
March	213	89	200	84
April	236	99	228	96
May	244	103	247	104
June	260	109	262	110
July	281	118	289	121
August	270	113	277	116
September	281	118	286	120
October	302	127	293	123
November	218	92	216	91
December	184	77	179	75


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	OR86; MP 37.55; BAKER-COPPERFIELD HIGHWAY NO. 12; 2.21 miles northwest of Dry Gulch Road	Site Name:	Richland (01-010)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	615	321	43.7	21.8	17.2	15.6
2008	559	235	26.1	21.3	18.2	16.6
2009	602	***	***	***	***	***
2010	595	335	42.0	21.8	18.3	16.8
2011	552	367	48.2	23.9	17.4	16.5
2012	556	261	37.1	19.3	17.1	15.8
2013	557	284	34.5	20.5	18.1	15.8
2014	563	235	25.0	21.1	17.1	15.6
2015	595	215	28.1	18.8	16.1	14.6
2016	609	234	28.6	19.2	16.7	15.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	427	70	391	64
February	481	79	461	76
March	558	92	536	88
April	653	107	623	102
May	751	123	748	123
June	773	127	763	125
July	793	130	818	134
August	744	122	736	121
September	755	124	769	126
October	625	103	597	98
November	543	89	513	84
December	399	66	357	59

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 286.65; OLD OREGON TRAIL NO. 6; 0.45 mile south of Union-Baker County Line	Site Name:	Baker Valley (01-011)
		Installed:	January, 1973

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9526	154	15.6	12.7	11.8	11.3
2008	8750	158	16.4	13.4	11.8	11.4
2009	8881	161	16.8	13.6	12.6	12.2
2010	9070	166	14.4	13.5	12.7	12.3
2011	8714	148	15.6	12.9	12.2	11.9
2012	8939	151	16.5	13.0	12.4	11.9
2013	9099	169	16.9	14.0	12.7	12.3
2014	9223	164	16.8	14.7	12.6	11.8
2015	10144	***	***	***	***	***
2016	10310	181	16.3	13.4	12.6	12.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7330	71	7176	70
February	7847	76	7703	75
March	8919	87	9273	90
April	10505	102	10807	105
May	10847	105	10975	106
June	12109	117	12432	121
July	12029	117	12588	122
August	12800	124	13000	126
September	11711	114	11957	116
October	10454	101	10739	104
November	9612	93	9912	96
December	7596	74	7161	69

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR7; MP 48.40; WHITNEY HIGHWAY NO. 71; 0.20 mile south of Griffin Gulch Lane	Site Name:	Whitney (01-012)
		Installed:	December, 1981

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1409	361	33.5	27.5	24.6	22.6
2008	1327	***	***	***	***	***
2009	1359	367	37.5	26.5	23.8	21.6
2010	1413	300	29.3	24.6	22.6	21.0
2011	1346	275	28.5	23.7	22.4	20.9
2012	1308	310	29.3	26.2	22.9	21.6
2013	1302	343	33.4	25.7	22.1	20.4
2014	1298	333	33.0	26.6	21.9	19.9
2015	1373	293	29.1	25.1	23.2	19.7
2016	1457	321	34.1	24.8	21.3	19.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	973	67	913	63
February	1078	74	1050	72
March	1105	76	1081	74
April	1416	97	1425	98
May	1754	120	1929	132
June	1794	123	1852	127
July	1839	126	1978	136
August	1772	122	1803	124
September	1724	118	1872	128
October	1407	97	1427	98
November	1203	83	1202	82
December	1000	69	950	65

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 309.02; OLD OREGON TRAIL NO. 6; 4.27 miles north of Encina Interchange	Site Name:	South Baker (01-013)
		Installed:	May, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	8304	179	15.5	12.9	12.3	12.0
2012	8328	***	***	***	***	***
2013	8498	172	16.3	14.5	12.8	12.3
2014	8755	170	17.3	14.6	12.7	12.3
2015	9387	153	16.3	13.1	12.4	11.9
2016	9855	174	16.1	13.3	12.8	12.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6609	67	6522	66
February	7301	74	7373	75
March	8948	91	9345	95
April	9494	96	9882	100
May	10404	106	10623	108
June	11685	119	12073	123
July	12177	124	12598	128
August	11903	121	12377	126
September	10879	110	11192	114
October	9690	98	10011	102
November	9016	91	9319	95
December	7363	75	6941	70

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 336.29; OLD OREGON TRAIL NO. 6; 0.53 mile south of Weatherby Interchange	Site Name:	Weatherby (01-014)
		Installed:	July, 2011

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	8336	157	16.8	12.7	11.9	11.6
2013	8479	172	15.9	14.2	12.5	12.0
2014	8790	169	16.0	14.0	12.5	12.0
2015	9400	***	***	***	***	***
2016	9898	173	15.3	12.8	12.4	12.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6786	69	6709	68
February	7437	75	7514	76
March	8997	91	9434	95
April	9371	95	9794	99
May	10370	105	10608	107
June	11673	118	12061	122
July	12143	123	12572	127
August	11958	121	12398	125
September	10944	111	11243	114
October	9798	99	10101	102
November	9081	92	9383	95
December	7391	75	6953	70

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR34; MP 53.89; ALSEA HIGHWAY NO. 27; 4.67 miles southwest of Corvallis-Newport Highway No. 33 (US20/OR34)	Site Name:	Alsea (02-003)
		Installed:	July, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2090	157	18.5	12.5	11.9	11.7
2008	1932	156	14.7	12.5	12.2	12.0
2009	1981	150	16.8	13.7	13.0	12.4
2010	2075	169	15.8	13.9	13.0	12.7
2011	2007	158	15.2	13.5	13.0	12.4
2012	2029	169	16.7	13.7	12.7	12.4
2013	2027	146	20.4	13.1	12.3	12.0
2014	2079	151	16.4	13.2	12.4	12.0
2015	2123	150	16.8	13.2	12.5	12.3
2016	2217	170	15.8	12.9	12.5	12.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1882	85	1877	85
February	2106	95	2080	94
March	2082	94	2012	91
April	2091	94	2146	97
May	2173	98	2255	102
June	2309	104	2406	109
July	2425	109	2505	113
August	2633	119	2784	126
September	2480	112	2530	114
October	2178	98	2185	99
November	2068	93	2016	91
December	1845	83	1811	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR223; MP 26.43; KINGS VALLEY HIGHWAY NO. 191; 1.41 miles south of Hoskins-Summit Road	Site Name:	Kings Valley (02-005)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1107	309	34.0	25.7	15.7	12.6
2008	1052	313	35.1	24.8	15.6	12.5
2009	1026	285	32.4	22.9	15.3	12.7
2010	1042	287	32.9	26.0	16.2	12.6
2011	1028	239	26.9	19.8	13.9	12.6
2012	1015	236	23.4	19.0	14.4	12.6
2013	1027	259	27.2	19.1	13.8	12.8
2014	1037	223	23.0	18.3	12.9	12.1
2015	1113	232	25.5	20.1	13.7	12.6
2016	1141	250	31.2	21.7	15.2	12.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1023	90	931	82
February	1098	96	1039	91
March	1105	97	1032	90
April	1182	104	1157	101
May	1214	106	1207	106
June	1186	104	1211	106
July	1200	105	1212	106
August	1264	111	1302	114
September	1312	115	1392	122
October	1230	108	1175	103
November	1251	110	1156	101
December	950	83	875	77

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99W; MP 94.90; PACIFIC HIGHWAY WEST NO. 91; 5.47 miles north of Monroe Cemetery Road	Site Name:	Monroe (02-007)
		Installed:	April, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	5118	144	15.5	11.3	11.0	10.7
2008	4763	139	14.9	12.1	11.5	11.0
2009	4962	***	***	***	***	***
2010	5066	137	16.5	11.7	11.2	11.0
2011	5144	138	15.9	11.8	11.2	10.9
2012	5086	145	16.8	11.5	11.4	11.1
2013	4986	142	13.3	11.3	11.0	10.7
2014	5151	141	13.4	11.5	11.2	10.9
2015	5329	143	12.9	11.3	11.0	10.7
2016	5354	139	12.3	11.1	10.8	10.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4897	91	4671	87
February	5193	97	5085	95
March	5288	99	5116	96
April	5529	103	5468	102
May	5767	108	5683	106
June	6005	112	5952	111
July	6041	113	5921	111
August	5980	112	5863	110
September	5593	104	5623	105
October	5398	101	5269	98
November	5347	100	5193	97
December	4585	86	4398	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 46.38; MT. HOOD HIGHWAY NO. 26; 0.30 mile east of Camp Creek Rd (USFS 28)	Site Name:	Rhododendron (03-006)
		Installed:	August, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	8542	198	21.2	18.9	18.1	17.7
2008	8162	233	22.9	20.1	19.1	18.2
2009	8737	197	22.3	19.6	18.4	17.8
2010	8714	207	21.6	19.8	18.9	18.5
2011	8330	214	24.7	20.0	18.6	18.1
2012	8480	227	24.0	21.0	20.2	19.4
2013	8527	213	23.4	21.1	20.3	19.1
2014	8652	216	23.2	21.1	20.3	19.2
2015	8861	242	21.4	20.3	19.4	18.7
2016	10071	208	22.9	19.6	18.8	17.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6618	66	10228	102
February	6892	68	9608	95
March	7202	72	9307	92
April	6360	63	8637	86
May	7887	78	9698	96
June	8621	86	10783	107
July	10810	107	13096	130
August	10199	101	13247	132
September	8084	80	10107	100
October	6259	62	7502	74
November	6081	60	7688	76
December	9406	93	10949	109

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR35; MP 57.79; MT. HOOD HIGHWAY NO. 26; 0.02 mile east of Warm Springs Highway No. 53 (US26)	Site Name:	Mt. Hood Meadows (03-007)
		Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2001	371	59.6	42.9	38.1	35.4
2008	1854	398	56.8	44.2	39.9	36.1
2009	2130	***	***	***	***	***
2010	2145	374	49.2	39.5	34.8	33.2
2011	1976	476	79.2	49.1	45.0	39.1
2012	2023	452	65.4	43.4	40.3	37.7
2013	1868	427	68.1	48.7	42.0	37.1
2014	1908	400	60.0	41.9	37.4	33.6
2015	1931	393	50.4	38.6	34.4	32.6
2016	2455	366	55.9	38.3	33.1	31.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2076	85	3728	152
February	1951	79	3031	123
March	2400	98	2800	114
April	1164	47	2056	84
May	1670	68	1645	67
June	1670	68	2050	84
July	2237	91	2369	96
August	2205	90	2649	108
September	1948	79	2275	93
October	1186	48	1420	58
November	1007	41	1346	55
December	3246	132	3916	160

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR173; MP 5.45; TIMBERLINE HIGHWAY NO. 173; 0.04 mile north of Mt. Hood	Site Name:	Timberline (03-008)
	Highway No. 26 (US26)	Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1520	332	41.0	26.5	25.3	23.9
2008	1497	316	33.4	28.3	27.3	25.0
2009	1619	247	34.3	28.1	25.3	23.9
2010	1707	254	28.1	26.4	24.4	23.7
2011	1565	325	37.9	27.9	25.7	24.9
2012	1593	273	30.7	27.5	25.6	24.4
2013	1704	268	33.7	28.0	25.2	23.9
2014	1670	278	38.2	29.4	27.4	26.5
2015	1734	254	34.7	29.2	26.8	25.3
2016	1938	283	35.9	25.0	23.2	22.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1247	64	1906	98
February	1329	69	1901	98
March	1418	73	1852	96
April	1189	61	1743	90
May	1483	77	1833	95
June	1922	99	2250	116
July	2454	127	2752	142
August	2019	104	2580	133
September	1431	74	1708	88
October	855	44	1110	57
November	1084	56	1694	87
December	1614	83	1928	99

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 57.77; WARM SPRINGS HIGHWAY NO. 53; 0.32 mile south of Mt. Hood	Site Name:	Warm Springs Jct. (03-009)
	Highway No. 26 (OR35)	Installed:	August, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	5099	244	26.5	23.7	22.0	21.1
2008	4715	238	27.5	24.4	23.3	22.3
2009	4925	267	28.9	25.7	23.7	22.3
2010	5068	250	27.2	24.6	23.5	22.3
2011	4944	249	27.2	25.4	24.2	22.6
2012	5008	249	27.4	25.5	23.7	21.6
2013	5205	247	28.1	25.3	24.3	23.1
2014	5440	256	28.4	25.9	23.9	22.9
2015	5625	249	25.7	23.6	22.6	21.4
2016	6151	241	26.4	23.4	22.5	21.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3042	49	3593	58
February	3643	59	4356	71
March	3977	65	4881	79
April	4474	73	5643	92
May	5927	96	7185	117
June	6280	102	7820	127
July	7762	126	9362	152
August	7484	122	9414	153
September	6010	98	7314	119
October	4633	75	5536	90
November	4140	67	4936	80
December	3567	58	3773	61

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 281.20; PACIFIC HIGHWAY NO. 1; 1.38 miles south of Wilsonville-Hubbard Highway No. 51 Interchange (OR551)	Site Name:	Wilsonville (03-011)
		Installed:	August, 1973

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	88174	***	***	***	***	***
2008	83161	134	10.7	9.3	9.2	9.1
2009	85731	127	9.4	9.1	9.0	8.9
2010	86646	128	9.8	9.1	9.0	8.9
2011	85451	128	9.4	9.0	8.9	8.8
2012	84342	130	10.3	9.1	9.0	8.9
2013	86419	132	9.7	9.0	8.9	8.8
2014	87206	127	9.3	8.9	8.7	8.6
2015	92319	126	9.0	8.6	8.5	8.3
2016	95295	123	8.7	8.4	8.2	8.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	82626	87	81240	85
February	88446	93	88995	93
March	92769	97	93585	98
April	93545	98	95614	100
May	95940	101	97014	102
June	102400	107	102857	108
July	104485	110	105220	110
August	105015	110	105036	110
September	97875	103	100680	106
October	92412	97	93729	98
November	93543	98	94384	99
December	87774	92	85187	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR213; MP 22.15; CASCADE HIGHWAY SOUTH NO. 160; 2.05 miles northeast of Clackamas-Marion County Line	Site Name:	Marquam (03-013)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	3934	152	12.9	12.2	11.8	11.4
2008	3678	148	14.1	12.2	11.6	11.4
2009	3910	158	29.3	12.3	11.6	11.3
2010	3985	141	17.0	11.7	11.3	11.1
2011	4008	139	14.2	11.7	11.3	11.1
2012	3742	160	14.9	12.3	12.0	11.8
2013	4012	148	25.5	11.8	11.2	10.9
2014	4234	153	25.4	12.4	11.9	11.5
2015	4581	155	15.0	12.4	11.5	11.2
2016	4927	148	14.9	12.2	11.7	11.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4125	84	3913	79
February	4512	92	4381	89
March	4678	95	4541	92
April	4922	100	4897	99
May	5147	104	5139	104
June	5326	108	5431	110
July	5410	110	5559	113
August	5607	114	5720	116
September	5433	110	5506	112
October	4974	101	4775	97
November	5094	103	4861	99
December	4500	91	4400	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR211; MP 24.23; WOODBURN-ESTACADA HIGHWAY NO. 161; 3.05 miles northeast of Wall Street	Site Name:	Colton (03-014)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2498	135	13.1	11.9	11.4	11.1
2008	2313	134	13.3	12.1	11.5	11.4
2009	2322	133	13.0	11.8	11.4	11.2
2010	2318	135	13.1	12.0	11.6	11.3
2011	2268	137	13.4	12.1	11.9	11.6
2012	2276	140	13.8	12.3	11.8	11.5
2013	2278	134	13.3	11.7	11.4	11.2
2014	2408	135	13.2	12.0	11.7	11.5
2015	2681	135	13.2	12.2	11.8	11.5
2016	2867	139	14.4	12.5	12.0	11.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2479	86	2383	83
February	2761	96	2665	93
March	2759	96	2680	93
April	3007	105	2974	104
May	3096	108	3021	105
June	3088	108	3154	110
July	3140	110	3219	112
August	3136	109	3240	113
September	3077	107	3064	107
October	2978	104	2832	99
November	3037	106	2837	99
December	2422	84	2337	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-205; MP 1.99; EAST PORTLAND FREEWAY NO. 64; 1.99 miles east of Pacific Hwy No. 1 (I-5)	Site Name:	Stafford (03-016)
		Installed:	January, 1971

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	82746	***	***	***	***	***
2008	78070	121	11.0	8.5	8.4	8.4
2009	79618	118	8.7	8.4	8.3	8.3
2010	78932	118	8.7	8.4	8.4	8.3
2011	79712	***	***	***	***	***
2012	80698	122	8.7	8.5	8.5	8.4
2013	80622	125	8.9	8.7	8.6	8.6
2014	81184	124	8.7	8.5	8.4	8.4
2015	88110	117	8.0	7.9	7.8	7.8
2016	88774	115	8.0	7.8	7.7	7.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	85900	97	80300	90
February	91204	103	87221	98
March	91998	104	88208	99
April	94934	107	91346	103
May	95576	108	91850	103
June	98311	111	95403	107
July	96188	108	92896	105
August	97882	110	94059	106
September	93002	105	90450	102
October	91053	103	87533	99
November	89438	101	85592	96
December	83900	95	80426	91

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR212/OR224 MP 6.80; CLACKAMAS HIGHWAY NO. 171; 0.14 mile west of S.E. 130th Avenue	Site Name:	Clackamas (03-017)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	33513	***	***	***	***	***
2008	32178	122	9.2	8.9	8.8	8.8
2009	32094	124	9.1	8.7	8.6	8.6
2010	32404	122	8.9	8.7	8.6	8.6
2011	32240	122	9.0	8.8	8.7	8.6
2012	32857	122	9.8	9.0	8.8	8.7
2013	33849	122	9.2	8.8	8.7	8.7
2014	33657	119	9.1	8.8	8.7	8.6
2015	34157	118	8.7	8.5	8.4	8.4
2016	34798	124	9.1	8.7	8.7	8.6



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	33571	96	31572	91
February	35385	102	33657	97
March	35282	101	33640	97
April	34651	100	33144	95
May	35128	101	33660	97
June	35281	101	34042	98
July	37658	108	36399	105
August	38043	109	36183	104
September	38421	110	36945	106
October	39621	114	37262	107
November	38783	111	36079	104
December	37113	107	34990	101


Seasonality affected by the opening of the Sunrise Corridor midyear

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR224; MP 3.60; CLACKAMAS HIGHWAY NO. 171; 0.13 mile west of Johnson Road	Site Name:	Milwaukie (03-018)
		Installed:	July, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	35285	125	10.3	10.0	10.0	9.9
2009	35434	123	13.7	10.0	9.8	9.7
2010	35149	121	9.8	9.4	9.3	9.3
2011	35163	120	9.5	9.4	9.2	9.2
2012	35368	123	9.4	9.2	9.1	9.1
2013	34995	123	9.7	9.4	9.4	9.3
2014	35212	121	9.5	9.4	9.3	9.3
2015	35645	121	9.5	9.3	9.3	9.2
2016	35480	125	9.8	9.5	9.4	9.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	37823	107	32865	93
February	39425	111	35185	99
March	39308	111	35038	99
April	40494	114	36375	103
May	38982	110	35306	100
June	40280	114	36302	102
July	39329	111	35438	100
August	41155	116	36753	104
September	40493	114	36514	103
October	41573	117	36927	104
November	40428	114	35650	100
December	37593	106	33403	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR213; MP 8.90; CASCADE HIGHWAY SOUTH NO. 160; 0.94 mile south of S. Spangler Road	Site Name:	Mulino (03-020)
		Installed:	April, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	13007	119	10.1	9.6	9.6	9.5
2011	12962	124	10.2	9.7	9.6	9.5
2012	12721	122	10.1	9.8	9.6	9.5
2013	13132	122	9.9	9.6	9.5	9.5
2014	13552	126	10.0	9.7	9.5	9.4
2015	14402	122	9.9	9.4	9.2	9.2
2016	15132	125	9.9	9.4	9.3	9.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14541	96	13352	88
February	15434	102	14465	96
March	15545	103	14681	97
April	16232	107	15579	103
May	16360	108	15657	103
June	16632	110	16048	106
July	16662	110	16229	107
August	16835	111	16304	108
September	16299	108	15655	103
October	16184	107	15183	100
November	16094	106	14918	99
December	14259	94	13516	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 15.90; OREGON COAST HIGHWAY NO. 9; 2.09 miles north of Dellmoor Loop Road	Site Name:	Gearhart (04-001)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	14019	145	12.5	12.1	11.9	11.7
2008	13486	153	14.3	12.2	11.8	11.7
2009	13797	146	12.8	12.4	12.1	12.0
2010	13635	149	12.7	12.4	12.1	12.0
2011	13182	149	14.2	12.5	12.4	12.2
2012	13158	157	13.6	12.9	12.5	12.4
2013	13409	150	13.5	12.7	12.4	12.2
2014	13825	150	13.1	12.7	12.5	12.2
2015	14702	142	12.2	11.7	11.5	11.4
2016	15243	144	12.0	11.7	11.6	11.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12294	81	12019	79
February	13498	89	13654	90
March	14098	92	13945	91
April	15260	100	15665	103
May	15388	101	15788	104
June	17061	112	17334	114
July	18573	122	18689	123
August	19210	126	19391	127
September	16856	111	17079	112
October	14311	94	13729	90
November	13445	88	13286	87
December	13014	85	12337	81

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 3.79; OREGON COAST HIGHWAY NO. 9; 0.01 mile north of Lower Columbia River Highway No. 92 (US30)	Site Name:	Astoria Bridge (04-004)
		Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	7127	165	16.3	15.0	14.6	14.1
2008	6761	175	17.3	15.8	15.0	14.3
2009	7207	191	17.2	15.9	15.0	14.6
2010	***	***	***	***	***	***
2011	6912	174	18.9	16.0	15.5	15.0
2012	6878	168	16.8	15.2	14.7	14.5
2013	7171	180	16.7	15.4	14.4	14.1
2014	7488	169	17.3	14.9	14.5	14.0
2015	8158	178	24.0	15.3	14.5	13.9
2016	8506	164	22.9	15.4	14.5	13.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6534	77	6595	78
February	7400	87	7400	87
March	7664	90	7791	92
April	8202	96	8839	104
May	8300	98	9000	106
June	9100	107	9600	113
July	10700	126	10800	127
August	10578	124	11261	132
September	8900	105	10000	118
October	7490	88	7262	85
November	6934	82	7026	83
December	6900	81	6500	76

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US30; MP 53.33; LOWER COLUMBIA RIVER HIGHWAY NO. 92; 1.03 miles west of Rainier Road	Site Name:	Rainier (05-006)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	10986	151	12.9	12.2	11.6	11.3
2008	10143	148	12.6	12.1	11.7	11.6
2009	10282	156	14.3	12.7	12.4	12.0
2010	10195	149	13.8	12.4	12.2	11.9
2011	9997	150	13.5	12.4	12.1	11.9
2012	9905	157	13.4	12.6	12.1	11.8
2013	10029	149	12.8	12.3	11.9	11.7
2014	10372	152	13.3	12.6	12.3	11.9
2015	10792	161	13.4	12.2	11.6	11.4
2016	11025	147	12.1	11.4	11.2	11.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9206	84	9162	83
February	9968	90	10197	92
March	10125	92	10207	93
April	11225	102	11606	105
May	11286	102	11628	105
June	11553	105	12076	110
July	12424	113	12724	115
August	12900	117	13500	122
September	11720	106	12140	110
October	10423	95	10198	92
November	10048	91	9935	90
December	9528	86	8927	81

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 221.67; OREGON COAST HIGHWAY NO. 9; 1.09 miles south of Douglas-Coos County Line	Site Name:	Lakeside (06-001)
		Installed:	January, 1992

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	7979	170	13.8	13.2	12.7	12.4
2008	7322	155	15.4	12.9	12.6	12.3
2009	7601	161	16.0	13.6	13.5	12.9
2010	7586	156	14.2	13.3	12.9	12.7
2011	7319	163	14.0	13.1	12.7	12.5
2012	7181	169	14.7	13.7	13.3	12.9
2013	7181	163	14.5	13.5	13.3	12.7
2014	7367	168	14.7	14.1	13.5	13.1
2015	7963	164	14.4	13.6	12.9	12.8
2016	8192	158	13.8	13.2	12.8	12.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6339	77	6331	77
February	6921	84	6954	85
March	7366	90	7364	90
April	7506	92	7722	94
May	8188	100	8482	104
June	9088	111	9456	115
July	10581	129	10744	131
August	10344	126	10760	131
September	9265	113	9525	116
October	7404	90	7302	89
November	7001	85	6985	85
December	6926	85	6679	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 275.87; OREGON COAST HIGHWAY NO. 9; 1.02 miles south of 18th S.W. Street	Site Name:	Bandon (06-004)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6338	143	12.8	12.4	12.1	11.9
2008	6090	145	13.2	12.3	11.7	11.6
2009	6233	***	***	***	***	***
2010	6303	143	13.3	12.5	12.4	12.3
2011	6051	142	13.3	12.6	12.2	12.1
2012	5971	143	13.2	12.6	12.3	12.2
2013	6078	147	13.5	12.7	12.5	12.2
2014	6180	171	15.2	13.4	12.9	12.6
2015	6494	185	16.6	15.1	13.6	12.9
2016	6653	180	17.2	14.7	13.1	12.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5623	85	5226	79
February	6084	91	5724	86
March	6358	96	5940	89
April	6621	100	6328	95
May	6924	104	6676	100
June	7817	117	7527	113
July	8808	132	8622	130
August	8500	128	8500	128
September	7600	114	7500	113
October	6795	102	6336	95
November	6199	93	5796	87
December	6091	92	5661	85

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 244.02; OREGON COAST HIGHWAY NO. 9; Coos Bay Automatic Traffic Recorder; 0.01 mile South of Southport Lane	Site Name:	Coos Bay (06-009)
		Installed:	September, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	14754	138	11.1	10.7	10.5	10.5
2008	13702	136	11.2	10.7	10.4	10.3
2009	13666	***	***	***	***	***
2010	13632	137	11.7	10.8	10.6	10.5
2011	13487	135	11.2	10.6	10.3	10.2
2012	13044	140	11.2	10.7	10.5	10.4
2013	13044	139	11.4	10.9	10.6	10.5
2014	13358	138	11.7	10.9	10.7	10.5
2015	14059	133	11.3	10.6	10.4	10.4
2016	14496	141	11.8	11.1	10.7	10.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13742	95	12427	86
February	14606	101	13523	93
March	14845	102	13644	94
April	15104	104	14131	97
May	15390	106	14522	100
June	16524	114	15601	108
July	17702	122	16665	115
August	17822	123	16755	116
September	16843	116	15913	110
October	15326	106	14004	97
November	14770	102	13443	93
December	14506	100	13325	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 22.85; OCHOCO HIGHWAY NO. 41; 2.03 miles west of Ochoco Dam	Site Name:	Ochoco (07-001)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2809	180	16.2	14.0	13.5	13.2
2008	2616	178	17.5	14.4	13.9	13.5
2009	2714	192	19.1	15.4	14.5	13.7
2010	2612	170	18.3	14.8	13.9	13.6
2011	2492	183	16.6	15.0	14.6	14.1
2012	2381	177	18.4	14.9	14.3	14.0
2013	2405	180	19.0	15.5	14.6	14.2
2014	2495	187	18.1	16.2	14.8	14.2
2015	2675	179	20.6	15.1	14.4	13.5
2016	2783	194	22.3	16.6	15.6	14.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1875	67	1819	65
February	2067	74	2083	75
March	2253	81	2292	82
April	2596	93	2761	99
May	3053	110	3283	118
June	3262	117	3502	126
July	3379	121	3625	130
August	3270	117	3478	125
September	3268	117	3531	127
October	2803	101	2881	104
November	2373	85	2446	88
December	1722	62	1698	61

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR126; MP 3.23; OCHOCO HIGHWAY NO. 41; .35 mile west of Deschutes-Crook County Line	Site Name:	Powell Butte (07-002)
		Installed:	July, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	7215	134	11.2	10.8	10.6	10.5
2009	6972	137	11.3	10.6	10.4	10.3
2010	7099	138	11.7	10.9	10.7	10.6
2011	7020	137	16.4	10.8	10.6	10.4
2012	6962	133	11.9	11.0	10.8	10.6
2013	7453	131	11.1	10.7	10.5	10.3
2014	7720	135	11.4	10.8	10.6	10.5
2015	8534	129	11.0	10.4	10.3	10.2
2016	9466	133	11.9	11.3	11.0	10.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8780	93	7909	84
February	9292	98	8628	91
March	9653	102	9094	96
April	10427	110	9712	103
May	10551	111	9899	105
June	11340	120	10681	113
July	11016	116	10362	109
August	11247	119	10504	111
September	10841	115	10256	108
October	10449	110	9622	102
November	9873	104	9143	97
December	8490	90	7781	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 362.00; OREGON COAST HIGHWAY NO. 9; 1.11 miles north of Oregon-California State Line	Site Name:	Winchuck (08-005)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9151	140	12.9	11.6	11.3	11.0
2008	8623	146	12.3	11.6	11.2	10.8
2009	8707	145	13.5	12.0	11.5	11.2
2010	8615	146	13.2	12.0	11.6	11.3
2011	8315	143	12.9	11.6	11.3	11.2
2012	8404	139	12.1	11.7	11.4	11.3
2013	8682	142	12.6	12.0	11.5	11.4
2014	8741	146	12.8	11.8	11.5	11.3
2015	9305	149	13.5	12.2	11.8	11.6
2016	9510	145	13.0	12.2	11.9	11.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7938	83	7665	81
February	8557	90	8550	90
March	8841	93	8532	90
April	9082	95	9092	96
May	9671	102	9694	102
June	10857	114	10729	113
July	11803	124	11771	124
August	11775	124	11723	123
September	10649	112	10578	111
October	9013	95	8691	91
November	8754	92	8521	90
December	8859	93	8575	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 301.45; OREGON COAST HIGHWAY NO. 9; 0.11 mile southeast of Jefferson Street (Battle Rock Wayside)	Site Name:	Port Orford (08-009)
		Installed:	July, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2720	174	16.0	15.4	15.1	14.9
2008	2539	173	17.1	15.2	14.6	14.3
2009	2656	171	17.4	15.9	15.5	15.2
2010	2680	167	17.5	15.2	15.0	14.8
2011	2555	164	15.5	15.0	14.6	14.3
2012	2516	179	17.4	15.9	15.5	15.3
2013	2537	173	17.7	16.0	15.4	15.1
2014	2637	206	19.3	17.3	16.0	15.7
2015	2815	215	20.9	17.5	16.5	15.6
2016	2924	204	19.0	17.1	15.5	15.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2074	71	1988	68
February	2318	79	2213	76
March	2566	88	2428	83
April	2671	91	2596	89
May	2962	101	2914	100
June	3701	127	3614	124
July	4435	152	4395	150
August	4233	145	4157	142
September	3693	126	3637	124
October	2707	93	2543	87
November	2463	84	2334	80
December	2473	85	2273	78

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 142.41; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.17 mile south of China Hat Road	Site Name:	Lava Butte (09-003)
		Installed:	January, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	22460	***	***	***	***	***
2008	20472	145	12.0	11.5	11.1	10.9
2009	20395	145	12.3	11.5	11.2	11.0
2010	20347	147	12.4	11.8	11.4	11.2
2011	19800	153	12.5	11.8	11.4	11.3
2012	19816	154	13.1	12.0	11.7	11.5
2013	20735	151	13.0	11.8	11.7	11.5
2014	20708	153	12.4	11.8	11.4	11.3
2015	24300	154	12.8	11.9	11.7	11.6
2016	25097	148	12.3	11.5	11.0	10.9



2015 - Construction Nearby altered volume

2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19640	78	18927	75
February	22704	90	22204	88
March	24342	97	23641	94
April	26057	104	25423	101
May	27787	111	27522	110
June	30997	124	30529	122
July	32497	129	31931	127
August	29232	116	29210	116
September	26000	104	27000	108
October	25000	100	24000	96
November	21500	86	21000	84
December	20906	83	19782	79

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 6.28; CENTRAL OREGON HIGHWAY NO. 7; 1.49 miles east of Powell Butte Road	Site Name:	Pilot Butte (09-005)
		Installed:	October, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2677	167	13.6	12.7	12.0	11.9
2008	2457	158	15.9	14.7	14.0	13.2
2009	2486	***	***	***	***	***
2010	2524	159	14.7	12.9	12.4	12.1
2011	2358	157	15.2	13.4	12.6	12.1
2012	2389	161	15.8	13.1	12.4	12.1
2013	2460	157	14.3	13.0	12.5	12.0
2014	2524	162	14.0	12.8	12.3	12.1
2015	2703	156	14.6	12.6	12.2	12.0
2016	2961	164	17.5	13.1	12.7	12.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2127	72	2117	71
February	2371	80	2426	82
March	2653	90	2758	93
April	2911	98	3073	104
May	3123	105	3203	108
June	3497	118	3562	120
July	3666	124	3757	127
August	3424	116	3497	118
September	3333	113	3424	116
October	2954	100	3030	102
November	2614	88	2733	92
December	2040	69	1955	66

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 135.95; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.49 mile south of Empire Avenue	Site Name:	Bend-Empire (09-007)
		Installed:	June, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	46647	129	10.9	10.4	10.2	10.2
2008	43354	130	10.8	10.5	10.4	10.3
2009	42205	***	***	***	***	***
2010	41291	***	***	***	***	***
2011	41870	***	***	***	***	***
2012	42691	128	10.9	10.4	10.2	10.2
2013	44744	130	11.1	10.4	10.3	10.2
2014	46107	131	10.8	10.4	10.3	10.2
2015	48885	128	10.5	10.1	10.0	9.9
2016	52144	127	10.1	10.0	9.9	9.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	48768	94	44789	86
February	50903	98	47947	92
March	52766	101	49336	95
April	56312	108	52898	101
May	56710	109	53575	103
June	60610	116	57140	110
July	60571	116	57472	110
August	61176	117	57783	111
September	58559	112	55125	106
October	57214	110	53339	102
November	54207	104	50817	97
December	48982	94	45505	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 137.36; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.23 mile south of Revere Avenue Interchange	Site Name:	Bend-Revere (09-009)
		Installed:	June, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	42825	131	11.0	10.5	10.4	10.3
2008	39229	128	10.8	10.5	10.4	10.3
2009	38140	***	***	***	***	***
2010	38467	133	10.7	10.4	10.3	10.2
2011	38506	130	10.9	10.4	10.3	10.2
2012	39052	129	10.8	10.4	10.3	10.2
2013	41556	132	10.9	10.5	10.3	10.2
2014	43191	135	11.1	10.7	10.5	10.4
2015	46158	131	10.8	10.5	10.3	10.3
2016	49523	131	10.7	10.4	10.3	10.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	45639	92	41872	85
February	47796	97	44875	91
March	49010	99	45707	92
April	52266	106	48847	99
May	53181	107	50079	101
June	58077	117	54509	110
July	58894	119	55642	112
August	59672	120	56212	114
September	56539	114	53030	107
October	55098	111	51046	103
November	51978	105	48381	98
December	47575	96	44077	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20/OR126 MP 93.12; SANTIAM HIGHWAY NO. 16; 0.31 mile south of Black Butte Ranch Road	Site Name:	Sisters (09-014)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	8168	207	20.9	19.1	18.0	17.4
2008	7305	208	22.0	20.2	19.4	18.3
2009	7621	***	***	***	***	***
2010	7670	210	22.2	19.8	19.2	18.5
2011	7489	211	22.2	20.1	19.4	18.8
2012	7490	***	***	***	***	***
2013	7856	211	21.9	20.0	19.1	18.4
2014	8024	213	22.2	20.3	19.7	18.9
2015	8827	222	21.8	19.7	18.9	18.2
2016	9124	201	20.8	19.2	18.4	17.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4600	50	5613	62
February	5385	59	6506	71
March	6208	68	7566	83
April	6841	75	8392	92
May	8568	94	10323	113
June	10051	110	11800	129
July	11856	130	13496	148
August	11060	121	12901	141
September	9548	105	11361	125
October	7171	79	8503	93
November	6160	68	7409	81
December	5325	58	5619	62

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 9.25; MCKENZIE-BEND HIGHWAY NO. 17; 0.47 mile northwest of Innes Market Road	Site Name:	Three Sisters Viewpoint (09-015)
		Installed:	January, 2003

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9667	154	13.3	12.6	12.4	12.1
2008	8813	156	13.6	12.9	12.7	12.6
2009	8888	157	14.0	13.1	12.7	12.6
2010	8851	159	14.4	13.7	13.2	13.0
2011	8663	160	15.2	13.7	13.2	13.0
2012	8678	162	14.8	13.8	13.5	13.3
2013	9051	156	14.3	13.6	13.0	12.8
2014	9408	160	15.8	13.8	13.5	13.2
2015	10224	171	14.3	13.6	13.0	12.8
2016	10755	157	13.9	13.1	12.8	12.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7801	73	7851	73
February	8530	79	8867	82
March	9124	85	9521	89
April	10050	93	10451	97
May	11120	103	11668	108
June	12333	115	12879	120
July	13264	123	13772	128
August	12898	120	13407	125
September	11954	111	12555	117
October	10403	97	10673	99
November	9361	87	9632	90
December	8092	75	7789	72

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 124.39; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.79 mile south of Yew Avenue	Site Name:	Redmond (09-020)
		Installed:	February, 1994

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	31492	138	10.8	10.5	10.0	10.0
2008	28041	145	11.7	10.6	10.3	10.1
2009	27242	152	11.8	10.4	10.1	10.0
2010	27361	146	12.1	10.7	10.3	10.2
2011	26517	148	12.2	10.9	10.3	10.0
2012	26314	140	12.3	10.4	10.3	10.3
2013	27490	145	12.3	10.7	10.3	10.2
2014	28187	146	11.9	10.9	10.6	10.4
2015	30800	140	11.0	10.4	10.3	10.2
2016	33693	141	10.9	10.2	10.0	10.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	31509	94	28314	84
February	33365	99	30855	92
March	34842	103	32388	96
April	36934	110	34326	102
May	36636	109	34248	102
June	39348	117	36821	109
July	39162	116	36921	110
August	40240	119	38040	113
September	37977	113	35520	105
October	37679	112	34817	103
November	35709	106	32903	98
December	31873	95	29158	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR126; MP 108.27; MCKENZIE HIGHWAY NO. 15; 1.38 miles west of S.W. Helmholtz Way (S.W. 43rd Street)	Site Name:	Cline Falls (09-021)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9354	144	12.2	11.4	11.1	10.9
2008	8248	***	***	***	***	***
2009	7934	***	***	***	***	***
2010	8230	168	16.0	12.1	11.6	11.3
2011	8111	146	12.8	11.7	11.4	11.2
2012	8124	146	12.4	11.5	11.3	11.2
2013	8432	146	12.4	11.5	11.2	11.1
2014	8773	143	12.3	11.3	11.0	10.9
2015	9535	143	11.8	11.0	10.9	10.7
2016	10038	140	12.0	11.3	11.0	10.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7918	79	7716	77
February	8632	86	8553	85
March	9208	92	9297	93
April	10147	101	10229	102
May	10533	105	10673	106
June	11745	117	11850	118
July	12031	120	12172	121
August	11486	114	11801	118
September	11064	110	11257	112
October	10118	101	9983	99
November	9364	93	9243	92
December	7861	78	7677	76

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 120.92; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.04 mile north of S.W. Antler Avenue	Site Name:	Redmond-Hemlock (09-022)
		Installed:	July, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	17032	***	***	***	***	***
2010	18493	138	11.1	10.6	10.3	10.1
2011	18201	142	11.5	10.6	10.3	10.2
2012	18538	140	11.9	10.6	10.4	10.2
2013	20262	138	11.2	10.5	10.3	10.1
2014	20807	141	11.2	10.6	10.4	10.3
2015	22111	134	10.6	10.2	10.0	9.8
2016	23609	135	10.4	10.0	9.8	9.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20552	87	19114	81
February	22372	95	21373	91
March	23409	99	22459	95
April	24950	106	24187	102
May	25923	110	25091	106
June	27020	114	26224	111
July	27134	115	26595	113
August	27425	116	26871	114
September	25906	110	25195	107
October	25068	106	24209	103
November	23675	100	22581	96
December	20748	88	19410	82

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 119.09; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.57 mile south of O'Neil Highway No. 370	Site Name:	North Redmond (09-023)
		Installed:	August, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	18311	145	12.7	10.7	10.4	10.3
2010	18408	138	11.4	11.0	10.6	10.4
2011	17996	145	11.7	10.9	10.6	10.4
2012	18186	140	12.1	10.8	10.6	10.5
2013	18968	139	11.2	10.7	10.5	10.3
2014	19725	142	11.3	10.9	10.6	10.5
2015	21090	135	11.0	10.4	10.3	10.1
2016	22411	140	11.0	10.5	10.4	10.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17617	79	16853	75
February	19799	88	19398	87
March	21589	96	21224	95
April	23182	103	23070	103
May	24507	109	24295	108
June	25403	113	25211	112
July	25822	115	25903	116
August	25886	116	26019	116
September	24366	109	24279	108
October	23275	104	23059	103
November	22013	98	21390	95
December	19313	86	18233	81

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 63.45; CENTRAL OREGON HIGHWAY NO. 7; 5.80 miles northwest of Deschutes-Lake County Line	Site Name:	Hampton (09-024)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	1090	215	28.2	19.3	18.1	16.8
2009	1184	198	20.6	18.0	17.0	16.3
2010	1200	200	21.0	18.2	17.2	16.7
2011	1183	185	20.1	16.7	16.1	15.5
2012	1234	180	22.3	18.1	16.9	16.4
2013	1268	197	21.5	18.7	17.2	16.6
2014	1359	188	20.5	18.0	16.7	16.3
2015	1511	201	20.3	17.3	16.7	16.1
2016	1638	220	28.2	18.0	17.0	16.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	924	56	958	58
February	1028	63	1046	64
March	1285	78	1395	85
April	1439	88	1521	93
May	1719	105	1786	109
June	2035	124	2154	132
July	2136	130	2310	141
August	2035	124	2142	131
September	2000	122	2111	129
October	1675	102	1731	106
November	1362	83	1487	91
December	1075	66	1014	62

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 140.45; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.07 mile north of Pinebrook Boulevard	Site Name:	Bend-Pinebrook (09-025)
		Installed:	January, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	17458	143	11.7	11.2	10.8	10.7
2011	16828	***	***	***	***	***
2012	17765	***	***	***	***	***
2013	17989	140	11.4	10.7	10.6	10.5
2014	18319	139	10.3	9.8	9.8	9.6
2015	19059	***	***	***	***	***
2016	19966	147	21.6	9.9	9.3	9.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16300	82	15700	79
February	17381	87	16852	84
March	18725	94	18054	90
April	19900	100	19400	97
May	19869	100	19569	98
June	24900	125	24500	123
July	25600	128	25300	127
August	25200	126	24900	125
September	21500	108	21000	105
October	20417	102	19051	95
November	19209	96	18445	92
December	17038	85	16022	80

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR38; MP 23.65; UMPQUA HIGHWAY NO. 45; 7.08 miles east of Scottsburg West Road	Site Name:	Scottsburg (10-003)
		Installed:	December, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	3498	194	20.4	17.8	16.6	15.6
2008	3097	201	22.0	18.6	17.0	16.6
2009	3316	215	26.2	19.7	17.2	16.6
2010	3322	198	23.4	19.1	17.0	16.3
2011	3214	200	22.2	17.6	16.6	15.9
2012	3139	211	22.9	19.2	17.9	17.0
2013	3165	220	24.8	19.7	17.9	16.7
2014	3126	216	22.8	19.7	18.1	17.5
2015	3531	205	22.4	18.8	17.6	16.9
2016	3668	186	20.2	17.8	16.8	16.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2532	69	2736	75
February	2789	76	2998	82
March	2999	82	3251	89
April	3007	82	3381	92
May	3455	94	3859	105
June	3791	103	4205	115
July	4553	124	4993	136
August	4427	121	5094	139
September	3953	108	4341	118
October	2949	80	3152	86
November	2923	80	3167	86
December	2843	78	2835	77

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR138; MP 28.41; NORTH UMPQUA HIGHWAY NO. 138; 0.10 mile west of Susan Creek Road	Site Name:	Glide (10-004)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1000	248	29.8	25.1	23.6	22.2
2008	943	***	***	***	***	***
2009	962	***	***	***	***	***
2010	973	246	27.3	24.4	23.3	22.3
2011	976	253	27.7	24.0	22.4	21.2
2012	936	236	29.2	22.9	21.7	20.8
2013	908	255	32.8	25.4	23.3	22.7
2014	909	254	33.2	25.3	24.0	22.2
2015	964	265	29.7	25.3	23.3	21.7
2016	1069	274	28.0	25.5	24.4	23.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	400	37	500	47
February	460	43	550	51
March	575	54	644	60
April	666	62	836	78
May	940	88	1125	105
June	1340	125	1532	143
July	1692	158	1920	180
August	1524	143	1812	170
September	1372	128	1585	148
October	926	87	1017	95
November	611	57	702	66
December	558	52	610	57

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 130.15; PACIFIC HIGHWAY NO. 1; 0.70 mile north of Winchester Interchange	Site Name:	Roseburg (10-005)
		Installed:	August, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	31957	150	11.7	10.4	10.1	9.9
2008	29113	***	***	***	***	***
2009	29874	136	10.7	10.2	10.0	9.9
2010	30099	***	***	***	***	***
2011	29444	145	11.6	10.3	10.0	9.9
2012	29325	***	***	***	***	***
2013	29783	149	12.4	10.8	10.3	10.1
2014	30622	149	11.9	10.8	10.3	10.2
2015	32404	148	12.0	10.5	10.0	9.8
2016	33668	145	30.6	10.8	10.2	9.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	29189	87	28281	84
February	30644	91	29944	89
March	33186	99	32825	97
April	33225	99	32991	98
May	34549	103	33936	101
June	37867	112	37427	111
July	38532	114	38399	114
August	38165	113	37719	112
September	35436	105	35115	104
October	33064	98	32246	96
November	33948	101	33203	99
December	34036	101	31891	95

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR42; MP 70.20; COOS BAY-ROSEBURG HIGHWAY NO. 35; 1.53 miles west of Brockway Road	Site Name:	Brockway (10-006)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6024	139	11.5	10.4	10.1	10.0
2008	5518	141	11.2	10.6	10.4	10.1
2009	5552	138	12.4	10.8	10.5	10.3
2010	5636	138	11.6	10.8	10.5	10.3
2011	5331	141	11.8	10.8	10.5	10.3
2012	5206	135	11.6	10.6	10.4	10.3
2013	5291	139	11.3	10.7	10.4	10.2
2014	5401	137	12.3	10.6	10.4	10.2
2015	5638	134	11.8	10.6	10.4	10.1
2016	5831	147	12.3	11.1	10.7	10.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5002	86	4597	79
February	5580	96	5376	92
March	5682	97	5477	94
April	5844	100	5752	99
May	6110	105	6031	103
June	6438	110	6412	110
July	6850	117	6763	116
August	6818	117	6753	116
September	6488	111	6499	111
October	5816	100	5682	97
November	5648	97	5457	94
December	5361	92	5170	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5/OR99 MP 145.39; PACIFIC HIGHWAY NO. 1; 5.06 miles north of OR99	Site Name:	Oakland (10-007)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	22668	165	12.6	10.8	10.5	10.4
2008	20708	170	15.2	12.6	11.2	10.7
2009	21488	168	14.9	12.2	11.5	11.1
2010	21893	154	14.4	12.5	11.5	11.1
2011	21273	***	***	***	***	***
2012	20930	165	14.2	12.6	11.4	11.2
2013	21326	165	14.8	12.5	11.5	11.0
2014	21799	165	14.4	12.1	11.3	10.9
2015	23398	162	14.0	12.4	11.3	10.7
2016	24069	161	14.2	12.2	11.1	10.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19466	81	19466	81
February	18073	75	18617	77
March	21988	91	22717	94
April	22748	95	23480	98
May	24067	100	24411	101
June	27251	113	27768	115
July	28166	117	28948	120
August	27406	114	28010	116
September	24897	103	25621	106
October	22646	94	23015	96
November	23521	98	24053	100
December	23789	99	22722	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 98.82; PACIFIC HIGHWAY NO. 1; 0.54 mile north of Canyonville/Days Creek Interchange (Fifth Street)	Site Name:	Canyonville (10-008)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	18476	176	16.4	12.9	11.7	11.2
2009	19354	***	***	***	***	***
2010	19559	159	16.1	13.2	12.1	11.7
2011	19017	164	15.1	12.5	11.7	11.4
2012	18710	166	15.6	13.3	11.8	11.6
2013	19155	166	16.6	13.1	12.2	11.5
2014	19539	168	16.3	13.1	11.9	11.5
2015	20961	164	16.3	12.8	11.9	11.4
2016	21606	161	15.4	12.5	11.7	11.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16949	78	17085	79
February	17890	83	18174	84
March	20213	94	21015	97
April	19842	92	20624	95
May	21259	98	21680	100
June	24231	112	24727	114
July	25231	117	26166	121
August	24611	114	25278	117
September	22303	103	22925	106
October	20005	93	20409	94
November	20591	95	21264	98
December	20884	97	19930	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR206; MP 41.74; WASCO-HEPPNER HIGHWAY NO. 300; 0.86 mile east of John Day Highway No. 5 (OR19)	Site Name:	Condon (11-004)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	167	234	29.3	19.7	17.9	16.7
2008	166	310	86.1	20.5	18.7	17.5
2009	183	201	24.0	18.6	17.5	16.9
2010	180	183	32.8	18.9	17.3	16.1
2011	188	216	66.5	20.2	18.1	16.5
2012	188	192	41.4	19.1	16.5	15.9
2013	190	181	31.1	18.4	16.3	15.8
2014	182	206	42.9	18.1	16.5	15.9
2015	177	194	22.0	18.6	16.9	15.8
2016	193	212	52.3	19.2	17.1	16.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	159	82	145	75
February	158	82	144	75
March	188	97	170	88
April	201	104	194	101
May	212	110	219	113
June	220	114	208	108
July	250	130	235	122
August	245	127	234	121
September	243	126	231	120
October	232	120	218	113
November	187	97	176	91
December	158	82	145	75

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR19; MP 6.81; JOHN DAY HIGHWAY NO. 5; 6.81 miles south of Columbia River	Site Name:	Shutler (11-007)
	Highway No. 2 (I-84/US301)	Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	778	158	14.7	13.0	12.5	12.2
2008	798	176	16.3	14.2	13.4	13.2
2009	770	***	***	***	***	***
2010	956	172	19.8	18.0	16.8	16.3
2011	755	174	20.3	16.8	15.2	14.7
2012	684	159	15.8	14.0	13.6	13.3
2013	659	161	15.8	14.7	14.1	13.7
2014	634	158	18.0	15.3	14.7	14.4
2015	648	153	17.1	15.1	14.7	14.2
2016	688	154	19.8	15.6	15.0	14.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	724	105	582	85
February	783	114	633	92
March	782	114	641	93
April	816	119	672	98
May	861	125	711	103
June	882	128	735	107
July	911	132	759	110
August	878	128	722	105
September	894	130	746	108
October	937	136	770	112
November	863	125	701	102
December	739	107	578	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 147.78; COLUMBIA RIVER HIGHWAY NO. 2; 0.43 mile east of Heppner	Site Name:	Heppner Jct (11-009)
	Highway No. 52 (OR74)	Installed:	January, 2006

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	10518	195	22.3	16.4	15.1	14.6
2008	10334	205	23.0	17.2	15.2	14.2
2009	10521	189	21.1	16.9	16.2	15.4
2010	10774	180	21.3	16.3	15.8	14.8
2011	10751	189	21.0	15.8	15.2	14.5
2012	10566	182	21.8	16.1	15.7	15.0
2013	10726	195	22.7	17.1	16.3	15.4
2014	10995	184	22.5	16.4	15.7	14.9
2015	11926	177	21.8	16.0	15.5	15.0
2016	12563	185	21.6	16.0	15.1	14.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8059	64	8294	66
February	8761	70	9373	75
March	10609	84	11669	93
April	10943	87	12062	96
May	12315	98	13157	105
June	13690	109	14871	118
July	15144	121	16387	130
August	14866	118	16318	130
September	14212	113	15112	120
October	11430	91	12471	99
November	11104	88	12195	97
December	9305	74	8847	70

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 131.40; JOHN DAY HIGHWAY NO. 5; 1.05 miles east of Franks Creek Road in Dayville	Site Name:	Dayville (12-003)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	977	216	21.6	18.5	17.3	16.5
2008	887	214	22.4	17.6	16.1	15.6
2009	946	215	23.9	18.7	17.4	16.8
2010	956	212	20.7	18.3	17.1	16.4
2011	889	208	20.1	17.8	16.6	15.7
2012	869	194	19.7	18.0	17.2	16.2
2013	871	212	30.9	20.4	18.1	17.0
2014	883	211	20.3	18.3	17.2	16.8
2015	930	195	18.2	16.7	16.0	15.9
2016	959	198	23.7	19.7	17.6	16.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	592	62	560	58
February	652	68	666	69
March	733	76	752	78
April	828	86	874	91
May	1018	106	1070	112
June	1141	119	1208	126
July	1197	125	1288	134
August	1186	124	1249	130
September	1290	135	1372	143
October	1012	106	1035	108
November	852	89	877	91
December	595	62	556	58

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 89.80; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.62 mile south of bridge over Long Creek	Site Name:	Long Creek (12-006)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	405	190	23.9	19.5	17.5	16.8
2008	339	214	24.2	18.3	17.1	16.8
2009	365	239	25.8	20.0	17.8	17.3
2010	356	193	24.7	19.9	18.0	17.1
2011	342	198	23.7	18.4	17.6	16.7
2012	346	229	29.2	19.1	17.3	16.5
2013	329	205	48.3	20.4	19.5	18.2
2014	343	***	***	***	***	***
2015	359	241	37.4	19.5	18.1	17.6
2016	366	372	58.8	24.1	20.8	18.6



2014 – Unusual values due to fire were removed

2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	204	56	199	54
February	234	64	235	64
March	272	74	272	74
April	332	91	344	94
May	394	108	408	111
June	446	122	477	130
July	441	120	496	136
August	437	119	457	125
September	500	137	532	145
October	393	107	405	111
November	328	90	351	96
December	221	60	214	58

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 175.79; JOHN DAY HIGHWAY NO. 5; 0.53 mile east of Main Street in Prairie City	Site Name:	Prairie City (12-009)
		Installed:	January, 1981

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	987	194	18.7	16.0	14.9	14.4
2008	853	190	23.0	17.4	15.6	14.9
2009	914	186	19.3	17.3	16.5	15.8
2010	947	189	19.9	17.0	16.1	15.8
2011	861	186	22.1	16.9	15.9	15.7
2012	831	178	18.4	16.7	16.1	15.5
2013	835	191	20.2	17.7	16.6	16.3
2014	856	186	20.9	16.7	16.1	15.5
2015	898	187	19.6	16.6	15.9	15.5
2016	928	288	35.4	18.9	17.2	16.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	538	58	533	57
February	595	64	607	65
March	663	71	684	74
April	762	82	792	85
May	983	106	1026	111
June	1150	124	1200	129
July	1226	132	1287	139
August	1308	141	1352	146
September	1250	135	1327	143
October	985	106	995	107
November	770	83	778	84
December	578	62	553	60

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 66.30; JOHN DAY-BURNS HIGHWAY NO. 48; 1.31 mile north of Central Oregon Highway No. 7 (US20)	Site Name:	Burns (13-001)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	520	182	20.8	17.1	16.3	15.8
2008	488	***	***	***	***	***
2009	500	***	***	***	***	***
2010	507	207	24.7	17.9	16.0	15.6
2011	454	175	18.7	16.1	15.2	14.7
2012	455	168	18.0	16.0	15.6	14.7
2013	453	218	25.8	17.4	16.6	15.7
2014	459	176	19.0	15.9	15.3	14.8
2015	490	177	20.0	16.5	15.3	15.1
2016	511	183	27.6	16.9	15.4	14.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	318	62	307	60
February	376	74	366	72
March	386	76	386	76
April	500	98	480	94
May	570	112	574	112
June	647	127	664	130
July	595	116	633	124
August	608	119	614	120
September	708	139	730	143
October	583	114	582	114
November	476	93	491	96
December	316	62	304	59

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 126.60; CENTRAL OREGON HIGHWAY NO. 7; 0.04 mile northeast of	Site Name:	Hines (13-003)
	Greenhouse Lane, southwest of Hines	Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2378	169	18.5	14.3	13.8	13.4
2008	2109	169	16.7	14.9	14.2	13.7
2009	2190	173	16.2	14.4	14.0	13.5
2010	2185	171	17.1	14.7	14.1	13.8
2011	2088	174	16.0	14.6	14.0	13.7
2012	2069	166	16.6	14.5	14.2	14.1
2013	2108	165	18.2	15.4	14.4	13.9
2014	2183	174	18.2	15.0	14.3	14.0
2015	2382	181	17.5	15.1	14.2	13.9
2016	2528	186	21.0	15.3	14.8	14.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1463	58	1465	58
February	1767	70	1708	68
March	2245	89	2256	89
April	2469	98	2416	96
May	2828	112	2759	109
June	3303	131	3303	131
July	3378	134	3467	137
August	3285	130	3296	130
September	3132	124	3160	125
October	2665	105	2630	104
November	2222	88	2246	89
December	1775	70	1628	64

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR205; MP 0.01; FRENCHGLEN HIGHWAY NO. 440; 0.01 mile south of Steens Highway No. 442 (OR78)	Site Name:	Frenchglen (13-005)
		Installed:	January, 2002

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	435	186	24.2	15.9	14.7	14.0
2008	421	175	17.8	15.4	14.2	13.8
2009	425	***	***	***	***	***
2010	394	***	***	***	***	***
2011	388	179	26.5	15.4	14.7	13.6
2012	391	177	21.7	15.6	14.6	14.1
2013	362	295	82.3	16.9	15.2	14.4
2014	371	159	22.1	15.9	14.8	14.0
2015	401	158	16.7	14.4	14.2	13.7
2016	441	171	24.3	13.8	13.2	12.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	455	103	414	94
February	451	102	412	93
March	424	96	393	89
April	494	112	456	103
May	500	113	460	104
June	510	116	470	107
July	556	126	522	118
August	532	121	503	114
September	556	126	527	120
October	488	111	444	101
November	417	95	374	85
December	356	81	316	72

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR78; MP 1.70; STEENS HIGHWAY NO. 442; 0.03 mile west of Frenchglen Highway No. 440 (OR205)	Site Name:	Steens (13-007)
		Installed:	January, 2002

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1566	143	12.7	11.8	11.4	11.1
2008	1460	147	13.4	12.2	11.6	11.3
2009	1547	140	12.9	11.6	11.3	11.1
2010	1491	154	12.9	11.9	11.5	11.5
2011	1572	***	***	***	***	***
2012	1491	***	***	***	***	***
2013	1396	249	28.4	13.6	12.2	11.6
2014	1400	149	13.3	11.8	11.4	11.3
2015	1499	149	13.5	11.9	11.6	11.4
2016	1595	149	14.9	11.5	11.1	10.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1568	98	1443	90
February	1568	98	1457	91
March	1601	100	1499	94
April	1746	109	1662	104
May	1788	112	1674	105
June	1878	118	1793	112
July	1866	117	1777	111
August	1896	119	1791	112
September	1878	118	1785	112
October	1692	106	1566	98
November	1551	97	1427	89
December	1370	86	1264	79

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR35; MP 82.91; MT. HOOD HIGHWAY NO. 26; 2.12 miles south of Hood River Highway No. 281	Site Name:	Mt. Hood (14-003)
		Installed:	August, 1967

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1229	300	43.9	33.1	25.4	23.7
2008	1237	348	69.3	38.6	32.3	30.3
2009	1274	***	***	***	***	***
2010	1275	305	47.6	30.8	23.5	21.3
2011	1167	319	64.8	30.4	25.5	23.2
2012	1213	346	62.6	33.5	25.4	23.7
2013	1197	278	66.6	30.6	25.6	23.9
2014	1246	267	40.0	26.0	23.4	22.5
2015	1356	365	62.4	35.4	25.2	22.6
2016	1573	279	49.4	29.4	25.6	23.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1000	64	1300	83
February	1082	69	1547	98
March	1101	70	1361	87
April	912	58	1296	82
May	1161	74	1414	90
June	1436	91	1745	111
July	1874	119	2167	138
August	1832	116	2134	136
September	1574	100	1808	115
October	999	64	1157	74
November	806	51	986	63
December	1702	108	1956	124

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 45.53; COLUMBIA RIVER HIGHWAY NO. 2; 0.20 mile east of East Cascade Locks Interchange	Site Name:	Cascade Locks (14-004)
		Installed:	November, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	20835	166	17.5	14.1	13.9	13.4
2012	20748	164	15.6	14.4	14.0	13.7
2013	21041	171	18.8	14.6	14.0	13.5
2014	21574	177	16.7	15.1	14.6	14.1
2015	23252	162	15.0	14.4	13.7	13.5
2016	24242	164	16.3	14.5	14.2	13.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	15921	66	17181	71
February	17752	73	19307	80
March	20236	83	22297	92
April	21257	88	24190	100
May	23223	96	25634	106
June	25816	106	28587	118
July	27923	115	31029	128
August	27157	112	30610	126
September	25242	104	28172	116
October	21470	89	23745	98
November	20875	86	22737	94
December	18187	75	17409	72

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 42.84; PACIFIC HIGHWAY NO. 1; 2.01 miles north of the Kane Creek Interchange	Site Name:	Gold Hill (15-001)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	35156	140	12.5	10.0	9.8	9.8
2008	32377	141	11.4	10.2	9.7	9.6
2009	33174	142	11.5	10.3	9.9	9.7
2010	34064	138	11.2	10.3	10.0	9.8
2011	32819	141	11.1	10.0	9.9	9.8
2012	32106	138	11.9	10.3	10.0	9.9
2013	32717	139	11.4	10.2	10.0	9.8
2014	34048	139	11.4	9.9	9.7	9.6
2015	36575	133	11.4	9.9	9.7	9.6
2016	38634	140	10.6	9.9	9.7	9.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	34393	89	32345	84
February	35949	93	34506	89
March	38479	100	37194	96
April	38907	101	37831	98
May	40301	104	39337	102
June	43904	114	42688	110
July	44516	115	43570	113
August	44307	115	43039	111
September	41601	108	40497	105
October	39697	103	37951	98
November	39268	102	37894	98
December	39587	102	36756	95

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 11.03; PACIFIC HIGHWAY NO. 1; 0.86 mile south of Rogue Valley Highway No. 63 Interchange (OR99)	Site Name:	Neil Creek (15-002)
		Installed:	November, 1964

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	15821	***	***	***	***	***
2008	14785	***	***	***	***	***
2009	15052	176	17.4	13.6	12.7	12.2
2010	14937	171	17.8	14.1	13.1	12.7
2011	14664	177	16.7	13.1	12.6	12.2
2012	14280	172	24.3	14.5	13.1	12.6
2013	14643	179	17.8	13.6	12.7	12.1
2014	14961	179	17.9	14.3	13.3	12.7
2015	16219	178	18.3	13.7	13.0	12.2
2016	17004	170	16.7	13.0	12.2	11.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12456	73	13162	77
February	13338	78	13836	81
March	15464	91	16206	95
April	15000	88	15818	93
May	16607	98	16924	100
June	19371	114	19860	117
July	20275	119	21366	126
August	19280	113	20051	118
September	17275	102	17712	104
October	15622	92	15894	93
November	15922	94	16628	98
December	17212	101	16586	98

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR66; MP 6.61; GREEN SPRINGS HIGHWAY NO. 21; 0.15 mile east of Siskiyou Highway No. 273 (OR273)	Site Name:	Siskiyou Jet (15-007)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1030	167	17.6	14.4	13.9	13.4
2008	974	165	16.2	14.8	14.4	14.1
2009	1037	***	***	***	***	***
2010	1013	186	19.5	16.7	15.4	14.8
2011	985	190	19.1	17.4	16.1	15.5
2012	979	195	19.7	17.1	16.3	15.6
2013	997	181	19.4	16.4	15.6	15.1
2014	1039	182	17.7	15.1	14.1	13.5
2015	1109	161	17.1	13.6	13.2	12.5
2016	1110	170	17.5	15.1	14.4	14.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	782	70	758	68
February	847	76	842	76
March	924	83	907	82
April	1165	105	1223	110
May	1259	113	1310	118
June	1372	123	1470	132
July	1382	124	1432	129
August	1264	114	1329	120
September	1128	102	1194	108
October	1058	95	1090	98
November	948	85	990	89
December	781	70	780	70

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR238; MP 24.94; JACKSONVILLE HIGHWAY NO. 272; 0.68 mile west of Applegate Road at Ruch	Site Name:	Ruch (15-011)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2925	136	12.9	11.5	11.1	10.9
2008	2816	129	14.1	11.0	10.8	10.5
2009	2906	139	13.3	11.9	11.5	11.0
2010	2942	143	19.2	11.9	11.4	11.0
2011	2902	141	15.1	12.4	11.5	11.3
2012	2874	137	14.6	12.9	12.0	11.8
2013	2889	145	14.7	12.3	11.6	11.4
2014	2983	133	13.1	11.9	11.5	11.2
2015	3191	131	13.5	11.6	11.2	10.9
2016	3469	141	14.0	12.5	11.6	11.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2998	86	2737	79
February	3161	91	3027	87
March	3327	96	3147	91
April	3567	103	3489	101
May	3723	107	3706	107
June	4034	116	4062	117
July	4024	116	3906	113
August	3977	115	3898	112
September	3486	100	3771	109
October	3767	109	3585	103
November	3581	103	3373	97
December	3107	90	2929	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR62; MP 15.46; CRATER LAKE HIGHWAY NO. 22; 1.83 miles north of Sams Valley Highway No. 271 (OR234)	Site Name:	Shady Cove (15-013)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	7727	136	14.4	11.6	11.1	10.8
2008	7244	140	14.1	12.1	11.5	11.2
2009	7361	146	15.2	12.7	12.1	11.5
2010	7474	150	14.3	12.7	11.7	11.3
2011	7214	141	14.0	12.6	12.2	11.3
2012	7159	144	13.9	12.9	11.9	11.4
2013	7211	142	13.8	12.3	11.4	11.0
2014	7548	143	14.2	12.3	11.7	11.1
2015	7918	140	13.5	11.8	11.1	10.8
2016	8450	142	14.5	12.1	11.5	11.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7126	84	6704	79
February	7499	89	7244	86
March	7753	92	7515	89
April	8460	100	8393	99
May	8911	105	8922	106
June	9721	115	9878	117
July	10141	120	10363	123
August	9833	116	10110	120
September	9191	109	9318	110
October	8463	100	8220	97
November	7876	93	7594	90
December	7375	87	7133	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99; MP 15.93; ROGUE VALLEY HIGHWAY NO. 63; 0.33 mile northwest of Talent Avenue	Site Name:	Talent (15-014)
		Installed:	September, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	9317	***	***	***	***	***
2008	8756	124	11.5	10.2	10.1	10.0
2009	9048	***	***	***	***	***
2010	8847	126	13.2	10.3	10.2	10.0
2011	8741	124	13.3	10.4	10.2	10.1
2012	8428	131	14.0	11.7	10.7	10.5
2013	8274	130	15.0	10.5	10.3	10.1
2014	8836	140	14.3	12.6	12.3	11.9
2015	9201	123	11.2	10.3	10.0	9.9
2016	9796	133	12.0	10.5	10.1	10.0



2015 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9861	101	8832	90
February	10122	103	9373	96
March	10268	105	9438	96
April	10989	112	10303	105
May	11320	116	10535	108
June	11200	114	10505	107
July	10894	111	10119	103
August	11093	113	10256	105
September	10843	111	10120	103
October	10850	111	10012	102
November	10185	104	9387	96
December	9302	95	8668	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR62; MP 1.11; CRATER LAKE HIGHWAY NO. 22; 0.64 mile east of Pacific Highway No. 1 (I-5)	Site Name:	North Medford (15-017)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	44222	***	***	***	***	***
2008	42382	129	10.2	9.9	9.8	9.7
2009	41914	130	10.1	9.8	9.7	9.7
2010	42370	125	10.4	10.0	9.8	9.8
2011	42399	128	10.3	10.0	9.9	9.9
2012	41620	124	10.2	10.0	9.9	9.8
2013	41686	127	10.2	9.9	9.9	9.8
2014	44018	121	9.8	9.6	9.5	9.4
2015	45903	120	9.5	9.3	9.3	9.2
2016	46843	120	9.5	9.2	9.2	9.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	45071	96	42656	91
February	46734	100	45536	97
March	47802	102	45843	98
April	49048	105	47477	101
May	49083	105	47674	102
June	50233	107	48206	103
July	48476	103	46610	100
August	48837	104	46515	99
September	47197	101	45856	98
October	50453	108	48746	104
November	50246	107	48620	104
December	51060	109	48380	103

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 28.33; PACIFIC HIGHWAY NO. 1; 1.96 miles southeast of the South Medford Interchange	Site Name:	Medford Viaduct (15-019)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	48188	132	10.4	9.6	9.5	9.4
2008	45926	131	10.4	9.5	9.4	9.3
2009	46362	***	***	***	***	***
2010	45611	130	10.4	9.6	9.5	9.4
2011	44776	132	10.3	9.7	9.5	9.4
2012	45167	131	10.8	9.9	9.6	9.5
2013	46888	126	10.2	9.6	9.5	9.4
2014	47397	129	10.2	9.5	9.4	9.4
2015	50182	125	9.8	9.5	9.4	9.4
2016	52270	130	9.9	9.5	9.3	9.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	49470	95	45497	87
February	51006	98	47949	92
March	53442	102	50390	96
April	54908	105	52195	100
May	56021	107	53289	102
June	59650	114	56450	108
July	59099	113	56270	108
August	59382	114	55792	107
September	57363	110	54157	104
October	56624	108	52898	101
November	55072	105	51799	99
December	55156	106	50557	97

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR140; MP 16.03; LAKE OF THE WOODS HIGHWAY NO. 270; 1.27 miles east of Lake Creek Loop (east junction)	Site Name:	Lake of the Woods (15-020)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2793	162	15.5	13.6	12.9	12.7
2008	2522	227	22.5	14.5	13.5	13.0
2009	2616	164	16.0	14.0	13.4	13.2
2010	2613	160	16.2	14.2	13.6	13.3
2011	2568	168	15.9	14.3	13.9	13.6
2012	2589	159	15.5	14.3	13.7	13.4
2013	2618	160	17.1	13.9	13.3	13.0
2014	2772	200	18.0	14.4	13.2	12.8
2015	3038	160	15.9	14.2	13.4	13.2
2016	3165	175	15.3	13.8	13.5	13.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2176	69	2164	68
February	2371	75	2509	79
March	2511	79	2585	82
April	2784	88	2975	94
May	3139	99	3461	109
June	3576	113	3904	123
July	3841	121	4127	130
August	3785	120	4149	131
September	3460	109	3700	117
October	3062	97	3202	101
November	2673	84	2788	88
December	2349	74	2411	76

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 18.11; PACIFIC HIGHWAY NO. 1; 0.98 mile south of North Ashland Interchange	Site Name:	North Ashland (15-021)
		Installed:	August, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	24387	144	13.0	10.7	10.1	9.9
2015	26263	136	12.9	10.6	9.9	9.8
2016	27437	147	12.2	10.3	10.0	9.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	23999	87	22907	83
February	25038	91	24087	88
March	26856	98	26202	95
April	27556	100	26975	98
May	28911	105	27984	102
June	31261	114	30738	112
July	31623	115	31561	115
August	30516	111	30177	110
September	29149	106	28261	103
October	28630	104	27216	99
November	28055	102	27243	99
December	27660	101	25890	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97/US26 MP 97.11; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.18 mile north of Madras-Prineville Highway No. 360 (US26)	Site Name:	Madras (16-002)
		Installed:	September, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	13447	154	12.4	11.6	11.2	11.1
2008	12266	151	13.3	11.8	11.5	11.3
2009	12428	159	13.1	11.9	11.8	11.6
2010	12554	153	12.7	12.3	11.8	11.6
2011	12246	162	13.3	12.3	11.9	11.7
2012	12381	157	13.4	12.2	11.9	11.8
2013	12731	154	13.0	12.2	11.9	11.8
2014	13051	157	13.0	12.3	11.9	11.7
2015	13837	153	12.4	11.4	11.0	10.9
2016	14706	157	12.2	11.8	11.5	11.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11233	76	11041	75
February	12607	86	12670	86
March	13404	91	13644	93
April	14200	97	14100	96
May	15461	105	15928	108
June	16500	112	16700	114
July	17300	118	18000	122
August	17067	116	17901	122
September	15961	109	16488	112
October	14709	100	14835	101
November	13826	94	13832	94
December	11876	81	11334	77

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	MP 113.17; WARM SPRINGS HIGHWAY NO. 53; 4.54 miles northwest of The Dalles-C California Highway No. 4 (US97)	Site Name:	Warm Springs (16-006)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6967	191	17.7	15.5	14.5	13.8
2008	6428	187	18.5	15.5	14.8	14.2
2009	6579	192	18.2	15.7	15.1	14.5
2010	6838	184	18.5	15.9	15.0	14.5
2011	6779	183	18.4	15.9	15.0	14.5
2012	7015	187	17.8	16.1	14.9	14.7
2013	7228	176	17.6	16.2	15.5	14.6
2014	7384	189	17.6	16.0	15.4	15.0
2015	7689	187	16.9	16.0	15.0	14.0
2016	8144	189	17.1	15.2	14.9	14.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5688	70	5853	72
February	6563	81	6939	85
March	6863	84	7434	91
April	7304	90	7982	98
May	8422	103	9138	112
June	8505	104	9483	116
July	9338	115	10306	127
August	9201	113	10272	126
September	8306	102	9146	112
October	7359	90	7918	97
November	6975	86	7351	90
December	5986	74	5904	72

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 64.20; PACIFIC HIGHWAY NO. 1; 2.08 miles south of Monument Drive (Jump Off Joe) Interchange	Site Name:	Grave Creek (17-001)
		Installed:	January, 1938

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	21644	164	14.1	11.8	11.0	10.8
2008	19810	170	15.4	12.4	11.4	10.8
2009	20560	***	***	***	***	***
2010	20688	158	16.1	13.0	11.9	11.4
2011	20074	161	14.8	12.2	11.5	11.2
2012	19690	164	15.5	12.9	11.7	11.3
2013	20272	161	15.8	12.8	11.8	11.3
2014	20561	162	15.9	12.4	11.5	11.0
2015	22122	159	16.3	12.3	11.4	11.1
2016	22957	157	15.0	12.0	11.1	10.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17986	78	18137	79
February	19102	83	19383	84
March	21588	94	22351	97
April	21380	93	22126	96
May	22751	99	23146	101
June	25680	112	26137	114
July	26720	116	27588	120
August	25944	113	26522	116
September	23749	103	24306	106
October	21499	94	21840	95
November	21975	96	22611	98
December	22325	97	21333	93

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US199; MP 41.32; REDWOOD HIGHWAY NO. 25; 0.37 mile north of Oregon-California State Line	Site Name:	O'Brien (17-003)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2882	195	20.9	18.3	17.2	16.7
2008	2700	223	23.7	19.3	18.1	17.1
2009	2870	***	***	***	***	***
2010	2893	240	27.1	19.3	18.2	17.4
2011	2761	199	22.0	18.5	17.7	17.1
2012	2774	197	21.7	18.7	18.0	17.4
2013	2927	208	21.4	19.1	18.0	16.8
2014	3025	225	25.6	18.7	17.7	17.3
2015	3357	232	24.5	19.7	18.1	17.3
2016	3451	189	20.7	18.1	17.1	16.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1976	57	2135	62
February	2412	70	2689	78
March	2746	80	2953	86
April	2970	86	3170	92
May	3440	100	3602	104
June	4222	122	4331	125
July	5108	148	5245	152
August	4867	141	5137	149
September	4016	116	4113	119
October	2880	83	2970	86
November	2400	70	2600	75
December	2404	70	2471	72

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US199; MP 4.68; REDWOOD HIGHWAY NO. 25; 0.50 mile east of Redwood Avenue	Site Name:	Timber Ridge (17-005)
		Installed:	October, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	11422	134	10.8	10.3	10.2	10.0
2008	10553	143	11.5	10.7	10.3	10.2
2009	10927	135	11.6	10.8	10.5	10.3
2010	10954	135	12.3	10.8	10.5	10.4
2011	10453	142	13.2	10.9	10.4	10.3
2012	10310	134	12.6	10.8	10.6	10.5
2013	10467	140	11.6	10.6	10.3	10.2
2014	10849	144	11.8	10.8	10.5	10.2
2015	11860	138	11.7	10.8	10.3	10.2
2016	12619	139	11.6	10.5	10.3	10.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10798	86	10090	80
February	11511	91	11146	88
March	12166	96	11674	93
April	12685	101	12481	99
May	13407	106	13266	105
June	14574	115	14302	113
July	15069	119	14829	118
August	14755	117	14644	116
September	13740	109	13533	107
October	12956	103	12363	98
November	12452	99	11926	95
December	11821	94	11177	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 204.65; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.40 mile south of Chemult Dump Road	Site Name:	Chemult (18-006)
		Installed:	December, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4890	181	21.4	15.8	15.1	14.6
2008	4374	193	18.1	16.9	16.0	15.3
2009	4588	***	***	***	***	***
2010	4797	186	18.4	17.0	16.4	15.9
2011	4646	193	17.9	16.9	16.0	15.5
2012	4587	182	18.8	16.9	16.2	15.8
2013	4778	176	23.8	16.5	15.8	15.6
2014	5146	197	19.7	16.6	15.7	15.0
2015	5556	177	17.4	16.4	15.9	15.4
2016	5955	190	18.6	15.8	15.2	15.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2918	49	3030	51
February	3543	59	3733	63
March	4281	72	4587	77
April	4756	80	5095	86
May	5696	96	5996	101
June	7255	122	7674	129
July	8417	141	9021	151
August	7720	130	8337	140
September	7433	125	7782	131
October	6300	106	6600	111
November	5200	87	5500	92
December	4000	67	4100	69

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	MP 44.92; KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20; 4.14 miles east of yellow Jacket Springs Rd at Beatty	Site Name:	Beatty (18-017)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	991	179	16.3	14.3	13.2	12.9
2008	884	173	17.9	13.9	13.2	12.9
2009	962	***	***	***	***	***
2010	1004	***	***	***	***	***
2011	1032	***	***	***	***	***
2012	877	***	***	***	***	***
2013	888	184	21.9	14.5	13.4	13.2
2014	923	179	19.1	14.0	13.5	13.0
2015	1003	184	19.9	14.2	13.3	12.9
2016	1018	175	16.3	14.3	13.7	13.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	643	63	617	61
February	737	72	734	72
March	795	78	794	78
April	929	91	929	91
May	1086	107	1104	108
June	1236	121	1264	124
July	1301	128	1311	129
August	1283	126	1307	128
September	1279	126	1317	129
October	1127	111	1122	110
November	1005	99	961	94
December	792	78	750	74

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR39; MP -4.08; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.46 mile south of Main Street	Site Name:	Klamath Falls (18-018)
		Installed:	November, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	24757	131	11.6	10.6	10.5	10.4
2008	23410	131	10.8	10.4	10.3	10.2
2009	22965	121	12.6	10.2	10.1	10.0
2010	22496	130	10.8	10.4	10.3	10.2
2011	21520	127	11.1	10.4	10.3	10.2
2012	21163	130	10.8	10.3	10.3	10.2
2013	21224	128	11.2	10.4	10.3	10.3
2014	21511	127	10.8	10.4	10.3	10.2
2015	22443	129	10.7	10.4	10.3	10.2
2016	22926	141	10.9	10.3	10.1	10.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24404	106	21234	93
February	25266	110	22812	100
March	25319	110	22622	99
April	26592	116	24147	105
May	26436	115	24031	105
June	26500	116	24300	106
July	25000	109	22800	99
August	24900	109	22900	100
September	25800	113	23500	103
October	26800	117	24300	106
November	25000	109	22200	97
December	22424	98	20264	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 289.44; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 2.3 miles north of the Oregon-California State Line	Site Name:	Midland (18-019)
		Installed:	January, 1955

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	3755	147	14.0	12.2	11.8	11.5
2008	3402	159	15.1	13.0	12.1	11.7
2009	3550	157	14.5	12.9	12.2	11.8
2010	3574	***	***	***	***	***
2011	3599	175	14.8	12.6	12.1	11.9
2012	3504	150	13.6	12.7	12.1	11.9
2013	3568	171	17.2	13.1	12.4	12.1
2014	3625	***	***	***	***	***
2015	4013	***	***	***	***	***
2016	4253	196	13.9	12.5	12.0	11.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2642	62	2643	62
February	3130	74	3155	74
March	3616	85	3647	86
April	3944	93	4030	95
May	4546	107	4569	107
June	5285	124	5358	126
July	5600	132	5800	136
August	5200	122	5400	127
September	4855	114	4912	115
October	4400	103	4500	106
November	3700	87	3900	92
December	3266	77	3127	74

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR39; MP 16.15; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.36 mile west of Hatfield Highway No. 426 (OR39)	Site Name:	Merrill (18-020)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4237	245	20.7	13.7	12.6	10.8
2008	4049	250	20.6	14.4	12.7	10.7
2009	4168	247	20.1	14.8	12.8	11.4
2010	4175	243	20.1	15.5	13.3	11.6
2011	4018	213	17.0	14.1	12.2	10.9
2012	3889	212	17.0	13.8	11.5	11.0
2013	3949	226	18.6	13.7	12.0	10.7
2014	3950	216	17.8	14.0	11.8	10.6
2015	4158	209	16.9	13.8	11.4	10.7
2016	4319	230	17.3	14.4	12.3	11.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3620	84	3285	76
February	3909	91	3724	86
March	4172	97	3946	91
April	4546	105	4400	102
May	4657	108	4479	104
June	4866	113	4777	111
July	5140	119	5018	116
August	4957	115	4854	112
September	5172	120	5314	123
October	4811	111	4644	108
November	4184	97	3949	91
December	3696	86	3439	80

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR62; MP 91.10; CRATER LAKE HIGHWAY NO. 22; 0.28 mile northwest of Sun Mountain Road	Site Name:	Fort Klamath (18-021)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	480	316	31.1	27.5	25.2	23.8
2008	352	414	43.2	32.4	29.5	27.8
2009	471	***	***	***	***	***
2010	465	305	32.0	27.7	26.0	25.4
2011	437	377	56.5	30.4	28.2	26.1
2012	429	356	36.8	29.8	26.6	24.9
2013	455	392	39.1	30.5	27.5	26.2
2014	498	413	38.2	30.5	27.7	26.1
2015	597	371	41.7	31.7	31.0	28.8
2016	629	387	35.9	30.7	27.7	25.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	214	34	234	37
February	246	39	278	44
March	304	48	318	51
April	394	63	420	67
May	614	98	689	110
June	891	142	921	146
July	1243	198	1341	213
August	1072	170	1177	187
September	874	139	977	155
October	524	83	546	87
November	329	52	372	59
December	269	43	277	44

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 254.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 3.53 miles north of Modoc Point Road	Site Name:	Modoc Point (18-022)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6079	148	13.0	11.3	11.1	10.9
2008	5346	154	13.0	11.7	11.5	11.3
2009	5569	153	14.0	12.2	11.8	11.6
2010	5599	160	13.4	12.5	12.2	11.9
2011	5395	170	14.2	12.4	11.9	11.6
2012	5281	161	13.4	12.8	12.2	11.8
2013	5524	155	13.6	12.0	11.7	11.5
2014	5757	160	13.8	12.1	11.8	11.5
2015	6116	158	13.2	12.6	12.0	11.7
2016	6332	181	13.7	12.7	12.3	12.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4254	67	4077	64
February	4931	78	4824	76
March	5641	89	5610	89
April	6032	95	6022	95
May	6755	107	6710	106
June	7817	123	7882	124
July	8284	131	8590	136
August	7942	125	8169	129
September	7346	116	7385	117
October	6457	102	6404	101
November	5829	92	5806	92
December	4820	76	4502	71

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 243.22; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 4.32 miles north of Chiloquin Highway No. 422	Site Name:	Chiloquin (18-023)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	3433	181	18.5	14.6	13.6	13.2
2009	3583	163	16.7	14.3	13.7	13.1
2010	3381	179	16.4	15.7	14.7	14.2
2011	3243	184	16.4	15.3	14.6	13.9
2012	3299	177	18.5	16.1	14.9	14.4
2013	3716	175	17.5	14.9	13.8	13.5
2014	3945	176	16.9	14.2	13.4	13.0
2015	4340	173	16.3	14.9	14.3	13.7
2016	4430	190	18.6	14.8	14.3	13.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2532	57	2548	58
February	3038	69	3149	71
March	3720	84	3903	88
April	4020	91	4216	95
May	4701	106	4830	109
June	5407	122	5653	128
July	5778	130	6167	139
August	5464	123	5799	131
September	5078	115	5251	119
October	4397	99	4558	103
November	3922	89	4175	94
December	3051	69	2909	66

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR140; MP 2.80; SOUTH KLAMATH FALLS HIGHWAY NO. 424; At Washburn Way	Site Name:	South Klamath Falls (18-024)
		Installed:	November, 2012

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	5145	130	11.5	10.9	10.6	10.5
2014	5309	129	11.2	10.5	10.4	10.2
2015	5739	130	11.4	10.9	10.7	10.5
2016	6011	128	11.4	10.7	10.5	10.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5380	90	4826	80
February	5783	96	5424	90
March	6001	100	5583	93
April	6807	113	6437	107
May	7015	117	6619	110
June	6965	116	6725	112
July	6713	112	6502	108
August	6810	113	6563	109
September	6784	113	6493	108
October	6727	112	6286	105
November	6073	101	5627	94
December	5295	88	5043	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 120.83; FREMONT HIGHWAY NO. 19; 0.26 mile south of Lakeview-Burns Highway No. 49 (US395)	Site Name:	Valley Falls (19-004)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	809	224	23.9	16.4	14.8	14.2
2008	715	206	20.8	16.9	15.9	15.0
2009	741	226	24.2	16.3	15.2	14.4
2010	774	234	23.9	16.8	15.4	14.7
2011	738	222	23.3	15.8	14.8	14.2
2012	707	227	22.8	17.4	15.6	15.0
2013	716	226	22.1	17.3	15.9	15.1
2014	745	222	22.6	15.8	14.5	13.8
2015	811	232	23.8	16.3	14.8	14.1
2016	805	213	22.3	15.7	15.0	14.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	566	70	523	65
February	617	77	596	74
March	706	88	685	85
April	847	105	809	100
May	909	113	861	107
June	990	123	969	120
July	1018	126	1024	127
August	1088	135	1097	136
September	1093	136	1054	131
October	852	106	818	102
November	719	89	706	88
December	556	69	513	64

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 157.43; FREMONT HIGHWAY NO. 19; 0.30 mile north of Oregon-California State Line	Site Name:	New Pine Creek (19-008)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	927	195	19.2	14.8	14.0	13.4
2008	812	196	19.6	15.3	14.0	13.4
2009	852	202	20.1	14.9	13.4	12.9
2010	935	194	20.3	14.9	14.0	13.5
2011	952	175	16.1	13.5	12.9	12.5
2012	789	190	19.0	15.1	14.2	13.4
2013	809	188	18.9	14.8	13.3	13.1
2014	828	185	18.0	14.1	13.3	12.8
2015	858	181	16.8	14.3	13.6	13.0
2016	858	190	18.7	14.8	14.0	13.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	603	70	566	66
February	684	80	661	77
March	761	89	753	88
April	861	100	828	97
May	970	113	932	109
June	1030	120	1020	119
July	1044	122	1052	123
August	1072	125	1084	126
September	1102	128	1103	129
October	896	104	885	103
November	797	93	783	91
December	672	78	629	73

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR31; MP 49.60; FREMONT HIGHWAY NO. 19; 2.25 miles southeast of 1st Street	Site Name:	Silver Lake (19-010)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	691	218	23.3	18.4	16.2	15.3
2008	628	197	24.8	17.3	16.4	15.4
2009	690	***	***	***	***	***
2010	709	194	20.0	16.6	15.7	14.9
2011	659	205	20.8	16.4	15.2	14.7
2012	659	208	20.8	16.4	15.2	14.7
2013	657	198	20.4	16.6	15.7	14.9
2014	708	199	21.5	16.1	15.1	14.4
2015	743	200	23.2	17.6	14.9	14.1
2016	800	193	20.0	17.1	15.9	15.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	469	59	477	60
February	548	69	575	72
March	661	83	696	87
April	746	93	796	100
May	855	107	881	110
June	919	115	945	118
July	950	119	1001	125
August	1009	126	1046	131
September	1030	129	1036	130
October	891	111	937	117
November	685	86	722	90
December	511	64	490	61

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR36; MP 41.04; MAPLETON-JUNCTION CITY HIGHWAY NO. 229; 2.36 miles southwest of Goldson Road	Site Name:	Goldson (20-004)
		Installed:	April, 1968

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1993	154	15.2	12.1	11.5	11.3
2008	1805	196	24.2	13.5	12.6	12.1
2009	1816	***	***	***	***	***
2010	1812	162	16.6	14.3	13.1	12.9
2011	1740	165	15.2	13.8	13.3	12.8
2012	1706	161	15.9	14.0	13.4	12.9
2013	1669	167	17.0	15.2	14.3	13.5
2014	1743	176	18.2	14.9	13.4	13.1
2015	1899	166	17.6	15.0	13.5	13.0
2016	2037	165	15.7	14.1	13.5	13.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1701	84	1622	80
February	1843	90	1819	89
March	1792	88	1762	86
April	1881	92	1921	94
May	2038	100	2083	102
June	2207	108	2394	118
July	2306	113	2520	124
August	2339	115	2565	126
September	2196	108	2248	110
October	1992	98	1969	97
November	2029	100	1952	96
December	1625	80	1594	78

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR126; MP 43.86; FLORENCE-EUGENE HIGHWAY NO. 62; 3.06 miles west of Territorial Highway No. 200 (OR200)	Site Name:	Noti (20-005)
		Installed:	November, 1959

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6433	158	14.4	13.1	12.8	12.3
2008	5957	157	14.2	13.7	13.1	12.7
2009	6199	160	17.8	14.4	13.3	12.9
2010	6067	160	14.8	13.8	13.1	12.7
2011	5845	156	15.4	13.6	13.1	12.7
2012	5727	183	16.9	14.3	13.3	12.9
2013	5780	149	13.9	13.2	12.8	12.6
2014	6015	156	15.9	13.8	13.2	12.7
2015	6345	161	15.5	14.1	13.4	12.8
2016	6423	***	***	***	***	***



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4990	78	5149	80
February	5555	86	5880	92
March	5740	89	5943	93
April	5713	89	6291	98
May	6107	95	6690	104
June	6826	106	7334	114
July	7565	118	7985	124
August	7200	112	7800	121
September	6700	104	7100	111
October	6000	93	6300	98
November	5423	84	5568	87
December	5084	79	5030	78

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-105; MP 2.82; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.66 mile west of Pacific Highway No. 1 (I-5) in Eugene	Site Name:	Willakenzie (20-008)
		Installed:	November, 1960

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	61659	126	10.6	10.4	10.3	10.1
2008	59575	127	10.8	10.5	10.4	10.3
2009	57809	123	10.7	10.3	10.2	10.1
2010	58322	127	10.7	10.6	10.4	10.4
2011	57441	123	10.9	10.6	10.4	10.3
2012	57200	124	10.8	10.5	10.4	10.4
2013	58317	128	10.9	10.6	10.5	10.4
2014	59434	126	10.8	10.5	10.4	10.4
2015	61474	123	10.6	10.3	10.3	10.2
2016	63054	126	11.0	10.4	10.2	10.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	64855	103	58359	93
February	67721	107	62771	100
March	68278	108	62262	99
April	70274	111	65073	103
May	69277	110	64350	102
June	72014	114	66180	105
July	69914	111	64435	102
August	70603	112	64029	102
September	68417	108	63596	101
October	69800	111	64362	102
November	67986	108	62229	99
December	64125	102	59006	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR126; MP 29.14; MCKENZIE HIGHWAY NO. 15; 2.74 miles east of S. Gate Creek Road	Site Name:	Vida (20-010)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	3426	190	20.3	16.8	16.1	15.7
2008	3101	182	18.7	17.0	16.2	15.9
2009	3273	181	18.6	17.1	16.5	16.1
2010	3316	195	19.4	18.0	17.1	16.5
2011	3210	200	19.8	18.4	17.5	16.4
2012	3147	201	20.8	19.0	17.7	16.7
2013	3218	194	19.3	17.9	17.1	16.5
2014	3282	198	19.7	18.2	17.0	16.5
2015	3563	184	19.0	16.7	16.1	15.6
2016	3829	186	24.9	17.0	16.3	15.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2353	61	2571	67
February	2700	71	2918	76
March	2920	76	3160	83
April	3139	82	3574	93
May	3710	97	4200	110
June	4192	109	4728	123
July	4739	124	5259	137
August	4713	123	5383	141
September	4263	111	4847	127
October	3188	83	3530	92
November	2937	77	3230	84
December	2481	65	2547	67

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR569; MP 12.00; BELT LINE HIGHWAY NO. 69; 0.76 mile west of Pacific Highway No. 1 (I-5)	Site Name:	Beltline (20-011)
		Installed:	May, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	47344	***	***	***	***	***
2008	45275	***	***	***	***	***
2009	48772	***	***	***	***	***
2010	51965	126	10.3	9.6	9.5	9.4
2011	50662	136	10.7	10.1	9.7	9.5
2012	50471	123	10.1	9.6	9.6	9.5
2013	49503	122	10.0	9.7	9.6	9.6
2014	49590	123	10.4	9.7	9.6	9.5
2015	52618	120	9.5	9.3	9.3	9.2
2016	54378	118	9.4	9.1	9.1	9.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	53930	99	49437	91
February	56718	104	53077	98
March	57022	105	53245	98
April	58988	108	55481	102
May	58485	108	55163	101
June	60538	111	56999	105
July	58686	108	55405	102
August	60314	111	56456	104
September	59209	109	55834	103
October	58718	108	54887	101
November	58452	107	54553	100
December	56000	103	52000	96

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR58; MP 37.36; WILLAMETTE HIGHWAY NO. 18; 0.10 mile east of Kitson Springs Road	Site Name:	Oakridge (20-017)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2767	253	28.7	22.9	21.0	19.8
2008	2691	213	24.0	21.1	19.6	18.9
2009	2628	236	29.9	22.6	21.5	20.4
2010	2650	241	28.5	23.2	21.7	20.6
2011	2509	258	30.8	23.4	21.9	20.8
2012	2380	237	29.5	24.7	23.0	21.3
2013	2411	233	29.7	25.3	22.5	21.4
2014	2641	237	29.6	22.6	19.8	18.7
2015	2869	241	26.9	23.6	22.0	20.8
2016	3094	240	29.7	24.5	22.9	21.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1432	46	1930	62
February	1673	54	2090	68
March	1964	63	2323	75
April	2178	70	2530	82
May	2937	95	3345	108
June	3394	110	3898	126
July	4082	132	4675	151
August	4029	130	4886	158
September	3600	116	4234	137
October	2509	81	2878	93
November	2013	65	2334	75
December	1813	59	2003	65

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 170.25; PACIFIC HIGHWAY NO. 1; 2.24 miles northeast of Douglas-Lane County Line	Site Name:	Martin Creek (20-020)
		Installed:	September, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	23562	170	13.8	11.8	11.4	11.2
2008	21754	173	15.6	13.0	11.8	11.3
2009	22572	***	***	***	***	***
2010	22949	***	***	***	***	***
2011	22116	***	***	***	***	***
2012	21871	166	14.9	12.7	11.9	11.6
2013	22417	167	14.5	13.2	12.1	11.7
2014	23160	165	14.7	12.7	11.7	11.4
2015	24488	163	14.4	12.8	11.6	11.2
2016	25500	161	14.4	12.4	11.4	11.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19859	78	20155	79
February	21209	83	21716	85
March	23839	93	24847	97
April	23361	92	24488	96
May	24878	97	25676	101
June	28049	110	28920	113
July	29383	115	30646	120
August	28750	113	29930	117
September	26014	102	27177	106
October	23257	91	23959	94
November	24252	95	25149	99
December	24418	96	23560	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR200; MP 13.54; TERRITORIAL HIGHWAY NO. 200; 3.46 miles south of Mapleton-Junction City Highway No. 229 (OR36)	Site Name:	Fern Ridge (20-023)
		Installed:	March, 1960

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1766	200	17.2	14.5	12.7	12.1
2008	1608	205	18.8	15.0	13.1	12.4
2009	1612	201	19.3	15.4	13.4	12.8
2010	1602	199	19.3	15.5	13.7	12.8
2011	1585	209	19.4	16.0	13.9	12.8
2012	1533	219	20.0	15.8	13.8	13.0
2013	1602	203	18.0	15.0	14.3	12.6
2014	1702	206	19.1	15.1	13.6	12.7
2015	1789	223	19.2	16.7	15.4	14.0
2016	1841	209	17.9	16.0	15.1	14.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1566	85	1505	82
February	1694	92	1688	92
March	1710	93	1709	93
April	1862	101	1899	103
May	1918	104	1928	105
June	2022	110	2130	116
July	2289	124	2358	128
August	1994	108	2071	112
September	1871	102	1913	104
October	1805	98	1766	96
November	1706	93	1660	90
December	1440	78	1464	80

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99; MP 115.28; PACIFIC HIGHWAY WEST NO. 91; 1.00 mile south of Meadowview Rd	Site Name:	Eugene-Meadowview (20-024)
		Installed:	July, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	14588	144	11.2	10.4	10.1	10.0
2011	14587	148	11.6	10.5	10.3	10.2
2012	14619	150	11.6	10.6	10.4	10.3
2013	14869	143	11.7	10.7	10.6	10.3
2014	15229	148	11.5	10.4	10.3	10.1
2015	15909	143	11.1	10.4	10.3	10.2
2016	16294	134	11.5	10.5	10.3	10.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16417	101	14803	91
February	17259	106	15950	98
March	17273	106	16033	98
April	17994	111	16815	103
May	17933	110	16758	103
June	18522	114	17479	107
July	18186	112	16870	104
August	18585	114	17406	107
September	17711	109	16529	101
October	17478	107	16164	99
November	17166	105	15783	97
December	15992	98	14936	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 190.92; PACIFIC HIGHWAY NO. 1; 1.06 miles south of Glenwood Interchange	Site Name:	Eugene-Glenwood (20-025)
		Installed:	February, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	53419	***	***	***	***	***
2011	51795	134	10.8	9.9	9.7	9.6
2012	50499	132	10.6	9.9	9.7	9.6
2013	51146	139	11.4	10.0	9.8	9.7
2014	52120	140	11.2	10.3	10.0	9.8
2015	56314	135	11.1	10.1	9.9	9.7
2016	57820	135	10.9	9.8	9.6	9.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	53678	93	49638	86
February	56912	98	53521	93
March	59071	102	56133	97
April	60968	105	58348	101
May	61790	107	59068	102
June	65289	113	63041	109
July	65476	113	63833	110
August	64985	112	63108	109
September	62393	108	60476	105
October	61378	106	57856	100
November	60335	104	56898	98
December	55493	96	51916	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 186.46; OREGON COAST HIGHWAY NO. 9; 0.77 mile north of Heceta Beach Road	Site Name:	Florence (20-026)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	6229	158	15.7	14.9	14.3	14.0
2012	6122	155	15.0	14.1	13.6	13.3
2013	6237	164	16.4	15.0	14.3	13.9
2014	6387	160	15.5	15.0	14.6	14.3
2015	6839	176	16.7	15.5	14.8	14.3
2016	6963	177	17.0	15.4	14.6	14.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4981	72	5077	73
February	5546	80	5681	82
March	6059	87	6099	88
April	6415	92	6656	96
May	6838	98	7239	104
June	8070	116	8329	120
July	9354	134	9537	137
August	9222	132	9691	139
September	8076	116	8326	120
October	6078	87	6078	87
November	5506	79	5605	80
December	5401	78	5232	75

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR126; MP 8.66; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.39 mile north of 52nd Street	Site Name:	East Springfield (20-027)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	30158	122	11.2	10.5	10.4	10.3
2012	30189	122	10.7	10.4	10.4	10.3
2013	30343	124	10.6	10.5	10.4	10.3
2014	30669	124	10.9	10.6	10.5	10.4
2015	31999	122	10.4	10.3	10.2	10.1
2016	32817	125	10.3	10.2	10.0	10.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	31859	97	29517	90
February	33643	103	31797	97
March	33791	103	31942	97
April	35274	107	33767	103
May	35438	108	33979	104
June	36350	111	35082	107
July	35520	108	33998	104
August	36188	110	34539	105
September	35316	108	33854	103
October	34848	106	32934	100
November	34304	105	32072	98
December	31635	96	30328	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR569; MP 5.20; BELT LINE HIGHWAY NO. 69; 0.42 mile south of Barger Drive Interchange	Site Name:	West Beltline (20-028)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	25690	125	10.7	10.1	9.9	9.8
2012	25611	131	10.4	10.3	10.0	10.0
2013	25415	138	11.6	11.0	10.7	10.2
2014	25584	125	10.2	10.1	10.0	9.9
2015	27034	124	10.0	9.8	9.7	9.6
2016	27443	121	10.0	9.7	9.6	9.5



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	27326	100	24910	91
February	28703	105	26750	97
March	29175	106	27028	98
April	29985	109	28061	102
May	29968	109	28015	102
June	31288	114	29203	106
July	30648	112	28783	105
August	31365	114	29005	106
September	30142	110	28149	103
October	29491	107	27302	99
November	28655	104	26457	96
December	27329	100	25650	93


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 34.24; CORVALLIS-NEWPORT HIGHWAY NO. 33; 0.11 mile west of Lincoln-Benton County Line	Site Name:	Burnt Woods (21-006)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	5046	163	15.5	14.0	13.6	13.1
2008	4706	181	16.9	14.8	14.2	13.8
2009	4997	169	19.5	15.7	14.9	14.4
2010	4809	187	17.4	15.8	14.8	14.2
2011	4663	172	17.5	15.4	14.9	14.2
2012	4747	191	17.0	15.8	14.9	14.5
2013	4847	164	15.2	14.3	14.0	13.5
2014	4998	175	17.3	15.0	14.5	14.0
2015	5436	178	18.2	14.8	14.3	13.9
2016	5491	174	16.5	14.3	13.9	13.4



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4040	74	4243	77
February	4491	82	4970	91
March	4699	86	5047	92
April	4687	85	5288	96
May	5178	94	5758	105
June	5887	107	6447	117
July	6563	120	6879	125
August	5931	108	6765	123
September	5380	98	5815	106
October	4762	87	5034	92
November	4906	89	5139	94
December	4583	83	4508	82


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 112.35; OREGON COAST HIGHWAY NO. 9; At West Devils Lake Road	Site Name:	W. Devils Lake (21-007)
		Installed:	May, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	16605	150	13.3	12.6	12.2	12.0
2008	15498	159	14.1	13.2	13.0	12.8
2009	15983	153	13.5	13.1	12.8	12.6
2010	***	***	***	***	***	***
2011	15197	157	14.4	13.5	13.2	12.9
2012	15122	167	14.4	14.0	13.2	12.9
2013	15419	148	13.6	12.7	12.3	11.9
2014	15561	153	13.9	13.4	12.9	12.6
2015	16327	149	13.6	12.8	12.4	12.2
2016	16488	152	12.8	12.6	12.3	12.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12313	75	13236	80
February	13840	84	15202	92
March	14761	90	15883	96
April	14848	90	16500	100
May	15377	93	16963	103
June	17479	106	18874	114
July	19526	118	20589	125
August	19449	118	20945	127
September	17057	103	18296	111
October	14153	86	14788	90
November	13307	81	14241	86
December	12383	75	12339	75

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 114.91; OREGON COAST HIGHWAY NO. 9; 0.07 mile north of "D" River State Wayside	Site Name:	D River Wayside (21-008)
		Installed:	May, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	26279	139	11.4	11.1	11.0	10.9
2008	25036	145	12.0	11.4	11.3	11.2
2009	25051	145	11.8	11.3	11.2	11.1
2010	***	***	***	***	***	***
2011	23972	146	12.1	11.7	11.5	11.4
2012	23935	152	12.2	11.7	11.5	11.5
2013	23866	137	11.5	11.2	11.1	10.9
2014	23768	143	11.8	11.4	11.3	11.1
2015	24897	141	11.7	11.3	11.2	11.1
2016	25344	139	11.5	10.8	10.7	10.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20418	81	20783	82
February	22474	89	23733	94
March	23238	92	24871	98
April	24281	96	25583	101
May	24820	98	25907	102
June	27535	109	28165	111
July	29748	117	30438	120
August	29474	116	30875	122
September	26657	105	27541	109
October	22741	90	23578	93
November	21164	84	22395	88
December	19655	78	20264	80

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 139.11; OREGON COAST HIGHWAY NO. 9; At 25th Street in Newport	Site Name:	North Newport (21-009)
		Installed:	October, 1996

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	19159	139	11.7	11.3	11.1	11.1
2008	18078	140	12.2	11.4	11.1	11.0
2009	18304	142	12.4	11.8	11.6	11.4
2010	***	***	***	***	***	***
2011	17482	***	***	***	***	***
2012	17419	132	11.4	10.6	10.1	9.9
2013	17394	***	***	***	***	***
2014	17656	142	12.5	11.6	11.5	11.3
2015	18306	142	12.0	11.5	11.1	11.0
2016	18461	144	11.9	11.3	11.1	10.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	15157	82	14973	81
February	16560	90	16808	91
March	17558	95	17444	94
April	18027	98	18134	98
May	18736	101	19109	104
June	20847	113	20947	113
July	22628	123	22534	122
August	22704	123	22846	124
September	20389	110	20515	111
October	17292	94	16896	92
November	16162	88	15994	87
December	15999	87	15336	83

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 111.00; OREGON COAST HIGHWAY NO. 9; 0.30 mile north of East Devils Lake Road.	Site Name:	North Lincoln City (21-010)
		Installed:	October, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	14500	166	15.8	14.9	14.4	14.1
2015	15332	161	14.8	14.1	13.7	13.5
2016	15633	167	15.3	14.1	13.8	13.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10801	69	11833	76
February	12405	79	13899	89
March	13395	86	14641	94
April	13757	88	15564	100
May	14394	92	16181	104
June	16188	104	17889	114
July	18949	121	20209	129
August	19018	122	21004	134
September	16574	106	18010	115
October	13171	84	13972	89
November	12135	78	13271	85
December	11046	71	11126	71

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 119.15; OREGON COAST HIGHWAY NO. 9; South Lincoln City ATR #21-011, 0.01 mi. South of South Drift Creek Rd.	Site Name:	South Lincoln City (21-011)
		Installed:	April, 2014

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	***	***	***	***	***	***
2015	13530	158	13.4	12.9	12.6	12.4
2016	13767	155	13.2	12.7	12.5	12.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10312	75	10605	77
February	11448	83	12107	88
March	12549	91	12926	94
April	12886	94	13529	98
May	13312	97	14084	102
June	15085	110	15651	114
July	17287	126	17707	129
August	17437	127	18104	132
September	15401	112	15973	116
October	12476	91	12545	91
November	11110	81	11607	84
December	10707	78	10369	75

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 234.80; PACIFIC HIGHWAY NO. 1; 0.41 mile north of Albany-Junction City Highway No. 58 (OR99E)	Site Name:	North Albany (22-005)
		Installed:	October, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	61436	136	10.0	9.7	9.6	9.5
2008	57888	139	11.9	10.2	9.9	9.9
2009	59500	133	10.6	10.0	9.7	9.6
2010	60070	133	10.6	9.9	9.7	9.6
2011	58939	130	10.0	9.8	9.7	9.6
2012	58137	138	11.2	9.9	9.7	9.6
2013	59396	136	11.0	9.8	9.7	9.6
2014	60710	134	10.4	9.7	9.6	9.5
2015	64751	133	10.3	9.3	9.2	9.1
2016	66649	133	9.4	9.1	9.0	8.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	56452	85	56132	84
February	59932	90	61031	92
March	63552	95	64680	97
April	64133	96	66019	99
May	66574	100	67945	102
June	72322	109	73270	110
July	73722	111	74750	112
August	73320	110	74000	111
September	68354	103	70995	107
October	63911	96	65683	99
November	65009	98	66101	99
December	60899	91	59186	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR226; MP 0.43; ALBANY-LYONS HIGHWAY NO. 211; 0.43 mile east of Santiam	Site Name:	Crabtree (22-010)
	Highway No. 16 (US20)	Installed:	January, 1950

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	5021	134	12.0	10.8	10.6	10.5
2008	4791	169	20.7	11.3	11.0	10.8
2009	4931	134	11.6	10.8	10.6	10.5
2010	4976	142	13.0	11.6	11.1	10.7
2011	4794	131	11.7	10.8	10.6	10.5
2012	4824	132	12.9	11.2	11.0	10.8
2013	4849	135	11.6	10.9	10.7	10.5
2014	4931	130	11.6	10.8	10.6	10.5
2015	5237	133	12.2	10.8	10.5	10.3
2016	5477	159	18.0	11.2	10.9	10.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4988	91	4648	85
February	5264	96	5026	92
March	5298	97	5051	92
April	5602	102	5388	98
May	5709	104	5537	101
June	6095	111	5978	109
July	6268	114	6182	113
August	6556	120	6584	120
September	6073	111	5984	109
October	5634	103	5459	100
November	5450	100	5127	94
December	4952	90	4760	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99E; MP 21.64; ALBANY-JUNCTION CITY HIGHWAY NO. 58; 2.28 miles south of Halsey-Sweet Home Highway No. 212 (OR228)	Site Name:	Halsey (22-012)
		Installed:	March, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	3499	139	21.9	11.3	11.0	10.9
2008	2549	156	15.1	13.8	13.6	13.3
2009	2361	***	***	***	***	***
2010	2985	137	19.1	11.9	11.4	11.1
2011	3101	145	13.9	12.0	11.5	11.2
2012	3110	146	12.6	11.7	11.3	11.1
2013	3247	145	15.3	11.7	11.4	11.2
2014	3431	146	13.8	11.8	11.4	11.2
2015	3599	145	16.9	11.7	11.2	10.9
2016	3777	148	17.5	12.3	11.5	11.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3540	94	3168	84
February	3841	102	3537	94
March	3869	102	3591	95
April	4037	107	3793	100
May	4069	108	3848	102
June	4269	113	4115	109
July	4472	118	4325	115
August	4369	116	4311	114
September	4128	109	4007	106
October	4078	108	3793	100
November	4027	107	3622	96
December	3443	91	3219	85

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 19.05; SANTIAM HIGHWAY NO. 16; 0.38 mile southeast of Sodaville-Waterloo Drive, southeast of Lebanon	Site Name:	Waterloo (22-013)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	12064	150	11.7	10.9	10.5	10.4
2008	11443	154	12.1	10.6	10.4	10.3
2009	11627	161	12.4	11.0	10.6	10.4
2010	11629	154	12.0	11.0	10.7	10.4
2011	11241	154	11.9	11.3	10.8	10.6
2012	11083	165	13.5	11.5	10.9	10.7
2013	11195	161	13.3	11.7	10.8	10.5
2014	11343	141	14.9	10.9	10.6	10.4
2015	12123	156	13.4	10.7	10.3	10.1
2016	12529	157	12.2	10.9	10.3	10.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11558	92	10750	86
February	12495	100	11776	94
March	12550	100	11951	95
April	13275	106	12793	102
May	13528	108	13068	104
June	14130	113	13969	111
July	14513	116	14531	116
August	13745	110	13386	107
September	13172	105	12698	101
October	13071	104	12363	99
November	12690	101	11889	95
December	11694	93	11170	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 214.56; PACIFIC HIGHWAY NO. 1; 2.01 miles south of Halsey-Sweet Home Highway No. 212 Interchange (OR228).	Site Name:	Lake Creek (22-016)
		Installed:	January, 1994

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	38218	155	12.4	11.3	10.7	10.4
2008	36157	161	13.4	12.3	11.1	10.7
2009	37401	153	12.8	11.5	11.1	10.7
2010	37883	141	12.3	11.4	10.9	10.7
2011	36875	145	12.3	11.7	11.2	10.8
2012	36188	150	12.3	11.4	11.0	10.8
2013	36864	151	12.4	11.5	11.1	10.9
2014	37627	151	12.6	11.3	11.0	10.7
2015	40088	145	12.4	10.9	10.6	10.5
2016	41664	147	11.9	10.9	10.5	10.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	32926	79	33651	81
February	35146	84	36638	88
March	38362	92	40011	96
April	37972	91	40320	97
May	40464	97	42281	101
June	45052	108	46569	112
July	46941	113	49121	118
August	45822	110	47974	115
September	42103	101	44958	108
October	38160	92	40299	97
November	39677	95	41283	99
December	37662	90	36860	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR34; MP 3.92; CORVALLIS-LEBANON HIGHWAY NO. 210; 0.89 mile east of	Site Name:	Riverside Drive (22-020)
	Riverside Drive		Installed:

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	27927	139	13.1	11.2	10.9	10.8
2008	26343	145	13.8	11.6	11.3	11.1
2009	26861	134	12.3	11.2	11.0	10.8
2010	27576	135	12.4	11.2	11.0	10.8
2011	27233	132	11.9	11.2	11.0	10.9
2012	26683	138	12.2	11.1	11.0	10.8
2013	27114	157	13.1	11.3	11.1	11.0
2014	28091	141	14.1	11.3	11.0	10.9
2015	29599	140	12.1	11.0	10.7	10.5
2016	31134	134	11.8	10.9	10.6	10.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	30956	99	28311	91
February	32749	105	30766	99
March	32468	104	30265	97
April	34014	109	32082	103
May	34572	111	32737	105
June	34444	111	32857	106
July	33405	107	31318	101
August	33520	108	31288	100
September	33656	108	32450	104
October	34867	112	33106	106
November	34145	110	32137	103
December	28618	92	26294	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20/OR99E MP 2.14; ALBANY-JUNCTION CITY HIGHWAY NO. 58; .28 mile northeast of Albany-Corvallis Highway No. 31 (US20)	Site Name:	Central Albany (22-022)
			Installed:

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	39227	123	10.5	10.0	9.8	9.6
2008	37234	126	10.5	10.0	9.9	9.8
2009	36654	131	10.6	10.3	10.0	9.9
2010	35941	124	10.5	10.2	10.1	10.0
2011	35492	126	11.0	10.2	10.0	9.9
2012	35907	***	***	***	***	***
2013	35488	126	11.1	10.2	10.1	10.0
2014	36983	126	10.5	10.1	9.9	9.8
2015	37924	123	10.4	9.9	9.8	9.7
2016	38655	122	9.9	9.7	9.6	9.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	39193	101	36008	93
February	40754	105	38328	99
March	40965	106	38234	99
April	42308	109	39885	103
May	42176	109	39616	102
June	42517	110	40001	103
July	40658	105	38402	99
August	42048	109	39463	102
September	41749	108	39365	102
October	42484	110	39666	103
November	41724	108	38387	99
December	38822	100	36507	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20/US26 MP 257.86; CENTRAL OREGON HIGHWAY NO. 7; 0.26 mile west of Olds Ferry-Ontario Highway No. 455 (OR201)	Site Name:	Cairo Junction (23-006)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4971	138	12.5	10.5	10.2	10.0
2008	4608	152	11.7	10.6	10.3	10.2
2009	4822	151	15.4	10.5	10.3	10.1
2010	4757	155	11.9	10.8	10.4	10.2
2011	4678	155	11.5	10.8	10.5	10.2
2012	4695	133	11.2	10.4	10.3	10.1
2013	4707	150	11.3	10.6	10.3	10.2
2014	4687	152	11.8	10.5	10.2	10.1
2015	4917	150	12.1	10.4	10.1	10.0
2016	5254	157	14.8	11.1	10.7	10.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4479	85	4042	77
February	4670	89	4350	83
March	5211	99	4887	93
April	5539	105	5185	99
May	5985	114	5636	107
June	6476	123	6175	118
July	6417	122	6303	120
August	6270	119	5992	114
September	6039	115	5770	110
October	5697	108	5357	102
November	5281	101	4963	94
December	4833	92	4383	83

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US95; MP 91.48; I.O.N. HIGHWAY NO. 456; 6.74 miles north of Blue Mountain Pass Summit	Site Name:	Basque (23-012)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1266	212	22.3	15.4	14.2	13.5
2008	1133	243	31.9	21.2	16.6	15.6
2009	1153	215	22.8	16.6	14.9	14.0
2010	1188	224	30.7	20.5	15.7	14.6
2011	1173	205	21.6	15.7	14.1	13.6
2012	1239	210	21.1	15.2	14.5	13.9
2013	1270	222	23.9	17.3	14.9	14.1
2014	1286	195	20.5	16.9	15.2	14.5
2015	1388	194	21.9	14.9	14.4	14.0
2016	1509	194	18.8	14.7	13.5	13.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	916	61	922	61
February	1041	69	1036	69
March	1356	90	1446	96
April	1381	92	1437	95
May	1566	104	1580	105
June	1856	123	1907	126
July	1896	126	1999	132
August	1779	118	1830	121
September	1681	111	1700	113
October	1534	102	1579	105
November	1458	97	1547	103
December	1228	81	1125	75

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US20; MP 189.38; CENTRAL OREGON HIGHWAY NO. 7; 0.11 mile east of Juntura-Riverside Road	Site Name:	Juntura (23-013)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1273	189	18.4	16.3	15.4	14.9
2008	1119	195	23.3	18.0	16.4	15.7
2009	1172	191	19.2	17.5	16.1	15.6
2010	1187	192	18.8	17.3	16.2	15.8
2011	1146	201	17.6	16.2	15.6	14.9
2012	1155	176	18.6	16.3	15.7	15.1
2013	1193	207	23.4	18.0	16.3	15.2
2014	1263	200	19.2	16.7	15.6	15.1
2015	1391	209	18.9	16.4	15.9	15.5
2016	1472	253	26.5	17.1	16.1	15.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	795	54	816	55
February	903	61	921	63
March	1134	77	1229	83
April	1255	85	1293	88
May	1545	105	1593	108
June	1923	131	2033	138
July	1998	136	2189	149
August	1900	129	1992	135
September	1768	120	1830	124
October	1479	100	1549	105
November	1200	82	1306	89
December	975	66	910	62

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 376.98; OLD OREGON TRAIL NO. 6; 1.03 miles northwest of Oregon-Idaho State Line	Site Name:	Snake River (23-014)
		Installed:	July, 1960

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	16408	***	***	***	***	***
2008	15338	141	11.2	10.0	9.4	9.2
2009	16065	139	10.8	10.2	9.7	9.4
2010	16469	143	10.2	10.0	9.6	9.4
2011	16386	147	12.7	9.8	9.6	9.4
2012	16511	133	10.2	9.8	9.5	9.3
2013	16608	137	13.2	9.9	9.7	9.4
2014	16700	139	10.7	10.0	9.6	9.5
2015	18402	143	10.3	9.9	9.7	9.5
2016	19342	150	10.8	10.3	10.0	9.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	15358	79	14695	76
February	16524	85	16351	85
March	18443	95	18727	97
April	19190	99	19358	100
May	20477	106	20462	106
June	22005	114	22102	114
July	22415	116	22618	117
August	22331	115	22398	116
September	21138	109	21085	109
October	20126	104	20074	104
November	19093	99	19030	98
December	16128	83	15209	79

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 353.47; OLD OREGON TRAIL NO. 6; 1.47 miles south of Baker-Malheur County Line	Site Name:	Huntington (23-016)
		Installed:	October, 1967

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	8902	156	14.5	12.1	11.5	11.2
2008	8182	163	16.0	13.4	11.6	11.1
2009	8528	162	13.3	12.0	11.4	11.2
2010	8744	166	13.5	12.1	11.8	11.5
2011	8580	178	14.1	12.5	11.9	11.4
2012	8614	154	15.4	12.4	11.6	11.4
2013	8762	170	15.1	13.3	12.1	11.7
2014	9028	166	15.3	13.5	12.1	11.7
2015	9685	153	15.0	12.3	11.5	11.3
2016	10390	173	14.3	12.6	12.0	11.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7000	67	6906	66
February	7690	74	7796	75
March	9366	90	9801	94
April	9794	94	10240	99
May	10956	105	11205	108
June	12386	119	12777	123
July	13014	125	12804	123
August	12650	122	13078	126
September	11617	112	11903	115
October	10489	101	10751	103
November	9712	93	10000	96
December	7905	76	7424	71

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99E; MP 34.03; PACIFIC HIGHWAY EAST NO. 81; 0.11 miles south of NE Belle Passi Rd	Site Name:	Woodburn (24-001)
		Installed:	January, 1937

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	10954	126	13.0	11.8	11.3	11.1
2008	10254	128	11.9	11.4	11.2	11.0
2009	10264	139	15.9	11.0	10.6	10.4
2010	10224	131	13.4	11.6	11.3	11.1
2011	10147	126	14.7	11.9	11.4	11.2
2012	10050	***	***	***	***	***
2013	10573	125	12.5	11.9	11.7	11.5
2014	11292	135	14.3	12.3	11.8	11.5
2015	11775	127	14.5	11.7	11.3	11.0
2016	12007	126	12.3	11.5	11.2	11.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11261	94	10390	87
February	11752	98	11288	94
March	12129	101	11628	97
April	12747	106	12610	105
May	12816	107	12739	106
June	13316	111	13087	109
July	13014	108	12804	107
August	13050	109	12855	107
September	12753	106	12573	105
October	12503	104	12336	103
November	12083	101	11382	95
December	10949	91	10392	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 2.82; NORTH SANTIAM HIGHWAY NO. 162; 0.91 mile east of Lancaster Drive Interchange	Site Name:	North Santiam (24-004)
		Installed:	January, 1967

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	25999	134	10.9	10.5	10.3	10.2
2008	24427	134	11.2	10.6	10.4	10.3
2009	25014	135	10.8	10.5	10.3	10.2
2010	24911	134	10.8	10.5	10.3	10.2
2011	24313	137	10.9	10.6	10.4	10.2
2012	24107	135	11.2	10.7	10.5	10.3
2013	24180	***	***	***	***	***
2014	24675	136	11.4	10.7	10.4	10.4
2015	26065	136	10.9	10.3	10.1	9.9
2016	27036	134	10.8	10.2	10.1	10.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24423	90	22965	85
February	26019	96	24940	92
March	26434	98	25471	94
April	27638	102	27059	100
May	28445	105	28129	104
June	29870	110	29777	110
July	30606	113	30618	113
August	31076	115	31296	116
September	28873	107	28532	106
October	27350	101	26286	97
November	27020	100	25718	95
December	25116	93	23640	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 10.02; NORTH SANTIAM HIGHWAY NO. 162; 1.08 miles east of Shaw Highway Interchange	Site Name:	Aumsville (24-005)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	20650	139	11.8	11.1	10.9	10.8
2008	19241	142	12.0	11.2	11.0	10.9
2009	19304	140	12.1	11.2	11.0	10.8
2010	19295	141	11.8	11.4	11.1	11.0
2011	19073	144	11.9	11.5	11.2	11.0
2012	19169	144	12.7	11.8	11.7	11.4
2013	19220	142	12.2	11.3	11.1	11.0
2014	19795	143	12.8	11.5	11.3	11.2
2015	20812	142	11.4	11.1	10.8	10.6
2016	21682	141	11.9	11.2	11.0	10.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19087	88	18073	83
February	20588	95	19778	91
March	20775	96	20167	93
April	21745	100	21407	99
May	22697	105	22554	104
June	23877	110	24174	111
July	24787	114	25105	116
August	25121	116	25735	119
September	23320	108	23281	107
October	21937	101	21198	98
November	21265	98	20263	93
December	19509	90	18454	85

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 33.69; NORTH SANTIAM HIGHWAY NO. 162; 0.95 mile west of Railroad Avenue SE (Entrance to Minto County Park).	Site Name:	Gates (24-013)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4872	251	26.6	25.4	24.2	23.5
2008	4474	273	32.0	27.3	26.4	25.5
2009	4690	259	28.2	26.6	25.1	23.9
2010	4741	271	29.7	27.1	25.9	24.5
2011	4687	275	29.8	28.2	26.1	24.7
2012	4701	278	30.1	28.6	26.9	25.3
2013	4808	271	30.2	27.6	25.8	25.0
2014	4930	290	32.5	28.4	27.0	25.3
2015	5261	***	***	***	***	***
2016	5658	254	30.1	26.3	25.0	23.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2724	48	3506	62
February	3198	56	3882	69
March	3561	63	4453	79
April	3858	68	4939	87
May	5061	89	6287	111
June	5718	101	7282	129
July	7003	124	8585	152
August	7137	126	9119	161
September	5925	105	7202	127
October	4091	72	5014	89
November	3579	63	4355	77
December	3202	57	3276	58

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 25.90; WILLAMINA-SALEM HIGHWAY NO. 30; 0.38 mile west of Salem Highway No. 72 (OR22), Polk-Marion County Line	Site Name:	Salem Bridges (24-014)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	88374	119	9.9	9.5	9.4	9.4
2008	85405	122	10.1	9.7	9.6	9.5
2009	85929	***	***	***	***	***
2010	85100	121	9.6	9.4	9.3	9.3
2011	83816	120	10.5	9.4	9.3	9.3
2012	84116	121	9.9	9.8	9.7	9.6
2013	84655	121	9.9	9.7	9.6	9.6
2014	86588	120	10.0	9.8	9.6	9.6
2015	91213	120	9.7	9.4	9.4	9.3
2016	93500	120	9.6	9.3	9.3	9.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	92157	99	85279	91
February	97048	104	92216	99
March	97390	104	91758	98
April	101804	109	97222	104
May	100983	108	96691	103
June	102691	110	98961	106
July	100420	107	95992	103
August	102193	109	97822	105
September	100640	108	96685	103
October	100224	107	94485	101
November	97492	104	90979	97
December	88543	95	83908	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 51.30; NORTH SANTIAM HIGHWAY NO. 162; 1.20 miles east of Detroit Avenue	Site Name:	Detroit (24-015)
		Installed:	May, 1997

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4194	242	27.5	25.0	24.2	23.4
2008	3780	263	31.2	27.2	25.7	24.8
2009	3996	***	***	***	***	***
2010	4049	256	29.1	27.3	26.3	24.7
2011	3990	264	29.9	27.6	25.8	24.7
2012	3939	268	30.8	29.1	27.3	25.9
2013	4123	263	29.1	27.2	26.2	25.1
2014	4258	268	30.1	27.7	26.4	25.3
2015	4615	261	32.0	25.4	24.4	23.1
2016	4981	254	29.8	26.2	24.8	23.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2311	46	3088	62
February	2722	55	3409	68
March	3055	61	3941	79
April	3289	66	4264	86
May	4424	89	5533	111
June	4873	98	6191	124
July	5999	120	7401	149
August	6361	128	8154	164
September	5373	108	6583	132
October	3595	72	4417	89
November	3099	62	3842	77
December	2760	55	2953	59

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR551; MP 3.70; WILSONVILLE-HUBBARD HIGHWAY NO. 51; 0.22 mile south of Ehlen Road	Site Name:	Hubbard (24-016)
		Installed:	January, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	8210	126	11.6	10.7	10.5	10.4
2008	7821	125	11.8	11.0	10.8	10.8
2009	7724	122	11.4	10.7	10.4	10.3
2010	7731	121	11.2	10.9	10.7	10.5
2011	7744	125	11.6	10.7	10.5	10.4
2012	8008	132	11.6	10.9	10.6	10.4
2013	8344	127	14.1	10.7	10.5	10.4
2014	8851	128	12.1	10.3	10.1	10.0
2015	9100	126	11.2	9.9	9.7	9.6
2016	8867	130	10.2	9.8	9.6	9.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9216	104	8139	92
February	9697	109	8841	100
March	9948	112	9130	103
April	10342	117	10023	113
May	9984	113	9379	106
June	9814	111	9138	103
July	9378	106	8737	99
August	9848	111	8990	101
September	9472	107	8939	101
October	9468	107	8705	98
November	9274	105	8410	95
December	8674	98	7970	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR219; MP 31.88; HILLSBORO-SILVERTON HIGHWAY NO. 140; 1.85 miles south of St. Paul Highway N.E.	Site Name:	St. Paul (24-020)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2523	276	23.4	16.3	14.5	13.2
2008	2376	293	29.4	17.6	14.1	12.8
2009	2425	279	28.7	18.3	15.4	13.4
2010	2543	282	29.1	18.1	15.9	14.4
2011	2539	260	26.4	19.5	16.4	14.5
2012	2607	315	31.1	20.6	16.2	14.4
2013	2606	260	24.4	16.6	14.8	13.3
2014	2627	259	23.5	17.1	15.0	13.5
2015	2800	230	20.2	15.6	14.1	13.1
2016	2942	221	21.1	15.2	14.2	13.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2483	84	2303	78
February	2691	91	2573	87
March	2841	97	2728	93
April	3190	108	3174	108
May	3104	106	3132	106
June	3293	112	3356	114
July	3564	121	3629	123
August	3325	113	3302	112
September	3324	113	3294	112
October	2927	99	2851	97
November	2836	96	2638	90
December	2520	86	2322	79

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 252.20; PACIFIC HIGHWAY NO. 1; 0.02 mile north of Turner Road Overcrossing	Site Name:	Salem-Kuebler (24-021)
		Installed:	August, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	68542	134	10.8	9.6	9.3	9.2
2010	70265	130	10.1	9.7	9.6	9.4
2011	69484	130	9.9	9.6	9.5	9.4
2012	69134	134	10.2	9.6	9.5	9.4
2013	70819	133	10.1	9.6	9.4	9.4
2014	72422	132	10.0	9.6	9.4	9.3
2015	77191	128	9.7	9.2	9.0	8.9
2016	79661	132	9.6	9.1	9.0	8.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	69394	87	68059	85
February	73755	93	73902	93
March	77200	97	77400	97
April	78500	99	79400	100
May	79500	100	80000	100
June	86876	109	87269	110
July	87084	109	87514	110
August	87635	110	87716	110
September	83370	105	84768	106
October	78919	99	79094	99
November	79517	100	79370	100
December	74008	93	71444	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99EBUS; MP 0.67; SALEM HIGHWAY NO. 72; 0.87 mile north of Hyacinth Street N.E.	Site Name:	Salem Parkway (24-022)
		Installed:	June, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	20881	125	10.8	10.2	10.1	10.0
2011	20597	123	11.2	10.2	10.0	9.9
2012	20467	133	11.3	10.5	10.0	10.0
2013	21018	121	10.5	9.9	9.8	9.7
2014	21702	121	10.8	9.8	9.7	9.6
2015	23374	121	10.9	9.6	9.4	9.4
2016	24944	126	10.8	9.8	9.6	9.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	23008	92	21452	86
February	24776	99	23650	95
March	25054	100	23937	96
April	26002	104	25083	101
May	25985	104	25210	101
June	27934	112	26964	108
July	28562	115	27412	110
August	29343	118	28197	113
September	26928	108	26062	104
October	26050	104	25017	100
November	25592	103	24232	97
December	23429	94	22108	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR74; MP 37.83; HEPPNER HIGHWAY NO. 52; 1.38 miles southeast of Lexington-Echo Highway No. 320 (OR207)	Site Name:	Lexington (25-007)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1397	194	21.4	13.7	12.0	11.7
2008	1340	165	19.0	12.8	12.2	11.9
2009	1390	***	***	***	***	***
2010	1379	174	16.9	13.2	12.4	12.0
2011	1392	158	15.2	12.9	12.1	11.7
2012	1327	160	16.5	12.9	12.1	11.8
2013	1326	172	18.4	13.6	12.1	11.9
2014	1322	180	15.8	13.4	12.6	12.0
2015	1397	154	14.0	12.4	12.0	11.7
2016	1378	173	14.1	13.1	12.3	11.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1335	97	1184	86
February	1384	100	1237	90
March	1474	107	1358	99
April	1554	113	1433	104
May	1588	115	1495	108
June	1539	112	1431	104
July	1516	110	1422	103
August	1620	118	1517	110
September	1578	115	1520	110
October	1594	116	1477	107
November	1453	105	1316	96
December	1298	94	1141	83

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84/US30 MP 168.55; OLD OREGON TRAIL NO. 6; 0.60 mile southeast of Columbia River Highway No. 2 Interchange (US730)	Site Name:	Boardman Jct (25-008)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	12789	176	42.2	13.9	12.6	12.1
2009	13087	166	30.5	13.7	13.3	12.4
2010	13191	163	17.3	13.4	13.0	12.6
2011	13206	171	16.9	12.9	12.4	11.9
2012	13424	163	16.7	12.9	12.2	12.1
2013	13927	161	17.1	14.0	12.8	12.3
2014	14746	159	16.6	13.4	12.3	11.9
2015	15749	155	16.8	12.7	12.2	11.9
2016	16873	161	16.2	12.7	12.1	11.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12532	74	12106	72
February	13649	81	13617	81
March	15754	93	16106	95
April	16172	96	16637	99
May	17311	103	17540	104
June	18941	112	19404	115
July	19905	118	20663	122
August	19791	117	20546	122
September	18989	113	19442	115
October	16940	100	17265	102
November	16041	95	16401	97
December	13886	82	12745	76

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 17.71; COLUMBIA RIVER HIGHWAY NO. 2; SIX LANES CONFIG. AS OF 2/20/15, SPD DATA	Site Name:	Troutdale (26-001)
		Installed:	January, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	29137	169	16.2	14.0	13.4	13.0
2008	27786	164	14.9	14.1	13.7	13.4
2009	29463	176	16.8	15.1	14.4	14.0
2010	29637	***	***	***	***	***
2011	28054	180	15.8	14.9	14.0	13.5
2012	28469	188	16.6	15.2	14.1	13.7
2013	29033	***	***	***	***	***
2014	28961	***	***	***	***	***
2015	33699	175	15.6	14.5	14.2	13.8
2016	35284	173	16.0	14.8	14.3	14.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	22557	64	24721	70
February	25848	73	28437	81
March	28911	82	31974	91
April	30783	87	35959	102
May	33895	96	37984	108
June	37404	106	42423	120
July	41256	117	46039	130
August	40105	114	46423	132
September	36111	102	40442	115
October	29758	84	33094	94
November	28788	82	31620	90
December	25158	71	24286	69

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 73.75; SUNSET HIGHWAY NO. 47; 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnel	Site Name:	Vista Ridge Tunnel (26-002)
		Installed:	February, 1969

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	141408	***	***	***	***	***
2008	137150	***	***	***	***	***
2009	139800	***	***	***	***	***
2010	138369	***	***	***	***	***
2011	138937	115	7.9	7.8	7.8	7.7
2012	139387	115	8.1	7.9	7.9	7.8
2013	140605	114	8.0	7.8	7.8	7.8
2014	140639	115	8.0	7.9	7.8	7.8
2015	142420	112	7.9	7.7	7.7	7.6
2016	142232	115	7.8	7.6	7.5	7.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	141100	99	133111	94
February	149072	105	143224	101
March	148997	105	142420	100
April	153355	108	148136	104
May	152913	108	147227	104
June	153992	108	149026	105
July	150613	106	146531	103
August	152783	107	147899	104
September	149140	105	144307	101
October	147946	104	141898	100
November	142650	100	136486	96
December	130156	92	126516	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 14.36; MT. HOOD HIGHWAY NO. 26; 0.18 mile southeast of SE Powell Valley Road	Site Name:	Gresham (26-003)
		Installed:	March, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	33225	127	9.8	9.5	9.3	9.2
2008	31777	130	10.2	9.8	9.6	9.5
2009	32252	121	10.4	9.2	9.0	8.9
2010	32273	126	9.9	9.5	9.3	9.2
2011	30530	126	10.1	9.4	9.3	9.2
2012	29978	129	10.1	9.6	9.4	9.3
2013	30315	133	10.9	9.4	9.3	9.1
2014	30648	128	10.0	9.4	9.2	9.2
2015	32143	129	9.9	9.3	9.1	9.1
2016	33041	121	9.7	9.1	8.9	8.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	32863	99	32627	99
February	32784	99	32623	99
March	32828	99	32319	98
April	33498	101	33231	101
May	33762	102	33487	101
June	34645	105	34402	104
July	34893	106	34828	105
August	35000	106	35135	106
September	33625	102	33255	101
October	32579	99	31877	96
November	32076	97	31233	95
December	32126	97	31479	95

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 307.97; PACIFIC HIGHWAY NO. 1; 0.41 mile south of Oregon-Washington State Line	Site Name:	Interstate Bridge (26-004)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	126597	119	7.8	7.6	7.6	7.5
2008	121407	121	8.1	7.9	7.8	7.7
2009	121133	121	8.0	7.8	7.8	7.8
2010	123189	118	7.8	7.7	7.6	7.5
2011	123893	118	8.0	7.6	7.5	7.4
2012	124340	117	7.8	7.6	7.5	7.5
2013	126995	117	7.8	7.5	7.4	7.4
2014	128393	117	7.8	7.5	7.4	7.3
2015	132252	116	7.5	7.3	7.3	7.2
2016	132350	117	7.5	7.3	7.3	7.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	126828	96	120903	91
February	133652	101	130952	99
March	135678	103	132496	100
April	137112	104	134583	102
May	137245	104	134936	102
June	141859	107	138319	105
July	139691	106	137788	104
August	141300	107	138817	105
September	136377	103	133684	101
October	134648	102	131586	99
November	133685	101	130123	98
December	127874	97	124017	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-405; MP 0.60; STADIUM FREEWAY HIGHWAY NO. 61; 0.64 mile northwest of Pacific Highway No. 1 (I-5)	Site Name:	Stadium Freeway (26-005)
		Installed:	December, 1965

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	98229	118	8.1	8.0	7.9	7.9
2008	94266	120	8.3	8.1	8.1	8.0
2009	94769	***	***	***	***	***
2010	95608	***	***	***	***	***
2011	94175	***	***	***	***	***
2012	91550	***	***	***	***	***
2013	93158	***	***	***	***	***
2014	92063	114	8.0	7.9	7.8	7.7
2015	93810	114	7.9	7.8	7.7	7.7
2016	93110	119	9.6	7.7	7.6	7.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	92184	99	86734	93
February	98776	106	94658	102
March	98094	105	93690	101
April	100692	108	96797	104
May	100385	108	95984	103
June	101019	108	97247	104
July	98205	105	94650	102
August	98735	106	95162	102
September	97250	104	94189	101
October	98909	106	94890	102
November	95299	102	90876	98
December	85867	92	82439	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	MP 13.94; HISTORIC COLUMBIA RIVER HIGHWAY NO. 100; 0.10 mile west of Bridal Veil Falls State Park	Site Name:	Bridal Veil (26-012)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	691	317	47.6	38.7	36.1	34.5
2008	695	320	46.3	38.3	34.8	33.5
2009	787	300	38.0	33.0	31.0	29.4
2010	782	303	44.4	39.4	37.5	35.3
2011	764	365	47.1	40.1	37.5	36.0
2012	697	382	54.3	43.2	39.2	37.2
2013	760	316	65.3	40.0	36.6	35.3
2014	875	349	63.3	35.2	33.7	32.8
2015	1038	293	44.3	30.8	29.6	28.6
2016	1081	299	37.2	31.6	28.8	28.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	322	30	517	48
February	499	46	703	65
March	669	62	869	80
April	782	72	1163	108
May	1022	95	1291	119
June	1255	116	1514	140
July	1621	150	1832	169
August	1480	137	1720	159
September	1206	112	1398	129
October	680	63	867	80
November	454	42	649	60
December	416	38	453	42

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 3.35; COLUMBIA RIVER HIGHWAY NO. 2; At the N.E. 53rd Avenue Undercrossing.	Site Name:	Hoyt (26-014)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	164509	116	7.3	7.2	7.1	7.1
2008	160306	117	7.5	7.4	7.3	7.3
2009	161495	116	7.6	7.4	7.4	7.3
2010	161572	115	7.5	7.3	7.3	7.3
2011	158377	***	***	***	***	***
2012	154572	118	7.4	7.3	7.2	7.2
2013	156456	115	7.3	7.2	7.1	7.1
2014	161772	113	7.1	7.0	7.0	7.0
2015	165735	111	6.9	6.9	6.8	6.8
2016	167059	113	6.9	6.8	6.8	6.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	159977	96	154420	92
February	170719	102	166585	100
March	172012	103	167906	101
April	176068	105	172440	103
May	175750	105	171750	103
June	177180	106	174449	104
July	174720	105	172756	103
August	176162	105	173158	104
September	173395	104	171039	102
October	169843	102	166430	100
November	165520	99	161676	97
December	156306	94	152100	91

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 0.49; COLUMBIA RIVER HIGHWAY NO. 2; 0.49 mile east of Pacific Highway No. 1 Interchange (I-5)	Site Name:	West Banfield (26-015)
		Installed:	August, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	143242	115	7.2	7.1	7.1	7.0
2008	140758	116	7.6	7.4	7.3	7.2
2009	142071	118	11.0	7.8	7.4	7.3
2010	146571	***	***	***	***	***
2011	143160	115	7.5	7.4	7.3	7.3
2012	141433	114	7.5	7.3	7.3	7.2
2013	143065	110	7.3	7.1	7.1	7.0
2014	144885	112	7.4	7.2	7.1	7.1
2015	147118	***	***	***	***	***
2016	147894	112	7.0	7.0	6.9	6.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	142845	97	137608	93
February	152118	103	147852	100
March	152391	103	148394	100
April	156150	106	152711	103
May	156361	106	152471	103
June	157451	106	154860	105
July	155148	105	153161	104
August	155071	105	152158	103
September	152827	103	150707	102
October	151090	102	147981	100
November	147993	100	144661	98
December	134657	91	132166	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 298.24; PACIFIC HIGHWAY NO. 1; 1.07 miles north of S.W. Terwilliger Boulevard, in Portland	Site Name:	Iowa Street (26-016)
		Installed:	December, 1961

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	145047	119	9.2	8.3	8.3	8.2
2008	139792	121	10.0	8.5	8.5	8.4
2009	140861	116	8.3	8.1	8.0	8.0
2010	141415	***	***	***	***	***
2011	139332	***	***	***	***	***
2012	137111	116	8.2	8.0	8.0	7.9
2013	137147	116	8.2	8.0	7.9	7.9
2014	137062	116	8.3	8.1	8.0	7.9
2015	142034	114	8.1	7.9	7.8	7.8
2016	140653	114	7.9	7.8	7.8	7.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	141770	101	132367	94
February	149563	106	143749	102
March	149818	107	143252	102
April	150450	107	145084	103
May	148968	106	143405	102
June	150855	107	144823	103
July	148982	106	143872	102
August	145891	104	141076	100
September	145883	104	141250	100
October	149510	106	143385	102
November	145483	103	139000	99
December	134468	96	126577	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-205; MP 20.35; EAST PORTLAND FREEWAY NO. 64; 0.22 mile south of S.E. Washington Street Undercrossing	Site Name:	Yamhill (26-018)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	148487	117	7.6	7.5	7.5	7.4
2008	144228	117	7.8	7.7	7.6	7.6
2009	146509	116	7.8	7.7	7.6	7.6
2010	146277	115	7.8	7.7	7.6	7.6
2011	145358	116	7.8	7.6	7.6	7.5
2012	145124	115	7.8	7.6	7.6	7.5
2013	146169	115	7.7	7.6	7.5	7.5
2014	146484	114	7.6	7.4	7.4	7.4
2015	151410	112	7.3	7.2	7.1	7.1
2016	152773	114	7.3	7.1	7.1	7.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	147548	97	139799	92
February	156936	103	150639	99
March	157025	103	151730	99
April	161154	105	156309	102
May	163405	107	157336	103
June	162659	106	159404	104
July	160926	105	157164	103
August	161563	106	158024	103
September	159231	104	154865	101
October	159000	104	153400	100
November	154600	101	149600	98
December	150000	98	145000	95

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 304.66; PACIFIC HIGHWAY NO. 1; 0.03 mile south of N. Ainsworth Street undercrossing	Site Name:	Minnesota Freeway (26-019)
		Installed:	December, 1964

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	134163	117	7.6	7.5	7.4	7.4
2008	129977	117	7.9	7.7	7.6	7.5
2009	129987	116	7.7	7.6	7.5	7.5
2010	130677	117	7.9	7.6	7.5	7.5
2011	129887	117	7.8	7.6	7.5	7.5
2012	129661	117	7.8	7.6	7.5	7.5
2013	131640	114	7.7	7.5	7.5	7.4
2014	132040	114	7.7	7.5	7.4	7.4
2015	134027	113	7.5	7.4	7.3	7.3
2016	132896	112	7.5	7.4	7.4	7.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	127190	96	123221	93
February	134852	101	133978	101
March	135744	102	134510	101
April	136585	103	136090	102
May	136708	103	135873	102
June	138465	104	137529	103
July	136125	102	136586	103
August	136880	103	137225	103
September	135174	102	135368	102
October	132886	100	133263	100
November	129588	98	129498	97
December	121691	92	121616	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-205; MP 18.25; EAST PORTLAND FREEWAY NO. 64; 0.87 mile south of Mt. Hood Highway No. 26 (US26)	Site Name:	Lents (26-022)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	155889	***	***	***	***	***
2008	151553	118	8.1	8.0	7.9	7.9
2009	152957	115	7.9	7.7	7.7	7.6
2010	150015	115	8.1	8.0	7.9	7.9
2011	150855	116	8.1	7.9	7.8	7.8
2012	150336	116	8.1	7.9	7.9	7.8
2013	151177	115	8.1	7.8	7.8	7.7
2014	151251	115	7.9	7.7	7.7	7.6
2015	156136	113	7.7	7.5	7.4	7.3
2016	155756	113	7.5	7.4	7.3	7.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	152251	98	143509	92
February	161784	104	154794	99
March	162168	104	155879	100
April	167305	107	161273	104
May	168528	108	161826	104
June	167882	108	163447	105
July	165683	106	160399	103
August	166248	107	161254	104
September	164012	105	158544	102
October	161301	104	155043	100
November	157897	101	151582	97
December	146134	94	141518	91

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-205; MP 25.50; EAST PORTLAND FREEWAY NO. 64; 1.06 miles south of Oregon-Washington State Line	Site Name:	Glenn Jackson Bridge (26-024)
		Installed:	January, 1983

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	139586	122	8.9	8.8	8.7	8.7
2008	134251	122	9.3	9.0	8.9	8.9
2009	136855	121	9.1	8.9	8.8	8.8
2010	138127	***	***	***	***	***
2011	138694	***	***	***	***	***
2012	139748	123	8.9	8.7	8.7	8.6
2013	141973	122	9.1	8.7	8.6	8.5
2014	144732	119	8.6	8.4	8.4	8.4
2015	151713	121	8.3	8.1	8.0	8.0
2016	155398	120	8.0	7.9	7.8	7.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	149132	96	140490	90
February	157413	101	150794	97
March	160192	103	153303	99
April	164566	106	158947	102
May	164694	106	158954	102
June	169886	109	165136	106
July	168495	108	162726	105
August	172776	111	165860	107
September	165070	106	159288	103
October	161482	104	154082	99
November	159944	103	151790	98
December	150727	97	143401	92

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 300.37; PACIFIC HIGHWAY NO. 1; 0.34 mile northeast of Stadium Freeway No. 61 Interchange (I-405)	Site Name:	Marquam Bridge (26-026)
		Installed:	October, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	141079	115	8.0	7.9	7.8	7.7
2008	135934	117	8.1	8.0	7.9	7.9
2009	138631	***	***	***	***	***
2010	139642	***	***	***	***	***
2011	138125	***	***	***	***	***
2012	134500	***	***	***	***	***
2013	136853	***	***	***	***	***
2014	137282	112	8.0	7.9	7.8	7.7
2015	139246	111	8.0	7.8	7.8	7.7
2016	140462	112	7.8	7.7	7.6	7.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	135966	97	130533	93
February	144544	103	141155	100
March	144734	103	140925	100
April	148021	105	145409	104
May	146543	104	142760	102
June	149381	106	147119	105
July	147296	105	145512	104
August	147151	105	144706	103
September	144521	103	142403	101
October	144430	103	141262	101
November	140331	100	136924	97
December	130050	93	126838	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-405; MP 3.05; STADIUM FREEWAY HIGHWAY NO. 61; 1.16 miles southwest of Pacific Highway No. 1 (I-5)	Site Name:	Fremont Bridge (26-027)
		Installed:	January, 1978

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	114578	120	8.9	8.8	8.7	8.6
2008	110301	122	9.2	9.0	8.9	8.8
2009	110153	120	8.9	8.6	8.5	8.5
2010	119150	122	8.6	8.4	8.4	8.3
2011	118259	123	8.6	8.5	8.5	8.5
2012	119795	123	9.1	8.5	8.5	8.4
2013	121830	119	8.9	8.5	8.4	8.3
2014	122392	121	9.5	8.3	8.2	8.2
2015	128656	124	8.3	8.0	7.9	7.9
2016	128343	119	10.1	8.1	8.0	8.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	129730	101	118305	92
February	138298	108	129147	101
March	140590	110	130860	102
April	144000	112	134500	105
May	141000	110	133000	104
June	142339	111	133021	104
July	137149	107	129674	101
August	141124	110	132816	103
September	137946	107	130337	102
October	138973	108	130784	102
November	133993	104	124819	97
December	121248	94	112855	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 11.45; COLUMBIA RIVER HIGHWAY NO. 2; 1.59 miles west of N.E. 181st Avenue Interchange	Site Name:	Fairview (26-028)
		Installed:	November, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	101367	123	8.6	8.4	8.3	8.3
2012	100864	122	8.7	8.5	8.4	8.3
2013	101446	119	8.5	8.3	8.2	8.1
2014	102527	119	8.8	8.5	8.3	8.2
2015	107116	120	8.6	8.3	8.0	7.9
2016	106785	120	8.8	8.5	8.3	8.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	99205	93	95648	90
February	107158	100	104615	98
March	110015	103	107490	101
April	113469	106	112676	106
May	112357	105	110754	104
June	113034	106	111477	104
July	112251	105	113096	106
August	110417	103	108730	102
September	113454	106	112672	106
October	108729	102	106705	100
November	106792	100	103486	97
December	98276	92	94069	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR18; MP 23.23; SALMON RIVER HIGHWAY NO. 39; 0.19 mile east of Three Rivers Highway No. 32 (OR22)	Site Name:	Valley Junction (27-001)
		Installed:	January, 1950

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	19339	***	***	***	***	***
2008	18123	***	***	***	***	***
2009	18566	160	13.3	12.7	12.3	12.1
2010	18256	164	13.6	12.4	12.0	11.5
2011	17650	166	14.8	13.2	12.6	12.3
2012	17159	176	14.6	13.8	13.0	12.5
2013	17175	161	14.5	13.2	12.8	12.5
2014	17336	162	14.5	13.7	13.2	12.7
2015	18075	168	13.9	13.0	12.7	12.5
2016	18222	173	13.5	13.2	12.9	12.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12608	69	14701	81
February	14665	80	17204	94
March	15268	84	17728	97
April	15203	83	18277	100
May	16244	89	19099	105
June	17188	94	20354	112
July	19528	107	21985	121
August	19443	107	22924	126
September	17407	96	20060	110
October	14738	81	16619	91
November	14410	79	16337	90
December	12524	69	13379	73

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR221; MP 18.60; SALEM-DAYTON HIGHWAY NO. 150; 0.09 mile north of Brush College Road N.W.	Site Name:	Brush College (27-002)
		Installed:	December, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	12578	129	15.8	11.0	10.6	10.5
2008	11803	120	11.5	10.6	10.5	10.4
2009	12023	***	***	***	***	***
2010	12229	123	11.0	10.6	10.4	10.3
2011	12096	121	11.1	10.7	10.6	10.4
2012	12084	126	11.2	10.7	10.5	10.4
2013	12114	125	11.3	10.5	10.3	10.2
2014	12498	122	10.8	10.6	10.4	10.3
2015	13189	122	10.5	10.3	10.1	10.0
2016	13835	120	11.0	10.3	10.2	10.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13429	97	12468	90
February	13971	101	13452	97
March	14108	102	13376	97
April	14861	107	14358	104
May	14705	106	14261	103
June	15365	111	14898	108
July	15134	109	14554	105
August	15426	111	14792	107
September	14806	107	14429	104
October	14425	104	13801	100
November	14015	101	13251	96
December	12946	94	12376	89

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99W; MP 70.90; PACIFIC HIGHWAY WEST NO. 91; 1.43 miles north of Polk-Benton County Line	Site Name:	Monmouth (27-005)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	7509	149	15.6	13.5	11.9	11.4
2008	6962	154	18.0	15.2	13.0	12.3
2009	7005	153	17.0	13.8	12.6	11.8
2010	7287	159	17.6	14.4	13.3	12.0
2011	7193	146	17.5	15.1	12.9	12.1
2012	7120	150	16.9	14.1	12.8	12.0
2013	7110	164	15.8	14.7	12.1	11.7
2014	7285	142	18.1	13.5	12.6	12.1
2015	7802	140	14.7	12.3	11.8	11.6
2016	8074	142	14.6	12.9	12.1	11.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7512	93	7146	89
February	8089	100	7916	98
March	8016	99	7775	96
April	8519	106	8362	104
May	8701	108	8644	107
June	8682	108	8710	108
July	8475	105	8273	102
August	8503	105	8381	104
September	8462	105	8579	106
October	8596	106	8531	106
November	8438	105	8130	101
December	6727	83	6446	80

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR22; MP 19.47; WILLAMINA-SALEM HIGHWAY NO. 30; 0.90 mile west of Independence Highway No. 193 (OR51)	Site Name:	Oak Knoll (27-006)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	27678	126	10.5	10.1	10.0	9.9
2008	25776	131	11.1	10.5	10.2	10.1
2009	26317	127	11.7	10.0	9.9	9.9
2010	26107	125	10.6	10.2	10.0	9.9
2011	25358	124	10.5	10.1	9.9	9.8
2012	24891	124	10.4	10.1	9.9	9.8
2013	25283	126	10.9	10.4	10.1	9.9
2014	26112	135	11.4	10.4	10.1	9.9
2015	27762	122	10.3	10.0	9.8	9.7
2016	28749	126	10.7	9.8	9.7	9.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	26824	93	25408	88
February	28722	100	28018	97
March	28817	100	27994	97
April	29691	103	29315	102
May	30303	105	29916	104
June	30373	106	30218	105
July	30900	107	30395	106
August	31826	111	31653	110
September	30524	106	30340	106
October	30220	105	29083	101
November	29473	103	28135	98
December	25592	89	24513	85

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US97; MP 17.36; SHERMAN HIGHWAY NO. 42; 0.83 mile northwest of 1st Street	Site Name:	Wasco (28-001)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2731	166	14.9	13.1	12.3	12.1
2008	2389	157	14.9	13.4	12.5	12.3
2009	2657	162	16.8	13.4	12.8	12.5
2010	2706	161	14.6	13.2	12.6	12.3
2011	2632	171	16.2	13.5	13.0	12.3
2012	2638	160	15.0	13.3	12.8	12.5
2013	2693	163	14.9	13.3	12.9	12.5
2014	2743	158	14.9	13.3	13.0	12.6
2015	2921	166	15.8	13.7	13.3	12.8
2016	3025	167	16.7	14.0	13.3	12.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2211	73	2102	69
February	2418	80	2338	77
March	2759	91	2706	89
April	2932	97	2968	98
May	3267	108	3226	107
June	3559	118	3644	120
July	3726	123	3877	128
August	3772	125	3832	127
September	3467	115	3480	115
October	3119	103	3064	101
November	2854	94	2822	93
December	2473	82	2245	74

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 109.51; COLUMBIA RIVER HIGHWAY NO. 2; 0.44 mile west of Rufus/John Day Dam Interchange	Site Name:	Rufus (28-002)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	10506	205	22.8	16.7	14.9	13.9
2009	10774	189	20.1	16.5	15.3	14.3
2010	10831	179	19.9	16.1	15.2	14.8
2011	10583	190	20.9	15.8	15.0	14.2
2012	10812	181	21.0	16.0	15.4	14.8
2013	11143	190	21.0	17.2	15.9	15.2
2014	11350	192	21.4	16.4	15.9	15.4
2015	12135	***	***	***	***	***
2016	13002	174	17.2	15.3	14.6	14.0



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7900	61	8400	65
February	8900	68	9400	72
March	11134	86	12050	93
April	11420	88	12490	96
May	12891	99	13703	105
June	14442	111	15461	119
July	15553	120	16906	130
August	15330	118	16722	129
September	14029	108	15071	116
October	11969	92	12918	99
November	11400	88	12400	95
December	10000	77	10500	81


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	US101; MP 53.55; OREGON COAST HIGHWAY NO. 9; 2.08 miles south of Washington Street	Site Name:	Rockaway (29-001)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6481	182	19.4	16.5	15.5	15.2
2008	6028	203	20.9	17.6	16.3	15.7
2009	6215	214	20.7	18.4	17.5	16.5
2010	6173	208	20.8	18.6	17.3	16.2
2011	5879	208	22.3	19.3	18.0	16.9
2012	5818	214	20.8	18.1	17.4	17.0
2013	5873	212	20.8	18.4	16.8	16.1
2014	6020	216	21.0	18.3	17.6	17.2
2015	6454	213	19.8	17.6	16.9	16.3
2016	6687	184	19.6	16.7	16.1	15.7



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4585	69	4643	69
February	5177	77	5403	81
March	5747	86	5983	89
April	6039	90	6492	97
May	6408	96	7007	105
June	7328	110	7974	119
July	8969	134	9359	140
August	8889	133	9495	142
September	7669	115	8125	122
October	5980	89	6027	90
November	5062	76	5238	78
December	4696	70	4497	67


For Vehicle Classification data near your project, please go to the following web page:

<https://gis.odot.state.or.us/TransGIS/>

Location:	US730; MP 193.70; COLUMBIA RIVER HIGHWAY NO. 2; 0.24 mile east of Pendleton-Cold Springs Highway No. 36 (OR37)	Site Name:	Cold Springs (30-002)
		Installed:	October, 1962

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2459	145	12.3	11.1	10.7	10.4
2008	2355	146	11.8	10.8	10.6	10.3
2009	2492	165	12.7	11.4	11.0	10.7
2010	2452	162	14.3	11.5	11.0	10.8
2011	2547	***	***	***	***	***
2012	2775	***	***	***	***	***
2013	2415	***	***	***	***	***
2014	2792	***	***	***	***	***
2015	2746	***	***	***	***	***
2016	3121	***	***	***	***	***



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2550	82	2350	75
February	2850	91	2700	87
March	3050	98	2950	95
April	3225	103	3150	101
May	3500	112	3400	109
June	3800	122	3700	119
July	3850	123	3850	123
August	3850	123	3750	120
September	3650	117	3550	114
October	3300	106	3150	101
November	2700	87	2800	90
December	2400	77	2100	67

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 203.34; OLD OREGON TRAIL NO. 6; 4.13 miles west of Pendleton Highway No. 67 Interchange (US30)	Site Name:	Pendleton (30-004)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	15185	147	13.1	11.4	10.8	10.5
2008	13781	151	14.4	12.3	11.2	10.8
2009	14574	149	13.2	11.9	11.2	10.9
2010	14977	***	***	***	***	***
2011	14717	158	13.0	11.3	11.0	10.8
2012	14647	147	13.6	11.4	11.0	10.8
2013	14832	148	14.0	12.1	11.1	10.8
2014	14962	147	14.0	11.7	11.2	11.0
2015	15933	145	13.9	11.3	11.0	10.8
2016	16599	155	13.9	11.5	11.3	11.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12741	77	12366	74
February	14016	84	13981	84
March	15792	95	16084	97
April	16378	99	16585	100
May	17412	105	17495	105
June	18666	112	18952	114
July	19215	116	19815	119
August	19364	117	19704	119
September	18566	112	18957	114
October	16912	102	17050	103
November	15947	96	16029	97
December	13070	79	12171	73

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 16.70; PENDLETON-JOHN DAY HIGHWAY NO. 28; 1.34 miles southwest of W. Main Street	Site Name:	Pilot Rock (30-007)
		Installed:	November, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	875	221	21.4	17.3	15.8	14.7
2008	787	220	21.9	17.2	15.6	14.9
2009	862	196	19.0	15.9	15.1	14.4
2010	840	204	19.8	17.0	15.1	14.5
2011	796	211	21.3	15.9	14.9	14.4
2012	788	199	23.0	17.4	15.6	14.5
2013	777	208	26.6	16.9	15.6	14.4
2014	763	213	21.6	17.3	16.9	15.6
2015	800	205	20.9	17.3	16.0	15.1
2016	786	303	38.7	19.6	17.3	16.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	529	67	520	66
February	568	72	573	73
March	632	80	655	83
April	745	95	790	101
May	816	104	863	110
June	864	110	931	118
July	904	115	997	127
August	835	106	885	113
September	960	122	1031	131
October	836	106	886	113
November	723	92	781	99
December	529	67	514	65

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 1.77; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.09 mile south of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	S. Pendleton (30-008)
		Installed:	April, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	22799	128	10.7	10.0	9.8	9.7
2008	22439	128	11.2	10.1	9.9	9.8
2009	22618	128	15.7	10.1	9.9	9.8
2010	***	***	***	***	***	***
2011	22218	124	10.3	9.8	9.7	9.6
2012	22085	125	10.2	9.6	9.5	9.4
2013	22662	140	10.4	10.1	10.0	9.9
2014	23384	137	11.4	10.2	10.0	10.0
2015	24008	124	11.2	10.2	10.0	9.8
2016	24573	135	10.4	9.9	9.7	9.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24437	99	21988	89
February	26368	107	24394	99
March	26454	108	24603	100
April	27854	113	25839	105
May	27600	112	26100	106
June	28000	114	26200	107
July	27300	111	25400	103
August	27100	110	25000	102
September	27300	111	25500	104
October	26917	110	25155	102
November	25000	102	23200	94
December	23900	97	21500	87

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR204; MP 0.12; WESTON-ELGIN HIGHWAY NO. 330; 1.44 miles east of Oregon-Washington Highway No. 8 (OR11)	Site Name:	Weston (30-012)
		Installed:	January, 1968

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1198	167	17.8	15.3	14.8	14.4
2008	1118	182	19.0	17.4	15.8	15.1
2009	1124	***	***	***	***	***
2010	1108	192	21.7	17.6	16.7	16.0
2011	1058	204	22.3	19.5	17.8	16.8
2012	1006	203	36.2	19.8	18.1	17.1
2013	1024	197	24.2	18.8	16.9	16.2
2014	1061	206	22.1	19.4	18.1	17.2
2015	1156	198	19.5	18.5	17.4	16.2
2016	1214	463	60.7	39.3	18.4	17.4



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	725	60	859	71
February	769	63	840	69
March	778	64	828	68
April	944	78	1012	83
May	1202	99	1320	109
June	1358	111	1440	119
July	1575	130	1943	160
August	1461	120	1668	137
September	1356	112	1472	121
October	1198	99	1252	103
November	987	81	1057	87
December	828	68	881	73

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US395; MP 8.70; UMITILLA-STANFIELD HIGHWAY NO. 54; 0.12 mile northwest of Feedville Road (Northwest of Stanfield)	Site Name:	Stanfield (30-019)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	7727	127	10.2	9.8	9.6	9.5
2008	7469	131	10.4	10.0	9.9	9.8
2009	7618	135	11.1	10.1	9.9	9.7
2010	7706	136	10.5	10.0	9.9	9.7
2011	7567	128	10.6	9.8	9.7	9.6
2012	7347	132	10.4	9.9	9.7	9.6
2013	7384	131	10.8	10.0	9.8	9.7
2014	7406	125	10.5	9.9	9.7	9.6
2015	7660	123	10.5	9.8	9.7	9.6
2016	7818	127	10.3	9.9	9.8	9.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7524	96	7000	90
February	8084	103	7676	98
March	8207	105	7743	99
April	8506	109	8112	104
May	8471	108	8133	104
June	8506	109	8127	104
July	8395	107	8088	103
August	8598	110	8217	105
September	8495	109	8130	104
October	8384	107	7935	101
November	8272	106	7763	99
December	7421	95	6887	88

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR11; MP 34.46; OREGON-WASHINGTON HIGHWAY NO. 8; 0.86 mile south of Oregon-Washington State Line	Site Name:	Milton (30-021)
		Installed:	September, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	14863	127	11.2	10.2	10.0	9.9
2008	14310	128	10.6	10.3	10.0	9.9
2009	14718	***	***	***	***	***
2010	14739	125	10.7	10.4	10.1	10.0
2011	14521	131	10.7	10.2	10.0	9.9
2012	14333	130	10.9	10.3	10.0	9.9
2013	14202	129	10.6	10.1	9.9	9.8
2014	14132	128	10.8	10.3	10.0	9.9
2015	14817	127	10.3	10.0	9.8	9.8
2016	15380	130	10.5	10.0	9.8	9.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14338	93	13532	88
February	15278	99	14752	96
March	15748	102	15174	99
April	16466	107	16135	105
May	16598	108	16383	107
June	17092	111	16750	109
July	16655	108	16315	106
August	16852	110	16296	106
September	16502	107	16138	105
October	16104	105	15527	101
November	15355	100	14695	96
December	13554	88	12868	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-82; MP 0.58; McNARY HIGHWAY NO. 70; 0.58 mile south of Oregon-Washington State line	Site Name:	Umatilla Bridge (30-025)
		Installed:	April, 1977

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	16973	148	12.9	11.0	10.8	10.6
2008	16364	152	14.5	11.6	10.7	10.4
2009	17136	149	13.2	11.5	11.2	11.0
2010	17854	148	11.7	11.1	10.9	10.7
2011	18100	152	12.0	11.0	10.6	10.4
2012	17880	144	12.5	11.1	10.8	10.5
2013	18487	147	12.9	11.4	10.9	10.6
2014	18997	146	13.1	11.3	10.8	10.6
2015	20465	141	12.5	10.8	10.4	10.2
2016	21647	150	12.1	10.9	10.6	10.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16190	75	15917	74
February	18473	85	18688	86
March	20590	95	20916	97
April	21119	98	21866	101
May	22125	102	22432	104
June	24051	111	24447	113
July	24922	115	25679	119
August	25086	116	25677	119
September	23773	110	24039	111
October	22081	102	22400	103
November	20750	96	21025	97
December	17918	83	16676	77

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 216.81; OLD OREGON TRAIL NO. 6; 0.76 mile southeast of Umatilla-Mission Highway No. 331 Interchange	Site Name:	Mission Jct (30-026)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	9207	163	18.0	14.5	13.1	12.6
2009	9493	165	17.7	15.0	14.0	13.3
2010	9863	167	17.2	14.5	13.7	13.0
2011	9615	176	16.8	13.9	13.1	12.8
2012	9516	222	17.4	14.4	13.5	13.1
2013	9739	174	17.1	13.5	12.8	12.4
2014	10264	163	18.1	13.3	12.9	12.4
2015	11029	150	17.1	13.5	12.8	12.3
2016	11519	169	14.9	12.8	12.4	11.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8131	71	8056	70
February	8863	77	9022	78
March	10502	91	11019	96
April	10849	94	11396	99
May	11920	103	12270	107
June	13154	114	13792	120
July	13825	120	14299	124
August	13300	115	14000	122
September	12700	110	13300	115
October	11634	101	12030	104
November	10619	92	10945	95
December	8100	70	8100	70

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 191.40; OLD OREGON TRAIL NO. 6; 2.56 miles east of Umatilla-Stanfield Highway No. 54 Interchange (US395)	Site Name:	Echo (30-027)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	14675	146	13.8	11.5	10.8	10.3
2009	14657	146	13.0	11.9	11.2	10.8
2010	14507	160	13.0	12.1	11.5	11.3
2011	14339	158	13.5	11.5	11.1	10.9
2012	14266	147	13.6	11.5	11.2	11.0
2013	14455	152	14.8	12.6	11.6	11.2
2014	14419	150	14.4	12.2	11.6	11.3
2015	15646	147	13.7	11.5	11.2	11.0
2016	16352	156	13.8	11.7	11.4	11.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12427	76	12088	74
February	13681	84	13689	84
March	15495	95	15823	97
April	16044	98	16293	100
May	17094	105	17206	105
June	18434	113	18728	115
July	19026	116	19632	120
August	19018	116	19410	119
September	18317	112	18715	114
October	16759	102	16904	103
November	15667	96	15788	97
December	12812	78	11948	73

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR82; MP 1.74; WALLOWA LAKE HIGHWAY NO. 10; 0.82 mile east of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	Island City (31-003)
		Installed:	April, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	12382	***	***	***	***	***
2008	11892	***	***	***	***	***
2009	11983	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	11634	128	11.2	10.5	10.3	10.1
2014	11745	132	11.5	10.9	10.5	10.3
2015	12135	129	10.9	10.7	10.4	10.2
2016	12144	133	10.8	10.3	10.1	10.0



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11997	99	10703	88
February	12581	104	11605	96
March	12718	105	11719	97
April	13561	112	12562	103
May	13935	115	12923	106
June	14100	116	13300	110
July	14100	116	13100	108
August	13900	114	12900	106
September	13521	111	12734	105
October	13315	110	12310	101
November	12707	105	11600	96
December	11072	91	10272	85

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR82; MP 20.70; WALLOWA LAKE HIGHWAY NO. 10; 0.45 mile northeast of Weston-Elgin Highway No. 330 (OR204)	Site Name:	Elgin (31-005)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	1959	195	22.0	15.3	14.4	13.9
2008	1768	187	29.1	16.6	15.3	14.5
2009	1847	***	***	***	***	***
2010	1901	204	28.6	17.2	15.5	14.8
2011	1807	197	22.8	15.8	14.9	14.2
2012	1756	***	***	***	***	***
2013	1782	196	20.7	16.0	14.9	14.1
2014	1791	189	20.5	17.8	15.7	14.5
2015	1891	188	22.3	17.4	15.5	14.1
2016	1930	185	20.9	16.3	15.5	14.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1339	69	1278	66
February	1469	76	1487	77
March	1542	80	1578	82
April	1713	89	1759	91
May	1984	103	2039	106
June	2253	117	2350	122
July	2545	132	2699	140
August	2394	124	2562	133
September	2335	121	2454	127
October	1965	102	2016	104
November	1740	90	1754	91
December	1223	63	1188	62

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 260.12; OLD OREGON TRAIL NO. 6; 1.05 miles east of La Grande-Baker	Site Name:	North La Grande (31-007)
	Highway No. 66 (US30), North La Grande Interchange	Installed:	December, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	8464	164	17.7	14.4	13.5	13.2
2010	8721	167	16.8	14.5	13.4	12.8
2011	8867	182	16.1	14.1	13.5	13.1
2012	8589	156	17.6	13.8	13.2	12.8
2013	8781	176	17.4	15.1	13.4	12.9
2014	8800	***	***	***	***	***
2015	9617	***	***	***	***	***
2016	10074	173	16.7	14.0	13.4	12.9



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6845	68	6745	67
February	7577	75	7631	76
March	9103	90	9545	95
April	9521	95	9911	98
May	10703	106	10892	108
June	11972	119	12362	123
July	12288	122	12717	126
August	12241	122	12763	127
September	11299	112	11646	116
October	9998	99	10309	102
November	9165	91	9527	95
December	7245	72	6838	68

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 272.19; OLD OREGON TRAIL NO. 6; 1.72 miles northwest of Ladd Canyon Road	Site Name:	Ladd Summit (31-008)
		Installed:	July, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	9631	158	15.8	13.1	12.2	11.8
2010	9441	164	14.6	13.4	12.5	12.2
2011	9305	174	15.3	12.9	12.3	11.9
2012	9330	150	16.1	13.0	12.3	11.9
2013	9489	166	16.7	13.9	12.6	12.1
2014	9761	163	16.7	14.3	12.6	12.3
2015	10510	150	15.4	12.8	12.3	12.0
2016	10976	166	15.8	13.1	12.6	12.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7813	71	7653	70
February	8514	78	8576	78
March	10018	91	10407	95
April	10531	96	10869	99
May	11600	106	11692	107
June	12918	118	13241	121
July	13353	122	13726	125
August	13196	120	13594	124
September	12164	111	12363	113
October	10971	100	11170	102
November	10048	92	10315	94
December	8200	75	8100	74

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-84; MP 75.93; COLUMBIA RIVER HIGHWAY NO. 2; 0.72 mile west of the Rowena Interchange.	Site Name:	Rowena (33-001)
		Installed:	January, 1938

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	20867	163	15.3	13.3	12.3	12.0
2008	19453	164	15.8	13.4	12.4	12.0
2009	20662	159	14.5	13.5	12.9	12.4
2010	20760	158	13.3	12.8	12.5	12.1
2011	20322	165	14.7	12.9	12.5	12.1
2012	20162	158	16.0	12.9	12.4	12.2
2013	20488	158	15.1	13.5	12.5	12.2
2014	21201	158	15.1	13.5	12.7	12.3
2015	22321	152	14.2	12.8	12.2	11.9
2016	23412	160	14.7	13.2	12.5	12.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17290	74	17035	73
February	19025	81	19277	82
March	21310	91	22109	94
April	22264	95	23477	100
May	23719	101	24552	105
June	26380	113	27049	116
July	27472	117	28941	124
August	26846	115	28303	121
September	25306	108	26514	113
October	22843	98	23539	101
November	22188	95	22747	97
December	18934	81	17400	74

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US197; MP 10.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.84 mile south of Boyd Market Road (North Jct)	Site Name:	Dufur (33-005)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	2547	157	16.8	12.8	12.1	11.7
2008	2539	140	14.7	12.7	12.1	11.8
2009	2517	159	16.8	13.9	13.0	12.4
2010	2500	***	***	***	***	***
2011	2402	169	17.4	14.4	13.2	12.6
2012	2397	178	20.1	13.9	13.1	12.6
2013	2376	193	20.8	15.3	14.2	13.2
2014	2430	164	19.0	12.8	12.4	11.9
2015	2583	197	18.0	14.3	13.2	12.3
2016	2760	186	18.9	15.5	14.5	13.7



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2167	79	2087	76
February	2432	88	2373	86
March	2705	98	2579	93
April	2820	102	2871	104
May	3067	111	3019	109
June	3244	118	3267	118
July	3459	125	3459	125
August	3034	110	3156	114
September	2995	109	3001	109
October	2780	101	2670	97
November	2715	98	2521	91
December	2327	84	2120	77

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR6; MP 38.55; WILSON RIVER HIGHWAY NO. 37; 0.75 mile west of Glenwood Lane	Site Name:	Gales Creek (34-004)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	4937	221	24.7	20.6	19.6	19.0
2008	4575	273	27.7	23.1	21.4	20.9
2009	4852	279	30.0	25.2	22.4	21.3
2010	4733	286	27.5	24.8	22.9	21.5
2011	4512	266	29.7	24.6	23.1	22.4
2012	4553	336	32.7	25.6	23.3	22.2
2013	4693	230	27.3	23.2	21.8	20.9
2014	4906	274	28.6	24.2	23.0	22.1
2015	5423	287	28.4	23.8	21.9	20.9
2016	5562	288	26.4	23.2	21.7	20.8



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2903	52	3466	62
February	3652	66	4376	79
March	3897	70	4733	85
April	4127	74	5434	98
May	4771	86	6052	109
June	5237	94	6967	125
July	6554	118	7942	143
August	6323	114	8525	153
September	5310	95	6593	119
October	4103	74	4874	88
November	3927	71	4672	84
December	2940	53	3105	56

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 37.60; SUNSET HIGHWAY NO. 47; 0.10 mile west of Vernonia Road	Site Name:	Timber Jct (34-005)
		Installed:	March, 2004

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	6755	243	24.3	20.6	19.8	19.3
2008	6440	269	24.6	22.6	21.3	20.8
2009	6944	268	25.1	22.0	20.9	20.1
2010	6950	286	27.7	22.1	20.0	19.3
2011	6426	290	28.2	23.9	22.5	21.4
2012	6487	286	28.8	24.1	23.3	21.9
2013	6862	258	24.5	21.5	20.0	19.4
2014	7196	274	27.0	23.3	22.3	20.8
2015	7998	280	25.2	21.2	19.6	18.9
2016	8171	264	24.7	21.1	20.3	19.5



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3928	48	5100	62
February	5143	63	6519	80
March	6020	74	7377	90
April	6292	77	8453	103
May	6871	84	8943	109
June	7833	96	10425	128
July	10010	123	11682	143
August	9903	121	12950	158
September	7730	95	9608	118
October	5322	65	6415	79
November	5203	64	6383	78
December	3955	48	4196	51

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 56.23; SUNSET HIGHWAY NO. 47; 0.93 mile NW of North Plains (Glencoe Rd) Interchange	Site Name:	North Plains (34-007)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	21394	160	14.9	13.5	13.0	12.7
2008	20927	190	16.1	14.4	13.5	13.3
2009	21017	181	16.2	14.7	14.0	13.6
2010	21010	195	16.5	15.0	13.6	13.4
2011	20135	191	17.2	15.6	14.8	14.3
2012	20051	***	***	***	***	***
2013	20633	170	15.8	14.7	14.1	13.6
2014	21378	181	16.8	15.2	14.6	14.2
2015	23099	186	15.4	13.9	13.5	13.1
2016	24194	181	14.5	14.0	13.7	13.3



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16979	70	17646	73
February	19265	80	20469	85
March	21459	89	22591	93
April	22686	94	25276	104
May	23875	99	26342	109
June	25629	106	28900	119
July	28342	117	30593	126
August	28679	119	33037	137
September	24357	101	26672	110
October	20517	85	21814	90
November	19836	82	20692	86
December	16629	69	16296	67

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	I-5; MP 290.14; PACIFIC HIGHWAY NO. 1; 0.34 mile south of Boones Ferry Road Interchange	Site Name:	Tigard (34-008)
		Installed:	September, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	151707	120	8.6	8.5	8.5	8.4
2009	153545	118	8.6	8.5	8.4	8.3
2010	155956	117	8.6	8.4	8.3	8.3
2011	154847	117	8.6	8.4	8.4	8.4
2012	153197	117	8.5	8.3	8.3	8.2
2013	157538	117	8.4	8.2	8.2	8.1
2014	154594	119	9.6	8.1	8.0	8.0
2015	164156	114	8.0	7.8	7.7	7.7
2016	164465	114	7.8	7.7	7.6	7.6



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	161649	98	150539	92
February	170484	104	162535	99
March	172315	105	163773	100
April	177400	108	170006	103
May	176721	107	169011	103
June	180925	110	173101	105
July	178184	108	170850	104
August	180920	110	172158	105
September	173502	105	166853	101
October	171368	104	163798	100
November	168309	102	160823	98
December	157974	96	150134	91

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR8; MP 14.84; TUALATIN VALLEY HIGHWAY NO. 29; 0.28 mile west of N.W. 334th Avenue	Site Name:	Cornelius (34-009)
		Installed:	September, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	33838	120	10.2	9.7	9.6	9.5
2009	33043	120	14.0	9.6	9.4	9.3
2010	33237	124	10.2	9.7	9.5	9.4
2011	33248	118	9.9	9.7	9.5	9.4
2012	33333	117	9.8	9.5	9.4	9.4
2013	33000	120	9.9	9.5	9.4	9.2
2014	32198	120	10.0	9.6	9.5	9.4
2015	33905	127	10.2	9.6	9.4	9.3
2016	34836	119	9.5	9.3	9.2	9.1



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	34425	99	32417	93
February	35602	102	34525	99
March	36257	104	34874	100
April	37194	107	36267	104
May	37042	106	36265	104
June	37066	106	36145	104
July	36114	104	35350	101
August	36701	105	35497	102
September	36125	104	35096	101
October	35949	103	34598	99
November	35451	102	34085	98
December	33912	97	32907	94

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	US26; MP 65.02; SUNSET HIGHWAY NO. 47; 0.73 mile east of 185th Avenue overcrossing	Site Name:	Beaverton-Bethany (34-010)
		Installed:	February, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	***	***	***	***	***	***
2008	***	***	***	***	***	***
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	109193	120	8.6	8.5	8.5	8.4
2015	112772	117	8.4	8.3	8.3	8.2
2016	114746	119	8.3	8.2	8.2	8.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	112343	98	102939	90
February	119751	104	112280	98
March	121293	106	113237	99
April	126371	110	120223	105
May	126041	110	118948	104
June	130048	113	123356	108
July	127050	111	120923	105
August	130224	113	123997	108
September	124504	109	118443	103
October	121466	106	114387	100
November	117599	102	110082	96
December	104814	91	98140	86

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99W; MP 21.81; PACIFIC HWYWAY WEST NO. 91; 0.01 mile west of Brutscher Street	Site Name:	Newberg (36-004)
		Installed:	July, 1952

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	35985	120	8.9	8.7	8.7	8.6
2008	34049	122	9.2	8.9	8.9	8.8
2009	34060	***	***	***	***	***
2010	***	***	***	***	***	***
2011	34083	120	9.6	9.0	8.9	8.8
2012	33969	122	9.0	8.8	8.7	8.7
2013	34174	113	10.9	8.6	8.4	8.3
2014	34791	122	9.6	8.8	8.7	8.6
2015	36559	***	***	***	***	***
2016	37027	119	9.3	8.3	8.3	8.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	35154	95	33258	90
February	36998	100	36015	97
March	37538	101	36525	99
April	38567	104	37856	102
May	38383	104	38020	103
June	39500	107	39100	106
July	40400	109	39800	107
August	40500	109	39900	108
September	38389	104	38050	103
October	37673	102	36634	99
November	37061	100	35838	97
December	34972	94	33331	90

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR99W; MP 47.45; PACIFIC HIGHWAY WEST NO. 91; 0.07 mile north of Yamhill-Polk County Line	Site Name:	Amity (36-005)
		Installed:	September, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	5874	132	13.2	11.3	10.9	10.7
2008	5433	131	12.9	11.8	11.2	11.0
2009	5453	132	15.0	11.5	11.0	10.7
2010	5594	135	14.7	11.8	11.2	11.0
2011	5553	135	14.5	11.8	11.3	11.1
2012	5556	133	14.6	11.8	11.6	11.4
2013	5644	143	14.5	12.1	11.5	11.2
2014	5970	134	14.0	11.8	11.7	11.5
2015	6431	136	12.5	11.5	11.2	11.0
2016	6632	134	13.2	11.7	11.4	11.2



2016 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6056	91	5742	87
February	6703	101	6510	98
March	6238	94	6133	92
April	6928	104	6794	102
May	7176	108	7037	106
June	7089	107	7119	107
July	7200	109	7000	106
August	6985	105	6900	104
September	7312	110	7233	109
October	7127	107	6860	103
November	7018	106	6701	101
December	5828	88	5556	84

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>

Location:	OR18; MP 41.00; SALMON RIVER HIGHWAY NO. 39; 3.36 miles south of Pacific Highway West No. 91 (OR99W)	Site Name:	Salmon River (36-006)
		Installed:	July, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2007	14283	137	10.7	10.2	9.9	9.8
2008	13235	143	11.8	10.5	10.3	10.1
2009	13550	136	14.7	10.5	10.3	10.1
2010	13487	141	11.4	10.8	10.4	10.3
2011	13097	138	11.8	10.9	10.7	10.5
2012	12859	151	12.3	11.2	10.9	10.7
2013	12915	133	11.3	10.7	10.5	10.4
2014	12943	139	11.9	11.0	10.7	10.5
2015	13520	143	11.2	10.4	10.2	10.1
2016	13772	140	10.9	10.5	10.3	10.1



2016 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11302	82	11642	85
February	12570	91	13190	96
March	13000	94	13500	98
April	12866	93	13659	99
May	13328	97	14259	104
June	14201	103	15055	109
July	14968	109	15706	114
August	15063	109	16182	117
September	14151	103	14867	108
October	12880	94	13191	96
November	12505	91	12833	93
December	11110	81	11182	81

For Vehicle Classification data near your project, please go to the following web page:
<https://gis.odot.state.or.us/TransGIS/>