



BENTON COUNTY WEIGHT RESTRICTED BRIDGES AND APPROVED ROUTE LIST ATTACHMENT C02 (REVISED 04-2015)

Benton County Weight Restricted Roads / Bridges

| Highway | From | To | Approximate Location | Road Segment Length (Miles) | Restriction |
|---------------------------|------------------------------------|-------------------|---|-----------------------------|---|
| Airport Rd | Airport Pl | Bellfountain Rd | | 2.6 | 24,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Alpine Rd | Bellfountain Rd | McFarland Rd | | 1.2 | 80,000 lbs gross weight, Legal axle and group axle weights. |
| Bellfountain Rd | Williams Rd | Alpine Rd | | 1.0 | 80,000 lbs gross weight, Legal axle and group axle weights. |
| Campus Way Covered Bridge | Crossing Oak Creek | | Between SW 53rd St and 35th St (normally closed to vehicle traffic) | NA | 10,000 lbs gross weight, Legal axle and group axle weights. |
| Chinook Dr | Cardwell Hill Rd | End of road | | 0.5 | 24,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Country Club Dr | SW 53rd St | US20/OR34 | | 0.8 | 30,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Dawson Rd | Bellfountain Rd | OR99W | | 2.3 | 80,000 lbs gross weight, Legal axle and group axle weights. |
| Harris Rd Covered Bridge | Crossing Mary's River | | 2.5 miles west of US20 | MP 2.5 | 50,000 lbs gross weight, legal axle and group axle weights. |
| Hayden Rd Covered Bridge | Crossing Alsea River | | 0.1 miles south of OR34 | MP 0.1 | 54,000 lbs gross weight, legal axle and group axle weights. |
| Hubbard Rd | Crossing Long Tom River | | 100' east of OR99W | MP 0.1 | Bridge Closed. |
| Irish Bend Rd | Crossing Willamette River Overflow | | 0.9 miles east of Old River Rd | MP 0.9 | 3 axle 42,000 lbs, 4 axle 62,000 lbs, 5 axle 68,000 lbs, legal axle and group axle weights. |
| Nash Ave | SW 53rd St | Brooklane Dr | | 0.5 | 12,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Priest Rd | US20 | OR223 | | 0.9 | 24,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Soap Creek Rd | Tampico Rd | Wristman Creek Rd | | 2.9 | 24,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |

| Highway | From | To | Approximate Location | Road Segment Length (Miles) | Restriction |
|------------|--------------|---------------|----------------------|-----------------------------|---|
| Tampico Rd | OR99W | Soap Creek Rd | | 1.2 | 8,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |
| Tanager Dr | Oak Creek Rd | End of road | | 0.4 | 24,000 lbs gross weight, legal axle and group axle weights, 25 MPH max speed. |

Benton County Dimensionally / Speed Restricted Roads

| Road | From | To | Road Segment Length (Miles) | Restriction |
|--|---------------------------------|-------------------|------------------------------|--|
| Alexander Rd | Burgett Creek Rd | Hoskins Rd | 3.3 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| Campus Way Covered Bridge | Crossing Oak Creek | | | 11'6" height restriction, 13' width restriction. |
| Chapel Dr and 13th St (Fern Rd) Intersection | | | | Loads 95' or longer overall length must stop traffic as carrier travels through intersection. Applies to all TURNING movements. Certified flaggers required. |
| Decker Rd | MP 3.0 to MP 3.5 | | | 25 MPH max speed. |
| Harris Rd Covered Bridge | Crossing Mary's River | | | 10'8" height restriction, 15'6" width restriction. |
| Hayden Rd Covered Bridge | Crossing Alsea River | | | 11'6" height restriction, 15'10" width restriction. |
| Honeygrove Rd | Crossing All Bridges | | | 25 MPH max speed. |
| Hoskins Rd | Crossing All Bridges | | | 25 MPH max speed. |
| Little Lobster Rd | OR501 | Lobster Valley Rd | 3.0 | 50' overall length restriction, 10' overall width restriction. |
| Luckiamute Rd | Crossing All Bridges | | | 25 MPH max speed. |
| Nash Ave | SW 53rd St | Brooklane Dr | 0.5 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| Norton Creek Rd | US20 | End of road | 3.2 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| Plymouth Dr | SW 53rd St | Bellfountain Rd | 0.5 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| Scenic Dr | US20 | Jordan Dr | 1.0 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| S 19th St | Chapel Dr | US20/OR34 | 0.5 | 50' overall length restriction, 10' overall width restriction, speed as posted. |
| SW 53rd St | Plymouth Dr | Bellfountain Rd | 3.0 | 50' overall length restriction, 10' overall width restriction, 25 MPH max speed. |
| | | | | |
| SW 53rd St | Crossing under railroad trestle | | 0.8 miles north of US20/OR34 | 13'6" height restriction, 13'0" width restriction. |
| Tum Tum Rd | Crossing All Bridges | | | 25 MPH max speed. |

PILOT VEHICLE REQUIREMENTS

| WIDTH | FRONT PILOTS REQUIRED | REAR PILOTS REQUIRED |
|------------------|-----------------------|----------------------|
| 08'06" TO 12'00" | NONE | NONE |
| 12'00" | ONE | NONE |
| OVER 12'00" | ONE | ONE |

| OVERALL LENGTH | FRONT PILOTS REQUIRED | REAR PILOTS REQUIRED |
|------------------|-----------------------|----------------------|
| LEGAL | NONE | NONE |
| 65'00" TO 99'11" | ONE | NONE |
| 100'00" AND OVER | ONE | ONE |

| HEIGHT | FRONT PILOTS REQUIRED | REAR PILOTS REQUIRED |
|-----------------|-----------------------|----------------------|
| UP TO 14'05" | NONE | NONE |
| 14'06" AND OVER | ONE | NONE |

BENTON COUNTY BLANKET APPROVAL LIST

LEGAL DIMENSIONS:

- The maximum length of a semitrailer in a truck tractor semitrailer combination is 60 feet
- The maximum length of a semitrailer in a truck tractor semitrailer trailer combination (doubles) is 40 feet
- The distance measured from the front of the front trailer to the end of the rear trailer may not exceed 68 feet
- The maximum length of a truck or trailer in a truck trailer combination is 40 feet

FOR ALL ROADS: Benton County will consider exceptions on an individual, case-by-case basis.

LEVEL 1

The following combinations may operate up to a maximum of 52 Tons and the following over length dimensions on the routes listed below:

Truck Tractor Semitrailer Combinations may operate at a maximum of 75 feet in overall length

Truck & Trailer Combinations may operate at a maximum of 75 feet in overall length

Double Trailer Combinations may operate at an overall length not to exceed 100 feet

| BENTON COUNTY ROAD NUMBER | ROAD NAME | FROM | TO |
|---------------------------|----------------------|-------------|----------------------|
| 04450 | Camp Adair Road | OR 99W | Independence Highway |
| 04451 | Coffin Butte Rd | OR 99W | Soap Creek Road |
| 14430 | Independence Highway | US20 | Polk County Line |
| 26240 | Decker Road | OR 34 | Bellfountain Road |
| 25100 | Bellfountain Road | Decker Road | Greenberry Road |

LEVEL 1

The following combinations may operate up to a maximum of 52 Tons and the following over length dimensions on the routes listed below:

Truck Tractor Semitrailer Combinations may operate at a maximum of 75 feet in overall length

Truck & Trailer Combinations may operate at a maximum of 75 feet in overall length

Double Trailer Combinations may operate at an overall length not to exceed 100 feet

| BENTON COUNTY ROAD NUMBER | ROAD NAME | FROM | TO |
|---------------------------|-------------------|------------------|---------------------|
| 35240 | Greenberry Road | Bellfountain Rd | OR 99W |
| 25100 | Bellfountain Road | Coon Road | end of road (south) |
| 45800 | Coon Road | OR 99W | Bellfountain Road |
| 48380 | Haines Road | OR 201 | End of Road |
| 56060 | Nichols Road | Belfountain Road | Hewett Road |

LEVEL 2

The following combinations may operate up to a maximum of 40 Tons and the following over length dimensions on the routes listed below:

Truck Tractor Semitrailer Combinations may operate at a maximum of 60 feet in overall length

Double Trailer Combinations may operate at an overall length not to exceed 75 feet

| Benton Co # | Highway Name | From | To |
|-------------|---------------------------|----------------------------|---------------------------------|
| 26250 | S 13 th Street | Chapel Drive | US 20 / OR 34 |
| 26461 | S 15 th Street | Chapel Drive | Philomath City Limits |
| 25280 | Airport Avenue | Evergreen Road | Bellfountain Road |
| 04701 | Arnold Lane | OR 99W | Ryals Avenue |
| 36230 | Beaver Creek Road | Decker Road | end of road |
| 25100 | Bellfountain Road | Dawson Road | Greenberry Road |
| 25100 | Bellfountain Road | Greenberry Road | Chapel Drive |
| 25100 | Bellfountain Road | Chapel Drive | Plymouth Drive |
| 16501 | Blakesly Creek Road | Cardwell Hill Road | end of road |
| 17489 | Blodgett Road | US 20 | US 20 |
| 35243 | Buchanan Road | Greenberry Road | end of road |
| 36900 | Bunker Hill Road | Hells Canyon Road | end of road |
| 16050 | Cardwell Hill Road (west) | OR 223 | end of road |
| 16050 | Cardwell Hill Road (east) | Oak Creek Road | end of road |
| 46121 | Cemetery Road | Alpine Road | end of road |
| 45060 | Cherry Creek Road | Bellfountain Road | Coon Road |
| 25485 | Country Club Drive | SW 53 rd Street | US 20 / OR 34 |
| 25139 | Crystal Lake Drive | OR 99W | Park Avenue (City of Corvallis) |
| 48200 | Dawson Road | Bellfountain Road | South Fork Road |
| 17487 | Davis Road | US 20 | US 20 |
| 17590 | Devitt Road | OR 180 | end of road |

LEVEL 2

**The following combinations may operate up to a maximum of 40 Tons and the following over length dimensions on the routes listed below:
Truck Tractor Semitrailer Combinations may operate at a maximum of 60 feet in overall length
Double Trailer Combinations may operate at an overall length not to exceed 75 feet**

| Benton Co # | Highway Name | From | To |
|-------------|------------------------------|-------------------------|-----------------------|
| 55701 | Dodge Island Road | Old River Road | end of road |
| 35026 | Dorr Road | Smith Loop Road | end of road |
| 46303 | Dykstra Road | Bellfountain Road | Foster Road |
| 04900 | Eagle View Drive | Scenic Drive | Wishram Drive |
| 26241 | Ervin Road | Decker Road | Peterson Road |
| 26290 | Evergreen Road | Fern Road | end of road |
| 26250 | Fern Road | Llewellyn Road | Chapel Drive |
| 46030 | Foster Road | Larkin Road | Dawson Road |
| 48170 | Fudge Road | OR 201 | OR 201 |
| 26280 | Greasy Creek Road | OR 34 | end of road |
| 26407 | Gellatly Way | OR 34 | end of road |
| P15100 | Glen Ridge Drive | Ponderosa Avenue | end of road |
| 26046 | GrangeHall Road | OR 34 | Fern Road |
| 17591 | Grover Road | Devitt Road | end of road |
| 36930 | Hells Canyon Road | Bunker Hill Road | end of road |
| 36232 | Henderson Road | Beaver Creek Road | end of road |
| 26406 | Henkle Way | OR 34 | OR 34 |
| 25133 | Herbert Avenue | OR 99W | end of road |
| 56100 | Hewett Road | Bellfountain Road | Lane County Line |
| 55902 | Hulbert Lake Road | OR 99W | Lane County Line |
| 35024 | Hurlburt Road | Smith Loop | end of road |
| 44110 | East Ingram Island Place | E Ingram Island Road | end of road |
| 45141 | East Ingram Island Road | Old River Road | E Ingram Island Place |
| 45140 | West Ingram Island Road | OR 99W | Old River Road |
| 25300 | SE Kiger Island Drive | OR 99W | end of road |
| 16500 | Labare Road | OR 223 | end of road |
| 46305 | Larkin Road | Foster Road | Larson Road |
| 46301 | Larson Road | Bellfountain Road | end of road |
| 45903 | Losen Road | W Ingram Island Road | end of road |
| 46302 | McCain Road | Foster Road | end of road |
| 03420 | North & South Nebergall Loop | Springhill Drive | Springhill Drive |
| 36242 | Neuman Road | Decker Road | end of road |
| 15500 | Oak Creek Drive | 53 rd Street | end of road |
| 26460 | Old Peak Road | OR 34 | end of road |
| 45600 | Orchard Tract | Coon Road | Alpine Cutoff Road |
| 04406 | Palestine Avenue | Independence Highway | Scenic Drive |
| 46202 | Park Road | Dawson Road | Dawson Road |
| 06541 | Pit Road | Price Creek Road | Maxfield Creek Road |

LEVEL 2

The following combinations may operate up to a maximum of 40 Tons and the following over length dimensions on the routes listed below:

Truck Tractor Semitrailer Combinations may operate at a maximum of 60 feet in overall length

Double Trailer Combinations may operate at an overall length not to exceed 75 feet

| Benton Co # | Highway Name | From | To |
|--------------------|---------------------|-----------------------|-----------------------|
| 26252 | Powder House Road | Fern Road | Fern Road |
| 25301 | Powells Road | SE Kiger Island Drive | SE Kiger Island Drive |
| 06054 | Price Creek Road | OR 223 | end of road |
| 45140 | Rickard Road | E Ingram Island Road | end of road |
| 36231 | Saxton Road | Beaver Creek Road | end of road |
| 26281 | Sexton Road | Airport Avenue | end of road |
| 07560 | Shingle Creek Road | Marys River Road | Hoskins Road |
| 15611 | Skillings Drive | Oak Creek Drive | end of road |
| 35260 | Smith Loop | OR 99W | Hurlbert Road |
| 48200 | South Fork Road | OR 201 | BLM South Fork Road |
| 35300 | Starr Creek Road | Bellfountain Road | end of road |
| 47201 | Trout Creek Road | South Fork Road | South Mountain Road |
| 17490 | Tum Tum Road | Blodgett Road | end of road |
| 45601 | Turner Road | Orchard Tract | end of road |
| 06581 | Ward Road | Maxfield Creek Road | end of road |
| 46100 | Williams Road | Bellfountain Road | Alpine Road |
| 26251 | Wonderly Lane | Fern Road | end of road |