



Oregon

Theodore R. Kulongoski, Governor

OREGON DEPARTMENT OF TRANSPORTATION

Traffic-Roadway Section

355 Capitol Street NE, Fifth Floor

Salem, OR 97301-3871

Telephone (503) 986-3568

FAX (503) 986-4063

December 31, 2009

All Holders of "Sign Policy and Guidelines for the State Highway System"

RE: DECEMBER, 2009 REVISIONS TO SIGN POLICY & GUIDELINES FOR THE STATE HIGHWAY SYSTEM

Enclosed with this cover letter are the most recent revisions to the "Sign Policy and Guidelines for the State Highway System." If you wish to receive extra copies for future updates or if you wish to be removed from the distribution list entirely, please contact Carolee Will at (503) 986-6938.

Sign No.	Page No.	Legend/Section	Revision
---	5-17	Information Center Signing Guidelines	This sheet has been updated. This sheet now contains the Travel Information Center and Oregon Welcome Center guidelines. We have moved the guidelines pertaining to the VISITOR INFORMATION CENTER to page 5-18.
OD5-7a	DELETE 5-18	Standard Signing for Information Centers	Deleted – A new design was approved for Visitor Information Centers (OD9-10) page 5-19a and (OD9-10b) page 5-19c.
---	5-18	Information Center Signing Guidelines	New Sheet. This sheet shows the VISITOR INFORMATION CENTER guidelines previously shown on page 5-17.
OD5-9a	DELETE 5-19	Standard Signing for Oregon Welcome Centers	Deleted – A new design was approved for Welcome Centers (OD9-10) page 5-19a and (OD9-10a) page 5-19b.
---	5-19	Information Center Signing Guidelines	New Sheet. This sheet shows the Mandatory and Voluntary Standards that are needed in order to qualify for a Visitor Information Center sign.
OD9-10	5-19a	Tourist Information Symbol Sign	New Sheet. This sign is intended to be used in conjunction with either the Welcome Center (OD9-10a) or the Visitor Center (OD9-10b).
OD9-10a	5-19b	Welcome Center	New Sheet. This sign is intended to be used in conjunction with (OD9-10) Tourist Information Symbol.
OD9-10b	5-19c	Visitor Info	New Sheet. This sign is intended to be used in conjunction with (OD9-10) Tourist Information Symbol.
---	5-20	Travel Information	This sheet has been updated to show typical freeway signing for information centers.

If you have any revisions, changes, or comments, please send them to:

Katie Johnson, Interim Sign Engineer
ODOT, Traffic-Roadway Section
355 Capitol St. NE, Fifth Floor
Salem, Oregon 97301-3871
Ph: (503) 986-3610 Fax: (503) 986-4063
e-mail: Katryn.L.Johnson@odot.state.or.us

A handwritten signature in black ink, appearing to read 'Katie Johnson', with a long horizontal line extending to the right.

Katie Johnson
Interim Sign Engineer

SIGN LEGEND or PURPOSEPAGESIGN NO.

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
-A-		
ABRUPT EDGE	6-81	CW21-7
Abrupt Edge Riders	6-82	CW21-8a, b, c
ABRUPT EDGE roll-up sign	6-83	CW21-9
ADOPT-A-HIGHWAY	5-52	OD-417
ADOPT-A-LANDSCAPE	5-53	OD-418
Airport	5-5	I-5
ALL TRUCKS OVER 20,000 GVW NEXT RIGHT	3-168	OR22-4
APPLEGATE TRAIL, TRAIL SITE	5-106	OI7-8,9
APPLEGATE TRAIL INFO. CTR., INTERP. CTR.	5-107	OI7-10,11
Armory	5-3	---
ARRA Pictograph	6-13a,6-13,6-13b	ARRA
Arrow	5-102	OI7-5
ATTENDANT...	5-143	D-475
Auditoriums	5-3	---
AUTHORIZED AND EMERGENCY...	3-178	OR22-13
-B-		
Ball Fields	5-3	---
Banners	5-8	---
BARLOW ROAD ROUTE	5-104	OI7-6
BEACH ACCESS	5-38	ORW-141
BICYCLE RACE AHEAD	8-72	OBW16-2
BICYCLE RACE IN PROGRESS	8-73	OBW17-1
Bicycle Railroad Crossing Symbol	8-50	OBW8-20
BICYCLE RIDE IN PROGRESS	8-74	OBW17-2
Bicycle Signs	8-1	---
Bicycle Symbol / ON ROADWAY	6-50	CW11-1
Bicycle Symbol w/STOP	8-4	OBR1-1
Bicycle Symbol w/YIELD	8-5	OBR1-2
Bike Centennial	8-1	---
Bike Directional	8-79	OBD11-1
Bike Directional (Multiple Directions)	8-76	OBD1-3c
Bike Lane Ends Symbol	8-34	OBW1-9
BIKE LANE ENDS	8-35	OBW1-10
Bike/Ped Crossing	8-52	OBW8-22
Bike/RR Xing	8-48	OBW8-19
BIKES CROSS ON WALK SIGNAL ONLY	8-16	OBW10-11
BIKE IN TUNNEL...	8-33	OBW1-8
Bridge Weight Limit...	3-116	OR12-6
BRIDGE WORK AHEAD	6-84	CW21-10
BUCKLE-UP OREGON	5-31	OD27-1
Bus Station Symbol	5-5	I-6
BUSINESS ACCESS	6-15	CG20-11
Business Park	5-3, 5-189	---
BYPASS PHOTO ENFORCED	4-90	OW16-10
-C-		
CALIFORNIA TRAIL	5-96	OI6-1
Cardinal Direction Signs	5-87 to 5-94	OM3-1 to 3-4
CHAIN-UP AREA SIGNS	4-120 to 123	OW 22-1 to 22-6
CHANNEL 9 MONITORED	5-5	---

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Clam Digging Symbol	5-35	ODRW-062
Colleges	5-2,3	---
CONGESTION	4-70	OW15-6
CONSTRUCTION VEHICLE DO NOT FOLLOW	6-110	CW23-14
Crabbing Symbol Sign	5-35	ODRW-063
Criteria for Signing...Interstate Highways	5-189	---
CROSSWALK CLOSED	3-172	OR22-7
CROSSWALK CLOSED w/Arrow	3-173	OR22-8
Curve	4-1	W1-4
Curve Modified	4-14	OW1-10R
Curve, Modified	4-15	OW1-11R
-D-		
Dead End	4-60	OW14-1A
DEER	4-45	OW11-3
DETOUR w/Vert, Arrow	6-10	CG20-6
Detour Signing	6-1	M4-8
Disabled Parking	3-92	OR7-8
Distance Rider for Recreational Signs	5-103	017-5A
DIVIDED HIGHWAY	4-2	W6-1
DIVING FROM BRIDGE PROHIBITED	3-161	OR21-2
DIVING OR JUMPING FROM BRIDGE PROHIBITED	3-162	OR21-2A
DO NOT ENTER	3-3, 3-65	R5-1
DO NOT PASS	3-2	R4-1
DO NOT PASS SNOWPLOWS ON THE RIGHT	3-174	OR22-9
DON'T LITTER MAX. FINE \$6250	3-163	OR21-3a
DRAW BRIDGE	4-71	OW15-7
Dual Lane Reversing Curve Symbol	6-6b & 6c	---
-E-		
Elk	4-46	OW11-4
Elk Symbol	4-47	OW11-5
Emergency Medical Services	5-5	09-13
Emergency Medical Services	5-153	D-487
Emergency Parking Signs	3-3	R8-4
END DETOUR	6-9	CG20-5
END EXPRESSWAY 1/2 MILE	4-22	OW6-5
END EXPRESSWAY 1 MILE	4-22	OW6-5a
END FREEWAY ½ MILE	4-20	OW6-4
END FREEWAY 1 MILE	4-20	OW6-4a
END ROAD WORK	6-6	CG20-2A
END SAFETY CORRIDOR	5-78	OD-449
END SCHOOL ZONE	7-25	OS5-2
END SPEED ZONE	3-21	OR2-6A
END WORK AREA	6-6	CG20-4
END XX MPH SPEED ZONE	3-20	OR2-6
Engine Braking	3-175, 176	OR22-10,11
ENTERING CITY	5-45	OD-411a
ENTERING XX COUNTY	5-46	OD-412
ENTERING WINTER RECREATION...	3-138	OR18-1
ENTERING WINTER RECREATION	5-25	OD11-1
EROSION CONCERNS	6-14	CG20-10
EVENT AHEAD	6-57	CW15-15

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
EXCEPT BUS	3-34	OR3-7a
Exposition Center	5-3	---
-F-		
Fairgrounds	5-3	---
Flag board policy	4-5,6	---
Flagger Ahead Symbol	6-96	CW23-2
FLAGGER NEXT MILE roll-up sign	6-65	CW20-7b
Forest Service, USDA	1-5 to 1-7	---
FORM 2 LINES (PTR Sign)	3-151	OR20-5
Freeway Curve Left	4-10	OW1-8L
Freeway Curve Right	4-11	OW1-8R
Freeway Reverse Curve Left	4-12	OW1-9L
Freeway Reverse Curve Right	4-13	OW1-9R
-G-		
Geological Marker	5-73	D424A
Golf Course	5-6	---
GROOVED PAVEMENT	6-46	CW8-13
GROOVED PAVEMENT w/Symbol	4-42	OW8-13
-H-		
HELMETS REQUIRED	3-166	OR22-2
Heritage Site	5-70	ORG-010
HIGH WATER	4-76	OW15-12
Highway Advisory Radio Sign	4-124	OW22-7
Historical Marker Ahead	5-72	D-424
Horizontal Clearance Symbol	6-86	CW21-12
Hydrant Marker	5-79	OD-450
-I-		
ICE	4-77	OW15-13
Impact Attenuator	4-105	OW19-1
Industrial Park	5-3	---
INFO CENTER	5-98	OI7-2
INTERMITTENT ROAD WORK	6-17	CG20-13
Intersection Guide Signs	5-2	---
Intersection Symbol Signs	4-1	W2-1,W2-5
-K-		
KEEP RIGHT (For Bikes)	8-71	OBW16-1
KEEP RIGHT EXCEPT TO PASS	3-45	OR4-3
-L-		
Landmarks	5-3	---
LANE NARROWS	6-98	CW23-4
Lane Restriction Signs	3-3	OR5-11
Lane Use Control Signs	3-25 to 3-31	OR3-5, 3-6
LANES NARROW	6-98	CW23-5
LAW REQUIRES SLOW VEHICLES TO USE TURNOUTS	3-57	OR4-14
Left & Right Arrow	3-28	OR3-5TD
LEFT LANE BUS ONLY	3-38	OR3-11b
LEFT LANE BUS & LEFT TURN ONLY	3-39	OR3-11c
LEFT LANE MUST TURN LEFT	3-33	OR3-7L
LEFT 1/2 MILE, 1/4 MILE	5-108	OI7-20,21

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Left Turn ONLY	3-25	OR3-5L
LEFT TURN LANE CLOSED AHEAD	6-108	CW23-12
LEFT TURN LANE CLOSED	6-109	CW23-13
LEFT TURN SIGNAL	3-106	OR10-10L
LEFT TURN YIELD . . .	3-108	OR10-12
LEFT TURN YIELD TO ONCOMING TRAFFIC	3-130	OR17-1
LEFT TURN YIELD TO PEDS	3-134	OR17-6
LEFT TURN YIELD TO PEDS & BIKES	3-135	OR17-6A
LEFT TWO LANES CLOSED AHEAD	6-63	CW20-5a
LENGTH RESTRICTION SYMBOL SIGN	3-117	OR12-8
Lewis and Clark Trail Sign	5-95	OI5-1
LIGHTS	3-125	OR16-2
LIGHTS	5-75	D-446
LIGHTS ON FOR SAFETY	5-74	D-445
Livestock	4-50	OW11-8
LOGO, Interstate	5-125 to 5-139	---
LOGO, OFF-INTERSTATE	5-112 to 5-124	---
LOG TRUCKS	4-69	OW15-5
LONG LOAD	4-82 & 83	OW15-17
LOOSE GRAVEL XX MPH	6-60	CW8-7a
Low Clearance Sign	4-55	OW12-2P
LOW CLEARANCE ON SHOULDER	4-57	OW12-4
Low Clearance Symbol For Bikes	8-65	OBW12-2
-M-		
MAX WIDTH (Horizontal Clearance)	6-86	CW21-12
Memorial Highways	5-6	---
Mileage Rider	5-103	OI7-5A
Motor Carrier Pilot Car STOP Marker	3-119	OR14-6
MOTORCYCLISTS...	3-165	OR22-1
-N-		
NARROW Symbol for Bikes	8-66	OBW12-3
NARROW BRIDGE	3-3, 4-1	W5-2
NEXT EXIT	5-109a	OI7-23
NEXT GASOLINE	5-5	---
NEXT LEFT	5-109	OI7-22L
NEXT RIGHT	5-109	OI7-22R
NEXT XX MILES	4-28	OW7-3a
NO FISHING FROM BRIDGE	3-160	OR21-1
NO LANE CHANGES AHEAD	3-181	OR22-15
NO LANE CHANGES NEXT FT.	3-182	OR22-16
NO LANE CHANGES NEXT 1/2 MILE	3-182	OR22-17
NO LEFT TURN	3-22	OR3-2
NO OUTLET	4-61	OW14-2A
NO OVERNIGHT PARKING	3-85	OR7-1
NO PARKING with arrow	3-88	OR7-3A
NO PARKING ANYTIME with arrow	3-90	OR7-3B
NO PARKING FOR UNATTENDED VEHICLES	3-103	OR8-4A
NO PARKING FOR UNATTENDED VEHICLES w/dates	3-139	OR18-2
NO PARKING ON HIGHWAY SHOULDERS	3-104	OR8-8
NO PARKING TOW AWAY ZONE	3-102	OR8-1A
NO PARKING VEHICLES OVER X FEET HIGH	3-100	OR7-20

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
NO RIGHT TURN	3-22	OR3-1
NO TURN ON RED	3-107a	OR10-11a
NO TURNS	3-24	OR3-3
NON-MOTORIZED ...EXIT	3-70	OR5-3A
NON-MOTORIZED ...POINT	3-71	OR5-3B
-O-		
Obstruction Marker	4-105	OW19-1
ON BRIDGE ROADWAY	8-32	OBW1-7
ON ROADWAY	8-30	OBW1-5
ONE VEHICLE PER GREEN (PTR Sign Option)	3-147, 3-149	OR20-1, 20-3
ONE WAY	3-3, 3-80, 3-81	OR6-2
ONE WAY TRAFFIC FOR TRUCKS AND BUSES	3-3, 3-75	OR5-11
OPEN/CLOSED	5-181	---
OPEN RANGE	4-49	OW11-7
Oregon Coast Bike Route	8-81	OBD11-3
Oregon Historic Route	5-151	D-485
Oregon Scenic Byway	5-143 to 5-147	D480- to 483
OREGON THANKS YOU...	5-81	OD-461
Oregon Tour Route	5-150	D-484
Oregon Trail Signs	5-97 to 5-105	OI7-1 to 7
ORS 811.435, \$250 MAX FINE	8-19	OBR10-14
OVERSIZE LOAD	4-81	OW15-16
-P-		
PARKING...	3-92	OR7-8
PARKS, City (Public Agency)	5-3	---
County (Public Agency)	5-2, 5-3	---
State	5-2, 5-60 to 5-69	D-434
Parks, Federal	5-2,3,4	---
PATROLLED BY AIRCRAFT	3-145	OR19-6
PASS WITH CARE	3-2	R4-2
PASSING LANE CLOSED AHEAD	6-100	CW23-6
PASSING LANE 1 MILE	3-52	OR4-10
Pavement Width Transition	4-1	W4-2
POINT OF INTEREST	5-105	OI7-7
POPULATION	5-48	OD-413A
PREPARE TO STOP WHEN LIGHTS FLASH	4-78	OW15-14
PRIVATE DRIVE	4-63, 5-10	OW14-3
Project I.D.	6-12	CG20-8
PUBLIC ACCESS	5-38	ORW-141
Public Agencies	5-3	---
Public Schools	5-3	---
PULL OUT	5-29	OD12-1
PULL OUT X MILE	5-30	OD12-2
PUSH BUTTON AHEAD	8-20	OBR10-15
PUSH BUTTON BEFORE ENTERING TUNNEL	8-15	OBR10-10
PUSH BUTTON FOR BIKE CROSSING	8-17	OBR10-12
PUSH BUTTON FOR PEDESTRIANS (SYMBOL)	3-105	OR10-4bR
PUTTING OREGON BACK TO WORK	6-13, 6-13a	CG20-8s
PUTTING OREGON BACK TO WORK	6-13a, 6-13b	CG20-8su
-R-		
Racetracks	5-3	---

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
RAMP CLOSED	3-184	OR22-18
RAMP SIGNAL ON (PTR Sign)	3-150	OR20-4
Recreational/Cultural Interest Areas	5-4, 5-35	---
Recreational Symbol Policy	5-11	---
Red Cross Center	5-3	---
REDUCED SPEED AHEAD	3-17	OR2-5
Resort Areas	5-4,5-6	---
RIGHT LANE ENDS	3-2	W9-1R
RIGHT LANE MUST TURN RIGHT	3-33	OR3-7R
RIGHT 1/2 MILE, 1/4 MILE	5-108	OI7-20,21
Right Turn ONLY	3-25	OR3-5R
RIGHT TURN PERMITTED WITHOUT STOPPING	3-36	OR3-11
RIGHT TURN SIGNAL	3-106	OR10-10R
RIGHT TURN YIELD TO PEDS	3-134	OR17-5
RIGHT TURN YIELD TO PEDS ON GREEN (symbolic ball)	3-179	OR22-14
RIGHT TURN YIELD TO PEDS & BIKES	3-135	OR17-5A
RIVER ROUTE	5-100	OI7-4
ROAD CLOSED...	3-109	OR11-4A
ROAD WORK NEXT XX MILES	6-4	CG20-1
ROAD WORK XX MPH	6-60	CW20-1a
ROCKS	4-67	OW15-3
Rural Fire District	5-6	---
RR Crossing	8-7	---
S		
Safe Speeds	4-4	---
SAFETY BELTS...	3-167	OR22-3
SAFETY CORRIDOR	5-76	D-447
Safety Corridor (Standard Layout)	1-11	---
SCENIC BIKE ROUTE	8-82	OBM1-8
Scenic Byway	5-144 to 5-147	---
Scenic Byway Motorist Services	5-140,141	---
SCHOOL BUS TURN AROUND	7-18	OS3-2
School Crossing Signs	7-1, 7-4	S2-1
SCHOOL DAYS rider	7-2, 7-21	OS4-8
SCHOOL SPEED	7-2, 7-27, 7-28	OS5-4, OS5-5
School Zone Signing Details	7-9 thru 7-16	---
Shopping Centers	5-3, 5-189	---
SIDEWALK USERS WALK BIKES	8-18	OBR10-13
SIGNAL WORK AHEAD	6-84	CW21-11
SLIDES	4-85	OW15-19
Slides Rider: NEXT XX MILES	4-86	OW15-19A
SLOW	4-65	OW15-1
SLOW (For Bikes)	8-70	OBW15-1
SLOW MOVING VEHICLE TURNOUT	3-58	OR4-15
SLOW MOVING VEHICLE TURNOUT 1/2 MILE	3-56	OR4-13
SLOW TRUCKS	4-29	OW7-4
SNO PARK AHEAD 1/4 MILE	5-26	OD11-2
SNO-PARK PARKING...	3-140	OR18-3
SNO-PARK PARKING...	3-141	OR18-4
SNOW ZONE	4-79	OW15-15
Regulatory Riders	3-122	OR15-15
Snowmobile Crossing Signs	4-2	W11-6

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
SPEED REDUCTION	4-17	OW3-5
SPEED XX	3-14	OR2-1
SPEED ZONE AHEAD	3-1	R2-5C
Sports And Recreation Centers	5-3	---
Auditoriums, Ball Fields, Fairgrounds		---
State Capitol	5-3	---
State Government Offices	5-3	---
STATE LAW, MOVE OVER.....EMERGENCY VEHICLES	3-62	OR4-20
STATE LAW, TRUCKS-CAMPERS-TRAILERS...4 lanes, 6 lanes	3-61	OR4-18,19
STEEL GRID DECK	4-94	OW17-2
STEEL PLATE	6-41	CW8-8
Steer Symbol	4-48	OW11-6
STOP AHEAD	4-115	OW21-1
STOP HERE FOR PEDS	3-195	OR22-25L
STOP HERE FOR PEDS	3-196	OR22-25R
STOP Flap	3-10	OR1-5
STOP Roll-up Sign	6-20	CR1-1
STOPPED VEHICLES (PTR Sign)	4-110	OW20-1
STREET CLOSED	3-108b	OR11-2
STREET CLOSED	3-108c	OR11-4
SUNKEN GRADE	4-40	OW8-11
-T-		
Technical Schools	5-3	---
Temporary Event Signing	5-9	---
Through, Left & Right Arrow	3-29	OR3-5TT
TOUR ROUTE	5-101	OI7-4A
Tour Route, State Entrance	5-150	D-484
Tourist Information Centers	5-17 to 5-21	---
XX TON BRIDGE WEIGHT LIMIT	3-116	OR12-6
TODS	5-110,111	---
TRAFFIC CONTROL CHANGE AHEAD	6-68	CW20-10
TRAFFIC FINES DOUBLE	5-77	OD-448
Traffic Separator Symbol Sign	4-24	OW6-6
TRAIL SITE	5-99	OI7-3
TRAVEL INFO (Travel Advisory Radio Signing)	5-14	---
Travel Information Centers	5-17 to 5-20	---
Train Stations	5-5	I-7
TRUCKS	6-53	CW15-4
TRUCKS	4-68	OW15-4
TRUCKS ENTERING....	6-101	CW23-7
TRUCKS LEAVING....	6-102	CW23-8
TRUCKS, CAMPERS, TRAILERS, BUSES...4 Lane, 6 Lane	3-59	OR4-16,17
Truck Tipping Symbol	4-41	OW8-12
TRUCK WEIGHING AHEAD	4-30	OW7-5
Tsunami Signs	5-82 to 5-86	OD-462 to OD-466
TUNNEL	4-75	OW15-11
Turn	4-1	W1-1
TURN ON LIGHTS	3-124	OR16-1
-U-		
U-TURN PERMITTED	3-41	OR3-12

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Unincorporated Communities	5-3	---
Universities	5-3	---
UNLAWFUL TO IMPEDE	3-64	OR4-21
UNLAWFUL TO PASS SCHOOL BUS...	3-126	OR16-3
UNLAWFUL TO PASS WHEN RED LIGHTS FLASH	3-127	OR16-4
UNMUFFLED ENGINE BRAKING	3-175	OR22-10
UNMUFFLED ENGINE BRAKING	3-176	OR22-11
USE CAUTION Plaque	8-51	OBW8-21
-V-		
Visitors Information Signs	5-17 to 5-20	---
-W-		
Warning Sign Placement	4-1	---
WEIGHT LIMIT REDUCED	3-110	OR12-5
Weight Limits	3-111 to 3-115	OR12-5A to E
Weight Specific Sign	4-100	OW18-1
Welcome Center Signs	5-17 to 5-20	---
Welcome Information Signs - City	5-47	OD-413
Welcome Information Signs - County	5-49	OD-414
WELCOME TO OREGON	5-80	OD-460
Whale Watching Symbol Sign	5-35	ODRW-061
WHEELCHAIR USER ONLY	3-95	OR7-8c
WIDE LOAD	4-84	OW15-18
Wildlife Refuge	5-3	---
WILDLIFE VIEWING AREA.....LEFT, RIGHT	5-41	ORM-174
WILDLIFE VIEWING AREA w/Arrow	5-40	ORM-172
Wildlife Viewing Symbol (Binoculars)	5-39	ORM -170
Wine Tour Symbol Sign	5-35	ODRG-121
Winter Recreation Area Signs	3-138, 5-25	---
WRECK AHEAD	6-56	CW15-10
-X-		
XING	8-31	OBW1-6
-Y-		
YIELD (For Bikes)	8-5	OBR1-2
YIELD AHEAD	4-1	W3-2
YIELD CENTER LANE TO OPPOSING TRAFFIC	3-53	OR4-11A
YIELD CENTER LANE TO UPHILL TRAFFIC	3-53	OR4-11
YIELD TO ONCOMING TRAFFIC	3-171	OR22-6
Youth Camps	5-3	---
Z		
24-HOUR FLAGGING AHEAD	6-67	CW20-9
\$500 PENALTY FOR THROWING AWAY BURNING MATERIAL	3-129	OR16-6

Information Center Signing Guidelines

TRAVEL INFORMATION CENTER: These are the gazebo types of information centers operated by the Oregon Travel Information Council usually found in interstate rest areas. There are some located in other areas (e.g., “D” River Wayside).

Freeway –

- Incorporate word message “TRAVEL INFO.” or “TRAVEL INFO. CTR.” into legend of rest area sign. See page 5-20 for sign design examples.

Primary/Secondary Highway –

- Use a blue background sign with white lettered legend of “TRAVEL INFORMATION CENTER”. Legend may be abbreviated if appropriate.

OREGON WELCOME CENTER: These are statewide information centers operated and funded by the Oregon Tourism Commission, doing business as Travel Oregon. The centers are located at select border/entry points in rest areas, state parks, their own facilities and in Visitor Information Centers operated by local destination marketing organizations.

Freeway –

- If the facility is in a rest area, incorporate word message “WELCOME CTR.” or “WELCOME CENTER” with the “TOURIST INFORMATION” symbol (symbol shown on sign OD9-10) into the legend of rest area sign.
- If facility is not in rest area, it is considered to be a motorist service and shall be signed as a rider under one of the guide signs. The rider shall incorporate the word message “WELCOME CTR.” or “WELCOME CENTER” with the “TOURIST INFORMATION” symbol.
- For retro-fits of existing signs, if the distance between the breakaway supports will not accommodate a full length rider as described above, two smaller riders may be used. The rider legend shall read “INFO CTR” with a separate “TOURIST INFORMATION” symbol sign rider.
- The preferred placement would be under the one mile advance or “EXIT XX” sign.
- See Page 5-20 for sign design examples.

Primary/Secondary Highway –

- The “TOURIST INFORMATION” symbol sign (OD9-10) with the “WELCOME CENTER” word message sign (OD9-10a) with appropriate Directional Arrow Auxiliary Sign should be used to guide motorists to the center.

Information Center Signing Guidelines

VISITOR INFORMATION CENTER: These are information centers usually operated by local and regional destination marketing organizations (DMO's). In specific circumstances, Visitor Information Centers are run by others on behalf of DMO's as a public service. In these isolated instances, they are allowed signing if they qualify by documenting that they are operating the center on behalf of the DMO and by meeting the standards adopted by the Visitor Center Sign Committee shown on page 5-19.

There are two options for signing Visitor Information Centers, through the Travel Information Council (TIC) as an attraction logo on the freeway and through ODOT as per this manual. Both options should be evaluated to determine the best approach, however, only one option should be installed.

Prior to replacement of any existing Visitor Information Center signing, ODOT shall request the Visitor Information Center submit documentation to the ODOT District Office that their facility meets the new standard as shown on page 5-19.

Freeway –

- Considered a motorist service, it shall be signed as a rider under one of the guide signs. The rider shall incorporate the word message “VISITOR INFO” or “VISITOR INFORMATION” with the “TOURIST INFORMATION” symbol (symbol shown on sign OD9-10).
- For retro-fits of existing signs, if the distance between the breakaway supports will not accommodate a full length rider as described above, two smaller riders may be used. The rider legend shall read “INFO CTR” with a separate “TOURIST INFORMATION” symbol sign rider.
- The preferred placement would be under the one mile advance or “EXIT XX” sign.
- See Page 5-20 for sign design examples.

Primary/Secondary Highway –

- The “TOURIST INFORMATION” symbol sign (OD9-10) with the VISITOR INFO word message sign (OD9-10b) with appropriate Directional Arrow Auxiliary sign should be used to guide motorists to the center.

Visitor Information Center Sign Standards

In order to qualify for a Visitor Information Center sign, a business must submit to the ODOT District Office a letter from the nearest **Destination Marketing Organization (DMO) certifying that it meets the following standards.

Mandatory Standards

Visitor Information Centers shall have:

1. Plans and procedures to respond to visitor inquiries in a timely manner.
2. Directional signs as needed on county or city roads to lead visitors from the first sign to the visitor center.
3. Signs at the building which are consistent with the official Visitor Information Center signing.
4. Trained staff with destination and customer service expertise to meet the needs of the leisure travel market.
5. Copies of the appropriate and current local visitor information and regional guide on display, and access to guides from the other six regions available on request.
6. Current statewide materials provided by Travel Oregon and the Oregon Department of Transportation that are available to the public upon request.
7. Open hours: A minimum of five days a week, five hours a day. Hours shall be clearly posted.
8. Access to visitor information after hours (such as brochure racks, information kiosk, phone message board, Web site address, etc.)
9. ADA Accessibility.
10. Automobile parking within walking distance, or easy access by public transportation.
11. Drinking fountain or access to water during open hours.
12. Restrooms within walking distance, accessible to all members of the traveling public during open hours.
13. A landline telephone for staff or guest emergency use.


Voluntary Standards

Visitor Information Centers should consider having:

1. Reservation capability.
2. Recreational vehicle parking within walking distance.
3. Access to staff and/or resources with multiple language speaking capabilities.
4. Internet access available (Possibly demonstrated with a Wi-Fi symbol on the sign at the Visitor Information Center).

**The DMO should be the nearest Convention & Visitors Bureau or Chamber of Commerce. If there is not a CVB or Chamber in your city or one that represents your county, then a letter from the Regional Destination Marketing Organization would be accepted.

These standards were developed by the Visitor Center Sign Committee (consisting of representatives from the Oregon Department of Transportation, Travel Information Council, Travel Oregon, Oregon Destination Marketing Organizations and Oregon State Chamber of Commerce) and were endorsed by the Oregon Traffic Control Devices Committee and approved by the State Traffic Engineer on 12/18/2009.



Sign Background: Blue, Retro-reflective sheeting

Sign Legend: White, Retro-reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E				
MIN.	24	20	1/2	1 1/2	2				
STD.	30	25	3/4	1 7/8	2 1/2				

The TOURIST INFORMATION symbol sign (OD9-10) should be used with:

- 1.) The WELCOME CENTER word message sign (OD9-10a) for Oregon Welcome Center locations, or
- 2.) The VISITOR INFO word message sign (OD9-10b) for Visitor Information Center locations.

Directional Arrow Auxiliary sign (M6-1 or M6-3) should be used in the assembly with the same sign background and sign legend color.

For additional signing information on Visitor Information Centers and Oregon Welcome Centers, see pages 5-17 thru 5-20.


SIGNSTDPG.F13

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 12 /09



Sign Background: Blue, Retro-reflective sheeting

Sign Legend: White, Retro-reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G		
MIN.	24	18	1/2	1 1/2	4C	3	3 1/2		
STD.	30	24	3/4	1 7/8	5C	4	5		

SIGNSTDPG.F13

The WELCOME CENTER word message sign (OD9-10a) should be installed below the TOURIST INFORMATION symbol sign (OD9-10).

Directional Arrow Auxiliary sign (M6-1 or M6-3) should be used in the assembly with the same sign background and sign legend color.


For additional signing information on Oregon Welcome Centers, see pages 5-17 thru 5-20.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 12 /09



Sign Background: Blue, Retro-reflective sheeting

Sign Legend: White, Retro-reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G		
MIN.	24	18	1/2	1 1/2	4C	3	3 1/2		
STD.	30	24	3/4	1 7/8	5C	4	5		

SIGNSTDPG.F13

The VISITOR INFO word message sign (OD9-10b) should be installed below the TOURIST INFORMATION symbol sign (OD9-10).

Directional Arrow Auxiliary sign (M6-1 or M6-3) should be used in the assembly with the same sign background and sign legend color.

For additional signing information on Visitor Information Centers, see pages 5-17 thru 5-20.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 12 /09

EXIT 124

Roseburg
Diamond Lake
1 MILE



INFO. CTR. }

*

*retro-fit option

Or

TRAVEL INFO

Or

WELCOME CENTER

Or

VISITOR INFO

Typical Freeway Signing when Welcome Center or Information Center is not located in rest area.

SIGNSTDPG.F13



Typical Freeway sign for Travel Info. Center in rest area.



Typical Freeway sign for Welcome Center and Travel Info. Center when located in rest area.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 12 /09