



Oregon

Theodore R. Kulongoski, Governor

OREGON DEPARTMENT OF TRANSPORTATION
Traffic-Roadway Section
355 Capitol Street NE, Fifth Floor
Salem, OR 97301-3871
Telephone (503) 986-3568
FAX (503) 986-4063

May 31, 2010

All Holders of "Sign Policy and Guidelines for the State Highway System"

RE: MAY, 2010 REVISIONS TO SIGN POLICY & GUIDELINES FOR THE STATE HIGHWAY SYSTEM

Enclosed with this cover letter are the most recent revisions to the "Sign Policy and Guidelines for the State Highway System." If you wish to receive extra copies for future updates or if you wish to be removed from the distribution list entirely, please contact Carolee Will at (503) 986-6938.

Sign No.	Page No.	Legend/Section	Revision
CG20-20	6-18	Pedestrian Event Route	New Sheet. This sign may be used for route marking of a permitted pedestrian event as defined in OAR 734-056-0010 thru OAR 734-056-0050.
CG20-21	6-19	Bicycle Event Route	New Sheet. This sign may be used for route marking of a permitted bicycle event as defined in OAR 734-056-0010 thru OAR 734-056-0050.
CW11-1	6-50	Bicycles On Roadway	This sheet has been updated to show dimensioning for both a 36" and 48" sign and to allow its use for a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.
CW11-1a	6-51	Bicycles Crossing Roadway	New Sheet. This sign may be used at, and in advance of, crossing locations within the limits of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.
CW11-2	6-52	Pedestrians On Roadway	New Sheet. This sign may be used to inform motorists that pedestrians may be present in the roadway within the limits of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.
CW11-2a	6-52a	Pedestrians Crossing Roadway	New Sheet. This sign may be used at, and in advance of, crossing locations within the limits of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.
CW15-15	6-57	Event Ahead	This sheet has been updated. Text has been added to allow this sign to be used for special events as per OAR 734-056-0010 thru 734-056-0050.
CW15-15a	6-58	Bicycle Event Ahead	New Sheet. This sign may be used in advance of entry points of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.
CW15-15b	6-59	Pedestrian Event Ahead	New Sheet. This sign may be used in advance of entry points of a permitted

			pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.
CW17-1	6-59a	Bicycle Race In Progress	New Sheet. This sheet was previously in chapter 8, page 8-73, sign number OBW17-1. A minimum size was added for use.
CW17-2	6-59b	Bicycle Ride In Progress	New Sheet. This sheet was previously in chapter 8, page 8-74, sign number OBW17-2. A minimum size was added for use.
---	8-001	Chapter 8 Bicycle Signs	This sheet has been updated. A note was added to this page referencing chapter 6.
OBW16-2	8-72	Bicycle Race Ahead	This sheet has been updated to provide guidance on compliance & future use.
OBW17-1	DELETE 8-73	Bicycle Race In Progress	This sheet has been moved to chapter 6, page 6-59a, sign number CW17-1.
OBW17-2	DELETE 8-74	Bicycle Ride In Progress	This sheet has been moved to chapter 6, page 6-59b, sign number CW17-2.

If you have any revisions, changes, or comments, please send them to:

Mike Kimlinger, Sign Engineer
 ODOT, Traffic-Roadway Section
 355 Capitol St. NE, Fifth Floor
 Salem, Oregon 97301-3871

Ph: (503) 986-3603 Fax: (503) 986-4063
 e-mail: Michael.J.Kimlinger@odot.state.or.us



Mike Kimlinger
 Sign Engineer

SIGN LEGEND or PURPOSEPAGESIGN NO.

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
-A-		
ABRUPT EDGE	6-81	CW21-7
Abrupt Edge Riders	6-82	CW21-8a, b, c
ABRUPT EDGE roll-up sign	6-83	CW21-9
ADOPT-A-HIGHWAY	5-52	OD-417
ADOPT-A-LANDSCAPE	5-53	OD-418
Airport	5-5	I-5
ALL TRUCKS OVER 20,000 GVW NEXT RIGHT	3-168	OR22-4
APPLEGATE TRAIL, TRAIL SITE	5-106	OI7-8,9
APPLEGATE TRAIL INFO. CTR., INTERP. CTR.	5-107	OI7-10,11
Armory	5-3	---
ARRA Pictograph	6-13a,6-13,6-13b	ARRA
Arrow	5-102	OI7-5
ATTENDANT...	5-143	D-475
Auditoriums	5-3	---
AUTHORIZED AND EMERGENCY...	3-178	OR22-13
-B-		
Ball Fields	5-3	---
Banners	5-8	---
BARLOW ROAD ROUTE	5-104	OI7-6
BEACH ACCESS	5-38	ORW-141
Bicycle Symbol / EVENT AHEAD	6-58	CW15-15a
Bicycle Symbol / EVENT ROUTE	6-19	CG20-21
BICYCLE RACE AHEAD	8-72	OBW16-2
BICYCLE RACE IN PROGRESS	6-59a	CW17-1
Bicycle Railroad Crossing Symbol	8-50	OBW8-20
BICYCLE RIDE IN PROGRESS	6-59b	CW17-2
Bicycle Signs	8-1	---
Bicycle Symbol / CROSSING ROADWAY	6-51	CW11-1a
Bicycle Symbol / ON ROADWAY	6-50	CW11-1
Bicycle Symbol w/STOP	8-4	OBR1-1
Bicycle Symbol w/YIELD	8-5	OBR1-2
Bike Centennial	8-1	---
Bike Directional	8-79	OBD11-1
Bike Directional (Multiple Directions)	8-76	OBD1-3c
Bike Lane Ends Symbol	8-34	OBW1-9
BIKE LANE ENDS	8-35	OBW1-10
Bike/Ped Crossing	8-52	OBW8-22
Bike/RR Xing	8-48	OBW8-19
BIKES CROSS ON WALK SIGNAL ONLY	8-16	OBW10-11
BIKE IN TUNNEL...	8-33	OBW1-8
Bridge Weight Limit...	3-116	OR12-6
BRIDGE WORK AHEAD	6-84	CW21-10
BUCKLE-UP OREGON	5-31	OD27-1
Bus Station Symbol	5-5	I-6
BUSINESS ACCESS	6-15	CG20-11
Business Park	5-3, 5-189	---
BYPASS PHOTO ENFORCED	4-90	OW16-10
-C-		
CALIFORNIA TRAIL	5-96	OI6-1

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Cardinal Direction Signs	5-87 to 5-94	OM3-1 to 3-4
CHAIN-UP AREA SIGNS	4-120 to 123	OW 22-1 to 22-6
CHANNEL 9 MONITORED	5-5	---
Clam Digging Symbol	5-35	ODRW-062
Colleges	5-2,3	---
CONGESTION	4-70	OW15-6
CONSTRUCTION VEHICLE DO NOT FOLLOW	6-110	CW23-14
Crabbing Symbol Sign	5-35	ODRW-063
Criteria for Signing... Interstate Highways	5-189	---
CROSSWALK CLOSED	3-172	OR22-7
CROSSWALK CLOSED w/Arrow	3-173	OR22-8
Curve	4-1	W1-4
Curve Modified	4-14	OW1-10R
Curve, Modified	4-15	OW1-11R
-D-		
Dead End	4-60	OW14-1A
DEER	4-45	OW11-3
DETOUR w/Vert, Arrow	6-10	CG20-6
Detour Signing	6-1	M4-8
Disabled Parking	3-92	OR7-8
Distance Rider for Recreational Signs	5-103	017-5A
DIVIDED HIGHWAY	4-2	W6-1
DIVING FROM BRIDGE PROHIBITED	3-161	OR21-2
DIVING OR JUMPING FROM BRIDGE PROHIBITED	3-162	OR21-2A
DO NOT ENTER	3-65	OR5-1
DO NOT ENTER	3-3,	R5-1
DO NOT PASS	3-2	R4-1
DO NOT PASS SNOWPLOWS ON THE RIGHT	3-174	OR22-9
DON'T LITTER MAX. FINE \$6250	3-163	OR21-3a
DRAW BRIDGE	4-71	OW15-7
Dual Lane Reversing Curve Symbol	6-6b & 6c	---
-E-		
Elk	4-46	OW11-4
Elk Symbol	4-47	OW11-5
Emergency Medical Services	5-5	09-13
Emergency Medical Services	5-153	D-487
Emergency Parking Signs	3-3	R8-4
END DETOUR	6-9	CG20-5
END EXPRESSWAY 1/2 MILE	4-22	OW6-5
END EXPRESSWAY 1 MILE	4-22	OW6-5a
END FREEWAY 1/2 MILE	4-20	OW6-4
END FREEWAY 1 MILE	4-20	OW6-4a
END ROAD WORK	6-6	CG20-2A
END SAFETY CORRIDOR	5-78	OD-449
END SCHOOL ZONE	7-25	OS5-2
END SPEED ZONE	3-21	OR2-6A
END WORK AREA	6-6	CG20-4
END XX MPH SPEED ZONE	3-20	OR2-6
Engine Braking	3-175, 176	OR22-10,11
ENTERING CITY	5-45	OD-411a
ENTERING XX COUNTY	5-46	OD-412

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
ENTERING WINTER RECREATION...	3-138	OR18-1
ENTERING WINTER RECREATION	5-25	OD11-1
EROSION CONCERNS	6-14	CG20-10
EVENT AHEAD	6-57	CW15-15
EXCEPT BUS	3-34	OR3-7a
Exposition Center	5-3	---
-F-		
Fairgrounds	5-3	---
Flag board policy	4-5,6	---
Flagger Ahead Symbol	6-96	CW23-2
FLAGGER NEXT MILE roll-up sign	6-65	CW20-7b
Forest Service, USDA	1-5 to 1-7	---
FORM 2 LINES (PTR Sign)	3-151	OR20-5
Freeway Curve Left	4-10	OW1-8L
Freeway Curve Right	4-11	OW1-8R
Freeway Reverse Curve Left	4-12	OW1-9L
Freeway Reverse Curve Right	4-13	OW1-9R
-G-		
Geological Marker	5-73	D424A
Golf Course	5-6	---
GROOVED PAVEMENT	6-46	CW8-13
GROOVED PAVEMENT w/Symbol	4-42	OW8-13
-H-		
HELMETS REQUIRED	3-166	OR22-2
Heritage Site	5-70	ORG-010
HIGH WATER	4-76	OW15-12
Highway Advisory Radio Sign	4-124	OW22-7
Historical Marker Ahead	5-72	D-424
Horizontal Clearance Symbol	6-86	CW21-12
Hydrant Marker	5-79	OD-450
-I-		
ICE	4-77	OW15-13
Impact Attenuator	4-105	OW19-1
Industrial Park	5-3	---
INFO CENTER	5-98	OI7-2
INTERMITTENT ROAD WORK	6-17	CG20-13
Intersection Guide Signs	5-2	---
Intersection Symbol Signs	4-1	W2-1,W2-5
-K-		
KEEP RIGHT (For Bikes)	8-71	OBW16-1
KEEP RIGHT EXCEPT TO PASS	3-45	OR4-3
-L-		
Landmarks	5-3	---
LANE NARROWS	6-98	CW23-4
Lane Restriction Signs	3-3	OR5-11
Lane Use Control Signs	3-25 to 3-31	OR3-5, 3-6
LANES NARROW	6-98	CW23-5
LAW REQUIRES SLOW VEHICLES TO USE TURNOUTS	3-57	OR4-14
Left & Right Arrow	3-28	OR3-5TD

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
LEFT LANE BUS ONLY	3-38	OR3-11b
LEFT LANE BUS & LEFT TURN ONLY	3-39	OR3-11c
LEFT LANE MUST TURN LEFT	3-33	OR3-7L
LEFT 1/2 MILE, 1/4 MILE	5-108	OI7-20,21
Left Turn ONLY	3-25	OR3-5L
LEFT TURN LANE CLOSED AHEAD	6-108	CW23-12
LEFT TURN LANE CLOSED	6-109	CW23-13
LEFT TURN SIGNAL	3-106	OR10-10L
LEFT TURN YIELD . . .	3-108	OR10-12
LEFT TURN YIELD TO ONCOMING TRAFFIC	3-130	OR17-1
LEFT TURN YIELD TO PEDS	3-134	OR17-6
LEFT TURN YIELD TO PEDS & BIKES	3-135	OR17-6A
LEFT TWO LANES CLOSED AHEAD	6-63	CW20-5a
LENGTH RESTRICTION SYMBOL SIGN	3-117	OR12-8
Lewis and Clark Trail Sign	5-95	OI5-1
LIGHTS	3-125	OR16-2
LIGHTS	5-75	D-446
LIGHTS ON FOR SAFETY	5-74	D-445
Livestock	4-50	OW11-8
LOGO, Interstate	5-125 to 5-139	---
LOGO, OFF-INTERSTATE	5-112 to 5-124	---
LOG TRUCKS	4-69	OW15-5
LONG LOAD	4-82 & 83	OW15-17
LOOSE GRAVEL XX MPH	6-60	CW8-7a
Low Clearance Sign	4-55	OW12-2P
LOW CLEARANCE ON SHOULDER	4-57	OW12-4
Low Clearance Symbol For Bikes	8-65	OBW12-2
-M-		
MAX WIDTH (Horizontal Clearance)	6-86	CW21-12
Memorial Highways	5-6	---
Mileage Rider	5-103	OI7-5A
Motor Carrier Pilot Car STOP Marker	3-119	OR14-6
MOTORCYCLISTS....	3-165	OR22-1
-N-		
NARROW Symbol for Bikes	8-66	OBW12-3
NARROW BRIDGE	3-3, 4-1	W5-2
NEXT EXIT	5-109a	OI7-23
NEXT GASOLINE	5-5	---
NEXT LEFT	5-109	OI7-22L
NEXT RIGHT	5-109	OI7-22R
NEXT XX MILES	4-28	OW7-3a
NO FISHING FROM BRIDGE	3-160	OR21-1
NO LANE CHANGES AHEAD	3-181	OR22-15
NO LANE CHANGES NEXT FT.	3-182	OR22-16
NO LANE CHANGES NEXT 1/2 MILE	3-182	OR22-17
NO LEFT TURN	3-22	OR3-2
NO OUTLET	4-61	OW14-2A
NO OVERNIGHT PARKING	3-85	OR7-1
NO PARKING with arrow	3-88	OR7-3A
NO PARKING ANYTIME with arrow	3-90	OR7-3B
NO PARKING FOR UNATTENDED VEHICLES	3-103	OR8-4A

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
NO PARKING FOR UNATTENDED VEHICLES w/dates	3-139	OR18-2
NO PARKING ON HIGHWAY SHOULDERS	3-104	OR8-8
NO PARKING TOW AWAY ZONE	3-102	OR8-1A
NO PARKING VEHICLES OVER X FEET HIGH	3-100	OR7-20
NO RIGHT TURN	3-22	OR3-1
NO TURN ON RED	3-107a	OR10-11a
NO TURNS	3-24	OR3-3
NON-MOTORIZED ...EXIT	3-70	OR5-3A
NON-MOTORIZED ...POINT	3-71	OR5-3B
-O-		
Obstruction Marker	4-105	OW19-1
ON BRIDGE ROADWAY	8-32	OBW1-7
ON ROADWAY	8-30	OBW1-5
ONE VEHICLE PER GREEN (PTR Sign Option)	3-147, 3-149	OR20-1, 20-3
ONE WAY	3-3, 3-80, 3-81	OR6-2
ONE WAY TRAFFIC FOR TRUCKS AND BUSES	3-3, 3-75	OR5-11
OPEN/CLOSED	5-181	---
OPEN RANGE	4-49	OW11-7
Oregon Coast Bike Route	8-81	OBD11-3
Oregon Historic Route	5-151	D-485
Oregon Scenic Byway	5-143 to 5-147	D480- to 483
OREGON THANKS YOU...	5-81	OD-461
Oregon Tour Route	5-150	D-484
Oregon Trail Signs	5-97 to 5-105	OI7-1 to 7
ORS 811.435, \$250 MAX FINE	8-19	OBR10-14
OVERSIZE LOAD	4-81	OW15-16
-P-		
PARKING...	3-92	OR7-8
PARKS, City (Public Agency)	5-3	---
County (Public Agency)	5-2, 5-3	---
State	5-2, 5-60 to 5-69	D-434
Parks, Federal	5-2,3,4	---
PATROLLED BY AIRCRAFT	3-145	OR19-6
PASS WITH CARE	3-2	R4-2
PASSING LANE CLOSED AHEAD	6-100	CW23-6
PASSING LANE 1 MILE	3-52	OR4-10
Pavement Width Transition	4-1	W4-2
Pedestrian Symbol / EVENT ROUTE	6-18	CG20-20
Pedestrian Symbol / EVENT AHEAD	6-59	CW15-15b
Pedestrian Symbol / ON ROADWAY	6-52	CW11-2
Pedestrian Symbol / CROSSING ROADWAY	6-52a	CW11-2a
POINT OF INTEREST	5-105	OI7-7
POPULATION	5-48	OD-413A
PREPARE TO STOP WHEN LIGHTS FLASH	4-78	OW15-14
PRIVATE DRIVE	4-63, 5-10	OW14-3
Project I.D.	6-12	CG20-8
PUBLIC ACCESS	5-38	ORW-141
Public Agencies	5-3	---
Public Schools	5-3	---
PULL OUT	5-29	OD12-1
PULL OUT X MILE	5-30	OD12-2

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
PUSH BUTTON AHEAD	8-20	OBR10-15
PUSH BUTTON BEFORE ENTERING TUNNEL	8-15	OBR10-10
PUSH BUTTON FOR BIKE CROSSING	8-17	OBR10-12
PUSH BUTTON FOR PEDESTRIANS (SYMBOL)	3-105	OR10-4bR
PUTTING OREGON BACK TO WORK	6-13, 6-13a	CG20-8s
PUTTING OREGON BACK TO WORK	6-13a, 6-13b	CG20-8su
-R-		
Racetracks	5-3	---
RAMP CLOSED	3-184	OR22-18
RAMP SIGNAL ON (PTR Sign)	3-150	OR20-4
Recreational/Cultural Interest Areas	5-4, 5-35	---
Recreational Symbol Policy	5-11	---
Red Cross Center	5-3	---
REDUCED SPEED AHEAD	3-17	OR2-5
Resort Areas	5-4,5-6	---
RIGHT LANE ENDS	3-2	W9-1R
RIGHT LANE MUST TURN RIGHT	3-33	OR3-7R
RIGHT 1/2 MILE, 1/4 MILE	5-108	OI7-20,21
Right Turn ONLY	3-25	OR3-5R
RIGHT TURN PERMITTED WITHOUT STOPPING	3-36	OR3-11
RIGHT TURN SIGNAL	3-106	OR10-10R
RIGHT TURN YIELD TO PEDS	3-134	OR17-5
RIGHT TURN YIELD TO PEDS ON GREEN (symbolic ball)	3-179	OR22-14
RIGHT TURN YIELD TO PEDS & BIKES	3-135	OR17-5A
RIVER ROUTE	5-100	OI7-4
ROAD CLOSED...	3-109	OR11-4A
ROAD WORK NEXT XX MILES	6-4	CG20-1
ROAD WORK XX MPH	6-60	CW20-1a
ROCKS	4-67	OW15-3
Rural Fire District	5-6	---
RR Crossing	8-7	---
S		
Safe Speeds	4-4	---
SAFETY BELTS...	3-167	OR22-3
SAFETY CORRIDOR	5-76	D-447
Safety Corridor (Standard Layout)	1-11	---
SCENIC BIKE ROUTE	8-82	OBM1-8
Scenic Byway	5-144 to 5-147	---
Scenic Byway Motorist Services	5-140,141	---
SCHOOL BUS TURN AROUND	7-18	OS3-2
School Crossing Signs	7-1, 7-4	S2-1
SCHOOL DAYS rider	7-2, 7-21	OS4-8
SCHOOL IN SESSION	7-22	OS4-9
SCHOOL SPEED	7-2, 7-27, 7-28	OS5-4, OS5-5
School Zone Signing Details	7-9 thru 7-16	---
Shopping Centers	5-3, 5-189	---
SIDEWALK USERS WALK BIKES	8-18	OBR10-13
SIGNAL WORK AHEAD	6-84	CW21-11
SLIDES	4-85	OW15-19
Slides Rider: NEXT XX MILES	4-86	OW15-19A
SLOW	4-65	OW15-1

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
SLOW (For Bikes)	8-70	OBW15-1
SLOW MOVING VEHICLE TURNOUT	3-58	OR4-15
SLOW MOVING VEHICLE TURNOUT 1/2 MILE	3-56	OR4-13
SLOW TRUCKS	4-29	OW7-4
SNO PARK AHEAD 1/4 MILE	5-26	OD11-2
SNO-PARK PARKING...	3-140	OR18-3
SNO-PARK PARKING...	3-141	OR18-4
SNOW ZONE	4-79	OW15-15
Regulatory Riders	3-122	OR15-15
Snowmobile Crossing Signs	4-2	W11-6
SPEED REDUCTION	4-17	OW3-5
SPEED XX	3-14	OR2-1
SPEED ZONE AHEAD	3-1	R2-5C
Sports And Recreation Centers	5-3	---
Auditoriums, Ball Fields, Fairgrounds		---
State Capitol	5-3	---
State Government Offices	5-3	---
STATE LAW, MOVE OVER.....EMERGENCY VEHICLES	3-62	OR4-20
STATE LAW, TRUCKS-CAMPERS-TRAILERS...4 lanes, 6 lanes	3-61	OR4-18,19
STEEL GRID DECK	4-94	OW17-2
STEEL PLATE	6-41	CW8-8
Steer Symbol	4-48	OW11-6
STOP AHEAD	4-115	OW21-1
STOP HERE FOR PEDS	3-195	OR22-25L
STOP HERE FOR PEDS	3-196	OR22-25R
STOP Flap	3-10	OR1-5
STOP Roll-up Sign	6-20	CR1-1
STOPPED VEHICLES (PTR Sign)	4-110	OW20-1
STREET CLOSED	3-108b	OR11-2
STREET CLOSED	3-108c	OR11-4
SUNKEN GRADE	4-40	OW8-11
-T-		
Technical Schools	5-3	---
Temporary Event Signing	5-9	---
Through, Left & Right Arrow	3-29	OR3-5TT
TOUR ROUTE	5-101	OI7-4A
Tour Route, State Entrance	5-150	D-484
Tourist Information Centers	5-17 to 5-21	---
XX TON BRIDGE WEIGHT LIMIT	3-116	OR12-6
TODS	5-110,111	---
TRAFFIC CONTROL CHANGE AHEAD	6-68	CW20-10
TRAFFIC FINES DOUBLE	5-77	OD-448
Traffic Separator Symbol Sign	4-24	OW6-6
TRAIL SITE	5-99	OI7-3
TRAVEL INFO (Travel Advisory Radio Signing)	5-14	---
Travel Information Centers	5-17 to 5-20	---
Train Stations	5-5	I-7
TRUCKS	6-53	CW15-4
TRUCKS	4-68	OW15-4
TRUCKS ENTERING....	6-101	CW23-7
TRUCKS LEAVING....	6-102	CW23-8
TRUCKS, CAMPERS, TRAILERS, BUSES...4 Lane, 6 Lane	3-59	OR4-16,17

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Truck Tipping Symbol	4-41	OW8-12
TRUCK WEIGHING AHEAD	4-30	OW7-5
Tsunami Signs	5-82 to 5-86	OD-462 to OD-466
TUNNEL	4-75	OW15-11
Turn	4-1	W1-1
TURN ON LIGHTS	3-124	OR16-1
-U-		
U-TURN PERMITTED	3-41	OR3-12
Unincorporated Communities	5-3	---
Universities	5-3	---
UNLAWFUL TO IMPEDE	3-64	OR4-21
UNLAWFUL TO PASS SCHOOL BUS...	3-126	OR16-3
UNLAWFUL TO PASS WHEN RED LIGHTS FLASH	3-127	OR16-4
UNMUFFLED ENGINE BRAKING	3-175	OR22-10
UNMUFFLED ENGINE BRAKING	3-176	OR22-11
USE CAUTION Plaque	8-51	OBW8-21
-V-		
Visitors Information Signs	5-17 to 5-20	---
-W-		
Warning Sign Placement	4-1	---
WEIGHT LIMIT REDUCED	3-110	OR12-5
Weight Limits	3-111 to 3-115	OR12-5A to E
Weight Specific Sign	4-100	OW18-1
Welcome Center Signs	5-17 to 5-20	---
Welcome Information Signs - City	5-47	OD-413
Welcome Information Signs - County	5-49	OD-414
WELCOME TO OREGON	5-80	OD-460
Whale Watching Symbol Sign	5-35	ODRW-061
WHEELCHAIR USER ONLY	3-95	OR7-8c
WIDE LOAD	4-84	OW15-18
Wildlife Refuge	5-3	---
WILDLIFE VIEWING AREA.....LEFT, RIGHT	5-41	ORM-174
WILDLIFE VIEWING AREA w/Arrow	5-40	ORM-172
Wildlife Viewing Symbol (Binoculars)	5-39	ORM -170
Wine Tour Symbol Sign	5-35	ODRG-121
Winter Recreation Area Signs	3-138, 5-25	---
WRECK AHEAD	6-56	CW15-10
-X-		
XING	8-31	OBW1-6
-Y-		
YIELD (For Bikes)	8-5	OBR1-2
YIELD AHEAD	4-1	W3-2
YIELD CENTER LANE TO OPPOSING TRAFFIC	3-53	OR4-11A
YIELD CENTER LANE TO UPHILL TRAFFIC	3-53	OR4-11
YIELD TO ONCOMING TRAFFIC	3-171	OR22-6
Youth Camps	5-3	---
Z		
24-HOUR FLAGGING AHEAD	6-67	CW20-9

SIGN LEGEND or PURPOSE

PAGE


SIGN NO.

\$500 PENALTY FOR THROWING AWAY BURNING MATERIAL

3-129

OR16-6

Sign No. CG20-20



CG20-20



CG20-20L



CG20-20LA



CG20-20T



CG20-20R



CG20-20RA

Sign Background: Orange, Non-Reflective Background
Black, Non-Reflective Oval

Sign Legend: Orange, Non-Reflective Letters, Arrow and State
Black, Non-Reflective Ped

The PEDESTRIAN EVENT ROUTE sign may be used for route marking of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.

Each event will have its own unique letter/ number designation, maximum 3 letters/ numbers, for example:

CO= Cycle Oregon

CCC = Cascade Cycling Classic

Signs shall be created by using attached word files, modifying the unique letter/ number designations as appropriate. Print signs on 11x17 paper (or better) and laminate.

Signs may be installed a minimum of 2' below any traffic control device or on a separate lath.

Remove all signs promptly after event concludes, as directed by the road authority.

SIGNSTDPG.F14

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

Sign No. CG20-21



CG20-21



CG20-21L



CG20-21LA



CG20-21T



CG20-21R



CG20-21RA

Sign Background: Orange, Non-Reflective Background
Black, Non-Reflective Oval

Sign Legend: Orange, Non-Reflective Letters, Arrow and State
Black, Non-Reflective Bike

The BICYCLE EVENT ROUTE sign may be used for route marking of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.

Each event will have its own unique letter/ number designation, maximum 3 letters/ numbers, for example:

- CO= Cycle Oregon
- CCC = Cascade Cycling Classic

Signs shall be created by using attached word files, modifying the unique letter/ number designations as appropriate. Print signs on 11x17 paper (or better) and laminate.

Signs may be installed a minimum of 2' below any traffic control device or on a separate lath.

Remove all signs promptly after event concludes, as directed by the road authority.

SIGNSTDPG.F14

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E. Date: 12/09 Publication Date: 5/10

Sign No. CW11-1



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	36	10	3	4D	2¼	7/8	5/8	16
STD.	48	15	4	5D	3	1¼	¾	19

SIGNSTDPG.F14

The BICYCLES ON ROADWAY roll up sign may be used to inform motorists that bicycles may be present in the roadway within the limits of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.

This sign may also be used instead of sign W11-1 and OBW1-5 in construction areas to remind motorists that bicycles may be present in the roadway.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

Sign No. CW11-1a



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	36	10	3	4D	2 ¹ / ₄	7/8	5/8	16
STD.	48	15	4	5D	3	1 ¹ / ₄	3/4	19

The BICYCLES CROSSING ROADWAY roll up sign may be used at, and in advance of, crossing locations within the limits of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

SIGNSTDPG.F14



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	36	15	3	4D	2¼	7/8	5/8	14
STD.	48	20	4	5D	3	1¼	¾	18

SIGNSTDPG.F14

The PEDESTRIANS ON ROADWAY roll up sign may be used to inform motorists that pedestrians may be present in the roadway within the limits of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

Sign No. CW11-2a



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	
MIN.	36	15	3	4D	2¼	7/8	5/8	14	
STD.	48	20	4	5D	3	1¼	¾	18	

The PEDESTRIANS CROSSING ROADWAY roll up sign may be used at, and in advance of, crossing locations within the limits of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

SIGNSTDPG.F14



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGNSTDPG.F14

The EVENT AHEAD roll-up sign shall be used to warn of pedestrian activity as per OAR 734-058-0010 thru 734-058-0080.

The EVENT AHEAD roll-up sign may be used to warn of a special event as per OAR 734-056-0010 thru 734-056-0050.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 1/09

Publication Date: 5/10

Sign No. CW15-15a



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	36	10	3	4D	2 1/4	7/8	5/8	15
STD.	48	15	4	6D	3	1 1/4	3/4	19

SIGNSTDPG.F14

The BICYCLE EVENT AHEAD roll up sign may be used in advance of entry points of a permitted bicycle event as defined in OAR 734-056-0010 thru 734-056-0050.

The EVENT AHEAD (CW15-15) sign may be used instead of sign CW15-15a.

The BICYCLE RACE AHEAD (OBW16-2) sign may be used instead of CW15-15a until January 2015 provided the sign meets ATSSA acceptable standard as outlined in ATSSA's "Quality Guidelines for Temporary Traffic Control".

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

Sign No. CW15-15b



Sign Background: Orange, Retroreflective Roll-up Sheeting

Sign Legend: Black, Non-Reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	
MIN.	36	15	3	4D	2 1/4	7/8	5/8	13	
STD.	48	20	4	6D	3	1 1/4	3/4	17	

The PEDESTRIAN EVENT AHEAD roll up sign may be used in advance of entry points of a permitted pedestrian event as defined in OAR 734-056-0010 thru 734-056-0050.

The EVENT AHEAD (CW15-15) sign may be used instead of sign CW15-15b.


OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 5/10

SIGNSTDPG.F14



Sign Background: Orange, Retroreflective sheeting

Sign Legend: Black, Non-reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	24	12	2 1/4	1 1/2	3B	1/4	1/4	1/2
STD.	48	24	5	4	5C	3/8	5/8	1 1/2

SIGNSTDPG.F15

The "BICYCLE RACE IN PROGRESS" sign shall be displayed on the bicycle race escort vehicles if required by the race permit. See special events permits OAR 734-056-0010 thru 734-056-0050

The standard size sign should be used on state highways.


A lightweight sign substrate may be used.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: O.T.C.

Date: 1/92

Publication Date: 5/10



Sign Background: Orange, Retroreflective sheeting

Sign Legend: Black, Non-reflective

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	24	12	2 $\frac{1}{4}$	1 $\frac{1}{2}$	3B	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{2}$
STD.	48	24	5	4	5C	$\frac{3}{8}$	$\frac{5}{8}$	1 $\frac{1}{2}$

SIGNSTDPG.F15

The "BICYCLE RIDE IN PROGRESS" sign shall be displayed on the bicycle ride escort vehicles if required by the ride permit. See special event permits OAR 734-056-0010 thru 734-056-0050.

The standard size sign should be used on state highways.

A lightweight sign substrate may be used.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: O.T.C.

Date: 1/92

Publication Date: 5/10

Chapter 8 Bicycle Signs

9B.17 Bicycle Warning Sign (W11-1)

The Bicycle Warning Sign (W11-1) may be used to advise motorists of the possible presence of bicycles on the roadway. The appropriate rider (“XING”, “ON ROADWAY”) should be included with all bicycle warning signs to indicate where the bicycles are likely to be encountered.

9B.18 Other Bicycle Warning Signs

The Traffic Engineering and Operations Section will provide designs for the bicycle warning signs listed in the MUTCD that do not appear in the Standard Highway Signs manual.

Bicycle Racing


The Traffic Engineering and Operations Section will provide designs for required signs listed in the “Guidelines for Administration of Bicycle Racing on Oregon Roads”. Also see designs for OBW16-2, W3-4, and W20-7.

Bicycle Routes

The OREGON BIKE CENTENNIAL ROUTE sign should be removed from our highway system as it is no longer supported by other organizations.

Note:

See chapter 6 for additional bicycle warning signs for temporary events.



Sign Background: Orange, Retro-Retroreflective sheeting

Sign Legend: Black, Non-reflective

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H		
MIN.	36	5/8	7/8	5C	3	2 1/4	2 1/2			
STD.	48	3/4	1 1/4	6C	4	3	3			

SIGNSTDPG.F14

The BICYCLE RACE AHEAD sign should be used in conjunction with a permit issued by the District Manager giving specific instructions in its use.

See "Guidelines for Administration of Bicycle Racing on Oregon Roads".

The BICYCLE RACE AHEAD sign may be used instead of the BICYCLE EVENT AHEAD (CW15-15a) until January 2015 provided: the sign meets ATSSA acceptable standards as outlined in ATSSA's "Quality Guidelines for Temporary Traffic Control".

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 5/95

Publication Date: 5/10