


Alcohol-related deaths by county, Oregon, 2013–2016



Alcohol-related deaths by county, Oregon, 2013–2016

County	Rate per 100,000 population (age-adjusted)	Deaths (average annual)	Population (average annual)
Baker	49.4	11	16,040
Benton	28.6	27	87,709
Clackamas	31.6	149	397,874
Clatsop	42.7	20	37,737
Columbia	45.2	27	49,757
Coos	57.5	48	62,994
Crook	44.4	12	21,507
Curry	59.2	18	22,396
Deschutes	34.0	70	173,075
Douglas	54.9	73	107,441
Gilliam	*	*	1,898
Grant	42.8	4	7,202
Harney	71.4	7	7,206
Hood River	28.2	7	22,906
Jackson	42.4	108	212,059
Jefferson	66.9	15	22,441
Josephine	54.9	59	84,380
Klamath	61.1	47	65,914
Lake	54.3	6	7,806
Lane	44.6	188	361,593
Lincoln	59.1	36	46,817
Linn	48.4	68	120,244
Malheur	35.3	12	30,438
Marion	36.7	131	328,173
Morrow	40.6	5	11,199
Multnomah	38.7	323	782,974
Polk	31.8	29	79,013
Sherman	*	*	1,699
Tillamook	41.0	14	25,608
Umatilla	36.5	30	76,504
Union	36.2	11	25,746
Wallowa	41.7	3	6,842
Wasco	50.2	15	25,704
Washington	25.1	147	568,201
Wheeler	*	*	1,361
Yamhill	34.1	39	102,599
Frontier counties	44.2	50	91,691
Rural counties	48.3	472	800,451
Urban counties	35.5	1,240	3,110,914
<i>Oregon State</i>	<i>38.2</i>	<i>1,763</i>	<i>4,003,055</i>

† Rates based on fewer than 12 events for the entire time period are considered unreliable.

* Rates based on a count < 5 or a denominator < 50 are not reported.

About the Data

Count Data Source: Oregon Death Certificate Data and Oregon Behavioral Risk Factor Surveillance System

Population Data Source: National Center for Health Statistics (NCHS), Estimates of the resident population of the United States by year, county, age, bridged race, Hispanic origin, and sex.

Data Notes: Data on deaths due to alcohol were calculated using the CDC Alcohol-Related Disease Impact (ARDI) methodology. This methodology calculates an estimate of how many deaths from a specific list of causes can be directly or indirectly attributed to alcohol use.

Date: April 11, 2018