


## Colorectal cancer screening among ages 50–75 years by county, Oregon, 2012–2015



**Colorectal cancer screening among ages 50–75 years  
by county, Oregon, 2012–2015**

County	Percent of adults	Number of respondents (N)
Baker	54.4%	59
Benton	70.5%	228
Clackamas	72.7%	727
Clatsop	60.8%	99
Columbia	56.8%	134
Coos	48.9%	178
Crook	57.0%	63
Curry	55.8%	57
Deschutes	66.9%	315
Douglas	66.9%	269
Gilliam / Sherman / Wasco	55.9%	67
Grant	68.8%	30
Harney	*	15
Hood River	71.4%	49
Jackson	61.4%	402
Jefferson	51.4%	49
Josephine	56.3%	193
Klamath	51.8%	160
Lake	*	18
Lane	64.6%	806
Lincoln	73.3%	149
Linn	67.7%	276
Malheur	62.1%	55
Marion	61.9%	532
Morrow	*	19
Multnomah	67.0%	1,186
Polk	67.8%	145
Tillamook	62.0%	56
Umatilla	57.7%	150
Union	54.0%	62
Wallowa	48.9%	37
Washington	71.8%	809
Wheeler	*	7
Yamhill	55.9%	151
Frontier ZIP codes	60.0%	228
Rural ZIP codes	61.3%	2,934
Urban ZIP codes	68.2%	4,262
<i>Oregon State</i>	<i>64.8%</i>	<i>7,552</i>

† Rates with a relative standard error (RSE)  $\geq 30$  are considered unreliable.

\* Rates based on a count  $< 3$  or a denominator  $< 30$  or with a relative standard error (RSE)  $\geq 50$  are not reported.

## About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

### Data Notes:

Number of respondents (N) is unweighted; percentages are weighted

Colorectal cancer screening includes fecal occult blood test (FOBT) in the past year or a colonoscopy within 10 years or a sigmoidoscopy within the past 5 years with FOBT within the past 3 years.

Date: April 11, 2018