


## Gonorrhea infection by county, Oregon, 2013–2017



## Gonorrhea infection by county, Oregon, 2013–2017

County	Rate per 100,000 population	Cases (average annual)	Population (average annual)
Baker	12.5†	2	15,980
Benton	38.5	34	88,249
Clackamas	51.3	205	399,962
Clatsop	43.1	16	38,021
Columbia	44.6	22	50,207
Coos	62.9	40	62,921
Crook	47.9	10	21,717
Curry	23.2	5	22,377
Deschutes	25.2	44	175,321
Douglas	42.8	46	107,576
Gilliam	*	*	1,891
Grant	*	*	7,209
Harney	30.6†	2	7,195
Hood River	18.3	4	22,938
Jackson	74.0	157	212,070
Jefferson	102.2	23	22,707
Josephine	85.0	72	84,514
Klamath	79.1	52	66,018
Lake	35.9	3	7,807
Lane	77.4	281	363,471
Lincoln	34.7	16	47,307
Linn	57.0	69	121,074
Malheur	69.0	21	30,421
Marion	80.3	265	330,453
Morrow	66.4	7	11,153
Multnomah	186.7	1,472	788,459
Polk	44.9	36	79,666
Sherman	*	*	1,722
Tillamook	30.2	8	25,840
Umatilla	77.2	59	76,736
Union	23.3	6	25,810
Wallowa	*	*	6,864
Wasco	44.4	11	25,687
Washington	54.5	312	572,071
Wheeler	*	*	1,347
Yamhill	28.5	29	102,366
Frontier counties	40.0	37	91,589
Rural counties	52.5	421	802,743
Urban counties	91.9	2,876	3,130,796
<i>Oregon State</i>	<i>82.8</i>	<i>3,334</i>	<i>4,025,128</i>

† Rates based on fewer than 12 events for the entire time period are considered unreliable.

\* Rates based on a count < 5 or a denominator < 50 are not reported.

## About the Data

Count Data Source: Oregon Reportable Diseases Database

Population Data Source: National Center for Health Statistics (NCHS), Estimates of the resident population of the United States by year, county, age, bridged race, Hispanic origin, and sex.

Data Notes: Includes all cases of laboratory confirmed or presumptive *Neisseria gonorrhoeae* in Oregon.

Date: October 24, 2018